디자인구성요소제작

스마트기기UIUX앱&웹디자인B

평가 일시	2022년	2월	3일(목)
평가 방법	포트폴리오		
훈 련 생		이훈흐	(인)

- 파일명 : 디자인구성요소제작_본인이름.pdf, 디자인구성요소제작_본인이름.jpg

- 수행 및 평가항목 : 개인포트폴리오제작 프로세스에 대한 구성요소를 제작할 수 있다.
 - 문항: 개인포트폴리오제작 프로세스에 대한 구성요소를 제작할 수 있는가?

■ 채점 기준 :

- 1. 디자인시안 결과물을 토대로 html/css코딩을 작성할 수 있는가? 배점: 25점 매우 우수함 25점~23점 | 우수함 22점~20점 | 보통임 19점~15점 | 미흡함14점-10점 | 매우 미흡함 8점-0점
- 2. 박스모델링 구조와 시멘틱태그, 선택자명을 적절히 사용하였는가? 배점: 25점 매우 우수함 25점~23점 | 우수함 22점~20점 | 보통임 19점~15점 | 미흡함14점-10점 | 매우 미흡함 8점-0점
- 3. 편리성을 고려하여 제작 하였는가? 배점: 25점 매우 우수함 25점~23점 | 우수함 22점~20점 | 보통임 19점~15점 | 미흡함14점-10점 | 매우 미흡함 8점-0점
- **4. 웹접근성을 고려하여 제작 하였는가? 배점: 25점** 매우 우수함 25점~23점 | 우수함 22점~20점 | 보통임 19점~15점 | 미흡함14점-10점 | 매우 미흡함 8점-0점

디자인시안 결과물을 토대로 html/css코딩을 작성 할 버 TML 편리성을 고려하여 제작 하였는가

- 전체적인 페이지 레이아웃과 HTML,CSS

- 사용자의 편리성을 고려해 메인 인덱스에 모든 페이지를 한 눈에 확인할 수 있도록 제





```
<meta http-equiv=X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width-device-width, initial-scale=1.0">
    <link href="https://fonts.googleapis.com/icon?family=Material+Icons|Material+Icons+Sharp|Material+Icons+Two+Tone|Material+Icons+Outlined"rel="st</pre>
<script src="js/script.js"></script>
<script src="https://cdn.linearicons.com/free/1.0.0/svgembedder.min.js"></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></script></scri
<script src="js/splitting.min.js"></script>
<script src="js/scrolla.jquery.min.js"></script>
                                           <h1 class="logo"><a href="index.html"><img src="img/logo.png" alt="呈□"></a></h1>
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               well not closed the results all Sections to Makes the Language Benezit, scaling 1500 at 9.

The control of the 
                                                  cli>ca href="../about/about.htal">ABOUT</a>
cli>ca href="../gallery/gallery.htal">GALLERY</a>
cli>ca href="../Portfolio Process/portfolio.htal">PORTFOLIO PROCESS</a>
cli>ca href="../Portfolio Process/portfolio.htal"
                                      <img src="img/main visual 1.jpg" alt="">
<div data-splitting class="en_b down">Let's make our story</div>
                                           <div data-splitting class="en">Get a good idea and stay with it. Dog it. <br>
                                        and stay it until it's done right.disconsistant constraints
and stay it until it's done right.disconsistant constraints
clay data-splitting class="wo's을은 아이디아가 따오르면 끈질기가 노력하세요. ਦ일기가 노력하세요.
disconsistants
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         display: inline-block;
animation: slide-up 0.5s cubic-buzier(.5, 0, .5, 1) both;
animation-delay: calc(10ms * var(--char-index));
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         display: inline-block;
animation: slide up 0.4s cubic bezier(.5, 0, .5, 1) both;
animation-delay: calc(20ms * var(--char-index));
                                                                       <span><b>I'm web publisher.</b>
                                                       westen odnot fedita 200; corflox Madow;

section about fedita 200; corflox Madow;

section about fedita 50; being being continue relative; rindex: /; finat; left; background = #89210; dupley; inline;)

section about fed prince fedita 50; being 200; section for the fedita 50; being 50; 
                                                                     cp class="en"><span>Web Design</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</span>UI/UX</span><span>UI/UX</span><span>UI/UX</span><span>UI/UX</spa
                                               <div data-splitting class="en">Only those who dare to fail greatly <br>
                                      cdiv data-splitting class="ten_s"는 NDEN 설립할 용기가 있는 자만이 크게 성취할 수 있다.</div>
cdiv data-splitting class="ten_s">-John F. Kenneady -</div>
```

웹접근성을 고려하여 제작 하였는가



Get a good idea and stay with it. Dog it, and stay it until it's done right.

Walt Dienes




Only those who dare to fail greatly can ever achieve greatly.

-John F. Kramends

```
@charset "utf-8";
indev html X 3 st
                                                                                                                                             @import url('https://fonts.googleapis.com/css?family=Noto+Sans+KR:300,400,700&display=swap');
                                    us script.js
                        🔛 body > 🤣 div.wrap > 🚱 footer > 🤣 div.info > 🤡 div.right > 💬 div.txtBox > 😭 h1.logo > 💬 a > 😭 img
                                                                                                                                              * {margin: 0;padding: 0;}
        <!DOCTYPE htm.
                                                                                                                                              html, body, div, span, applet, object, iframe, h1, h2, h3, h4, h5, h6, p, blockquote, pre, a, abbr, acronym, address, big,
        <html lang="ke
                                                                                                                                              cite, code, del, dfn, em, font, img, ins, kbd, q, s, samp, small, strike, strong, sub, sup, tt, var, b, u, i, center, dl, dt,
                                                                                                                                              h1, h2, h3, h4, h5, h6 {font-weight: 700; font-size: inherit;}
          <meta charset="UTF-8">
                                                                                                                                             a {color: inherit; text-decoration: inherit;}
          <meta http-{quiv="X-UA-Compatible" content="IE=edge">
                                                                                                                                              img {vertical-align: middle;}
          <meta name='viewport" content="width=device-width, initial-scale=1.0">
                                                                                                                                              a img {border: none;}
          <title>index </title>
                                                                                                                                              li {list-style: none;}
                                                                                                                                              address, em, i {font-style: normal;}
                                                                                                                                              a:focus foutline: none
                                                                                                                                              button:focus {outline: none}
                                                     /cdn.lirearicons.com/free/1.0.0/icon-font.min.css">
          <link rel="stylesheet" href="css/styl</pre>
                                                                                                                                              body {font-family: 'Noto Sans KR', sans-serif; font-size: 16px; color: □#2e2e2e;}
          <link href='https://fonts.googleapis.com/icch?family=Material+Icons|Material+Icons+Sharp|Material+Icons</pre>
                                                                                                                                              .ko {font-family: 'Noto Sans KR', sans-serif:
          +Icons+Outlined"rel="stylesheet">
                                                                                                                                              .en {font-family: 'Playfair Display', serif;}
                                                                                                                                              .wrap {width: 100%; margin: 0 auto; overflow: hidden; position: relative;}
          <script src="js/jquery-3.3.1.min.js"> /script
          <script src: "js/script.js"></script>
          <script src="https://cdn.linearicons.com/free/1.0.0/svgembedder.min.js"></script>
                                                                                                                                              header {width: 100%; position: fixed; z-index: 100;}
                                                                                                                                              header .innerHeader {width: 1800px; padding: 30px 0; margin: 0 auto; overflow: hidden;}
                                                                                                                                              header .innerHeader h1.logo {float: left; width: 100px; }
                                                                                                                                              header .innerHeader hl.logo a {display: block; width: 100%; height: 100%;}
          <script src="js/splitting.min.js"></s</pre>
                                                                                                                                              header .innerHeader h1.logo img {width: 100%; }
          <script src: "js/scrolla.jquery.min.js</pre>
                                                                                                                                              header .innerHeader h1.logo img img {width: 100%;}
                                                                                                                                              header .innerHeader a.menu {float: right; font-size: 26px; transition: all 0.4s; }
                                                                                                                                              header .innerHeader a.menu:hover,header .innerHeader a.menu:focus {transform: translateX(@px); color: $\exists #777; transition: all 0
                                                                                                                                              header .innerHeader a.menu::after {content: ''; width: 0%; height: 1px; background: ■#777; position: absolute; bottom: -5px;
          <div class='wrap">
                                                                                                                                              left: 0; transition: all 0.3s;}
                                                                                                                                              header .innerHeader a.menu:hover::after,header .innerHeader a.menu:focus::after {width: 100%; }
               <div class="innerHeader">
                                                                          'img/logo.png" alt="로고"></a></h1>
                 <a href="#" class="menu en">MENU</a>
                                                                                                                                              .menuOpen {background: ■#947C6B; display: block; width: 700px; position: absolute; top: 0; right: -100%; color: ■#eee; height
                                                                                                                                              100vh; font-size: 30px; text-align: center; padding: 30px; box-sizing: border-box; float: right; z-index: 200; transition:
                                                                                                                                              .menuOpen a.close {display: block; font-size: 35px; color: ■#eee; float: right; margin-right: 20px; transition: all ease 0.3s;
                                                                                                                                              .menuOpen a.close:hover,.menuOpen a.close:focus {transform: rotate(181deg); transition: all ease 0.3s; color: ■#999 }
               <div class="menuOpen">
                                                                                                                                              .menuOpen ul {margin-top: 170px;}
                                                                                                                                              .menuOpen ul li a {display: inline-block; margin-bottom: 130px; transition: all 0.3s;}
                 <a href="#" class="close"><span class="lnr lnr-cross"></span></a>
                                                                                                                                              .menuOpen ul li a:hover, menuOpen ul li a:focus {transform: translateX(@px); color: ■#999; transition: all 0.3s;}
.menuOpen ul li a::after {content: ''; width: 0%; height: 1px; background: ■#999; position: absolute; bottom: -5px; left: 0;
                 <a href="index.html">HOME:/a>
                                                                                                                                              transition: all 0.3s;}
                   <a href="../about/about.h:ml">ABOUT</a>
                                                                                                                                              .menuOpen ul li a:hover::after,.menuOpen ul li a:focus::after {width: 100%;}
.menuOpen.on {right: 0; transition: all 0.8s;}
                   <a href="../gallery/gallery.html">GALLERY</a>
                   <a href="../Portfolio Protess/portfolio.html">PORTFOLIO PROCESS</a>
                                                                                                                                              section.visual (width: 180%; hackground: ■#FSF1FD; z-index: -50; position: relative; padding: 180px 0; }
                                                                                                                                              section.visual .inner {width: 1471px; margin: 0 auto; position: relative;}
                                                                                                                                              section.visual .txtBox {transform: rotate(-90deg); display: block; z-index: 1; position: absolute; left: -114px; bottom:
                                                                                                                                              section.visual .txtBox .en {font-size: 25px; font-weight: normal;}
              <section class="visual">
                                                                                                                                              section.visual .txtBox .en b {font-size: 110px; }
                <div class="inner animate" data-animate="motion">
                                                                                                                                              section.visual .txtBox .en_b.two {position: absolute; right: -80px; top: 140px; }
                                                                                                                                              section.visual p.img {width: 932px; margin: 0 0 0 auto; }
                  <div data-splitting class="er b up ">Let's make our story</div</pre>
                                                                                                                                              section.visual p.img img {width: 100%;}
                  <img src="img/main visual 1.jpg" alt="">
                                                                                                                                              section.visual p.img:before {z-index: -1; content: ''; width: 932px; height: 622px; background: ■#B7AAA1; position:
                  <div data-splitting class="en_b down">Let's make our story</div>
                                                                                                                                              absolute; transform: rotate(7deg);}
                                                                                                                                              .tit.motion span { transform: translate3d(0,0,0) skewY(0deg); overflow: hidden;}
                                                                                                                                              .tit.motion span b {overflow: hidden; display: block; animation-name: textAni; animation-duration: 1.3s; font-weight: normal;}
                                                                                                                                              @keyframes textAni {
                                                                                                                                                  30% {opacity: 0; transform: translate3d(0, 40px,0) skewY(8deg); transform-origin: top left;}
```



- 박스모델링 구조와 시멘틱태그 선택자명을 적절한 시멘틱 태그 사용함 - 주석처리로 태그별 구분이 가능하게 함







```
section.visual {width: 100%; background: ■#F5F1ED; z-index: -50; position: relative; padding: 180px 0; }
                                                                                                           cdiv class="txtBox animate" data-animate="motion">
                                                                                                            <div data-splitting class="en">Only those who dare to fail greatly <br>
                                                                                                                                                                                                                                                    section.visual .txtBox .en {font-size: 25px; font-weight: normal;}
section.visual .txtBox .en_b {font-size: 11@px; }
                                                                                                             can ever achieve greatly.</div>
                                                                                                            <div data-splitting class="ko">크게 실패할 용기가 있는 자만이 크게 성취할 수 있다.</div>
                                                                                                                                                                                                                                                     section.visual .txtBox .en_b.two (position: absolute; right: -80px; top: 140px; }
                                                                                                            <div data-splitting class="en_s">-John F. Kenneady -</div>
                                                                                                                                                                                                                                                     section.visual p.img {width: 932px; margin: 0 0 0 auto; }
                                                                                                                                                                                                                                                     section.visual p.img img {width: 100%;}
                                                                                                                                                                                                                                                     section.visual p.img:before {z-index: -1; content: ''; width: 932px; height: 622px; background: ■#B7AAA1; position:
                                                                                                                                                                                                                                                      .tit.motion span { transform: translate3d(0,0,0) skewY(0deg); overflow: hidden;}
                                                                                                                                                                                                                                                     .tit.motion span b {overflow: hidden; display: block; animation-name: textAni; animation-duration: 1.3s; font-weight: normal;
                                                                                                        <section class="gallery">
                                                                                                            <div class="txt animate" data-animate="motion">
                                                                                                                                                                                                                                                        30% (opacity: 0; transform: translate3d(0, 40px,0) skewY(8deg); transform-origin: top left;
                                                                                                             <h2 class="en_b" >GALLERY</h2>
                                                                                                             최근까지 작업한 클론코딩과 그래픽 디자인 작업물
                                                                                                            <h2 class="en_b tit animate" data-animate="motion">Coding</h2>
                                                                                                                                                                                                                                                     section.story .en_b.tit (font-size: 300px; color: ■#eee; text-align: right; margin-right: 40px;)
                                                                                                                <div class="coding imgRight">
                                                                                                                                                                                                                                                     section.story .txtBox p.ko { display: inline-block;}
                                                                                                                    <img src="img/gallery img1.png" alt="0|0|X|">
                                                                                                                                                                                                                                                     section.story .txtBox p.address (float: right; width: 150px; text-align: right;
                                                                                                                    <div class="coding imgLeft">
                                                                                                                 <a href="#">
                                                                                                                                                                                                                                                      .inner {fill: none; stroke: | #2e2e2e; width: 90%; position: relative; }
                                                                                                                    <img src="img/gallery img2.png" alt="0|日|以">
                                                                                                                                                                                                                                                     .inner.motion .st0 (stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 1.3s linear forwards; )
                                                                                                                    DEABANG <br > <span>Daebang Construction</span>
                                                                                                                                                                                                                                                      .inner.motion .st0.1 {stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 0.6s linear forwards;
                                                                                                                                                                                                                                                      inner.motion .st0.b (stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 0.9s linear forwards;
                                                                                                                                                                                                                                                      inner.motion .st0.d {stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 6s linear forwards;
                                                                                                                                                                                                                                                      inner.motion .st0.e (stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 6.5s linear forwards;
                                                                                                                                                                                                                                                      inner.motion .st0.f {stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 7s linear forwards;
                                                                                                                                                                                                                                                      .inner.motion .st0.g (stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 7.5s linear forwards;
                                                                                                                <div class="coding imgRight">
                                                                                                                                                                                                                                                      inner.motion .st0.h {stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 8s linear forwards;
                                                                                                                                                                                                                                                      inner.motion .st0.i {stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 8.5s linear forwards;
                                                                                                                                                                                                                                                      inner.motion .st0.j {stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 9s linear forwards; .
                                                                                                                    <img src="img/gallery img3.png" alt="000以">
                                                                                                                                                                                                                                                      inner.motion .st0.k {stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 2s linear forwards;
                                                                                                                    HANWAH <br> <span>Hanwah Chemical</span>
                                                                                                                                                                                                                                                      inner.motion .st1 {stroke-dasharray: 400; stroke-dashoffset: 400; animation: dash 2s linear forwards; }
                                                                                                                                                                                                                                                      inner.motion .st2 {stroke-dasharray: 1400; stroke-dashoffset: 1400; animation: dash 1s linear forwards;
                                                                                                                                                                                                                                                      .inner.motion .st3 (fill: □#2e2e2; stroke-dasharray: 50; stroke-dashoffset: 50; animation: dots 1s linear forwards; }
                                                                                                                                                                                                                                                      to {stroke-dashoffset: 0;}
                                                                                                            <div class="btn more en animate" data-animate="motion"><a href="../gallery/gallery.html">MORE <span class="lnr</pre>
                                                                                                                                                                                                                                                     @keyframes dots
                                                                                                                                                                                                                                                      0% (opacity: 0;
                                                                                                                                                                                                                                                      100% (opacity: 1;
                                                                                                            <div class="galleryDesign">
                                                                                                              <h2 class="en_b tit animate" data-animate="motion">Graphic Design</h2>
                                                                                                                <a href="../gallery/gallery.html"><img src="img/Halloween Design.png" alt="0回以">
                                                                                                                                                                                                                                                     section.story ul li p.num (font-size: 15px; color: ■#aaa; ]
                                                                                                                                                                                                                                                     section.story ul li.a (position: absolute; bottom: 415px; left: 125px;)
                                                                                                                <a href=".../gallery/gallery.html"><img src="img/Name Design.png" alt="이미지"></a>
                                                                                                                                                                                                                                                     section.story ul li.b (position: absolute; bottom: 460px; left: 267px;)
                                                                                                              <div class="btn more en animate" data-animate="motion"><a href=".../gallery/gallery.html">MORE <span class="lnr</pre>
                                                                                                                                                                                                                                                     section.story ul li.c (position: absolute; bottom: 380px; left: 455px;)
                                                                                                                                                                                                                                                     section.story ul li.d (position: absolute; bottom: 450px; left: 670px;)
                                                                                                                                                                                                                                                     section.story ul li.e (position: absolute; bottom: 430px; left: 855px;
                                                                                                                                                                                                                                                     section.story ul li.f (position: absolute; bottom: 480px; left: 1000px;)
                                                                                                                                                                                                                                                     section.story ul li.g (position: absolute; bottom: 380px; right: 555px;)
                                                                                                                                                                                                                                                     section.story ul li.h (position: absolute; bottom: 480px; right: 230px;)
                                                                                                                                                                                                                                                     section.story ul.motion li.a (animation-name: slide-right; animation-duration: 0.6s; animation-timing-function: ease-in-out;)
                                                                                                                                                                                                                                                     section.story ul.motion li.b (animation-name: slide-right; animation-duration: 0.7s; animation-timing-function: ease-in-out;
                                                                                                         <img src="img/portfolio light.png" alt="이미지">
                                                                                                                                                                                                                                                     section.story ul.motion li.c (animation-name: slide-right; animation-duration: 0.8s; animation-timing-function: ease-in-out;)
                                                                                                          <div class="txtBox animate" data-animate="motion">
                                                                                                                                                                                                                                                     section.story ul.motion li.d (animation-name: slide-right; animation-duration: 0.9s; animation-timing-function: ease-in-out;
                                                                                                           <h2 class="en_b ">PORTFOLIO <br>Process</h2>
                                                                                                                                                                                                                                                     section.story ul.motion li.e (animation-name: slide-right; animation-duration: 1s; animation-timing-function: ease-in-out;)
                                                                                                            지난 6개월간 수강하며 배운 내용을 바탕으로 제작한 포트폴리오 과정
                                                                                                                                                                                                                                                     section.story ul.motion li.f (animation-name: slide-right; animation-duration: 1.1s; animation-timing-function: ease-in-out;)
                                                                                                            <div class="btn more en"><a href=".../Portfolio Process/portfolio.html">MORE <span class="lnr lnr-cross"></span></a></</pre>
                                                                                                                                                                                                                                                     section.story ul.motion li.g (animation-name: slide-right; animation-duration: 1.2s; animation-timing-function: ease-in-out;
                                                                                                                                                                                                                                                     section.story ul.motion li.h (animation-name: slide-right; animation-duration: 1.3s; animation-timing-function: ease-in-out;)
                                                                                                                                                                                                                                                     @keyframes slide-right (
                                                                                                                                                                                                                                                      10% (opacity: 0; transform: translateX(-10px);
                                                                                                                                                                                                                                                      20% (opacity: 0; transform: translateX(-20px);
                                                                                                                                                                                                                                                      40% (opacity: 0; transform: translateX(-40px);)
                                                                                                                                                                                                                                                       60% (opacity: 0; transform: translateX(-60px);)
```

감사합니다.