

api地址 <http://120.24.223.82:8080/Crossover/Api/>  
 图片地址 <http://120.24.223.82:8080/Crossover/images/>  
 以下的地址均为简要地址，都需要加上上面的跟地址

球队队标 TeamLogo/  
球队封面 TeamHome/  
队员头像 Teammate/  
队伍相册 Gallery/

所有api返回空时提示： 请检查当前网络或稍后再试

Password //需要base64加密

```
{  
AdminID: 322  
TeamLogo: "1428404220641_2.jpg"  
TeamName: "干"  
City: "广东 深圳"  
TeamID: 2  
type: "admin"  
TeamHomePhoto: "1428429719726_2.jpg"  
CommonID: 3  
Intro: "我们有着超厉害的后卫，超级高的中  
来！来来来！来来来！来来来！来来来！来  
来来来！来来来！来来来！来来来！来来来！来  
来来来！来来来！来来来！来来来！来来来！来  
UserID: 2  
Phone: "13246681113"  
success: true  
Integral: 1000  
}
```

type:admin/common分别为管理员用户和普通用户，管理用户为单点登录，普通用户为多点登录，目前只有查看队伍数据操作

**AdminID** 返回admin 用户类型的登录ID，每次登录将会自增1，用此ID表示用户是否已经在其他地址登录过，本地存放的ID如果小于AdminID，将会跳回登陆页面。后面的几个重要api执行时都会返回该值。**CommonID**为普通用户相关，只会在修改密码时自增，不过也同样需要作判断。

## 有返回AdminID和CommonID的api都需要判断该值

注册post : user/register

注册时需要验证手机号码，前端验证，平台见项目需求文档。

参数Json对象

Phone

AdminPwd //管理密码，需要base64加密

CommonPwd //普通密码，需要base64加密

TeamName //队伍名称

City //队伍所在城市 app需要省市联动选择

PhotoBase64 //字符串，队伍图标的base64转码

返回结果

成功

```
{“success”:true}
```

失败

```
{“success”:false,“reason”:“TeamNameExist”} //队名已存在
```

```
{“success”:false,“reason”:“PhoneExist”} //手机已注册
```

修改密码 post : /changePwd

参数json对象：先通过前端验证手机号码，成功后提交修改请求

Phone

Password

type // admin/common

返回值{“success”:true} 为成功

空为失败

Team队伍部分Api

修改logo post : /team/photo/logo

参数 json对象

TeamID

PhotoBase64 //修改的图标base64字符串

返回值 json 对象包含FileName,TeamID

失败返回空

修改队伍 封面 post: /team/photo/home

参数 json对象

TeamID

PhotoBase64 //修改的图标base64字符串

返回值 json 对象包含FileName,TeamID

失败返回空

修改队伍资料 post : /team/update

参数json对象

TeamName

Intro

City

TeamID

返回值

```
{“success”:false,“reason”:“TeamNameExist”} //队名已存在  
{“success”:true} //成功
```

获取队伍资料get:/teammate/user/{UserID}/team/{TeamID} //{}为输入的参数  
返回值示例

```
{  
  CommonID: 3  
  AdminID: 322  
  scoreList: [4]  
  0: {  
    Score: "100,73"  
    ActiveID: 40  
    ActiveTeamID: 2  
    ActiveTeamLogo: "1428404220641_2.jpg"  
    TeamLogo: "1429505925929.jpg"  
    RecordID: 16  
    ActiveTeamName: "干"  
    TeamName: "自由疯队"  
    TeamID: 40  
  }-  
  1: {  
    Score: "81,111"  
    ActiveID: 2  
    ActiveTeamID: 2  
    ActiveTeamLogo: "1428404220641_2.jpg"  
    TeamLogo: "1429041263924.jpg"  
    RecordID: 13  
    ActiveTeamName: "干"  
    TeamName: "白黄绿豆"  
    TeamID: 38  
  }-  
  2: {  
    Score: "99,100"  
    ActiveID: 2  
    ActiveTeamID: 2  
    ActiveTeamLogo: "1428404220641_2.jpg"  
    TeamLogo: "1429108807543.jpg"  
    RecordID: 12  
    ActiveTeamName: "干"  
    TeamName: "萌死你"  
    TeamID: 39  
  }-  
  3: {  
    Score: "110,111"  
    ActiveID: 39  
    ActiveTeamID: 2  
    ActiveTeamLogo: "1428404220641_2.jpg"  
    TeamLogo: "1429108807543.jpg"
```

```
RecordID: 11
ActiveTeamName: "干"
TeamName: "萌死你"
TeamID: 39
}-
-
players: [5]
0: {
  PlayerID: 13
  PlayerName: "a"
  weight: ""
  HeadIcon: "1428421281470_2.jpg"
  tall: ""
  position: ""
  TeamID: 2
  Detail: "a"
}-
1: {
  PlayerID: 14
  PlayerName: "b"
  weight: ""
  HeadIcon: "1428421290967_2.jpg"
  tall: ""
  position: ""
  TeamID: 2
  Detail: "b"
}-
2: {
  PlayerID: 18
  PlayerName: "ssdfsdfsdf"
  weight: ""
  HeadIcon: "1428761858026_2.jpg"
  tall: ""
  position: ""
  TeamID: 2
  Detail: "抱歉,没有搜索到 抱歉,没有搜索到 抱歉,没有搜索到 抱歉,没有搜索到 抱歉,没有搜索到 抱歉,没有搜索到 抱歉,没有搜索到 抱歉,没有搜索到"
}-
3: {
  PlayerID: 19
  PlayerName: "dsdfs"
  weight: ""
  HeadIcon: "1428764061080_2.jpg"
  tall: ""
  position: ""
  TeamID: 2
  Detail: "dfdsfsdfasdfsdafdsaffdsa"
}-
```

```

4: {
  PlayerID: 26
  PlayerName: "bob"
  weight: "70"
  HeadIcon: "1430059529040_2.jpg"
  tall: "179"
  position: "middle"
  TeamID: 2
  Detail: "i am a handsome boy."
}-
-
Integral: 1000
RaceCount: 4
WinCount: 1
readyList: [3]
0: {
  ArrangeID: 39
  ActiveID: 39
  TeamLogo: "1429108807543.jpg"
  TeamName: "萌死你"
  TeamID: 39
  ReceiveID: 2
}-
1: {
  ArrangeID: 40
  ActiveID: 38
  TeamLogo: "1429041263924.jpg"
  TeamName: "白黄绿豆"
  TeamID: 38
  ReceiveID: 2
}-
2: {
  ArrangeID: 44
  ActiveID: 39
  TeamLogo: "1429108807543.jpg"
  TeamName: "萌死你"
  TeamID: 39
  ReceiveID: 2
}-
-
}

```

获取主页分数排名数据 `get : /user/{UserID}/list/{pageNow}`

`pageNow`为当前页面分页可通过自增`pageNow`实现

返回值示例

```

{
  CommonID: 3

```

[illegible]

```
Integral: 1000
TeamLogo: "1429516137001.jpg"
TeamName: "榴芒"
City: ""
TeamID: 41
TeamHomePhoto: "1429516331757_41.jpg"
}-
5: {
Intro: ""
UserID: 10004
Integral: 1000
TeamLogo: "1429600204946.jpg"
TeamName: "天空蓝"
City: ""
TeamID: 42
TeamHomePhoto: ""
}-
6: {
Intro: "考虑下"
UserID: 10005
Integral: 1000
TeamLogo: "1429628591233.jpg"
TeamName: "walkpro"
City: "你舅家里"
TeamID: 43
TeamHomePhoto: "1429628759140_43.jpg"
}-
7: {
Intro: ""
UserID: 10006
Integral: 1000
TeamLogo: "1430039495720.jpg"
TeamName: "Hi"
City: ""
TeamID: 44
TeamHomePhoto: ""
}-
-
}
```