Zeporah Workflow 1: Family Onboarding, Consent, Roles, Permissions, and Visual Trust System

Version: 1.3 — Fully integrated product, operational, visual, and handoff specification
Primary release context: Hospice and palliative-care pilot
Reusable contexts: Senior living, skilled nursing, hospital discharge, insurer, employer/EAP, funeral-home and estate-support partnerships
Primary user: Designated Family Coordinator (the person acting as the next of kin or family organizer)
Companion capability: Shared Support Recommendation and Consent-Based Handoff Service

1. Purpose

1.1 Family problem

At the start of a serious illness, hospice episode, care transition, or period after a death, families may not know who is responsible, what information must be shared, who is allowed to make decisions, or how to ask others for help. The person carrying the greatest burden is often expected to coordinate relatives, care teams, documents, tasks, and emotional needs while under stress.

Zeporah begins by creating a private, family-controlled workspace. One person becomes the **Family Coordinator**, invites trusted helpers only if they choose, determines what each person can see or do, and decides whether Zeporah may help connect the family to a sponsoring organization or approved support resource.

1.2 Family value

By the end of this workflow, the Family Coordinator should be able to say:

- “I do not have to hold all of this in my head.”
- “I am still in control of who sees what.”
- “I can ask for help without giving everyone access to everything.”
- “I understand what Zeporah can do and where I should go for medical, legal, financial, or emergency help.”
- “I can take one small next step and return later.”

1.3 Institutional value

For a hospice, palliative-care program, senior-living community, health system, insurer, employer, or other sponsoring organization, the workflow provides:

- A consented, traceable entry point for family support.
- A voluntary identification of a preferred family coordinator and optional helper network.
- A secure path for the family to request help from an appropriate partner team.
- Clear privacy boundaries: sponsoring organizations do not receive default access to the family's private workspace.
- A basis for reducing uncoordinated, repeat, nonclinical family inquiries when families choose to use Zeporah.

1.4 Visual design objective

Workflow 1 uses visual design to make privacy, choice, role-based access, and consent-based support handoffs immediately understandable. Visuals reduce cognitive burden; they do not decorate screens.

Each visual must answer at least one of these questions:

- "What is this space?"
- "Who can see this?"
- "What happens if I tap this?"
- "What will be shared?"
- "Can I stop and come back later?"

1.5 Scope

This workflow includes invitation and entry paths; account creation and secure sign-in; language and accessibility preferences; explanation of Zeporah's purpose, boundaries, and emergency limitations; creation of a private family workspace; role selection; basic journey-stage selection; helper invitations; role and permission assignment; support recommendation and partner-contact preferences; privacy settings; consent records; access audit events; the visual trust system; and safe exit, save, return, and account-recovery behavior.

1.6 Out of scope

This workflow does not verify legal next-of-kin status, power of attorney, guardianship, executor status, healthcare proxy status, or beneficiary status; determine legal decision-making authority; give medical, legal, tax, financial, insurance, or emergency advice; automatically share user data; require a family to invite helpers; or replace clinical, legal, claims, or emergency processes.

2. Global visual and interaction standards

2.1 Visual philosophy

Zeporah's visual system must feel calm, dignified, private, and capable. Use original, abstract illustrations centered on quiet guidance, shelter, connection, gentle movement, and a path forward. Use the sparrow as a subtle brand motif—not a childlike mascot. Use warm, restrained, investor-ready colors with accessible contrast, rounded-line icons with text labels, generous white space, and one primary action per screen where possible.

Avoid stock photos of grieving people, hospital beds, funerals, coffins, visibly ill individuals, assumed religious imagery, generic meditation/wellness visuals, confetti, gamification, dense dashboards, icon-only navigation, and routine red warnings.

2.2 Functional-icon rules

- Icons support text and never replace it for a consequential action.
- Every interactive icon has a visible or screen-reader-accessible text label.
- Icon meanings remain consistent throughout Zeporah.
- Privacy, sharing, status, and completion are never conveyed by color alone.
- Icons are sparse and functional; users under stress should not face unexplained icon grids.

2.3 Required icon vocabulary

Icon concept	Meaning	Workflow 1 use
Protected private space	Secure, family-controlled place	Invitation, workspace, home
Shield with check	Privacy or consent confirmed	Privacy baseline, receipt, handoff approval
Key / controlled access	Role-based access	Roles, permissions, invitation previews
Single person with guiding star	Family Coordinator	Role choice, coordinator summary
Two linked people	Co-Coordinator	Role choice, shared coordination
Helping hand	Family Helper / practical support	Roles, helper invitation, support
Eye	View-only access	Viewer role, access preview
People circle	Family collaboration	Invitations, People, shared updates
Checklist	Tasks and next steps	Priorities, dashboard
Folder with privacy marker	Protected documents	Privacy reminders, future document area
Clock / pause	Save and return later	Not now, pause, welcome-back
Compass / guided path	Find next step / uncertainty	Journey selection, unsure state
Open hand / lifebuoy	Need help	Overwhelm and support requests
Heart in open hands	Emotional, grief, or spiritual support	Need categories

Icon concept	Meaning	Workflow 1 use
Link / connection line	Optional support connection	Partner/resource handoff
Paper plane	Final send action	Invitation and support-request confirmation
Pencil	Edit	Preferences, roles, journey stage
Alert triangle	Critical safety only	Emergency limitation

2.4 Persistent trust cues

- [Shield with check] **Private by default.**
- “You choose what is shared” below every external-contact action.
- “Not shared” labels beside excluded information during a support-request review.
- [Clock] “Save and return later” on all nonurgent steps.
- “Why are we asking?” beside optional sensitive-preference fields.
- “One step at a time” microcopy on longer or emotional paths.

2.5 Accessibility requirements


Meet WCAG 2.2 AA contrast requirements; do not use color alone; support screen readers and keyboard navigation; use large mobile touch targets; provide text alternatives for all diagrams; support 200% zoom and large system text; offer language choice before requesting family details; avoid motion-dependent meaning; and maintain plain, nonjudgmental language.

3. Participants and access model

Role	Description	Default access	Required visual identifier
Family Coordinator	Creates or accepts responsibility for the workspace; controls invitations, access, and external support-request consent	Full administration subject to security requirements	Single person with guiding star
Co-Coordinator	Trusted person invited to share organizational responsibilities	Configurable elevated access; cannot remove original coordinator by default	Two linked people
Family Helper	Trusted person invited for selected tasks or information	Only selected/assigned items	Helping hand
Family Viewer	Person invited for selected updates without editing	Selected updates only	Eye
Partner Support Team	Authorized sponsoring-organization staff	No default workspace access; receives only approved support requests or configured aggregate data	Link / connection line
Zeporah Support	Authorized Zeporah personnel operating under privacy/support policy	Limited role-based operational access only when necessary and authorized	Zeporah sparrow mark plus support label

Core rule: The Family Coordinator controls family collaboration. A sponsoring organization never receives access to private tasks, messages, notes, documents, contact lists, or family discussions merely because it invited the family to Zeporah.

3.1 Family access illustration



Text alternative: The Family Coordinator controls the family space. Co-Coordinators have selected elevated access. Helpers see assigned or shared items. Viewers see selected updates. Partner teams see nothing in the private workspace unless the Coordinator sends a specific approved support request.

4. Entry paths and triggers

4.1 Partner invitation

Trigger: Authorized partner staff or approved partner system sends invitation after family is told use is optional.

Required partner inputs: Partner organization identifier; program/service line; recipient name if lawfully available; recipient email or mobile number if consented; optional sender name/role; approved partner introduction text.

System rules: Invitation links are single-use and expire after a configurable period, recommended 14 days. Notification previews never disclose diagnosis, death, care, policy, or sensitive details. The partner cannot see open events unless user separately consents to partner-visible activity reporting.

4.2 Family-created workspace

Trigger: Person downloads Zeporah, visits site, or follows general link.

Rule: User selects “Create a private family space.” No organization connects by default.

4.3 Family-helper invitation

Trigger: Existing Coordinator invites trusted person.

Rule: Invite names inviter, offered role, and exact access. Invitee authenticates and accepts independently. Declining requires no reason.

4.4 Deep link / return

Authenticate before showing sensitive information. Return to relevant item when access permits. If access changed, show: “This item is no longer available to you. You can return to your family space or contact the Family Coordinator.”

4.5 Re-entry after inactivity

Show: “Welcome back. There is no need to catch up all at once. We can begin with what matters today.” Display [clock] “Start with today,” “See what changed,” and “Not today.”

5. Detailed screen-by-screen workflow

Screen 1: Invitation landing page

Goal: Explain Zeporah, the inviter when applicable, and the user’s choice.

Required visual: Original “private nest and guided path” illustration: an abstract sparrow-like form moves along three soft path markers toward a sheltered space. No people, hospital, funeral, religious, or death imagery. Text alternative: “A small bird follows a gentle path toward a protected space.”

Title: “A private space for your family”

Partner body: “[Organization name] is offering Zeporah as an optional tool to help families organize care, share responsibilities, and find support. You decide whether to use it and what you share.”

Family invitation body: “[Inviter first name] invited you to join a private Zeporah family space. They have offered you [role name] access.”

Trust cue: [Shield] **Private by default** — You choose what each person can see.

Boundary: “Zeporah helps with coordination and support navigation. It does not provide emergency, medical, legal, tax, financial, or insurance advice.”

Actions: “Continue”; “How Zeporah protects privacy”; “I am not ready right now”; “This invitation was not meant for me.”

User action	System response
Continue	Moves to language/accessibility then authentication

User action	System response
How Zeporah protects privacy	Opens Screen 1A; invitation state preserved
I am not ready right now	Offers save invitation for later/close; neutral reminder only with consent
This invitation was not meant for me	Invalidates device session; shows neutral contact option; reveals no additional details

Errors: Expired link: “This invitation link has expired. You can ask the person or organization who invited you to send a new one.” Used link: “This invitation has already been used. Sign in if you have an account, or ask for help if you believe this is an error.” Service issue: “We are having trouble opening this invitation right now. Your information has not been changed. Please try again later.”

Screen 1A: Plain-language privacy overview

Goal: Explain the privacy model in under 20 seconds.

Required visual:

```
Your family space                    [Organization]
Private tasks and notes          ×    Cannot view by default
Shared family updates             ×    Cannot view by default
Approved support request          ✓    Receives only what you approve
```

Text alternative: The sponsoring organization cannot view private tasks, notes, documents, or updates by default. If the family asks Zeporah to contact it, the family reviews and approves exact information first.

Title: “Your family controls sharing”

Body: “Your Zeporah family space is private by default. A hospice, hospital, insurer, employer, or other organization cannot see your private information simply because they offered Zeporah.”

“If you want help from an organization or resource, Zeporah will show you exactly what information would be shared before anything is sent.”

Actions: “Continue”; “Read the full privacy summary”; “Back.”

Screen 2: Choose language and accessibility preferences

Goal: Let user choose presentation before personal details.

Visual: Small language-globe and text-size icons; no large illustration.

Title: “Let’s make this easier to use”

“Choose a language and any preferences that would make Zeporah more comfortable for you. You can change these later.”

Inputs: Preferred language; text size (Standard, Larger, Largest); optional simpler explanations; optional screen-reader setting; optional fewer reminders. Each optional field has “Why are we asking?” explanatory text.

Actions: “Continue”; “Skip for now.”

Behavior: Save preferences after account creation. Skipping applies configured defaults. Never require disclosure of disability, health, or diagnosis.

Screen 3: Create account or sign in

Goal: Authenticate before private-space access.

Visual: Protected-space icon; [shield] “Your account helps protect your family’s information.”

Title: “Secure your private space”

“Use your own email address or mobile number so we can help protect your family’s information.”

Inputs/actions: Email; “Use mobile number instead”; “Continue securely”; “I already have an account”; “Why do you need this?”

Validate email after field blur/continue. Error: “Please enter an email address in this format: name@example.com.” Never disclose whether address belongs to a particular workspace.

Code screen: “Check your email” / “Check your phone.” “Enter the 6-digit code we sent. For privacy, the message does not include family details.” Actions: Verify, resend after wait, use different address/number. Error handling: invalid code, expired code, rate-limit message.

Screen 4: What Zeporah can and cannot do

Goal: Establish boundaries.

Required visual:

```
Zeporah helps organize and connect              Professionals provide advice and care
[checklist] [family circle] [open hand]         [medical cross] [legal scales] [emerg
```

Text alternative: Zeporah organizes responsibilities, next steps, trusted helpers, and support options. Professionals provide direct medical, legal, financial, tax, insurance, and emergency advice/care.

Title: “Before we begin”

Zeporah can: Organize responsibilities/information; help track steps; invite trusted people with chosen access; find/save support; help request a connection if user chooses.

Zeporah cannot: Provide emergency, medical, legal, tax, financial, or insurance advice; make family decisions; contact/share without permission.

Emergency: [Alert] “If someone is in immediate danger or needs urgent medical help, contact local emergency services or the responsible care team right away.”

Required acknowledgements: Understanding Zeporah boundaries; understanding user controls support sharing. Optional guidance notification consent.

Actions: “I understand — continue”; “Return.” Primary unavailable until required acknowledgements selected. Store versioned timestamped acknowledgements.

Screen 5: Confirm invitation or start a private family space

Partner invitation branch

Title: “Your family space”

“You were invited by [Organization name]. Using Zeporah is your choice. [Organization name] cannot view your private family space unless you later choose to share a specific request for help.”

Visual: Simplified partner-boundary infographic.

Actions: “Create my family space”; “Use Zeporah without connecting to [Organization name]” if supported; “Not now.”

Family-helper branch

Title: “Join [Coordinator first name]’s family space”

“You have been invited as a [role]. You will only see the information [Coordinator first name] chooses to share.”

Visual: Offered role icon plus compact access preview.

Actions: “Accept invitation”; “Review access offered”; “Decline invitation.”

Direct-user branch

Title: “Create your family space”

“Start with only what feels manageable. You can save and return whenever you need to.”

Visual: Protected-private-space icon and small path indicator.

Actions: “Create a family space”; “I was invited by someone.”

Screen 6: Choose your role

Goal: Identify operational role, not legal authority.

Title: “What is your role in this family space?”

“This helps Zeporah organize access. It does not determine legal authority, family importance, or who is allowed to care.”

Choice	Icon	Language	Response
Family Coordinator	Guiding-star person	“I will organize the space and decide who can access what.”	User becomes initial Coordinator
Share coordination	Two linked people	“I want another trusted person to help manage the space.”	User is Coordinator; prompt to invite Co-Coordinator
Help with tasks	Helping hand	“I only need access to selected tasks or information.”	Requires existing Coordinator or offers workspace creation
Receive updates	Eye	“I do not need to make changes or see private details.”	Requires existing Coordinator or offers private-space creation
Not sure yet	Compass	“You can begin gently and decide later.”	Temporary Starting Organizer status

[Compass] “Roles can change. You can update them later as your family’s needs change.”

No new user may self-assign Coordinator access to an existing workspace without invitation or formal transfer.

Screen 7: Tell us only what helps us begin

Goal: Capture minimal personalization information.

Visual: Compass/path icon and stage map.

Title: “A small starting point”

“You do not need to tell us everything. Share only what helps Zeporah show the right next steps.”

Required: Name/nickname for supported/remembered person, with “I would rather not add a name now”; journey stage.

Journey map:

```
[Serious illness] → [Palliative care] → [Hospice care] → [Recent loss] → [Life after
                                                              ↓
                                                        [I am not sure]
```

“Every family’s path is different. Choose the place that feels closest today. You can change it anytime.”

Optional: State/ZIP with explanation that it may help show local/state-specific resources; relationship term.

Actions: “Continue”; “Save and finish later”; “Skip optional questions.”

Selected stage establishes provisional context. “I am not sure” opens neutral dashboard. No diagnosis, prognosis, clinical record, policy number, Social Security number, legal document,

or financial account number requested.

Screen 8: What feels most helpful right now?

Goal: Offer immediate usefulness and seed optional recommendation logic without forcing disclosure.

Title: “What feels most helpful right now?”

“Choose any that fit. You can change this later, or skip it entirely.”

Show six icon cards above fold: keeping family organized; understanding next steps; caregiving/practical help; support from hospice/care team/organization; emotional/grief/faith/spiritual support; overwhelmed/don’t know where to start. More options: funeral/memorial planning; paperwork/benefits/insurance/estate; not ready.

Multi-select. Choices prioritize optional next steps/recommendation categories; nothing goes to partner.

Overwhelm branch

Title/message: [Open hand] “You are carrying a lot. You do not have to figure it all out today.”

Options: “Show me one small next step”; “Save and come back later”; “Ask a trusted person to help”; “See support options”; “Request contact from [partner],” only when configured/allowed. No request sends without separate consent.

Screen 9: Create the family workspace name

Goal: Create respectful recognizable label.

Visual: Protected-space icon; optional neutral workspace-symbol selector (abstract nest, path, light, leaf, plain initial); no photos encouraged in MVP.

Title: “Name this private space”

“This name is only for the people you invite.”

Suggested: “The [Last name] family space”; “[First name]’s support space”; “Our family space”; custom.


Privacy reminder: [Shield] “If you use a shared family device, consider choosing a name that does not reveal private details.”

Actions: “Continue”; “Use ‘Our family space.’”

Screen 10: Your privacy baseline

Goal: Establish simple default privacy rules before invitations.

Required visual:



Text alternative: Only the Coordinator can see the workspace initially. Helpers receive only selected access. Partners receive no workspace access; they can receive only a specific, approved support request.

Title: “You decide what stays private”

“By default, only you can see your family space. When you invite someone, you choose what they can access. Your sponsoring organization cannot see your private information unless you send a specific request for help.”

Defaults: updates private; tasks private until shared/assigned; contacts private; documents private; notes creator-only; support drafts Coordinator-only.

Actions: “Keep these private defaults”; “Review and customize.” Future-helper default: assigned tasks only; tasks and selected updates; ask each time. Recommended: Ask each time.

Privacy receipt

[Shield] **Your privacy settings**

- Family space: Private by default
- Helpers: [number] invited
- Partner access: No private access
- Support requests: Only when you approve them

Actions: “Review access”; “Continue.”

Screen 11: Invite support now or later

Goal: Enable delegation without pressure.

Required visual:



Text alternative: The Coordinator chooses access, the person receives an invitation and accepts it, and then sees only approved content.

Title: “You do not have to do this alone”

“Would you like to invite one trusted person now? You can also do this later.”

Actions: “Invite someone”; “I will do this later”; “I do not want to invite anyone.”

Invite fields: Name; email/mobile; optional relationship; offered role; initial access; optional personal note.

Suggested message: “Hi [Name], I am using Zeporah to help keep our family organized. I would appreciate your help with [selected access/task type]. You will only see what I choose to share.”

Actions: “Preview invitation”; “Send invitation”; “Save without sending”; “Cancel.”

Access preview / permission receipt

Title: “Review [Name]’s access”

Will be able to	Will not be able to
See assigned tasks	See private notes
View selected updates	See documents unless separately shared
Add task update, if enabled	Invite/remove others
Request task help, if enabled	Change privacy settings

Show recipient, destination, role, permissions, note, expiry. Require acknowledgement: “I understand that [Name] will be able to access the items listed above after they accept this invitation.” Final action: “Send invitation.”

After sending: record audit event; invitation remains pending; no access before authentication/acceptance; Coordinator may resend, edit pre-acceptance access, or cancel.

If user delays: “Absolutely. You can invite someone anytime from People.” No reminder absent explicit consent. If user declines: “That is okay. This space can remain private.” Do not reprompt for 14 days unless user opens People/asks for help.

Screen 12: Partner support and recommendation preferences

Entry: Connected partner, user selects support recommendations, or user selected a support need.

Required visual:

```
1. See a support option
          ↓
2. Choose what to do
   Save | Contact yourself | Request connection
```

```
          ↓
3. Approve exactly what is shared
```

Text alternative: Families may save or contact a resource independently without sharing information. If requesting a connection, they see recipient and exact data shared before approval.

Title: “How support recommendations work”

“Zeporah may show support options based on what you tell us, where you are in the journey, and preferences you choose to share. You are always free to ignore, save, or hide a recommendation.”

“Zeporah will not send your contact information or private family details to [Organization] or another resource unless you ask us to make that connection and approve what will be shared.”

Optional preferences: partner support; local/virtual; faith/spiritual; low-cost/free; preferred-language; no recommendations now. Each has explanatory help.

Actions: “Save preferences”; “Skip for now.” Opt-out suppresses nonessential recommendations for 30 days or until changed; does not alter emergency safety messaging.

Screen 13: Optional partner connection overview

Entry: Partner invitation or connected organization.

Visual: Partner-boundary infographic with request-only arrow.

Title: “Your connection with [Organization name]”

Partner may know it offered Zeporah depending on invitation method. It cannot see private workspace, notes, documents, conversations, or task details. If user asks Zeporah to contact partner, exact outgoing data is shown first.

Zeporah may show approved contacts, resources, and optional support-request routes.

Actions: “Continue with this connection”; “Use Zeporah privately for now”; “Learn more.” Choosing private use disables partner-facing request affordances unless re-enabled later.

Screen 14: Review your setup

Goal: Confirm setup without celebration pressure.

Required visual: Abstract three-piece protected-circle / “nest built one piece at a time” illustration. Text alternative: “Three simple pieces form a protected, connected space.”

Title: “Your family space is ready”

Summary: Role; journey stage; privacy; helper count; support preferences; partner connection, each with relevant icon and Edit where permitted.

Actions: “Go to my next step”; “Review settings”; “Save and leave.”

Message: “You have created a private place for your family. There is no need to do the rest all at once.”

6. First dashboard behavior

Serious illness / palliative care / hospice

Primary: “Begin a simple care and family plan.” Optional: invite trusted person; tell us what would make today easier; save contacts. Support: “Need someone from your care team? You can ask Zeporah to help you request contact.”

Recent loss

Primary: “Focus on what matters right now.” Optional: tell people who need to know; find support for next few days; start private list of important information. Do not present estate/account/legal tasks unless requested.

Later bereavement

Primary: “Choose one next step for today.” Optional: grief/support resources; practical task; invite helper.

Unsure

Primary: “What feels hardest today?” Choices: keeping people informed; knowing next step; paperwork/responsibilities; finding support; not ready to decide.

7. Permission model

Area	Coordinator	Co-Coordinator	Helper	Viewer
Invite people	Yes	Configurable	No	No
Change roles	Yes	Configurable, cannot remove original Coordinator by default	No	No
View updates	Yes	Configurable	Shared only	Shared only
Post updates	Yes	Configurable	No by default; comments if enabled	No
View tasks	Yes	Configurable	Assigned/shared only	No by default
Create tasks	Yes	Configurable	Configurable	No
Complete assigned task	Yes	Yes	Yes, if assigned	No
View contacts	Yes	Configurable	Shared only	No by default

Area	Coordinator	Co-Coordinator	Helper	Viewer
View documents	Yes	Selected only	Selected only	No
Upload documents	Yes	Configurable	Configurable designated area	No
View private notes	Own + explicitly shared	Own + explicitly shared	Own only	No
Request support	Yes	Configurable	Draft only; Coordinator approval default	No
Change privacy	Yes	No default	No	No
Remove access	Yes	No default	No	No

Documents/notes display access label: Only me; Coordinator/Co-Coordinator; specific people; all helpers; not shared. Default: Only me. Display “Private notes stay private unless you choose to share them” at first note/document use and before sharing/handoff.

Permission changes require side-by-side current/proposed review, confirmation, recent authentication for sensitive elevation, audit logging, and neutral notice to affected user. Removal requires task-reassignment choice, warning about previously downloaded content, immediate session termination, and audit record. Coordinator transfer requires initiator authentication, proposed Coordinator acceptance, pending state, and special escalation where Coordinator is unavailable; Zeporah does not decide legal authority.

8. Support recommendations and consent-based handoffs

8.1 Eligible triggers

User explicitly asks for support; selects need in onboarding; reaches relevant journey stage/task; chooses overwhelmed; selects preference for local/virtual/faith/language/low-cost support; or a relevant partner-approved route exists and the user has not opted out.

8.2 Prohibited triggers

Never trigger recommendation/referral solely from note/document view, pause, inferred diagnosis, financial data absent explicit support request, or partner commercial relationship.

8.3 Resource card

Show category icon, resource name, help description, “Why am I seeing this?”, transparent resource type, verified cost/access/language indicators, and actions Save, Hide, Contact independently, Request connection. Show no more than four cards absent user request. Never rank from paid placement, referral compensation, sponsorship, or lead sales.

8.4 Contact-request flow

User chooses Request connection; sees exact recipient; chooses data to share (name, contact method/time, request category, optional message); reviews:

Will be shared	Will not be shared
Selected name/contact method	Private notes
Request category	Documents
Preferred contact time	Family messages
Optional user message	Tasks and all unselected data

User previews and selects “Send my request.” System logs recipient, fields, timestamp, consent version, request ID; sends only those fields; family sees submitted/acknowledgment status. No response does not generate promise; offer alternatives when appropriate.

9. Notifications, reminders, pause, and safety

No promotional notifications. No sensitive details in previews. Channel-specific consent required. User chooses essential only, gentle, or none. Default quiet hours 9 p.m.–8 a.m. local, configurable. Security alerts may bypass quiet hours.

Event	Recipient	Message
Invitation received	Invitee	“You have a private Zeporah invitation.”
Invitation accepted	Coordinator	“[Name] joined your family space.”
Invitation declined	Coordinator	“Your invitation was declined.”
Invitation expiring	Coordinator	“An invitation you sent will expire soon.”
Support request sent	Coordinator	“Your request was sent.”
Support request acknowledged	Coordinator	“Your support request was acknowledged.”
Permission changed	Affected user	“Your access to a family space has changed.”
Welcome back	Coordinator	“When you are ready, Zeporah is here.”

A pause is not abandonment. At approximately 3 minutes inactivity, save draft and, on interaction, say: “You can take your time. Your progress is saved.” Every nonrequired step supports Skip/Not now/Save. One neutral reminder after 48 hours only with consent.

When user chooses overwhelmed/help: stop form, save draft, say “This is a lot. You do not need to complete everything today,” and offer smaller step, save/leave, ask helper, support options, or consented contact request.

For immediate danger/urgent medical help: show emergency statement, verified hospice 24-hour line where configured, and explicit limitation: “Zeporah cannot monitor emergencies or provide emergency response.” No diagnosis, triage, monitoring, or clinical risk scoring.

10. Partner operational workflow

Before launch configure organization/program, authorized roles, request categories, hours/targets, after-hours instructions, resources, external-resource governance, escalation owner, data-sharing agreement, privacy language, and language/accessibility paths.

Initial hospice/palliative request categories: speak with care team; social worker; chaplain/spiritual provider; bereavement support; practical caregiver resources; help understanding contact; other.

Only Coordinator-approved data enters queue: request ID, category, Coordinator name, preferred contact method/time, optional message, consented timestamp, program ID. Queue never includes workspace content, documents, tasks, helper information, or notes unless separately and specifically approved elsewhere.

Statuses: Received; Acknowledged; Contact attempted; Connected; Referred; Closed—no longer needed; Closed—unable to reach. Family sees only simplified status, not staff notes, clinical records, staffing details, or third-party information.

11. Exceptions and edge cases

- Multiple Coordinator claims: do not decide legal authority; require invitation/transfer for existing workspace; separate spaces may exist until explicit mutual-consent merge process.
- Family conflict: private content remains private; Coordinator may pause invitations/remove/reduce access; Zeporah does not mediate or disclose to partner.
- Wrong journey stage/death in error: allow correction, confirm sensitive change, preserve content, do not notify anyone automatically.
- Coordinator loses access: secure recovery; no automatic elevation of Helper; exceptional-case identity escalation without legal adjudication.
- Helper declines: show decline only; no reason; offer invite another/continue privately.
- Wrong recipient: cancel pending link; revoke accepted access; end sessions; log event.
- Low digital access: web access, safe logout, assisted enrollment without staff credentials, printable summaries only after authentication/explicit selection; do not require phone for all authentication.
- Minor user: apply jurisdiction-appropriate age/guardian rules; no assumed authority.
- Partner change/end: workspace remains family's; explain support options may expire; preserve data under policy.

12. Data minimization, analytics, and acceptance

Data minimization

Minimum activation data: authentication contact, selected preferences, user role, workspace name, journey stage, optional location, optional support needs. Do not request diagnosis, medical record number, SSN, full DOB, insurance number, bank data, full legal documents, detailed finances, or detailed family-conflict narratives in onboarding.

Store only what functionality requires. Provide export/deletion consistent with law/contracts. Preserve necessary consent/security audit records. Separate operational analytics from private content through de-identification/aggregation where feasible.

Metrics

Family: activation, time to first action, role/privacy completion, helper invitation, support preferences, return after save, ease/confidence, privacy understanding. Organization: invitation activation, support-request volume/category, acknowledgement/completion time, repeat coordination contacts where permitted, satisfaction, recommendation activity. Visual comprehension: correct understanding that partner has no default access; access-preview completion; permission reversals; help contacts about privacy/roles.

Required audit events: account_created; authentication_verified; onboarding_started/saved/completed; journey_stage_selected; privacy_default_set; privacy_receipt_viewed; helper_invited/accepted/declined; invitation_cancelled; permission_preview_viewed/granted/changed; access_revoked; coordinator_transfer_started/completed; recommendation_preference_updated; recommendation_explainer_viewed; support_request_drafted/share_preview_viewed/consent_confirmed/sent/withdrawn; partner_request_acknowledged; account_recovery_started.

Acceptance criteria

Ready for pilot when user can create private workspace without partner connection; understand purpose/boundaries; invite/modify/remove access through review; private notes/documents default private; partner has no default access; support requests require exact recipient/data consent; every nonurgent step saves/exits; pause/overwhelm behavior is safe; invitations are secure; relevant actions are audited; workflow is accessible/mobile/plain language; visual diagrams have alternatives; usability tests confirm users understand who sees workspace and what gets shared; and partner request-playbook exists.

13. Workflow integration and handoffs

13.1 Integration purpose

Workflow 1 is the foundation for the entire Zeporah journey, not an isolated onboarding event. It creates the private workspace, roles, privacy rules, journey context, support preferences, and consent controls that every later workflow must inherit and honor. Families experience one protected place; later workflows preserve Coordinator decisions unless intentionally changed.

13.2 What enters

Entry source	Information entering	Required handling
Direct sign-up	Authentication identifier; language/accessibility preferences; selected journey state; optional loved-one name/location/support preferences	No partner connected or sensitive data assumed
Partner invitation	Invitation ID; organization/program ID; recipient contact; optional recipient name; approved introduction	Partner source provides no default workspace access
Family-helper invitation	Workspace ID; inviter; offered role/access; invitee contact	Content remains hidden until authentication/acceptance
Deep link/return	Authenticated user; workspace ID; destination; current role/scope	Re-authenticate; respect current access
Existing user	Account ID; profile preferences; existing memberships	Never merge/elevate without explicit process

Workflow 1 never requires diagnoses, prognosis, records, legal documents, policy numbers, bank data, SSN, private notes, or partner clinical records.

13.3 What it creates or updates

Object / setting	Workflow 1 outcome	Control
Family workspace	Unique private workspace/name	Coordinator
Family Coordinator	Initial Coordinator or Starting Organizer	Coordinator; formal transfer only
Co-Coordinator/Helper/Viewer	Pending/accepted memberships after invite/accept	Coordinator
Permissions	Default and specific visibility/access	Coordinator
Journey state	Serious illness, palliative care, hospice, recent loss, life after loss, unsure	Coordinator, editable
Identity fields	Optional name/nickname, relationship, symbol	Coordinator
User preferences	Language, accessibility, reminder preferences	Individual user
Support preferences	Local/virtual/faith/language/low-cost preferences	Coordinator
Partner connection	Connected/private/not connected state	Coordinator
Request eligibility	Available approved pathways	System configuration + Coordinator preference

Object / setting	Workflow 1 outcome	Control
Consent and audits	Boundary acknowledgements, specific request approvals, security/access history	System-managed audit records

13.4 What it sends forward

Available downstream	Used by	Conditions
Workspace and membership	Workflows 2–6	Required for activity
Roles and permissions	Workflows 2–6	Enforced at time of access
Privacy defaults	Workflows 2–6	Apply to new items unless changed
Journey state	Workflows 2, 4, 5, 6	Drives appropriate content, editable
Optional personalization	Workflows 2–6	Family-facing only; not external by default
Accessibility/reminder preferences	Workflows 2–6	User-specific
Optional location/support preferences	Recommendation service 2–6	Tailoring only; no external disclosure
Partner connection/request paths	Workflows 2–6	Enables voluntary requests, not workspace access
Security/consent audit history	System layer	Enforces rules; not partner-visible

13.5 What remains private or inactive

Partner gets no workspace access. Helpers/Viewers get no later-created content unless explicitly shared. Pending invite grants no access. Support preferences create no referral or notification. Location, language, faith, relationship, and stage are not externally shared without new consent. General terms/partner connection do not authorize ongoing sharing. Stage selection changes family-facing suggestions only; it does not notify anyone or force a later workflow.

13.6 What triggers another workflow

Trigger	Result	Required behavior
“Go to my next step” with serious illness/palliative/hospice	Workflow 2	Stage-appropriate care/support continuation
Keeping family organized / helper invite or acceptance	Workflow 3	Collaboration functions with limited access
Overwhelmed / need help / support request	Workflow 4	Save progress; support choices; no contact absent consent
Coordinator selects recent loss	Workflow 5	Sensitive confirmation; preserve data; no automatic notices
Coordinator selects life after loss	Workflow 6	Pacing; no overwhelming checklist
Selects resource/request connection	Shared recommendation/handoff service	Recipient/data preview and explicit consent

13.7 What the family sees

Families never see internal labels, modules, or handoff wording. They see plain areas: “Care and support,” “People and tasks,” “Find support,” “What matters now,” and “Private information.” The system preserves drafts/settings behind the scenes. Stage shifts receive empathetic acknowledgment and choices to keep active, archive, share, or postpone information.

13.8 What a partner sees

For a submitted request only, partner may see request ID, category, Coordinator name, preferred contact method/time, optional message, timestamp, program ID. It does not see workspace, family names/roles, updates, tasks, questions, notes, documents, preferences, support activity, stage changes, notifications, or audit history beyond request receipt/status. Partner returns limited status only.

14. Handoff to Workflow 2

Completion trigger: Coordinator selects “Go to my next step” or later opens stage-appropriate primary card.

Available data: Workspace; roles/permissions; privacy defaults; journey stage; priorities/support needs; optional location/language/accessibility/reminder preferences; partner connection/request pathways; recommendation preferences; system audit data needed to enforce rules.

Not automatically shared: No private onboarding content becomes visible to Helpers, Viewers, or partners. No partner receives stage/family-space content. No Helper gets elevated access without explicit grant.

Family-facing continuation:

- Serious illness/palliative/hospice: “You have created a private place for your family. When you are ready, we can take one small step toward organizing care, questions, and the support around you.”
- Recent loss: “You have created a private place for your family. You do not have to face every responsibility at once. We can begin with what matters right now.”