Zeporah Workflow 3

Family Coordination, Communication, Tasks, and Documents

Version 1.0 — Fully integrated product, operational, and handoff specification

Primary release context: Hospice and palliative-care pilot

Reusable contexts: Hospital discharge, home health, skilled nursing, assisted living, memory care, senior living, insurer member support, employer/EAP support

Primary user: Family Coordinator

Supporting users: Co-Coordinator, Family Helper, Family Viewer, approved Partner Support Team

Prerequisites: Workflow 1 — Family Onboarding, Consent, Roles, Permissions, and Visual Trust System; Workflow 2 — Serious Illness and Hospice-Care Preparation

Illustrated edition: diagrams have been added throughout to make each section easier to follow at a glance.

1. Workflow purpose

1.1 Family problem

During serious illness, hospice care, a care transition, and after a death, families often communicate through scattered text messages, phone calls, email threads, social-media posts, paper lists, and verbal updates. One person becomes the unofficial coordinator. They may have to answer the same questions repeatedly, remind people about tasks, chase documents, manage misunderstandings, and decide what information is safe to share.

That burden is especially difficult when family members live far apart, have different levels of involvement, disagree about what should be shared, or are themselves grieving and overwhelmed.

Workflow 3 gives the family a private, structured coordination space. It helps the **Family Coordinator** share selected updates, assign specific practical tasks, maintain an approved contact directory, organize documents with granular access, collect questions, and keep responsibilities visible without creating an uncontrolled group chat or giving every family member access to private information.

1.2 Family value

By the end of this workflow, the **Family Coordinator** should be able to say:

- “I do not have to repeat the same update to everyone.”
- “People can help in specific ways without seeing information they do not need.”
- “I can see what is done, what needs attention, and who is handling it.”
- “Our important information is organized, but I still decide what is private.”
- “I can ask someone to help without making a stressful group message.”
- “If someone needs more support than the family can give, I can find help or request a connection.”

1.3 Institutional value

For a hospice, palliative-care organization, hospital, senior-living community, insurer, or employer, Workflow 3 can:

- Reduce repeated nonclinical family coordination questions by providing a family-controlled source of truth.
- Support long-distance family communication without making staff the intermediary for routine updates.
- Help families prepare questions and practical responsibilities before contacting staff.
- Make voluntary partner support requests more specific and easier to route.
- Improve family experience while preserving the organization's privacy, clinical, and staffing boundaries.
- Create measurable reductions in duplicate task follow-up and avoidable nonclinical communication volume, subject to pilot validation.

1.4 Scope

This workflow includes:

- Family coordination home/dashboard.
- Controlled family updates and update recipients.
- Shared and private task management.
- Task assignment, reassignment, acceptance, completion, and follow-up.
- Contact-directory organization and sharing.
- Document upload, labeling, access control, sharing, request-for-access, download, and removal rules.
- Family question collection and controlled sharing.
- Delegation and helper onboarding in coordination context.
- Family communication boundaries, including no default open group chat.
- Support recommendations and consent-based support requests when coordination needs exceed family capacity.
- Notifications, reminders, conflict-sensitive handling, audit records, and partner boundaries.


1.5 Out of scope

This workflow does not:

- Replace medical care-team communication, emergency services, hospice triage, clinical record systems, secure medical messaging, or legal decision-making processes.
- Provide a public social feed, automatically create group chats, expose one family member's private comments to another, or require any family member to participate.
- Determine legal next-of-kin authority, executor authority, guardianship, power of attorney, or healthcare proxy rights.
- Automatically distribute documents, updates, or care information to every person in the workspace.
- Automatically share family updates, task status, documents, contacts, or questions with a sponsoring organization.
- Store passwords, Social Security numbers, full bank-account numbers, access codes, or other highly sensitive credentials in free-text notes or standard document areas.

2. Participants and responsibilities

Participant	Role in Workflow 3	Default authority
Family Coordinator	Controls workspace coordination rules, people, visibility, updates, task delegation, document sharing, and external support-request approval.	Full control within Workflow 1 permissions
Co-Coordinator	Helps manage tasks, updates, contacts, and selected documents if granted access.	Configurable elevated access
Family Helper	Receives selected tasks, updates, contacts, or documents; may complete tasks or add task updates only within granted scope.	Assigned/shared scope only
Family Viewer	Receives selected updates; cannot edit tasks, access documents, or view private information unless separately granted.	Selected updates only
Partner Support Team	May receive a voluntary, consented support request; does not see the coordination workspace.	No default access
Zeporah System	Enforces permissions, routes notifications, saves activity history, supports delegation, offers recommendations, and maintains audit records.	No authority to make family, clinical, legal, or financial decisions



Participants in Workflow 3 and their default authority.

3. Core design principles

3.1 Family updates are controlled broadcasts, not a default group chat

Zeporah must not create an unrestricted real-time chat room by default. A group chat can create conflict, repetitive questions, unsupported medical discussion, pressure on the **Family Coordinator**, and accidental sharing of private information.

Instead, Zeporah uses Family Updates:

- The **Coordinator** or authorized **Co-Coordinator** creates an update.
- The creator chooses recipients and whether recipients can acknowledge, react, or submit a question.
- Recipients cannot reply-all by default.
- Questions and requests from recipients return privately to the **Coordinator** or authorized **Co-Coordinator** unless the **Coordinator** chooses to share them.
- An update can be saved as private, sent to selected people, or shared with all active **Helpers**/**Viewers**.

3.2 Granular sharing is the default

Every object—task, contact, question, document, update, and note—has its own visibility setting. Family membership does not equal access.

3.3 Delegate the task, not the whole burden


When asking for help, Zeporah should make it possible to share only what the helper needs to act. For example, a sibling can receive “Pick up groceries by Thursday” without being able to view care-team notes or estate documents.

3.4 Progress without pressure

Tasks should be clear and visible but never framed as moral obligations. Use “When you are ready,” “This week,” or user-selected dates. Do not use red overdue indicators, shame language, or automatic escalation to family or partner.

3.5 One source of truth, not one person with all access

The workspace should reduce confusion while preserving the **Coordinator**'s control. The product must show who owns each task, which update is current, and which documents are shared—without making the **Coordinator** expose everything to everyone.



Core design principles (Section 3).


4. Entry conditions and triggers

4.1 Primary entry triggers

- **Family Coordinator** selects “Keep family organized,” “People and tasks,” “Family updates,” or “Private information” from the Zeporah dashboard.
- **Coordinator** or **Co-Coordinator** creates, shares, or assigns a practical task in Workflow 2.
- **Coordinator** invites a **Helper** or **Co-Coordinator** in Workflow 1 or Workflow 2.
- A **Helper** accepts a task or opens an assigned-task notification.
- **Coordinator** chooses to share a care-team question, contact, or selected preference from Workflow 2.
- **Coordinator** adds a document, requests a document from a trusted person, or reviews a shared document.
- User selects “Ask someone to help” from any relevant workflow.

4.2 Re-entry triggers

- New task assigned.
- Task owner marks status or completes task.
- Family Update is shared.
- **Coordinator** receives a private question or help request from a **Helper**.
- Access request is received for a document or other item.
- A user selects a reminder or returns after inactivity.
- User requests coordination support because tasks are unassigned or family capacity is limited.




How families enter Workflow 3 — primary entries and re-entry triggers.

4.3 Entry rules

- Entry must respect current role and permissions at time of access.
- A task notification opens only the permitted task, not the entire care plan.
- A **Viewer** entering from an update notification sees only the update and permitted actions.
- A **Helper** cannot access documents, contacts, tasks, questions, or updates merely because they are part of the family workspace.
- A partner never enters Workflow 3 through a family task or update; partner contact occurs only through a separate consent-based support request.

5. Workflow overview



A user can create a task without posting an update, share an update without exposing documents, upload a document without assigning a task, or keep the whole space private.

Workflow 3 overview — continuous, not linear (Section 5).

Workflow 3 is continuous and non-linear. A user can create a task without posting an update, share an update without exposing documents, upload a document without assigning a task, or keep the entire coordination space private.

6. Family coordination dashboard

Screen 1: People and tasks home

Trigger: User enters Workflow 3 through dashboard, task, update, invitation, document, or deep link.

Goal: Show the user only the coordination items they can access, prioritized without presenting a stressful project-management dashboard.

User-facing content

Title: “People and tasks”

Subtext: “You can keep things private, share one update, or ask for help with one task.”

Coordinator view sections

What matters today

- **Up to three relevant items:** task needing attention, pending invitation, saved family question, or support request status.
- **Each card displays visibility:** Private / Shared with [name] / Assigned to [name].

Tasks

- My tasks.
- Tasks I assigned.
- Tasks waiting for someone.
- Completed recently.

People

- **Coordinator**, **Co-Coordinator**, **Helpers**, **Viewers**, and pending invitations.

Updates

- Recent Family Updates created by or shared with the user.

Private information

- Contacts and documents available to the user.

Support

- “Need more help than your family can provide?”

Helper view sections

- Tasks assigned to me.
- Updates shared with me.
- Contacts shared with me.
- Documents shared with me.
- “Ask the **Coordinator** a question” where permitted.

Viewer view sections

- Updates shared with me.
- Optional acknowledgment or response action, if enabled.
- No tasks, documents, contacts, or questions unless separately shared.

Actions

Coordinator/authorized **Co-Coordinator**:

- “Share an update.”
- “Add a task.”
- “Ask someone to help.”
- “Add contact.”
- “Add document.”
- “Review people and access.”
- “Find support.”

Helper:

- “View my tasks.”
- “Ask a question.”
- “Request more help with a task.”

Viewer:


- “View updates.”
- “Acknowledge update,” if enabled.

System behavior

- Do not show an item to a user without permission.
- Do not rank based on emotional content or infer urgency from family notes.
- User can hide a nonurgent card temporarily without deleting it.
- If user has no accessible items, show a calm empty state based on role.

Coordinator empty state: “Your family space is quiet for now. When you are ready, you can share one update, ask someone to help, or keep everything private.”

Helper empty state: “There are no tasks or updates shared with you right now.”



Screen 1: People and tasks — Coordinator view sections.

7. Family Updates

Screen 2: Create Family Update

Goal: Enable a **Coordinator** or authorized **Co-Coordinator** to share a concise update with selected people while protecting privacy and avoiding reply-all chaos.

User-facing content

Title: “Share a family update”

Body: “You choose who receives this update and what they can do with it. Family Updates are not a group chat.”

Inputs

Required:

- Update title or subject.
- Update message.

Optional:

- **Category:** Today's update / Practical request / Care-team conversation reminder / Visit coordination / Appreciation / Other.
- Attach selected existing task, contact, or document, if recipient access is separately confirmed.
- **Sharing period:** Keep available / Remove after selected date.

Recipient selection

- Specific people.
- All current **Helpers**.
- All current **Helpers** and **Viewers**.
- Save privately; do not send.

Default: No recipients selected.

Recipient-response settings

Coordinator chooses one:

- “No response needed.”
- “Allow acknowledgment only.”
- “Allow a private question to the **Coordinator**.”
- “Allow people to volunteer for a linked task.”

The product does not offer “Reply all” as a default or MVP option.

Privacy and content warning

Before sending:

> *“Only include information you are comfortable sharing with the people you selected. Private notes and information that is not attached will not be included.”*

If user attaches a task, contact, or document, system separately displays the item and recipients who will gain access. The update cannot override item-level permissions without explicit confirmation.

Actions

- “Preview update.”
- “Save privately.”
- “Send update.”
- “Discard draft.”

Preview screen

Show:

- Recipients.
- Message.
- Response setting.
- Attached item(s) and any access change required.
- Optional expiry date.
- Notification preview, stripped of sensitive details.

Send confirmation


Required acknowledgment:

> *“I understand that the people listed above will be able to view this update.”*

Primary action: “Send update.”

System behavior after send

- Send in-app notification; email/text only if recipient opted in.
- **Notification preview:** “There is a new update in a Zeporah family space.”
- No sensitive content in preview.
- Update becomes visible only to selected recipients.
- Creator can edit or remove an update. Edit/removal creates audit record and notice: “An update you received was changed” or “is no longer available,” without showing removed content.
- If recipient previously downloaded attached document, removal cannot erase the downloaded copy; warn **Coordinator** before removal.



Screen 2: Create a Family Update.

Screen 2A: Receive Family Update

Trigger: Authorized recipient opens update notification or enters Updates section.

User-facing content

Title: Update title

Content: Message, optional allowed attachment(s), sender, sent time, update availability/expiry if relevant.

Actions based on coordinator settings

- "Acknowledge."
- "Ask [Coordinator name] a private question."
- "Volunteer for this task."
- "Close."

System behavior

- Acknowledgment sends status to update creator only.
- Private question is visible only to **Coordinator** and, if configured, **Co-Coordinator**; it is not visible to all recipients.

- Volunteer request does not assign task until **Coordinator** approves, unless task configuration permits open acceptance.
- Recipient cannot forward within Zeporah to unapproved users.

Screen 2B: Private question from recipient

Trigger: Recipient selects “Ask [Coordinator name] a private question.”

User-facing content

Title: “Ask a private question”

Body: “Your question will be sent to [Coordinator name]. It will not be shared with everyone who received the update.”

Inputs


- Question text.
- **Optional:** “This is about the linked task.”

Actions

- “Send question.”
- “Cancel.”

System behavior

- Question appears in **Coordinator**'s private coordination inbox.
- **Coordinator** may answer privately, turn it into a shared update, assign a task, or archive it.
- Zeporah does not interpret question content or send it to a partner automatically.



Screen 2A/2B: Receiving an update, and asking privately.

8. Task management and delegation

Screen 3: Add a task

Goal: Let **Coordinator** create a small, actionable task that can remain private or be delegated with the minimum information necessary.

User-facing content

Title: “Add one task”

Body: “Keep this task private, do it yourself, or ask someone you trust to help.”

Inputs

Required:

- Task title.

Optional:

- **Category:** Caregiving / Household / Visits / Transportation / Meals / Paperwork / Calls / Child or dependent care / Pet care / Other.
- Short details.
- **Timing:** Today / This week / Later / Choose a date.
- Related contact, question, or document, if user has access.
- **Privacy:** Only me / Specific people / Assigned person only / All **Helpers**.
- **Task owner:** Me / Specific person / Leave unassigned.
- “This task feels too large” checkbox.

Actions

- “Create task.”
- “Break this into smaller steps.”
- “Ask someone to help.”
- “Save draft.”
- “Cancel.”

System behavior

- **Default visibility:** Only me.
- If task owner is selected, system checks that owner has necessary access. If related item is not shared, system asks whether to share only that related item, remove it, or keep task without the attachment.
- Task title and notification preview must omit sensitive clinical detail.
- “This task feels too large” opens Screen 3A.

Screen 3A: Break task into smaller steps

Goal: Reduce overwhelm and increase task completion without judgment.

User-facing content

Title: “Make this feel more manageable”

Body: “You can turn one larger responsibility into a few smaller steps. You can also stop here and return later.”

Inputs

- Keep original task title.
- Add up to five subtasks.
- Choose whether subtasks share original visibility/owner or are set individually.

Suggested prompts by category


- **Paperwork:** “Find the document,” “Write down a question,” “Choose who can help,” “Make the call.”
- **Transportation:** “Choose date,” “Ask for ride,” “Confirm pickup.”
- **Household:** “List what is needed,” “Choose one helper,” “Set a time.”

Actions

- “Save smaller steps.”
- “Keep as one task.”
- “Save and return later.”

System behavior

- Subtasks inherit privacy unless changed.
- No notification is sent until **Coordinator** assigns/shares a subtask.



Screen 3: Add one task, and Screen 3A: break it into smaller steps.

Screen 4: Assign or request help with a task

Trigger: Coordinator selects "Ask someone to help," assigns an owner, or a **Helper** volunteers for a task.

Goal: Delegate only the information required to complete the task.

User-facing content

Title: "Who can help with this?"

Body: "You can share only this task, or include selected details if they are needed."

Options

- Choose someone already in family space.
- Invite someone new for this task only.
- Keep task unassigned.
- Find outside support.

If choosing existing person

Show current role and access. **Coordinator** chooses:

- Can view task only.
- Can complete task.

- Can add update or question.
- Can view selected related contact/document, if separately approved.

If inviting new person

Use Workflow 1 invitation mechanism with a task-only scope:

- Task title.
- Optional task details.
- **Role: Family Helper**.
- No access to other workspace areas by default.
- Expiring invitation.

Assignment preview

Show:


Person will receive	Person will not receive
Task title and approved task details	Private notes
Timing, if included	Other tasks
Specific related contact/document only if approved	Family updates unless separately shared
Ability to complete/add task update if enabled	**Coordinator** controls and wider workspace access

Actions

- “Assign task.”
- “Send task invitation.”
- “Save without sending.”
- “Cancel.”

System behavior

- **Assigned person receives neutral notification:** “You have a new task in a Zeporah family space.”
- Task remains pending until person accepts invitation if new.
- **Coordinator** sees pending, accepted, declined, in progress, needs help, completed, or closed status.
- Declining task does not require reason. **Coordinator** sees “Task declined” and can reassign, keep private, edit, or seek support.



Screen 4: Assignment preview — what is and is not shared.

Screen 5: Task detail and completion

Trigger: Authorized user opens a task.

User-facing content

Title: Task title

Visible components: Task details permitted to current user; timing; assigned owner; related items if access granted; task status; optional comments/update history limited to authorized participants.

Actions for Coordinator

- “Edit task.”
- “Change owner.”
- “Change access.”
- “Mark complete.”
- “Close without completing.”
- “Ask someone else.”
- “Find support.”

Actions for Helper

- “Mark in progress.”
- “Mark complete.”
- “I need help with this.”
- “Ask a private question.”
- “I cannot do this.”

Completion behavior

- **Helper** marks complete and optionally adds short completion note, visible only to authorized task participants.
- **Coordinator** receives status notification but no sensitive preview content.
- **Coordinator** can reopen task.
- Completed task remains in completed history, with visibility preserved.


“I need help with this” behavior

- **Helper chooses:** “Ask **Coordinator**,” “Ask **Co-Coordinator**,” or “Find outside support,” subject to permissions.
- If asking **Coordinator**, system sends private task-status request.
- If finding outside support, system displays recommendation options; no external contact without **Coordinator** consent unless **Helper** has explicitly granted request authority for that task, which should be off by default.

“I cannot do this” behavior

Show: “That is okay. Let [Coordinator name] know so they can decide what to do next.”

- **Helper** can send optional reason; reason remains private to **Coordinator**/authorized **Co-Coordinator**.
- **Coordinator** receives task-declined status; no automatic reassignment.



Screen 5: Task detail — status flow.

9. Contact directory

Screen 6: Add or organize contact

Goal: Maintain a structured, family-controlled contact directory without exposing unnecessary details.

User-facing content

Title: “Add a contact”

Body: “Keep important people and organizations in one place. You choose who can see each contact.”

Inputs

Required:

- Contact name or organization.
- Category.

Optional:

- Person/role.
- Phone/email/address.
- When to contact.
- Notes.
- Related task.
- **Visibility:** Only me / Specific people / All **Helpers**.

Categories

- Care team.
- Hospice/palliative care.
- Social worker.
- Chaplain/spiritual support.
- Pharmacy.
- Facility.
- Family/friend.
- Employer/EAP.
- Insurer/benefits.
- Legal/financial professional.
- Funeral/memorial provider.
- Community resource.
- Other.


Actions

- “Save contact.”

- “Share with selected people.”
- “Add another.”
- “Cancel.”

System behavior

- **Default:** Only me.
- Sharing a contact does not share associated tasks, notes, documents, or previous communications.
- Contact card can include call/email actions but does not state that contact is appropriate for all needs.
- Contact may be linked to task only with item-level permission check.



Screen 6: Contact categories.

Screen 7: Contact request from Helper

Trigger: Helper needs a contact to complete an assigned task but does not have permission.

User-facing content

Title: “Request contact access”


Body: “You can ask [Coordinator name] to share the contact information needed for this task. They will decide what to share.”

Actions

- “Request this contact.”
- “Ask a private question instead.”
- “Cancel.”

System behavior

- **Coordinator** receives private request showing task and contact category—not full contact details until **Coordinator** approves.
- **Coordinator** can share contact, send a message with alternative instructions, decline, or reassign task.
- No automatic contact sharing.



Screen 7: A Helper requests contact access.

10. Documents and important files

Screen 8: Add a document or file

Goal: Let family organize selected documents while protecting privacy and avoiding unsafe credential storage.

User-facing content

Title: “Add a document”

Body: “Store only documents you are comfortable keeping here. New documents are private by default, and you choose who can see each one.”

Pre-upload privacy warning

> *“For your safety, do not upload passwords, PINs, Social Security numbers, full bank-account numbers, account access codes, or other credentials unless Zeporah later provides a dedicated, security-reviewed feature designed for that information.”*

Inputs

Required:

- Upload file or take photo/scan where supported.
- Document title.
- Category.

Optional:

- Description.
- Date.
- Related person/organization.
- Related task.
- **Access setting:** Only me / **Coordinator** and **Co-Coordinator** / Specific people / All **Helpers**.
- Optional expiry/review date.

Categories


- Care instructions.
- Contact/appointment information.
- Insurance/benefits information.
- Legal/estate-related information.
- Funeral/memorial information.
- Household/property information.
- Personal/remembering item.
- Other.

Actions

- “Save privately.”
- “Choose sharing.”
- “Upload another.”
- “Cancel.”

System behavior

- **Default access:** Only me.
- System scans only for malware/file-safety according to policy; it does not interpret document content or make legal/clinical conclusions.
- If upload fails, preserve metadata/draft and explain retry options.
- File downloads require authentication and honor current access at download time.



Screen 8: Document categories.

Screen 9: Document access and sharing

Trigger: Coordinator shares document; **Helper** requests access; user opens document settings.

User-facing content

Title: “Who can see this document?”

Body: “You can share this document with only the people who need it. Access can be changed later.”

Current access display

- Only me.
- **Coordinator** and **Co-Coordinator**.
- **Specific people:** names shown.
- All current **Helpers**.

Actions

- “Add people.”
- “Remove people.”
- “Change what they can do.”
- “Keep private.”
- “Delete document.”

Permission levels

- View only.
- Download allowed.
- Upload replacement version, available only for **Coordinator**/authorized **Co-Coordinator**.

Default for Helpers: view only; download disabled unless **Coordinator** explicitly enables it.


Share preview

Show:

Will be able to	Will not be able to
View [document title]	View other documents
Download only if enabled	View private notes
See related task only if separately shared	Change workspace access

System behavior

- Granting document access requires recent authentication.
- System records access grant/change/removal and download events where legally/policy appropriate.
- Removing access terminates future viewing/download access; cannot remove previously downloaded copies.
- Before delete, warn whether document is linked to active task or update; offer unlink/archive/cancel.
- **Coordinator** may create replacement version; old version is retained or deleted according to versioning/retention policy and user choice where permitted.



Screen 9: Document share preview — what is and is not possible.

11. Family coordination inbox

Screen 10: Coordinator inbox

Goal: Give **Coordinator** a private, manageable place for questions, volunteer offers, task-help requests, access requests, and pending invitations.

User-facing content

Title: “Family coordination inbox”

Subtext: “These are private requests for you to review. You decide what to share and what to do next.”

Inbox categories


- Questions from family.
- Task help requests.
- Volunteer offers.
- Document/contact access requests.
- Pending invitations.
- Suggested support options.

Actions per item

- “Reply privately.”
- “Turn into a task.”
- “Share an update.”
- “Approve access.”
- “Decline.”
- “Save for later.”
- “Archive.”

System behavior

- No sender sees other inbox items.
- Replies remain private unless **Coordinator** intentionally turns information into a shared update.
- Access approvals show exact scope before confirmation.
- Archived requests remain visible to **Coordinator** under private history, subject to retention settings.



Screen 10: Family coordination inbox.

12. Coordination support when family capacity is limited

Screen 11: Find support for a coordination need

Trigger: Coordinator selects “Find support,” has repeated unassigned tasks, chooses “I do not have anyone to ask,” or opens support card.

Goal: Offer need-led support when family coordination alone is insufficient.

User-facing content

Title: “Support that may help with this”

Body: “You do not have to solve every responsibility within your family. Here are a few options based on what you selected. Nothing is shared unless you choose to request a connection.”

Need categories


- Practical caregiving help.
- Meals, transportation, household support.
- Volunteer support.
- Caregiver respite.
- Family communication or emotional support.
- Social worker or care-team support.
- Chaplain/spiritual care.
- Work, leave, or employee support.
- Community, benefits, or financial-hardship navigation.

Resource card requirements

- Resource name and category.
- What it can help with.
- Why it appears.
- Transparent relationship label.
- Verified cost/access/language information when available.
- **Actions:** Save / Hide / Contact independently / Request connection.

System behavior

- Show maximum four cards initially.
- Never use paid placement, referral fee, sponsorship, or lead sale to rank options.
- Hide choice suppresses future recommendation for that resource unless user restores it.
- Contact independently shares nothing.
- Request connection goes to Screen 12.



Screen 11: Support categories.

Screen 12: Request a support connection

Goal: Allow **Coordinator** to request external help with clear consent and minimum necessary sharing.

User-facing content

Title: “Request a connection”

Body: “Zeporah can send a request to [recipient]. You choose what to share. Your private updates, notes, documents, contacts, and task details are not included unless you separately choose them.”

Required inputs

- Request type: Practical caregiver support / Social worker / Chaplain or spiritual care / Volunteer support / Family support / Work or leave support / Help understanding who to contact / Other.
- Preferred contact method.
- Preferred contact time.

Optional:

- Short message.
- Optional task category; not task title/details by default.
- Permission to leave voicemail/message.

Share preview

Will be shared:

- **Coordinator** name.
- Preferred contact method/time.
- Request type.
- Optional message.
- Optional broad task category, only if selected.

Will not be shared:

- Family updates.
- Private notes.
- Documents.
- Contact directory.
- Full task list.
- Other family member names/roles.
- Task details unless separately selected.
- Any unselected information.


Actions

- “Send my request.”
- “Save draft.”
- “Cancel.”

System behavior

Require acknowledgment: *“I understand Zeporah will send the information listed above to [recipient].”*

- Store recipient, fields, timestamp, consent version, request ID.
- Partner receives only approved fields via configured queue.
- Family sees submitted and limited status updates.
- No partner gains ongoing coordination-workspace access.




Screen 12: Request preview — what will and will not be shared.

13. Decision and branching logic

13.1 Task needs related document/contact

Situation	System response
Assigned person already has access	Link item only if **Coordinator** chooses; task opens relevant item
Assigned person lacks access	Ask **Coordinator** whether to share item, send alternate instructions, or remove link
Item is private and **Coordinator** declines sharing	Task remains without attachment; **Helper** sees only permitted task information
Helper requests access	Create private request in **Coordinator** inbox; no auto-share



13.1 When a task needs a related document or contact.

13.2 Helper is not able to complete task

- **Helper** can decline, request help, or ask a private question.
- **Coordinator** sees status and chooses reassignment, simplification, outside support, or private completion.
- No negative score, public decline, or automatic family notification.

13.3 Conflicting family requests

- **Coordinator** receives requests privately.

- Zeporah does not select a family decision or label any request correct.
- **Coordinator** can create private response, shared update, separate task, or archive request.
- If conflict creates distress, show optional support card without disclosing private messages.

13.4 Update attachment may expose information

- System detects item-level permission mismatch.

Before send, show: “This update includes [item]. [Recipient] does not currently have access. Choose what to do.”

- **Options:** Grant selected access / Remove attachment / Send update without attachment / Cancel.
- Never silently expand access.

13.5 Document contains highly sensitive information

- Pre-upload reminder discourages credentials and account numbers.
- If file name or user-entered category suggests sensitive financial/legal material, show additional privacy reminder and recommend Only me default; do not attempt to interpret content.
- Do not block document without clear policy reason; user retains choice subject to security policies.

13.6 Family member requests broad access

- **Coordinator** sees exact requested areas.
- Default response is not preselected.
- **Coordinator** can grant limited access, decline, or leave pending.

System states: “You can share only what this person needs. You do not need to give full access.”

13.7 No family capacity

- **Coordinator** can keep space private.
- Offer outside-support recommendations and consent-based request paths.
- Do not repeatedly prompt family invitations after **Coordinator** declines.


13.8 User changes journey stage

- Preserve tasks, updates, contacts, documents, and permissions.
- Apply stage-appropriate dashboard content.
- If changed to recent loss, Workflow 5 begins through compassionate transition; no automatic partner/helper notice.

14. Permissions and privacy rules

14.1 Object-level visibility

Object	Default	Potential sharing
Family Update	Private draft	Specific people / helpers / helpers and viewers
Task	**Coordinator** only	Assigned person / specific people / all helpers
Task update	Authorized task participants	**Coordinator**/authorized **Co-Coordinator**; selected task participants
Contact	**Coordinator** only	Specific people / all helpers
Document	Only me	**Coordinator**/**Co-Coordinator** / specific people / all helpers
Document access request	**Coordinator** inbox only	Never broad shared by default
Question from **Helper**	**Coordinator** inbox only	Private reply / shared update / task, only if **Coordinator** chooses
Support request draft/status	**Coordinator** only	**Coordinator** may share plain summary



14.1 Object-level visibility — default vs. potential sharing.

14.2 External sharing boundary

No Family Update, task, contact, document, question, inbox item, or status is shared with hospice, hospital, insurer, employer, attorney, funeral home, or another resource absent a new, explicit, recipient-specific consent flow.

14.3 Download and export rules

- Document download defaults disabled for **Helpers** unless **Coordinator** enables it.
- **Coordinators** can export personal workspace data only after recent authentication.
- Export warns that downloaded files may be less protected once outside Zeporah.
- Exports do not include information user lacks access to.
- Partner cannot export family workspace data through this workflow.

14.4 Audit rules

Record creation, sharing, access change, invitation, attachment, task assignment, task completion, document view/download where policy appropriate, support-request consent, and access removal. Audit logs do not copy full private content unnecessarily.

15. Notifications and reminders

15.1 Principles

- Only use consented channels.
- Never put sensitive care, death, document, task, or family details in notification previews.
- Respect quiet hours and frequency preferences.
- Task notifications are different from family updates and support requests.
- Users can mute specific task/update threads where permitted.

15.2 Notification catalogue

Event	Recipient	Default notification	Notes
Task assigned	**Helper**	“You have a new task in a Zeporah family space.”	No task details in preview
Task changed	Assigned person	“A task shared with you was updated.”	In-app detail after authentication
Task completed	**Coordinator**	“[Name] completed a task.”	No task detail in preview
Task declined / needs help	**Coordinator**	“A task needs your attention.”	Private detail in app only
Family Update sent	Selected recipient	“There is a new update in a Zeporah family space.”	No update text in preview
Update changed/removed	Recipient	“An update you received was changed/is no longer available.”	No removed content shown
Private question	**Coordinator**	“You have a private family question.”	No question content in preview
Access request	**Coordinator**	“Someone requested access to an item.”	No item content in preview
Document shared	Recipient	“A document was shared with you in Zeporah.”	No title/category in preview
Invitation pending/accepted/declined	**Coordinator**	Neutral invitation status message	No reason for decline
Support request status	**Coordinator**	“Your support request was acknowledged.”	No partner detail in preview
Gentle return reminder	User	“When you are ready, Zeporah is here.”	Only with consent

16. Compassionate pause, conflict-sensitive handling, and safety

16.1 Pause behavior

- Save drafts when technically feasible.
- If user pauses in task creation, update creation, or document sharing, do not send automatically.
- **On return:** “Your draft is saved. You can continue, make this smaller, or leave it for later.”
- One optional neutral reminder only with user consent.

16.2 Repeated unassigned task

If **Coordinator** opens/leaves same optional task multiple times over configured period:

> *“Would a smaller step, a trusted helper, or outside support make this easier?”*

Actions: break into smaller steps; ask helper; see support; keep for later; hide for now. No automatic sharing/partner contact.

16.3 Family conflict signals

If user selects available “Family conflict is making this harder” or similar support option:

> ***Acknowledge:*** *“Family situations can be complicated. You can keep this space private and share only what feels right.”*

- Offer access review, smaller delegation, private support options, and consent-based social-work/family-support contact where configured.
- Do not reveal another family member's private message or notify anyone automatically.

16.4 Emergency boundary

If user indicates immediate danger/urgent medical issue:

> *Show: “If someone is in immediate danger or needs urgent medical help, call local emergency services now. If you are supporting someone receiving hospice care, you can also contact the hospice's 24-hour line.”*

- Display verified partner contact only if configured.
- **State:** “Zeporah cannot monitor emergencies or provide emergency response.”
- Do not perform triage, diagnosis, risk scoring, or automated outreach.



Compassionate pause, conflict handling, and safety — four tiers.

17. Partner operational workflow

17.1 Partner configuration

Configure organization name, relevant service lines, request categories, receiving teams, hours/service targets, after-hours instructions, escalation owner, approved internal/external resources, referral governance, privacy/data-sharing terms, and accessible/language pathways.

17.2 Coordination-related support categories

- Practical caregiver support.
- Social-work request.
- Volunteer support.
- Chaplain/spiritual support.
- Family/caregiver support.
- Work, leave, or EAP support.
- Community/benefit navigation.
- Help understanding who to contact.

17.3 Data received by partner


Only consented support-request ID, category, **Coordinator** name, preferred contact method/time, optional **Coordinator** message, optional broad task category if selected, submission time, and program ID.

17.4 Data not received by partner

No task titles/details, updates, contacts, documents, inbox messages, question lists, helper identities, access settings, document access history, conflict signals, browsing/recommendation history, or unapproved data.

17.5 Partner statuses

Received; Acknowledged; Contact attempted; Connected; Referred; Closed—no longer needed; Closed—unable to reach. Family sees plain-language status only; no internal notes, clinical details, staff information, or third-party information.



What a partner receives — and does not (Section 17).

18. Exceptions and edge cases

- **Incorrect task completion: Coordinator** can reopen; preserve history.
- Duplicate task: prompt to merge/keep separate/delete after **Coordinator** review; never auto-delete.
- **Invitee cannot access invitation:** secure resend/cancel; no content exposure.
- **Task owner loses access:** task becomes unassigned; **Coordinator** notified; no private content exposed.
- **Helper removed with active task:** revoke access; offer reassignment; preserve authorized history according to retention policy.
- **Update sent to wrong recipients:** allow removal/revision; warn copies/read receipts may exist; no ability to erase information already seen/downloaded.
- **Document upload failure:** preserve safe draft metadata; retry/change file; do not expose file to unapproved people.
- **Document shared to wrong person:** immediate revoke future access; terminate sessions where possible; log event; warn prior download cannot be reversed.
- **Coordinator unavailable:** do not automatically elevate **Helper**; use formal transfer/escalation process from Workflow 1.
- **No internet/low bandwidth:** local draft where safe; clear unsent state; never imply content sent until server confirmation.
- **Partner relationship ends:** private coordination space remains; partner support routes may deactivate; no data transfer.
- **User enters highly sensitive credential:** show safety reminder; never surface it in notifications; follow product security policy.

19. Data minimization, analytics, and acceptance criteria

19.1 Data minimization

Collect only what users choose to add for tasks, updates, contacts, documents, access controls, task status, question/request messages, support preferences, and consented requests. Do not require clinical records, diagnosis, SSN, passwords, bank credentials, legal authority documentation, full insurance numbers, or financial statements.

Store documents, notes, tasks, and updates under item-level access controls. Do not expose data to partners without specific consent. De-identify/aggregate analytics where feasible.

19.2 Family metrics

- Number of **Coordinator**-created updates and selected-recipient delivery rate.
- Task creation, assignment, acceptance, completion, decline, and reassignment rate.
- Percentage of tasks successfully delegated without broader access grant.
- Time to first completed delegated task.
- Number of repeated family questions reduced through updates, measured by voluntary feedback or partner pilot design.
- Contact/document organization and intentional sharing rate.
- Support recommendation relevance and connection-request completion.
- User-reported coordination confidence and burden.

19.3 Organization metrics

- Family activation and multi-user coordination rate.
- Voluntary partner support-request volume/category.
- Partner acknowledgment/completion time.
- Family satisfaction with communication coordination.
- Repeat nonclinical contact volume where legally/ethically measurable.
- Staff-reported time used for repetitive navigation or coordination questions.
- Resource utilization/referral completion rate.

19.4 Privacy and safety metrics

- Permission-preview completion rate.
- Access changes/revocations.
- Document-sharing reversals.
- Incorrect-recipient correction events.
- Support-request share-preview completion rate.
- Unauthorized-access attempts.
- Sensitive-data-warning display rate.

- Audit-log completeness.

19.5 Required audit events

- coordination_dashboard_opened
- family_update_drafted
- family_update_sent
- family_update_edited
- family_update_removed
- family_update_acknowledged
- private_question_sent
- private_question_answered
- task_created
- task_split_into_subtasks
- task_assigned
- task_assignment_accepted
- task_assignment_declined
- task_status_changed
- task_completed
- task_reopened
- task_access_changed
- contact_added
- contact_shared
- contact_access_requested
- document_upload_started
- document_uploaded
- document_access_granted
- document_access_removed
- document_viewed
- document_downloaded
- document_deleted
- invitation_task_only_created
- coordination_support_recommendation_shown
- coordination_support_connection_started
- coordination_support_share_preview_viewed
- coordination_support_consent_confirmed
- coordination_support_request_sent

- coordination_conflict_support_opened
- emergency_boundary_shown

19.6 Acceptance criteria

Workflow 3 is ready for pilot only when:

1. Family Coordinator can create a private update, task, contact, or document without automatically sharing it.
2. Updates use recipient control and private questions rather than default reply-all group chat.
3. A task can be delegated with task-only access and without exposing unrelated workspace content.
4. Item-level access is checked before attaching contacts/documents to updates or tasks.
5. New documents default to private; Helpers cannot download by default.
6. Users can request access to a needed contact/document without receiving it automatically.
7. Coordinator can review, change, and revoke access; actions are auditable.
8. Task and update notifications remain privacy-preserving.
9. Family conflict and overwhelm paths provide safe, nonjudgmental options without automatic disclosure.
10. Support recommendations and partner requests remain need-led, transparent, and consent-based.
11. Partner receives only fields shown in explicit request preview and never receives coordination workspace access.
12. The workflow functions on mobile, is accessible, plain-language, and usable at low bandwidth where feasible.
13. Pilot instrumentation supports measurement of coordination, completion, support, privacy, and organizational value outcomes.

20. Workflow integration and handoffs

20.1 Integration purpose

Workflow 3 is the coordination layer shared across the Zeporah journey. It does not replace the care-preparation, overwhelm-support, immediate-loss, or later-life-administration experiences. It gives those experiences a consistent way to manage people, tasks, updates, contacts, documents, sharing, and privacy.

The family experiences one continuous space. A task created during serious illness can remain relevant during hospice, immediate post-death responsibilities, or estate administration; its visibility and ownership travel with it unless the **Coordinator** changes them.



Workflow 3 in the larger journey (Section 20).

20.2 What enters Workflow 3

Entering object/context	Source	How Workflow 3 uses it
Workspace ID and authenticated	Workflow 1	Connects coordination actions to correct

Entering object/context	Source	How Workflow 3 uses it
user		private space and validates access
Roles and current permissions	Workflow 1; changes to People area	Controls who may create, share, edit, complete, or view items
Privacy baseline and sharing defaults	Workflow 1	Applies private-by-default to new coordination items
Journey state	Workflow 1 and updated in other workflows	Adjusts dashboard language and stage-appropriate task suggestions without changing access
Contacts, questions, notes, preferences, tasks, readiness items	Workflow 2 and later workflows	Allows permitted items to be organized, delegated, or shared; does not expose items by default
Existing family members and pending invitations	Workflow 1	Supports role-aware task delegation and update recipient selection
Selected support needs/preferences	Workflows 1, 2, 4, 5, 6	Tailors optional support cards; no referral/partner notification
Recommendation history	Shared recommendation service	Avoids repeating hidden or irrelevant resources
Partner connection/request pathways	Workflow 1	Enables voluntary support connection path only
Existing documents/updates/tasks	Workflow 3 and later workflows	Shows only content within user's current scope
Prior consent/audit history	System layer	Enforces rules and provides governance; not partner-visible

20.3 What Workflow 3 creates or updates

Object / setting	Created or updated	Default visibility	Controller
Family Update	Recipient-controlled update, response setting, attachments, expiry	Draft private	**Coordinator**/ authorized **Co-Coordinator**
Private recipient question	Question in **Coordinator** inbox	**Coordinator**/private recipient scope	Sender + **Coordinator**/authorized **Co-Coordinator**
Practical task	Title, timing, owner, status, subtasks, item links, visibility	**Coordinator** only	**Coordinator**/ authorized **Co-Coordinator**
Task status and task updates	In progress, needs help, completed, declined, reopened	Authorized task participants	Task owner/**Coordinator** within scope
Task-only invitation	Limited **Helper** invitation to named task	Pending/private	**Coordinator**

Object / setting	Created or updated	Default visibility	Controller
Contact directory item	Contact details/category/notes/sharing	**Coordinator** only	**Coordinator**/ authorized role
Document	File, category, version, item-level access, download rules	Only me	**Coordinator**/ authorized uploader per scope
Document/contact access request	Request to **Coordinator** inbox	**Coordinator** only	Requester creates; **Coordinator** approves/denies
Coordinator inbox action	Reply, approval, decline, archive, update/task conversion	**Coordinator**/private	**Coordinator**/ authorized **Co-Coordinator**
Coordination support request draft	External request category/contact preferences/message	**Coordinator** only	**Coordinator**
Coordination support consent	Recipient, exact fields, timestamp, request ID	System audit	System-managed
Collaboration configuration	Update response rules, notification/mute selections, sharing changes	Role/item specific	**Coordinator**/ authorized settings role

20.4 What Workflow 3 sends forward

Object/capability available later	Later workflow(s)	Conditions/use
Current people/roles/access settings	Workflows 1–6	Current permissions govern all future access
Tasks, subtasks, owners, status, and visibility	Workflows 2, 4, 5, 6	Remain active or are surfaced when relevant; no automatic resharing
Selected Family Updates	Workflows 2, 5, 6	History available only to authorized recipients; not partner-visible
Contacts	Workflows 2, 4, 5, 6	Reused for care, bereavement, benefits, or practical actions under item permission
Documents and access metadata	Workflows 2, 5, 6	Retained under document scope; not auto-attached/shared
Private questions and **Coordinator** decisions	**Coordinator** history and relevant Workflow 4 support context	Remain private unless deliberately converted/shared
Task capacity and support needs	Workflow 4 and recommendation service	Can offer optional help; no automatic escalation
Submitted coordination support request summary/status	Workflows 4–6	Family sees own status; no continuing partner access

Object/capability available later	Later workflow(s)	Conditions/use
Updated sharing and notification preferences	Workflows 1–6	Applied prospectively within scope
Audit history	System layer	Used for security/privacy/compliance, not broad family/partner visibility

20.5 What remains private or inactive

- A family update remains private draft until sent to selected recipients.
- A recipient does not see other recipients' private questions, task details, document access, or inbox requests.
- A task owner does not gain access to unrelated tasks, updates, contacts, notes, or documents.
- Contacts and documents remain invisible until separately shared.
- Downloading stays disabled for **Helpers** by default.
- A document request does not grant access until **Coordinator** explicitly approves it.
- Family conflict, task decline, inability to help, private questions, and support needs remain private to the appropriate scope.
- A support recommendation shown/saved/hidden or contacted independently does not create partner notification, referral, lead, or payment event.
- A submitted support request grants no ongoing partner access to the coordination space or later-created content.
- A journey-stage change alters family-facing context only; it does not automatically post an update or notify helpers/partners.
- Existing consent for an earlier request never authorizes a later request; every external disclosure requires a new recipient- and field-specific approval.

20.6 What triggers another workflow

Trigger in Workflow 3	Resulting workflow/capability	Required continuation behavior
Coordinator selects care-related contact/question/task or returns to care-plan priority	Workflow 2: Serious Illness and Hospice-Care Preparation	Return to care context with relevant item preserved and permissions enforced
User expresses overwhelm, repeated unassigned task, task feels too large, family conflict, or no available helper	Workflow 4: Caregiver Overwhelm, Compassionate Pause, and Human-Support Escalation	Save current draft; offer smaller step/delegation/support; no automatic contact
Coordinator requests external practical/social/spiritual/family support	Consent-based handoff service governed by Workflow 4	Show recipient and exact fields; require consent before sending
Coordinator voluntarily changes stage to recent loss	Workflow 5: Immediate Post-Death Guidance and Funeral-Period Coordination	Preserve coordination items; acknowledge loss; do not notify others automatically

Trigger in Workflow 3	Resulting workflow/capability	Required continuation behavior
Coordinator transitions to life after loss or later task category	Workflow 6: First-Year Bereavement, Estate, Benefits, and Life-Administration Navigation	Surface relevant tasks/contacts/docs under existing access; avoid broad disclosure
Coordinator changes roles/access	Workflow 1 governance service	Apply updated permissions across all workflows; terminate access where revoked
Helper accepts task-only invitation	Workflow 3 task collaboration	Grant task scope only; no broader workspace visibility
Task completion or update requires renewed care-team question	Workflow 2 or consented contact path	Offer question/contact action without auto-send

20.7 What the family sees

Families do not see “Workflow 3,” “handoff,” “module,” or internal data-transfer terminology. They see a unified experience:

- “People and tasks.”
- “Share an update.”
- “Ask someone to help.”
- “Private information.”
- “Find support.”
- “What matters today.”

Examples of seamless continuation:

- After care-plan task creation: “Would you like to keep this private, do it yourself, or ask someone you trust to help?”
- After sending update: “Your update was shared with [number] people. You can return here anytime to share another update or review private questions.”
- After task decline: “That task needs a new plan. You can make it smaller, ask someone else, or look for support.”
- After stage change to recent loss: “We are so sorry for your loss. Your family space is still here. We can help you focus on what matters right now.”
- After requesting outside support: “Your request was sent. While you wait, you can keep this task private, ask another person, or return later.”

Behind the scenes, Zeporah retains current permissions, drafts, item links, support preferences, and history. The family never needs to re-enter information merely because their journey advances.

20.8 What a partner sees

A partner sees only a **Coordinator**-initiated, consented support request. For a single request, it may see:


- Request identifier.
- Family-selected request category.
- **Coordinator** name.
- Preferred contact method/time.
- Optional **Coordinator** message.
- Optional broad support/task category if explicitly selected.
- Submission time and program identifier.

A partner does not see:

- Family Updates or recipient lists.
- Tasks, subtasks, titles, descriptions, status, or assignments.
- Contacts or documents.
- Private questions, inbox content, conflict signals, or task-decline reasons.
- **Helper**/**Viewer** identities, role assignments, or access rules.
- Recommendation viewing/saving/hiding history.
- Journey-stage changes, notification activity, or general audit history.
- Any content created after request submission.

Partner may return only request status: received, acknowledged, contact attempted, connected, referred, closed—no longer needed, or closed—unable to reach. Staff notes, clinical information, internal operations, and third-party information do not appear in the family coordination workspace.

21. Handoff to other workflows



Handoff to other workflows (Section 21).

Handoff to Workflow 2: Serious Illness and Hospice-Care Preparation

User trigger: Coordinator opens a care-related question, contact, note, or priority; a task requires care-plan context; user chooses to prepare a care-team question.

Information available: Existing item links, current permissions, selected contacts/questions, task status, and user-selected priorities.

Not automatically shared: Family Updates, unrelated tasks, documents, private inbox content, or partner request history.

> ***Family-facing continuation:*** *"Your question is saved. Would you like to add it to the next conversation with the care team?"*

Handoff to Workflow 4: Caregiver Overwhelm, Compassionate Pause, and Human-Support Escalation

User trigger: User selects need help, task feels too large, no helper available, repeated unassigned task, family conflict support, or external-support request.

Information available: Current private draft/task state, user-selected support category, recommendation preferences, partner connection/request pathways.

Not automatically shared: Private task/update/document content, emotional state, conflict details, contacts, or other people's identities.

> ***Family-facing continuation:*** *"This is a lot. Your progress is saved. We can make this smaller, ask someone you trust, find support, or return later."*

Handoff to Workflow 5: Immediate Post-Death Guidance and Funeral-Period Coordination

User trigger: Coordinator intentionally changes journey stage to recent loss.

Information retained: Roles/permissions; tasks; contacts; documents; selected updates; support preferences; current partner configuration, all under existing scopes.

Family choices: Keep active tasks, archive tasks, assign a new owner, or move forward one step at a time.

No automatic notices: Helpers, hospice, hospital, insurer, funeral provider, or resource are not notified simply because stage changes.

> ***Family-facing continuation:*** *"We are so sorry for your loss. You do not have to manage everything today. We can help you focus on what matters right now."*

Handoff to Workflow 6: First-Year Bereavement, Estate, Benefits, and Life-Administration Navigation

User trigger: Coordinator selects life after loss, opens a later practical task, or chooses estate/benefits/life-administration support after the recent-loss period.

Information retained/available: Membership/permission rules; relevant tasks, contacts, documents, preferences, and support-request history under existing access. Historic consent is not reused for a new outside request.

> ***Family-facing continuation:*** *"Choose one next step for today. Your family's information remains organized here when you need it."*