
SC101

Week5



Stack Overflow

```
def main().
         def factorial(n):
            return n * factorial(n-1)
                          Base Case
```

```
de def de def def factorial(n):
    if n == 0:
        return 1
    else:
        return n * factorial(n-1)
```

```
de def de def factorial(n):
    if n == 0:
        return 1
    else:
        return n * factorial(n-1)
```

```
de def de def factorial(n):
    if n == 0:
        return 1
    else:
        return n * factorial(n-1)
```

```
de des des des des factorial(n):
    if n == 0:
        return 1
    else:
        return n * facrial(n-1)
```


```
de def def factorial(n):
    if n == 0:
        return 1
    else:
        return n * fatte ial(n-1)
```

```
de def factorial(n):
    if n == 0:
        return 1
    else:
        return n *
```

```
def main():(ct21(0)))
```

Self Similarity

Backtracking



```
def main():
    permutation([1, 2, 3])
```

```
def main():
    permutation([1, 2, 3])
```

```
def permutation(lst):
    permutation_helper(lst, [], len(lst))
```

```
def permutation(lst):
    permutation_helper(lst, [], len(lst))
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
        for num in lst:
            if num in current_lst:
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_Ist = []
ans_len = 3
```

```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
        for num in lst:
            if num in current_lst:
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
Ist = [1, 2, 3]
current_Ist = []
ans_len = 3
```

```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 1
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_Ist = []
ans_len = 3
```

```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 1
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```

```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 1
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```

```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 1
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```

```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 1
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1]
ans_len = 3
```

```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 1
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1]
ans_len = 3
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
        for num in lst:
            if num in current_lst:
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
lst = [1, 2, 3]
current_lst = [1]
ans_len = 3
```

```
def permutation_helper(lst, current_lst, ans_len):
                                                                   Ist = [1, 2, 3]
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
                                                                   current_lst = [1]
        for num in lst:
            if num in current_lst:
                                                                   ans_len = 3
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
                                                                   lst = [1, 2, 3]
        print(current_lst)
    else:
                                                                   current_lst = [1]
        for num in lst:
            if num in current_lst:
                                                                   ans_len = 3
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
                                                                   lst = [1, 2, 3]
        print(current_lst)
    else:
                                                                   current_lst = [1]
                                    num = 1
        for num in lst:
            if num in current_lst:
                                                                   ans_len = 3
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
def permutation_helper(lst, current_lst, ans_len):
                                                                   lst = [1, 2, 3]
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
                                                                   current_lst = [1]
                                    num = 1
        for num in lst:
            if num in current_lst:
                                                                   ans_len = 3
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
                                    num = 1
        for num in lst:
            if num in current_lst:
                                                                  ans_len = 3
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
lst = [1, 2, 3]
current_lst = [1]
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
                                                                   lst = [1, 2, 3]
        print(current_lst)
    else:
                                                                   current_lst = [1]
                                    num = 2
        for num in lst:
            if num in current_lst:
                                                                   ans_len = 3
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
def permutation_helper(lst, current_lst, ans_len):
                                                                   lst = [1, 2, 3]
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
                                                                   current_lst = [1]
                                    num = 2
        for num in lst:
            if num in current_lst:
                                                                   ans_len = 3
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
                                                                   lst = [1, 2, 3]
        print(current_lst)
    else:
                                                                   current_lst = [1]
                                    num = 2
        for num in lst:
            if num in current_lst:
                                                                   ans_len = 3
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
                                    num = 2
        for num in lst:
            if num in current_lst:
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1, 2]
ans_len = 3
```

```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
                                    num = 2
        for num in lst:
            if num in current_lst:
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1, 2]
ans_len = 3
```

```
def nermutation helner(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                    st = [1, 2, 3]
     if len(current_lst) == ans_len:
          print(current_lst)
                                                                    current_lst = [ 1, 2 ]
     else:
          for num in lst:
                                                                    ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helper(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                    st = [1, 2, 3]
     if len(current_lst) == ans_len:
          print(current_lst)
                                                                    current_lst = [ 1, 2 ]
     else:
          for num in lst:
                                                                    ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                    st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                    current_lst = [ 1, 2 ]
     else:
          for num in lst:
                                                                    ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   current_lst = [ 1, 2 ]
      else:
          for num in lst:
                                       num = 1
                                                                   ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   current_lst = [ 1, 2 ]
      else:
          for num in lst:
                                       num = 1
                                                                   ans_len = 3
             if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helmer(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   current_lst = [ 1, 2 ]
      else:
          for num in lst:
                                       num = 1
                                                                   ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   current_lst = [ 1, 2 ]
      else:
          for num in lst:
                                       num = 2
                                                                   ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   current_lst = [ 1, 2 ]
      else:
          for num in lst:
                                       num = 2
                                                                   ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helmer(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   current_lst = [ 1, 2 ]
      else:
          for num in lst:
                                       num = 2
                                                                   ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   current_lst = [ 1, 2 ]
      else:
          for num in lst:
                                       num = 3
                                                                   ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   current_lst = [ 1, 2 ]
      else:
          for num in lst:
                                       num = 3
                                                                   ans_len = 3
             if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helper(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
     if len(current_lst) == ans_len:
          print(current_lst)
                                                                   current_lst = [ 1, 2 ]
     else:
          for num in lst:
                                       num = 3
                                                                   ans_len = 3
              if num in current_lst:
                  pass
             else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   urrent_lst = [ 1, 2, 3 ]
      else:
          for num in lst:
                                       num = 3
                                                                   ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helmer(lst current lst ans len).
 def permutation_helper(lst, current_lst, ans_len):
                                                                   st = [1, 2, 3]
      if len(current_lst) == ans_len:
          print(current_lst)
                                                                   urrent_lst = [ 1, 2, 3 ]
      else:
          for num in lst:
                                       num = 3
                                                                   ans_len = 3
              if num in current_lst:
                  pass
              else:
                  current_lst.append(num)
                  permutation_helper(lst, current_lst, ans_len)
                  current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
      nermutation helper(let current let ane len):
                                                                     t = [1, 2, 3]
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
                                                                     rrent_lst = [ 1, 2, 3 ]
           print(current_lst)
       else:
                                                                     s_len = 3
           for num in lst:
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
def nermutation helner(lst current lst ans len).
     nermutation helper/let current let ane len).
                                                                     t = [1, 2, 3]
   def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
                                                                     irrent_lst = [ 1, 2, 3 ]
           print(current_lst)
       else:
                                                                     s_len = 3
           for num in lst:
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
de
    def nermutation helner(lst current lst ans len).
      def nermutation helmer/let current let ane len).
                                                                            t = [1, 2, 3]
       def permutation_helper(lst, current_lst, ans_len):
            if len(current_lst) == ans_len:
                                                                            irrent_lst = [ 1, 2, 3 ]
                print(current_lst)
            else:
                                                                            s_{en} = 3
                for num in lst:
                    if num in current_lst:
                        pass
                    else:
                        current_lst.append(num)
                        permutation_helper(lst, current_lst, ans_len)
                                                                                    permutation X
                        current_lst.pop()
                                                                                    /usr/local/bin/pythom
                                                                                    [1, 2, 3]
```


```
dof main()
 de
     def nermutation helper(lst current lst ans len).
       def permutation_helper(lst, current_lst, ans_len):
                                                                           st = [1, 2, 3]
           if len(current_lst) == ans_len:
                print(current_lst)
                                                                           current_lst = [ 1, 2, 3 ]
           else:
                for num in lst:
                                              num = 3
                                                                           ans_len = 3
                    if num in current_lst:
                        pass
                    else:
                        current_lst.append(num)
                        permutation_helper(lst, current_lst, ans_len)
                        current_lst.pop()
                                                                                     permutation X
                                                                                     /usr/local/bin/pythom
                                                                                     [1, 2, 3]
```

```
de
    def nermutation helmer(lst current lst ans len).
      def permutation_helper(lst, current_lst, ans_len):
                                                                          st = [1, 2, 3]
          if len(current_lst) == ans_len:
              print(current_lst)
                                                                          current_lst = [ 1, 2, 3 ]
          else:
              for num in lst:
                                             num = 3
                                                                          ans_len = 3
                   if num in current_lst:
                       pass
                   else:
                       current_lst.append(num)
                       permutation_helper(lst, current_lst, ans_len)
                       current_lst.pop()
                                                                                    permutation X
                                                                                    /usr/local/bin/pythom
                                                                                    [1, 2, 3]
```

```
de
    def nermutation helmer(lst current lst ans len).
      def permutation_helper(lst, current_lst, ans_len):
                                                                          st = [1, 2, 3]
          if len(current_lst) == ans_len:
              print(current_lst)
                                                                          current_lst = [ 1, 2 ]
          else:
              for num in lst:
                                             num = 3
                                                                          ans_len = 3
                   if num in current_lst:
                       pass
                   else:
                       current_lst.append(num)
                       permutation_helper(lst, current_lst, ans_len)
                       current_lst.pop()
                                                                                   permutation X
                                                                                    /usr/local/bin/pythom
                                                                                    [1, 2, 3]
```


```
de
   def permutation_helper(lst, current_lst, ans_len):
        if len(current_lst) == ans_len:
            print(current_lst)
        else:
                                        num = 2
            for num in lst:
                if num in current_lst:
                    pass
                else:
                    current_lst.append(num)
                    permutation_helper(lst, current_lst, ans_len)
                    current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1, 2]
ans_len = 3
```




```
de
   def permutation_helper(lst, current_lst, ans_len):
        if len(current_lst) == ans_len:
            print(current_lst)
        else:
                                        num = 2
            for num in lst:
                if num in current_lst:
                    pass
                else:
                    current_lst.append(num)
                    permutation_helper(lst, current_lst, ans_len)
                    current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1, 2]
ans_len = 3
```




```
de
   def permutation_helper(lst, current_lst, ans_len):
        if len(current_lst) == ans_len:
            print(current_lst)
        else:
                                        num = 2
            for num in lst:
                if num in current_lst:
                    pass
                else:
                    current_lst.append(num)
                    permutation_helper(lst, current_lst, ans_len)
                    current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1]
ans_len = 3
```




```
de
   def permutation_helper(lst, current_lst, ans_len):
        if len(current_lst) == ans_len:
            print(current_lst)
        else:
                                        num = 3
            for num in lst:
                if num in current_lst:
                    pass
                else:
                    current_lst.append(num)
                    permutation_helper(lst, current_lst, ans_len)
                    current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1]
ans_len = 3
```




```
de
   def permutation_helper(lst, current_lst, ans_len):
        if len(current_lst) == ans_len:
            print(current_lst)
        else:
                                        num = 3
            for num in lst:
                if num in current_lst:
                    pass
                else:
                    current_lst.append(num)
                    permutation_helper(lst, current_lst, ans_len)
                    current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1]
ans_len = 3
```




```
de
   def permutation_helper(lst, current_lst, ans_len):
        if len(current_lst) == ans_len:
            print(current_lst)
        else:
                                        num = 3
            for num in lst:
                if num in current_lst:
                    pass
                else:
                    current_lst.append(num)
                    permutation_helper(lst, current_lst, ans_len)
                    current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1, 3]
ans_len = 3
```




```
de
   def permutation_helper(lst, current_lst, ans_len):
        if len(current_lst) == ans_len:
            print(current_lst)
        else:
                                        num = 3
            for num in lst:
                if num in current_lst:
                    pass
                else:
                    current_lst.append(num)
                    permutation_helper(lst, current_lst, ans_len)
                    current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1, 3]
ans_len = 3
```




```
dof main()
 de
     def nermutation helper(lst current lst ans len).
      def permutation_helper(lst, current_lst, ans_len):
                                                                         lst = [1, 2, 3]
           if len(current_lst) == ans_len:
               print(current_lst)
           else:
               for num in lst:
                                                                         ans_len = 3
                   if num in current_lst:
                       pass
                   else:
                       current_lst.append(num)
                       permutation_helper(lst, current_lst, ans_len)
                       current_lst.pop()
```

```
current_lst = [ 1, 3 ]
```




```
de
    def nermutation helmer(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
                                                                       lst = [1, 2, 3]
         if len(current_lst) == ans_len:
             print(current_lst)
         else:
              for num in lst:
                                                                       ans_len = 3
                  if num in current_lst:
                      pass
                  else:
                      current_lst.append(num)
                      permutation_helper(lst, current_lst, ans_len)
                      current_lst.pop()
```

```
current_lst = [ 1, 3 ]
```




```
de
    def nermutation helper(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
         if len(current_lst) == ans_len:
             print(current_lst)
         else:
             for num in lst:
                 if num in current_lst:
                      pass
                 else:
                      current_lst.append(num)
                      permutation_helper(lst, current_lst, ans_len)
                      current_lst.pop()
```

```
lst = [1, 2, 3]
current_lst = [ 1, 3 ]
ans_len = 3
```




```
de
    def nermutation helner(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
         if len(current_lst) == ans_len:
             print(current_lst)
                                        num = 1
         else:
             for num in lst:
                 if num in current_lst:
                     pass
                 else:
                     current_lst.append(num)
                     permutation_helper(lst, current_lst, ans_len)
                     current_lst.pop()
```

```
lst = [1, 2, 3]
current_lst = [ 1, 3 ]
ans_len = 3
```




```
dof main()
 de
     def nermutation helper(lst current lst ans len).
      def permutation_helper(lst, current_lst, ans_len):
          if len(current_lst) == ans_len:
               print(current_lst)
                                         num = 1
          else:
               for num in lst:
                  if num in current_lst:
                       pass
                   else:
                       current_lst.append(num)
                       permutation_helper(lst, current_lst, ans_len)
                       current_lst.pop()
```

```
lst = [1, 2, 3]
current_lst = [ 1, 3 ]
ans_len = 3
```




```
de
    def nermutation helper(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
         if len(current_lst) == ans_len:
             print(current_lst)
                                        num = 1
         else:
              for num in lst:
                 if num in current_lst:
                     pass
                 else:
                     current_lst.append(num)
                      permutation_helper(lst, current_lst, ans_len)
                     current_lst.pop()
```

```
lst = [1, 2, 3]
current_lst = [ 1, 3 ]
ans_len = 3
```




```
de
    def nermutation helner(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
         if len(current_lst) == ans_len:
             print(current_lst)
                                        num = 2
         else:
             for num in lst:
                 if num in current_lst:
                     pass
                 else:
                     current_lst.append(num)
                     permutation_helper(lst, current_lst, ans_len)
                     current_lst.pop()
```

```
lst = [1, 2, 3]
current_lst = [ 1, 3 ]
ans_len = 3
```




```
de
    def nermutation helner(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
         if len(current_lst) == ans_len:
             print(current_lst)
                                        num = 2
         else:
             for num in lst:
                 if num in current_lst:
                     pass
                 else:
                     current_lst.append(num)
                     permutation_helper(lst, current_lst, ans_len)
                     current_lst.pop()
```

```
lst = [1, 2, 3]
current_lst = [ 1, 3 ]
ans_len = 3
```




```
de
    def nermutation helner(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
                                                                       lst = [1, 2, 3]
         if len(current_lst) == ans_len:
             print(current_lst)
                                        num = 2
         else:
              for num in lst:
                                                                       ans_len = 3
                  if num in current_lst:
                      pass
                  else:
                     current_lst.append(num)
                      permutation_helper(lst, current_lst, ans_len)
                      current_lst.pop()
```

```
current_lst = [ 1, 3, 2 ]
```



```
de
    def nermutation helner(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
         if len(current_lst) == ans_len:
             print(current_lst)
                                        num = 2
         else:
             for num in lst:
                 if num in current_lst:
                     pass
                 else:
                     current_lst.append(num)
                     permutation_helper(lst, current_lst, ans_len)
                     current_lst.pop()
```

```
lst = [1, 2, 3]
current_lst = [ 1, 3, 2 ]
ans_len = 3
```



```
de
    def nermutation helner(lst current lst ans len).
                                                                          1st = [1, 2, 3]
       def permutation_helper(lst, current_lst, ans_len):
           if len(current_lst) == ans_len:
                                                                          current_lst = [ 1, 3, 2 ]
               print(current_lst)
           else:
                                                                          ans_len = 3
                for num in lst:
                    if num in current_lst:
                        pass
                    else:
                        current_lst.append(num)
                        permutation_helper(lst, current_lst, ans_len)
                                                                                    permutation X
                        current_lst.pop()
                                                                                    /usr/local/bin/pythom
                                                                                    [1, 2, 3]
```

```
de
    def nermutation helner(lst current lst ans len).
                                                                          lst = [1, 2, 3]
       def permutation_helper(lst, current_lst, ans_len):
           if len(current_lst) == ans_len:
                                                                          current_lst = [ 1, 3, 2 ]
               print(current_lst)
           else:
                                                                          ans_len = 3
                for num in lst:
                    if num in current_lst:
                        pass
                    else:
                        current_lst.append(num)
                        permutation_helper(lst, current_lst, ans_len)
                                                                                    permutation X
                        current_lst.pop()
                                                                                    /usr/local/bin/pythom
                                                                                    [1, 2, 3]
```


```
de
    def nermutation helmer(lst current lst ans len).
                                                                           1st = [1, 2, 3]
       def permutation_helper(lst, current_lst, ans_len):
           if len(current_lst) == ans_len:
                                                                          current_lst = [ 1, 3, 2 ]
               print(current_lst)
           else:
                                                                          ans_len = 3
                for num in lst:
                    if num in current_lst:
                        pass
                    else:
                        current_lst.append(num)
                        permutation_helper(lst, current_lst, ans_len)
                                                                                     permutation X
                        current_lst.pop()
                                                                                     /usr/local/bin/pythom
                                                                                     [1, 2, 3]
                                                                                     [1, 3, 2]
```

```
de
    def nermutation helner(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
                                                                        lst = [1, 2, 3]
         if len(current_lst) == ans_len:
              print(current_lst)
                                                                        current_lst = [ 1, 3, 2 ]
                                         num = 2
         else:
              for num in lst:
                                                                       ans_len = 3
                  if num in current_lst:
                      pass
                  else:
                      current_lst.append(num)
                      permutation_helper(lst, current_lst, ans_len)
                      current_lst.pop()
```

```
permutation ×

/usr/local/bin/pythor
[1, 2, 3]
[1, 3, 2]
```

```
de
    def nermutation helper(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
                                                                        lst = [1, 2, 3]
         if len(current_lst) == ans_len:
              print(current_lst)
                                                                       current_lst = [ 1, 3 ]
                                         num = 2
         else:
              for num in lst:
                                                                       ans_len = 3
                  if num in current_lst:
                      pass
                  else:
                      current_lst.append(num)
                      permutation_helper(lst, current_lst, ans_len)
                      current_lst.pop()
```



```
de
    def nermutation helper(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
                                                                        lst = [1, 2, 3]
         if len(current_lst) == ans_len:
              print(current_lst)
                                                                        current_lst = [ 1, 3 ]
                                         num = 3
         else:
              for num in lst:
                                                                       ans_len = 3
                  if num in current_lst:
                      pass
                  else:
                      current_lst.append(num)
                      permutation_helper(lst, current_lst, ans_len)
                      current_lst.pop()
```

```
permutation ×

/usr/local/bin/pythor
[1, 2, 3]
[1, 3, 2]
```

```
de
    def nermutation helner(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
                                                                         lst = [1, 2, 3]
          if len(current_lst) == ans_len:
              print(current_lst)
                                                                        current_lst = [ 1, 3 ]
                                         num = 3
          else:
              for num in lst:
                                                                        ans_len = 3
                  if num in current_lst:
                      pass
                  else:
                      current_lst.append(num)
                      permutation_helper(lst, current_lst, ans_len)
                      current_lst.pop()
                                                                                  permutation X
```

/usr/local/bin/pythou

[1, 2, 3]

[1, 3, 2]


```
de
    def nermutation helper(lst current lst ans len).
     def permutation_helper(lst, current_lst, ans_len):
                                                                        lst = [1, 2, 3]
         if len(current_lst) == ans_len:
              print(current_lst)
                                                                        current_lst = [ 1, 3 ]
                                         num = 3
         else:
              for num in lst:
                                                                       ans_len = 3
                  if num in current_lst:
                      pass
                  else:
                      current_lst.append(num)
                      permutation_helper(lst, current_lst, ans_len)
                      current_lst.pop()
```

```
permutation ×

/usr/local/bin/pythor
[1, 2, 3]
[1, 3, 2]
```


```
de
   def permutation_helper(lst, current_lst, ans_len):
        if len(current_lst) == ans_len:
            print(current_lst)
        else:
                                        num = 3
            for num in lst:
                if num in current_lst:
                    pass
                else:
                    current_lst.append(num)
                    permutation_helper(lst, current_lst, ans_len)
                    current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1, 3]
ans_len = 3
```




```
de
   def permutation_helper(lst, current_lst, ans_len):
        if len(current_lst) == ans_len:
            print(current_lst)
        else:
                                        num = 3
            for num in lst:
                if num in current_lst:
                    pass
                else:
                    current_lst.append(num)
                    permutation_helper(lst, current_lst, ans_len)
                    current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1]
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 1
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [1]
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 1
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 2
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 2
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 2
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 2
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [2]
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 2
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [2]
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 2
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [2]
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 2
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```




```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
        for num in lst:
                                      num = 3
            if num in current_lst:
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```




```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
        for num in lst:
                                      num = 3
            if num in current_lst:
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```




```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
        for num in lst:
                                      num = 3
            if num in current_lst:
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
Ist = [1, 2, 3]
current_Ist = []
ans_len = 3
```




```
def permutation_helper(lst, current_lst, ans_len):
    if len(current_lst) == ans_len:
        print(current_lst)
    else:
        for num in lst:
                                      num = 3
            if num in current_lst:
                pass
            else:
                current_lst.append(num)
                permutation_helper(lst, current_lst, ans_len)
                current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [3]
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 3
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [3]
ans_len = 3
```




```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 3
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```

```
Ist = [1, 2, 3]
current_lst = [3]
ans_len = 3
```





```
dof main()
  def permutation_helper(lst, current_lst, ans_len):
       if len(current_lst) == ans_len:
           print(current_lst)
       else:
           for num in lst:
                                         num = 3
               if num in current_lst:
                   pass
               else:
                   current_lst.append(num)
                   permutation_helper(lst, current_lst, ans_len)
                   current_lst.pop()
```


```
Ist = [1, 2, 3]
current_lst = []
ans_len = 3
```





```
def main():
        subsets(['a', 'b', 'c', 'd'])
    def subsets(lst):
        subsets_helper(lst, [])
 8
 9
10
    def subsets_helper(lst, chosen):
        if len(lst) == 0:
11
            print(chosen)
12
        else:
13
            # Choose
14
15
            element = lst.pop()
16
17
            # Explore without
            subsets_helper(lst, chosen)
18
19
20
            # Explore with
            chosen.append(element)
21
            subsets_helper(lst, chosen)
22
23
24
            # Unchoose
            chosen.pop()
25
            lst.append(element)
26
27
```
















Base case!!



Base case!!

chosen = []



Base case!!

chosen = []

