

SPHERICAL COW PHILOSOPHY: A METHODOLOGICAL FRAMEWORK FOR MATHEMATICAL DISCOVERY

KHAYYAM WAKIL

ABSTRACT. We present *spherical cow philosophy*—a methodological framework for mathematical discovery that complements classical proof-by-contradiction by accepting empirical constitutional constraints as foundational and deriving their forced consequences. Named after the physics heuristic of modelling complex systems through essential simplification, the approach inverts the usual hierarchy: instead of deriving special cases from universal axioms, we identify structural constraints that are empirically universal within a domain, derive what they force rigorously, and validate predictions across independent domains.

The framework addresses a specific situation: when classical sieve methods encounter persistent structural barriers—such as the $\theta = 1/2$ ceiling for twin primes over two centuries of effort—the productive path may be to accept the constitutional constraint (here, $p \equiv 2 \pmod{3}$ for all twin primes $p > 3$) as the natural entry point and derive its arithmetic consequences, rather than to approach the barrier as an obstacle for more powerful general methods.

Applied to twin primes, this methodology motivates the cascade moduli framework proved in the companion paper [12], achieves level of distribution $\theta_W = 5/8$ for cascade moduli $q = 3^K$, and connects the arithmetic result to a structural parallel in information theory documented in [14]. The combinatorial foundation is traced to the mod-3 fractal of Khayyam’s Triangle [10]. The framework is explicitly falsifiable: it predicts a confirmed non-instance (Sophie Germain primes at $\theta = 1/2$) and an open prediction ($k = 4$ constellation at $\theta = 3/4$) via the k -hierarchy of [14].

We establish precise criteria for when the framework applies, contrast it with classical approaches, and distinguish it carefully from circular or post-hoc reasoning. Logical status labels are attached to every claim.

CONTENTS

1. Introduction: The Physics Analogy	2
1.1. The original spherical cow	2
1.2. The mathematical parallel	2
1.3. Position in the program	3
1.4. What this paper claims and does not claim	3
2. The Classical Toolkit and Its Limits	3
2.1. When classical methods succeed	3
2.2. Where structural barriers arise	4
2.3. The structural limitation of the classical approach	4
3. Spherical Cow Philosophy: The Framework	4
3.1. The inversion	4

Date: February 2026.

2020 Mathematics Subject Classification. 00A30, 00A35, 11N35, 11N36 .

Key words and phrases. mathematical methodology, constitutional forcing, spherical cow, empirical constitution, twin primes, sieve theory, methodological pluralism, structural barriers, cross-domain validation.

3.2. The five steps	5
3.3. The spherical cow principle	5
4. Case Study: Twin Primes	5
4.1. The constitution	5
4.2. The forced consequences	6
4.3. The GPY connection and the open step	6
4.4. Cross-domain validation: Shannon’s theorems	6
5. Non-Circularity and Falsifiability	7
5.1. Why this is not circular	7
5.2. Decision criteria: when to use this framework	7
6. Philosophical Foundations	8
6.1. Empiricism and rationalism in mathematics	8
6.2. Gödel, independence, and the scope of this claim	8
6.3. Methodological pluralism	8
7. Conclusion	9
7.1. Summary	9
7.2. The philosophical shift	9
7.3. Final reflection	9
Acknowledgements	9
References	9

1. INTRODUCTION: THE PHYSICS ANALOGY

1.1. **The original spherical cow.** When physicists model heat transfer from a cow, they make a radical simplification: assume a spherical cow. Strip away legs, spots, tail, digestive complexity—keep only mass distribution and thermal properties. As Clark [1] articulates:

Make it as simple as possible in order to take your understanding beyond the simple. . . Without saying “a cow is a sphere”—an imperfect, simple description—we would never have been in the position to describe it accurately at all.

The spherical cow succeeds because it knows what to *ignore*. Domain-specific details obscure the essential physics. By ignoring the irrelevant, physicists isolate what matters, solve the simplified problem, and add complexity back strategically where it is needed.

1.2. **The mathematical parallel.** Classical mathematics has three primary responses to a hard problem:

- (1) Assume the statement false, derive consequences, seek a contradiction.
- (2) Build from axioms: prove the statement from more fundamental principles.
- (3) Exhaust known techniques until something works.

These work brilliantly when the problem is provable from accepted axioms. When they encounter a persistent structural barrier, the barrier itself is information. It may be signalling that the productive formulation has not yet been identified—not that the problem is harder than expected.

Spherical cow philosophy provides a complementary response: instead of asking “how do we overcome this barrier?”, ask “what constraint is this barrier telling us is constitutional?”

Accept that constraint as the productive entry point. Derive what it forces. Validate the consequences.

1.3. Position in the program. This paper is the methodological companion to a five-paper arithmetic program [10, 11, 12, 13, 14].

- [10] establishes the historical and combinatorial foundation: Khayyam’s Triangle mod 3 and the fractal structure that underlies the cascade moduli framework.
- [11] derives the universal formula $\theta_k = (2^k - k)/2^k$ from combinatorial first principles and proves it analytically for $k = 3$.
- [12] establishes $\theta_W = 5/8$ for cascade moduli $q = 3^K$ via the geometry of the Eisenstein integers $\mathbb{Z}[\omega]$.
- [13] verifies the Siegel zero condition (Condition W3) required by [12] via the CM structure of $\mathbb{Q}(\omega)$.
- [14] documents the structural parallel between the arithmetic result and Shannon’s theorems in information theory, and states the falsifiable k -hierarchy predictions.

The present paper explains *why* that program is structured the way it is, and what methodological principle makes it natural and non-arbitrary.

1.4. What this paper claims and does not claim. We attach logical-status labels to every significant claim throughout. Here we state the top-level ones explicitly.

- [Claimed] Accepting $p \equiv 2 \pmod{3}$ as the constitutional entry point for twin primes is methodologically productive: it motivates the cascade moduli framework and leads to the proved result $\theta_W = 5/8$ of [12].
- [Claimed] The constitution $p \equiv 2 \pmod{3}$ is a theorem (provable in two lines), not an axiom. Accepting a proved fact as the *productive entry point*—rather than a consequence to be derived from something deeper—is the methodological move this paper advocates.
- [Claimed] The framework is falsifiable. The Sophie Germain non-instance (Section 5.1) was predicted and confirmed. The $k = 4$ prediction (Section 5.2) is open and testable.
- [Not claimed] That constitutional forcing alone proves twin prime infinitude. The result $\theta_W = 5/8$ is established for cascade moduli $q = 3^K$; extending this to the full moduli input required by GPY [6] is the principal open step identified in [12].
- [Not claimed] That twin prime infinitude is independent of ZFC in the technical Gödel–Cohen sense. We make no claim about independence. The methodology applies whenever constitutional structure is the productive entry point, regardless of the problem’s axiomatic status.

2. THE CLASSICAL TOOLKIT AND ITS LIMITS

2.1. When classical methods succeed. Proof by contradiction is among the most powerful tools in mathematics.

Example 2.1 (Irrationality of $\sqrt{2}$). Assume $\sqrt{2} = p/q$ in lowest terms. Then $2q^2 = p^2$, forcing p even; writing $p = 2k$ gives $q^2 = 2k^2$, forcing q even—contradicting lowest terms. Therefore $\sqrt{2}$ is irrational.

This works because the statement is provable from the axioms of arithmetic: the assumption of rationality produces a genuine logical contradiction.

Example 2.2 (Infinitude of primes, Euclid). Suppose there are finitely many primes $p_1, \dots, p_n$. The number $N = p_1 \cdots p_n + 1$ is divisible by none of them, so it has a prime factor not in the list—a contradiction.

Both examples share a structure: *the assumption of falsehood leads directly to a contradiction derivable from accepted axioms*. Classical proof by contradiction works exactly when this structure is present.

2.2. Where structural barriers arise. Some problems resist sustained classical effort not because they are unprovable, but because the productive formulation has not yet been identified. The barrier is information: it is telling us something about the structure of the problem.

Example 2.3 (The $\theta = 1/2$ barrier for twin primes). The Goldston–Pintz–Yıldırım theorem [6] shows that a level of distribution $\theta > 1/2$ for primes in arithmetic progressions would imply the existence of infinitely many prime pairs with bounded gaps, and in particular—via a refinement—would yield infinitely many twin primes. Classical Bombieri–Vinogradov [5] gives $\theta = 1/2$ for *all* moduli. Zhang [7] achieved $\theta = 1/2 + \delta$ for a small $\delta > 0$ and smooth moduli, proving bounded gaps. Maynard and Tao [8] improved the gap bound substantially. But the gap = 2 (twin primes specifically) remained out of reach.

The barrier at $\theta = 1/2$ for general moduli is not arbitrary. It reflects the limits of the large sieve in full generality. Classical methods treat all moduli uniformly; they cannot exploit structure specific to a particular prime.

The spherical cow response to Example 2.3 is not to work harder on the general barrier. It is to ask: *what constitutional structure do twin primes carry that distinguishes them from the general case?*

The answer— $p \equiv 2 \pmod{3}$ for all twin primes $p > 3$ —is a two-line theorem. Accepting it as the productive entry point leads immediately to cascade moduli, Eisenstein integer geometry, and $\theta_W = 5/8$ (see [11, 12]).

2.3. The structural limitation of the classical approach. Classical methods seek *universal* patterns: results that hold for all moduli, all primes, all arithmetic progressions. This universality is their strength and their limitation. When a problem has constitutional structure that singles out a specific prime (here, 3), universal methods must either ignore that structure or work much harder to recover it.

Spherical cow philosophy embraces the specific structure from the outset. It trades universality for depth, and gains access to geometric tools—the hexagonal lattice of $\mathbb{Z}[\omega]$, the CM field $\mathbb{Q}(\omega)$, Kloosterman cancellation in a cyclic group—that are invisible from the universal vantage point.

3. SPHERICAL COW PHILOSOPHY: THE FRAMEWORK

3.1. The inversion. Classical hierarchy:

Universal Axioms $\longrightarrow$ General Theorems $\longrightarrow$ Special Cases $\longrightarrow$ [barrier]

Spherical cow hierarchy:

Empirical Constitution $\longrightarrow$ Forced Consequences
 $\longrightarrow$ Cross-Domain Validation $\longrightarrow$ Falsifiable Predictions

The key difference: we do not try to prove the constitution from something “more basic.” We show the constitution generates observed structure across multiple independent domains and makes predictions that can be confirmed or refuted.

3.2. The five steps.

Definition 3.1 (Spherical Cow Methodology). Given a domain with a persistent structural barrier, the spherical cow methodology proceeds as follows.

Step 1: Identify the empirical constitution. Find a constraint that is:

- (a) *Verifiable by direct computation*—not an assumption;
- (b) *Universal within the domain*—all instances satisfy it;
- (c) *Simple to state*—not complex conditional logic.

Step 2: Derive forced consequences. Using rigorous mathematics, determine what the constitutional constraint *forces*. Do not add hypotheses; derive consequences.

Step 3: Validate within the domain. Check that the forced consequences match domain observations, both computationally and analytically where possible.

Step 4: Validate across independent domains. Determine whether the same constitutional structure explains phenomena in genuinely independent fields. Independent confirmation strengthens the case that the constitution is fundamental, not accidental.

Step 5: Generate falsifiable predictions. Identify consequences of the constitution that have not yet been observed, and check whether they hold or fail. A framework that makes and confirms predictions—and identifies genuine non-instances—is more than decorative.

3.3. The spherical cow principle.

Principle 3.2 (Spherical Cow). What to ignore: domain-specific complexity that obscures constitutional structure.

What to keep: the constitutional constraint that generates forced consequences.

How to validate: cross-domain prediction and confirmed non-instances.

The physics analogy is precise. A physicist ignores the cow’s legs and spots to isolate thermal properties. A mathematician ignores the full generality of all moduli to isolate the constitutional property of twin primes ($p \equiv 2 \pmod{3}$) and the cascade structure it forces.

4. CASE STUDY: TWIN PRIMES

4.1. The constitution.

Proposition 4.1 (Twin Prime Constitution). *Every twin prime $p > 3$ satisfies $p \equiv 2 \pmod{3}$.*

Proof. Among any three consecutive integers, exactly one is divisible by 3. For the pair $(p, p+2)$: if $p \equiv 0 \pmod{3}$ then $3 \mid p$, so p is not prime (for $p > 3$). If $p \equiv 1 \pmod{3}$ then $p+2 \equiv 0 \pmod{3}$, so $3 \mid p+2$, hence $p+2$ is not prime (for $p+2 > 3$). Therefore $p \equiv 2 \pmod{3}$. $\square$

Remark 4.2. Proposition 4.1 is a theorem, not an axiom. The methodological move is not to assume it but to *accept it as the productive entry point*—to ask what arithmetic structure it forces, rather than treating it as a consequence to be recovered from something more general.

4.2. The forced consequences. Given Proposition 4.1, the spherical cow methodology asks: what does $p \equiv 2 \pmod{3}$ force?

- (1) **Cascade structure.** By the Chinese Remainder Theorem, $\gcd(3^K, \ell) = 1$ for all primes $\ell \neq 3$, so modular conditions modulo 3^K and modulo ℓ are independent. The constitutional condition forces attention to the specific family of moduli $q = 3^K$ —the *cascade moduli*.
- (2) **Eisenstein geometry.** The prime 3 ramifies in the Eisenstein integers $\mathbb{Z}[\omega]$ as $(3) = (1 - \omega)^2$ (Proposition 2.2 of [12]). A twin prime $p \equiv 2 \pmod{3}$ is *inert* in $\mathbb{Z}[\omega]$; its companion $p + 2 \equiv 1 \pmod{3}$ *splits*. Twin primes are precisely the inert-split pairs of the hexagonal lattice (Corollary 6.4 of [12]).
- (3) **Three-level filtration.** The ramification $(3) = (1 - \omega)^2$ induces a natural filtration on $\mathbb{Z}[\omega]/(3^K)$ with exactly three independent levels, forcing sieve weights over cascade moduli to be triply-well-factorable (Corollary 2.5 of [12]).
- (4) **Level of distribution** $\theta_W = 5/8$. Three-fold Cauchy–Schwarz over the filtration gives ceiling $\theta \leq 2/3$; cyclic group cancellation from $(\mathbb{Z}/3^K\mathbb{Z})^* \cong \mathbb{Z}/(2 \cdot 3^{K-1}\mathbb{Z})$ improves this to $\theta_W = 5/8$ (Theorem 1.1 of [12], with Condition W3 verified in [13]).
- (5) **Combinatorial origin.** The value $5/8 = (2^3 - 3)/2^3$ counts valid configurations in a three-level constitutional sieve: of the $2^3 = 8$ binary configurations, exactly $k = 3$ are invalid, leaving 5 valid (Theorem 3.4 of [11]). This count traces to the mod-3 Sierpiński structure of Khayyam’s Triangle (Proposition 2.3 of [11], and [10]).

All five consequences are forced by the single constitutional fact of Proposition 4.1. None requires additional hypotheses.

4.3. The GPY connection and the open step. The Goldston–Pintz–Yıldırım theorem [6] requires a level of distribution $\theta > 1/2$ over a sufficiently broad family of moduli to conclude twin prime infinitude. The result $\theta_W = 5/8$ established in [12] applies to cascade moduli $q = 3^K$: a one-parameter family indexed by powers of a single prime.

[Open] Extending $\theta_W = 5/8$ to a moduli family broad enough to serve as GPY input is the principal open step in this program. Two avenues are identified in [12]: (a) combining cascade moduli with smooth moduli via Pascadi’s result [9]; (b) developing a GPY variant that works with the specific cascade family directly.

We do not claim this step is complete. The spherical cow methodology motivates and structures the arithmetic program; the completion of the program is the work of the companion papers and their successors.

4.4. Cross-domain validation: Shannon’s theorems. The same constitutional structure—an exponential space forced by an intrinsic constraint onto a strict subspace with a uniquely determined governing constant—appears in Shannon’s two foundational theorems of 1948 [2], as documented in detail in [14].

- **Asymptotic Equipartition Property.** $|\mathcal{A}|^n$ sequences concentrate onto a typical set of size $\approx 2^{nH}$, where entropy H is uniquely forced by the source distribution.
- **Channel Coding Theorem.** Reliable communication requires rate $R < C$, where capacity C is uniquely forced by the channel.

Both are instances of the same pattern as the cascade moduli result: a structural constraint forces an exponential space to concentrate onto a subspace, governed by a constant that is uniquely determined by the constraint and cannot be altered without changing the underlying

structure. The formal definition and proof that all three instances satisfy the same conditions are given in [14].

The 77-year gap between Shannon’s results (1948) and the arithmetic instance (2026) is not surprising: the connection is visible only after both sides are independently established. This order—-independent results first, structural comparison second—guarantees that neither result was constructed to match the other.

5. NON-CIRCULARITY AND FALSIFIABILITY

5.1. Why this is not circular. A potential objection: the framework accepts the constitution, derives consequences, and validates against observations in the same domain. Is this circular?

It is not, for three reasons.

First, the constitution is a theorem (Proposition 4.1), not an assumption. Accepting a proved fact as the entry point is not circular; it is a choice of direction.

Second, the consequences are derived by rigorous mathematics (CRT, Eisenstein geometry, Cauchy–Schwarz, Watt’s theorem), not assumed. The derivation could in principle have produced a different value of θ , or no useful bound at all. The fact that it produces $5/8 > 1/2$ is a non-trivial output.

Third, and most importantly, the framework makes *falsifiable predictions that were confirmed before the verification was run*. The Sophie Germain non-instance is the clearest example.

Proposition 5.1 (Sophie Germain Non-Instance, [14, Theorem 7.1]). *Sophie Germain prime pairs $(p, 2p + 1)$ have dimensional parameter $k = 2$: the mod-3 residue of $2p + 1$ is determined by that of p (both satisfy $p \equiv 2 \pmod{3}$), giving only two independent constraint levels rather than three. The framework therefore predicts level of distribution $\theta_2 = (2^2 - 2)/2^2 = 1/2$, with no improvement over Bombieri–Vinogradov. Computational analysis confirms this: Sophie Germain primes do not exhibit the cascade moduli enhancement.*

Remark 5.2. The Sophie Germain prediction follows the same logic as the twin prime result: coupled constraints reduce the effective dimensionality. In information theory, a degraded channel has lower capacity because input-output dependence increases; in Sophie Germain primes, the coupling between p and $2p + 1$ modulo 3 reduces effective k from 3 to 2. The framework handles both cases with the same formula $\theta_k = (2^k - k)/2^k$, and correctly predicts which constellations do and do not exhibit the enhancement.

5.2. Decision criteria: when to use this framework.

Criterion 5.3 (Apply spherical cow philosophy when:). (1) **Structural barrier:** Clas-

sical methods have encountered a persistent ceiling that is not merely a technical obstacle but appears to reflect the limits of the general approach.

(2) **Identifiable constitution:** A constraint exists that is universal within the domain, verifiable computationally, and simple to state.

(3) **Cross-domain echo:** The same structural pattern appears in independent fields, suggesting the constitution captures something fundamental rather than domain-specific.

(4) **Falsifiable predictions:** The framework generates predictions about cases not yet examined, which can confirm or refute it.

Criterion 5.4 (Prefer classical methods when:). (1) The statement is provable from accepted axioms by known techniques.

(2) The problem is single-domain without structural echoes elsewhere.

(3) No universal constitutional constraint is identifiable.

(4) Proof by contradiction successfully finds contradictions.

Remark 5.5 (The $k = 4$ open prediction). The most immediate falsifiable prediction of this framework is the existence of a prime constellation with $k = 4$ independent modular constraints achieving level of distribution $\theta_4 = (2^4 - 4)/2^4 = 3/4$ (see Table 3 of [14]). Identifying such a constellation and verifying or disproving $\theta_4 = 3/4$ computationally is a concrete open problem that would either strengthen or refute the k -hierarchy.

6. PHILOSOPHICAL FOUNDATIONS

6.1. Empiricism and rationalism in mathematics. Classical mathematics is rationalist: truth derives from axioms and logical deduction. Empirical observations serve as heuristics, not proofs.

Spherical cow philosophy is *methodologically* empiricist, without abandoning rigour. Constitutional constraints are accepted as entry points because they are empirically universal and computationally verifiable. The *derivation* from those constraints remains fully rigorous. The shift is in what counts as the productive starting point, not in what counts as a proof.

The physics analogy is again precise. Physicists accept the speed of light c as an empirical constant and rigorously derive the structure of spacetime from it. The derivation (special relativity, $E = mc^2$, time dilation) is mathematically exact; the starting point is empirical. Spherical cow philosophy proposes the same division of labour for mathematics: accept the constitutional constraint empirically, derive its consequences rigorously.

6.2. Gödel, independence, and the scope of this claim. Gödel's incompleteness theorems [3] establish that any consistent formal system containing arithmetic has true statements unprovable within the system. Cohen [4] demonstrated that the continuum hypothesis is independent of ZFC.

We do *not* claim that twin prime infinitude is independent of ZFC. We make no claim about the axiomatic status of any conjecture in this program.

What we do claim is narrower and more useful: *for problems where classical methods have encountered structural barriers, accepting an empirical constitution as the entry point is a productive methodological choice.* This claim is independent of whether the problem is independent of ZFC. It applies whenever the constitutional structure is the productive formulation, regardless of the problem's status in formal logic.

6.3. Methodological pluralism. Mathematics benefits from multiple methodologies:

- Classical proof by contradiction: for statements provable from axioms.
- Constructive mathematics: for explicit object construction.
- Probabilistic methods: for deterministic results via probability (Erdős).
- Computational verification: for finite cases (four-colour theorem).
- *Spherical cow philosophy*: for structural barriers with identifiable empirical constitutions and cross-domain echoes.

These are not competing methodologies. They are tools for different situations. The contribution of this paper is to articulate the conditions under which the last tool is the right one, and to demonstrate its application through the arithmetic program of [11, 12, 13, 14].

7. CONCLUSION

7.1. Summary. Spherical cow philosophy provides a methodological complement to classical proof-by-contradiction for problems where structural barriers persist. By accepting empirical constitutional constraints as the productive entry point—deriving forced consequences rigorously and validating predictions across independent domains—the framework opens paths that the classical universal approach cannot see.

The key results demonstrated in this program:

- (1) The constitution $p \equiv 2 \pmod{3}$ forces cascade structure, Eisenstein geometry, and level of distribution $\theta_W = 5/8$ for cascade moduli [12, 13].
- (2) The same structural pattern—exponential space forced onto a strict subspace by an intrinsic constraint—appears in Shannon’s AEP and Channel Coding Theorem, documented in [14].
- (3) The Sophie Germain non-instance confirms the framework’s predictive power: coupled constraints reduce effective dimensionality exactly as the formula predicts.
- (4) The $k = 4$ open prediction provides a concrete falsifiability test.

7.2. The philosophical shift. From: mathematics begins with axioms and proceeds by deduction.

To: mathematics also begins with constitutional constraints and proceeds by rigorous derivation of their forced consequences.

This is not a rejection of rigour. The derivations in [12, 13] are as rigorous as any analytic number theory. The shift is in what counts as the *starting point*, not in what counts as a *proof*.

7.3. Final reflection. Omar Khayyam spent his life finding geometry hidden in numbers and in the sky. His calendar was accurate to within a second per year, computed with naked-eye instruments and geometric sight [10]. His triangle mod 3 contains the fractal that underlies the cascade moduli framework. He did not overcome the complexity of the solar year or of cubic equations by working harder within established methods. He found a different entry point.

The spherical cow reveals what matters. Khayyam knew this. The companion papers make it rigorous.

ACKNOWLEDGEMENTS

The author thanks Claude Shannon posthumously: his 1948 paper established two instances of the Shannon–Wakil effect before either the effect or the arithmetic instance were identified. The author thanks Simon Clark for articulating the spherical cow principle with the clarity that made the mathematical parallel visible.

REFERENCES

- [1] S. Clark, *Assume a Spherical Cow: A Physicist’s Guide to Understanding the Universe*, Quadrille Publishing, 2020.

- [2] C. E. Shannon, A mathematical theory of communication, *Bell System Tech. J.* **27** (1948), 379–423, 623–656.
- [3] K. Gödel, Über formal unentscheidbare Sätze der Principia Mathematica und verwandter Systeme I, *Monatsh. Math. Phys.* **38** (1931), 173–198.
- [4] P. J. Cohen, The independence of the continuum hypothesis, *Proc. Nat. Acad. Sci. USA* **50** (1963), 1143–1148.
- [5] E. Bombieri and A. I. Vinogradov, On the large sieve, *Mathematika* **12** (1965), 201–225.
- [6] D. A. Goldston, J. Pintz, and C. Y. Yıldırım, Primes in tuples I, *Ann. of Math.* **170** (2009), 819–862.
- [7] Y. Zhang, Bounded gaps between primes, *Ann. of Math.* **179** (2014), 1121–1174.
- [8] J. Maynard, Small gaps between primes, *Ann. of Math.* **181** (2015), 383–413.
- [9] A. Pascadi, Level of distribution $5/8$ for smooth moduli, arXiv:2505.00653v2, 2025.
- [10] K. Wakil, Khayyam’s triangle: historical restoration and the geometry hidden in the numbers, ARC Institute of Knowware, preprint, 2026.
- [11] K. Wakil, Ramanujan’s dimensional forcing: a universal formula for sieve levels, ARC Institute of Knowware, preprint, 2026.
- [12] K. Wakil, Ternary forcing on the hexagonal lattice: Eisenstein integers, cascade moduli, and level of distribution $5/8$, ARC Institute of Knowware, preprint, 2026.
- [13] K. Wakil, Condition W3: absence of Siegel zeros for characters modulo 3^K via CM structure of $\mathbb{Z}[\omega]$, ARC Institute of Knowware, preprint, 2026.
- [14] K. Wakil, The Shannon–Wakil effect: constitutional forcing as a universal pattern in information theory and prime arithmetic, ARC Institute of Knowware, preprint, 2026.

THE ARC INSTITUTE OF KNOWWARE, CALGARY, ALBERTA, CANADA

Email address: `the@knowware.institute`