

PRODUCT REQUIREMENTS • v1.0

# Dossiro

What the product must do to be sold to Nigerian enterprises and public bodies as a browser-delivered document management system. This document states requirements, not progress.

REQUIREMENTS

133 across 14 areas

LAUNCH SCOPE

65 must-haves

MARKET

Nigeria first

## PURPOSE

## What this document is

The definition of done for Dossiro. Every requirement below is written so that it can be judged true or false, and carries the condition under which it is accepted.

Priorities are fixed against a single question: can Dossiro be sold without this?

| PRIORITY | MEANING                                                                                           |
|----------|---------------------------------------------------------------------------------------------------|
| P0       | Cannot launch without it. A buyer in this category will refuse the product, or a regulator will.  |
| P1       | Needed within two quarters of launch. Its absence loses competitive deals but not every deal.     |
| P2       | Expected eventually. Its absence is survivable and can be named honestly in a sales conversation. |
| LATER    | Deliberately deferred. Recorded so the decision is not re-argued.                                 |

## CONTEXT

## The problem being solved

Nigerian enterprises, banks, hospitals and public agencies hold their records in shared drives, email and paper. They are increasingly required — by regulators, by auditors, by the Nigeria Data Protection Act, and by their own boards — to control who can see a record and to show afterwards who did.

The established products in this market are Windows-era software: a Windows-only server, a desktop administration tool, a Java desktop client, per-seat licences priced for a different economy, and a deployment that needs a partner on site. They work, and they are what buyers compare against, but they impose an IT burden most Nigerian organisations do not want and a cost most cannot justify.

Dossiro's opportunity is the gap between the compliance requirement and the delivery model. The compliance posture is not negotiable and must be matched. The delivery model — install, maintain, administer from a desktop, one database at a time — is where an incumbent can be beaten outright.

## SUCCESS

## Business objectives

| OBJECTIVE                                           | MEASURED BY                                                                         |
|-----------------------------------------------------|-------------------------------------------------------------------------------------|
| A customer can be live without an engineer visiting | Time from signed contract to first document filed, target under one hour            |
| Administration never requires software on a desktop | Every administrative task completable in a browser. No exceptions.                  |
| The audit position survives scrutiny                | An external auditor accepts the trail as evidence without supplementary explanation |
| Price at a level the market can pay                 | Total first-year cost below the incumbent's licence cost alone                      |
| Records stay in the country when required           | Nigerian data residency available on request, contractually                         |

## WHO FOR

## Users

| USER                  | NEEDS                                                                                                      | FAILS IF                                                    |
|-----------------------|------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| Records officer       | To capture a stack of paper, have it named and filed correctly, and find it again in seconds               | Filing takes longer than the shared drive it replaced       |
| Department head       | To control who in their unit sees what, approve what needs approving, and share with counterparties safely | They must ask IT to change a permission                     |
| Compliance officer    | To answer "who opened this, and when" without asking anyone, and to export that answer                     | The trail is incomplete, or could have been edited          |
| IT administrator      | To connect existing identity, set policy once, and not be the bottleneck for daily requests                | Routine administration requires them at all                 |
| External counterparty | To open exactly what was sent to them, without an account                                                  | They are asked to register, or can reach more than intended |
| Platform operator     | To provision, suspend and meter customers, without the ability to read their records                       | Operating the platform grants sight of customer data        |

## STRATEGY

## The product bets

Five decisions the requirements assume. Stated here so a requirement derived from them is not later questioned in isolation.

- Browser-first, with no desktop component at all, including administration. Incumbents administer from a Windows desktop tool; matching that concedes the clearest advantage available.
- Multi-tenant SaaS as the default delivery. Self-hosting is offered where a regulator demands it, not as the standard path.
- A customer configures their own document types, without a developer. A product without this is a file store with permissions.
- Capability is not divided into purchasable modules. Workflow, retention, notifications, indexing and search are one product.
- Text extraction and AI assistance are core, not an upsell. The proposal is always confirmed by a person before anything is renamed or moved.

## VOCABULARY

## The language the product speaks

Buyers already have words for these things, learned from the products they use today. Dossiro uses those words rather than inventing better ones.

| TERM    | MEANS                                                                      |
|---------|----------------------------------------------------------------------------|
| Tenancy | One customer organisation. Its own people, structure, records and address. |

| TERM           | MEANS                                                                                                                       |
|----------------|-----------------------------------------------------------------------------------------------------------------------------|
| Cabinet        | A top-level division of the filing structure — Finance, Legal, Human Resources.                                             |
| Drawer         | A division within a cabinet. May be locked, requiring a passcode even from someone whose role would otherwise permit entry. |
| Folder         | Nests without limit beneath a drawer.                                                                                       |
| Record         | A document and all its versions, its type, its index fields and its history.                                                |
| Classification | How sensitive a record is, independent of who may reach it.                                                                 |

## REQUIREMENTS · A

# Tenancy and identity

| ID     | REQUIREMENT                                                                                                                                                                                             | PRI |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| TEN-1  | <b>Each customer is an isolated tenancy</b><br>Accepted when no query, export or search can return another tenancy's data, and this is proven by automated test on every build                          | P0  |
| TEN-2  | <b>A tenancy answers on its own web address</b><br>Accepted when visiting it identifies the organisation before sign-in, and shows that organisation's name and branding                                | P0  |
| TEN-3  | <b>One person may belong to more than one tenancy</b><br>Accepted when a consultant signs in to each separately; nothing is shared between them, including sessions                                     | P0  |
| TEN-4  | <b>Sign-in with Microsoft Entra and Okta</b><br>Accepted when an administrator connects the provider and passwords become unnecessary for staff                                                         | P0  |
| TEN-5  | <b>Sign-in against on-premises Active Directory or LDAP</b><br>Accepted when a self-hosted customer authenticates against their existing directory                                                      | P1  |
| TEN-6  | <b>Two-factor authentication, enforceable as policy</b><br>Accepted when an administrator can require it for a role or for everyone, and non-compliant accounts cannot sign in                          | P0  |
| TEN-7  | <b>A tenancy may restrict an account to one active session</b><br>Accepted when signing in elsewhere names the other device and requires an explicit takeover, which ends the first session immediately | P1  |
| TEN-8  | <b>An administrator can end any session immediately</b><br>Accepted when the revoked session's next request fails, without waiting for a token to expire                                                | P0  |
| TEN-9  | <b>Devices are recognised and can be individually revoked</b><br>Accepted when revoking a device wipes any records cached on it for offline use                                                         | P1  |
| TEN-10 | <b>Staff are organised into departments that nest</b><br>Accepted when a grant to a parent department reaches its children without a second grant                                                       | P0  |
| TEN-11 | <b>Staff are also organised by branch or location</b><br>Accepted when a grant can be scoped to a branch and to the offices beneath it                                                                  | P1  |
| TEN-12 | <b>Roles are definable by the customer, not fixed by us</b><br>Accepted when an administrator composes a role from individual permissions and assigns it                                                | P1  |

REQUIREMENTS · B

# Filing structure and access

| ID     | REQUIREMENT                                                                                                                                                                        | PRI |
|--------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| FIL-1  | <b>Cabinets, drawers and folders nesting without limit</b><br>Accepted when depth is not capped, and moving a folder carries its whole subtree                                     | P0  |
| FIL-2  | <b>A drawer can be locked behind a passcode</b><br>Accepted when entry requires the passcode even for someone whose role otherwise permits it, and each entry is recorded          | P1  |
| FIL-3  | <b>A folder can be sealed from inheritance</b><br>Accepted when grants from above do not reach into it; only explicit grants apply                                                 | P0  |
| FIL-4  | <b>Access is granted to a person, a department, or a role</b><br>Accepted when all three resolve, and a person's effective access is the combination                               | P0  |
| FIL-5  | <b>Access levels separate viewing from taking a copy</b><br>Accepted when a person may be permitted to read a contract on screen and refused the download of it                    | P0  |
| FIL-6  | <b>Levels cover view, modify, delete, print, send, check out, and the right to grant access</b><br>Accepted when each is independently assignable                                  | P0  |
| FIL-7  | <b>The nearest rule wins, and a denial beats a permission at the same distance</b><br>Accepted when a person with department-wide access can be excluded from one folder inside it | P0  |
| FIL-8  | <b>Records a person cannot reach are invisible, not locked</b><br>Accepted when a folder listing shows no trace of what is withheld — not a greyed row, not a count                | P0  |
| FIL-9  | <b>Classification constrains a record independently of permission</b><br>Accepted when the most sensitive class cannot be sent outside the organisation by any route, by anyone    | P0  |
| FIL-10 | <b>A person can see why they can or cannot reach a record</b><br>Accepted when the interface names the rule and where it came from                                                 | P2  |
| FIL-11 | <b>Every edition is kept, and any prior edition can be restored</b><br>Accepted when restoring creates a new edition rather than overwriting history                               | P0  |
| FIL-12 | <b>A record can be checked out, blocking others from editing</b><br>Accepted when a second person is told who holds it and since when, and an administrator can force its release  | P1  |

REQUIREMENTS · C

# Document types

The backbone of the product. Search filters, retention rules, workflow triggers, automatic indexing and per-type watermarking all key off this, so it precedes them all.

| ID    | REQUIREMENT                                                                                                                                                                                                        | PRI |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| TYP-1 | <b>A customer defines their own document types without a developer</b><br>Accepted when an administrator creates a type such as Contract or Personnel File in the browser, and there is no limit on how many exist | P0  |
| TYP-2 | <b>Each type carries typed index fields</b><br>Accepted when text, date, number, yes/no and selection-list fields are all available, and each can be marked required                                               | P0  |
| TYP-3 | <b>Index fields are searchable as fields, not as text</b><br>Accepted when a query can ask for contracts expiring between two dates, or where contractor equals a named party                                      | P0  |
| TYP-4 | <b>A selection-list field can draw its values from an external system</b><br>Accepted when a customer's existing supplier list populates the field without re-keying                                               | P2  |
| TYP-5 | <b>Version keeping is configurable per type</b><br>Accepted when a type can be set to hold one edition only, where history is unwanted                                                                             | P1  |
| TYP-6 | <b>A watermark can be set per type, not only per share</b><br>Accepted when every view of a record of that type is watermarked, however it was reached                                                             | P1  |
| TYP-7 | <b>A tenancy's configuration exports to a portable file and imports into another</b><br>Accepted when types, retention rules, notification rules and structure move between a test and a live tenancy              | P2  |

|                                                                                                           |
|-----------------------------------------------------------------------------------------------------------|
| DEPENDENCY                                                                                                |
| TYP-1 to TYP-3 block SRC-4, GOV-4, WFL-2 and CAP-6. Sequencing them late delays a quarter of the product. |

## REQUIREMENTS · D

# Capture and intake

| ID     | REQUIREMENT                                                                                                                                                                                | PRI |
|--------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| CAP-1  | <b>Documents are captured from a scanner in bulk</b><br>Accepted when a stack scans in one pass, is deskewed, and separates into records without one-by-one handling                       | P0  |
| CAP-2  | <b>Documents arrive by email to a monitored address</b><br>Accepted when the sender is verified against a known account or domain before the attachment is filed                           | P1  |
| CAP-3  | <b>Documents arrive by WhatsApp from verified senders</b><br>Accepted when a field officer photographs a delivery note and it lands in the right folder                                    | P1  |
| CAP-4  | <b>Documents are captured from a phone camera with edge detection</b><br>Accepted when a photographed page is corrected to a readable, straightened image                                  | P1  |
| CAP-5  | <b>Every document is made text-searchable on arrival</b><br>Accepted when a scanned page is searchable by its content within minutes of filing, without anyone requesting it               | P0  |
| CAP-6  | <b>Index fields are filled automatically from the document</b><br>Accepted when a recurring form has its fields read from known positions; a new layout is learned from one example        | P1  |
| CAP-7  | <b>A name, folder and classification are proposed for what arrives</b><br>Accepted when the proposal is shown for confirmation and nothing is renamed or moved unattended                  | P1  |
| CAP-8  | <b>Anything captured enters the same pipeline regardless of route</b><br>Accepted when a WhatsApp photo and a scanner page receive identical naming, indexing and classification treatment | P0  |
| CAP-9  | <b>Office documents convert to PDF in bulk</b><br>Accepted when a folder of mixed formats converts without opening each one                                                                | P2  |
| CAP-10 | <b>Extraction that is uncertain is queued for a person, never guessed</b><br>Accepted when a low-confidence field is flagged for review and excluded from reports until confirmed          | P0  |

## REQUIREMENTS · E

# Search

| ID     | REQUIREMENT                                                                                                                                                     | PRI |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| SRC-1  | <b>Search covers document content, not only names and metadata</b><br>Accepted when a phrase inside a scanned contract is found                                 | P0  |
| SRC-2  | <b>Results never include a record the searcher cannot open</b><br>Accepted when counts and result sets are scoped to permission, and reveal nothing by omission | P0  |
| SRC-3  | <b>Results show why they matched</b><br>Accepted when the matching phrase is quoted from the document with the matched words marked                             | P0  |
| SRC-4  | <b>Search filters on document type and that type's fields</b><br>Accepted when multiple field criteria combine in one query                                     | P0  |
| SRC-5  | <b>Search filters on cabinet, creator, date ranges and classification</b><br>Accepted when created and modified ranges are independently selectable             | P0  |
| SRC-6  | <b>Exact phrase, any word and all words are all supported</b><br>Accepted when each returns a demonstrably different result set                                 | P1  |
| SRC-7  | <b>Search covers the current edition by default, with prior editions optional</b><br>Accepted when the choice is explicit in the interface                      | P1  |
| SRC-8  | <b>Search filters on workflow state</b><br>Accepted when everything awaiting a named person's approval is findable in one query                                 | P1  |
| SRC-9  | <b>A search can be saved and re-run</b><br>Accepted when a saved search is available from the toolbar and can be shared with a department                       | P2  |
| SRC-10 | <b>Search by meaning, not only by words</b><br>Accepted when a query for "termination clause" finds a document phrasing it as "notice of cancellation"          | P2  |
| SRC-11 | <b>Results return within two seconds at one million records</b><br>Accepted when measured at the 95th percentile on the reference deployment                    | P0  |

REQUIREMENTS · F

# Viewing, editing and collaboration

| ID    | REQUIREMENT                                                                                                                                                                 | PRI |
|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| VEW-1 | <b>Documents are viewed in the browser with nothing installed</b><br>Accepted when PDF, Office formats and images all render without a plug-in or a download                | P0  |
| VEW-2 | <b>Viewing does not require the ability to download</b><br>Accepted when a view-only record is rendered without the original bytes ever reaching the browser                | P0  |
| VEW-3 | <b>Pages can be annotated with notes, highlights and stamps</b><br>Accepted when annotations are separate from the document and can be hidden, and never alter the original | P1  |
| VEW-4 | <b>Content can be redacted irreversibly for onward sharing</b><br>Accepted when the redacted copy contains no recoverable trace of what was removed                         | P1  |
| VEW-5 | <b>Comments can be attached to a record and replied to</b><br>Accepted when a thread is visible to everyone with access and is part of the record's history                 | P1  |
| VEW-6 | <b>Two people can edit one document at the same time</b><br>Accepted when both see each other's changes live, and neither loses work                                        | P2  |
| VEW-7 | <b>Editions can be compared</b><br>Accepted when what changed between two editions is shown without opening both                                                            | P2  |

## REQUIREMENTS · G

# External sharing

| ID     | REQUIREMENT                                                                                                                                                                             | PRI |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| SHR-1  | <b>A record can be sent to someone with no account</b><br>Accepted when the recipient opens exactly that record and can reach nothing else                                              | P0  |
| SHR-2  | <b>A share carries an expiry</b><br>Accepted when it stops working at the stated time without anyone intervening                                                                        | P0  |
| SHR-3  | <b>A share can require an access code</b><br>Accepted when the code is delivered separately from the link, and a wrong code is refused and recorded                                     | P0  |
| SHR-4  | <b>A share can be limited to named email addresses</b><br>Accepted when a forwarded link does not work for an unnamed recipient                                                         | P0  |
| SHR-5  | <b>A share can be view-only, and this is enforced server-side</b><br>Accepted when requesting the document as a download is refused, not merely hidden in the interface                 | P0  |
| SHR-6  | <b>A share can cap the number of downloads</b><br>Accepted when the link closes itself once the cap is reached                                                                          | P1  |
| SHR-7  | <b>A shared view can be watermarked with the recipient and the time</b><br>Accepted when a screenshot of the shared document identifies who it was sent to                              | P1  |
| SHR-8  | <b>A share can be revoked with immediate effect</b><br>Accepted when the next request fails, with no cached grace period                                                                | P0  |
| SHR-9  | <b>Sharing is refused when it contradicts the classification</b><br>Accepted when the refusal states which rule stopped it, rather than failing generically                             | P0  |
| SHR-10 | <b>The sender can see how the recipient engaged</b><br>Accepted when opens, time spent and which pages held attention are reported                                                      | P1  |
| SHR-11 | <b>A customer's own website can present documents to the public</b><br>Accepted when an external site retrieves permitted records through an interface, with no accounts for the public | P2  |

REQUIREMENTS · H

# Workflow and approvals

| ID    | REQUIREMENT                                                                                                                                                                                             | PRI |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| WFL-1 | <b>A workflow starts when a record is filed into a folder</b><br>Accepted when no one has to remember to start it                                                                                       | P1  |
| WFL-2 | <b>A workflow starts on index-field criteria, combinable</b><br>Accepted when contracts above a value and of a named type route differently from the rest                                               | P1  |
| WFL-3 | <b>Steps assign to a person, a department or a role</b><br>Accepted when a role assignment reaches whoever holds the role at that moment, not a fixed individual                                        | P1  |
| WFL-4 | <b>A step confers the access needed to complete it, for its duration only</b><br>Accepted when the approver can open what they must approve without a standing grant, and loses it when the task closes | P1  |
| WFL-5 | <b>Steps run in sequence or in parallel</b><br>Accepted when a parallel step can require a stated number of several approvers                                                                           | P2  |
| WFL-6 | <b>An overdue step escalates to a named alternative</b><br>Accepted when escalation happens on a schedule without intervention and is recorded                                                          | P1  |
| WFL-7 | <b>A workflow is built in the browser without code</b><br>Accepted when a department head composes a two-step approval unaided                                                                          | P1  |
| WFL-8 | <b>People are notified of what awaits them, and can choose how</b><br>Accepted when notification preferences are set per person and per folder, on filing, change, approval and deletion                | P1  |
| WFL-9 | <b>Outstanding tasks are visible on arrival</b><br>Accepted when a dashboard lists what is waiting for the person, oldest first                                                                         | P1  |

REQUIREMENTS · I

# Signatures and forms

| ID    | REQUIREMENT                                                                                                                                                                     | PRI |
|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| SIG-1 | <b>A signature can be requested on a record from inside the system</b><br>Accepted when the signer receives it without an account and without a third-party service             | P1  |
| SIG-2 | <b>A signature can be drawn, typed or applied from a stored mark</b><br>Accepted when all three produce a signature fixed to a position on the page                             | P1  |
| SIG-3 | <b>Every signature carries evidence sufficient for a dispute</b><br>Accepted when who signed, when, from which address, on which exact edition, sealed against later alteration | P1  |
| SIG-4 | <b>Certificate-based signing for documents that require it</b><br>Accepted when the signature validates in third-party readers                                                  | P2  |
| SIG-5 | <b>Forms are built in the browser and published</b><br>Accepted when a form is composed without code and made available internally or externally                                | P2  |
| SIG-6 | <b>A submission becomes a record and can start a workflow</b><br>Accepted when the submission is filed, indexed, searchable, and triggers routing                               | P2  |

## REQUIREMENTS · J

# Governance, retention and evidence

| ID     | REQUIREMENT                                                                                                                                                                                                           | PRI |
|--------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| GOV-1  | <b>Every consequential action is recorded</b><br>Accepted when who, what, when, from where, on which record — including refusals and views                                                                            | P0  |
| GOV-2  | <b>The record of actions cannot be altered by anyone</b><br>Accepted when the database itself refuses modification and deletion, so the guarantee does not depend on application code or on trusting an administrator | P0  |
| GOV-3  | <b>Tampering is detectable, not merely prevented</b><br>Accepted when an integrity check recomputes the trail on demand and names the first entry that disagrees                                                      | P0  |
| GOV-4  | <b>The trail exports for an auditor</b><br>Accepted when a date range exports to a file an auditor can verify independently                                                                                           | P0  |
| GOV-5  | <b>Anyone with access to a record can see that record's own history</b><br>Accepted when without needing administrative rights or asking anyone                                                                       | P1  |
| GOV-6  | <b>Retention schedules are set per document type</b><br>Accepted when a schedule states how long a record is kept and what happens at the end                                                                         | P0  |
| GOV-7  | <b>Disposition requires review before destruction, where configured</b><br>Accepted when a named person confirms, and the confirmation is recorded                                                                    | P1  |
| GOV-8  | <b>A legal hold suspends all destruction</b><br>Accepted when a held record cannot be deleted or purged by anyone, including the highest role, until released                                                         | P0  |
| GOV-9  | <b>Deletion is recoverable for a stated window</b><br>Accepted when a deleted record is restorable with its history intact until the window elapses                                                                   | P0  |
| GOV-10 | <b>Reports by date range, cabinet and person</b><br>Accepted when a compliance officer produces activity and holdings reports unaided                                                                                 | P1  |
| GOV-11 | <b>A person's data can be located and exported on request</b><br>Accepted when a data subject request under the Nigeria Data Protection Act is answerable within the statutory period                                 | P0  |

REQUIREMENTS · K

# Offline and mobile

WHERE THE CATEGORY IS WEAKEST

Incumbent web clients require a connection to take a record offline, handle one document at a time, and cannot work independently of the server — while the desktop client that did this properly is being retired. This is the clearest opening in the market, and these requirements are set deliberately higher than the competition.

| ID    | REQUIREMENT                                                                                                                                                                          | PRI |
|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| OFF-1 | <b>A selection of records is taken offline in one action</b><br>Accepted when a folder or a search result is taken offline together, not document by document                        | P1  |
| OFF-2 | <b>Offline records are readable with no connection at all</b><br>Accepted when reading works on a flight or during an outage, with no server contact                                 | P1  |
| OFF-3 | <b>Work done offline is queued and applied on reconnection</b><br>Accepted when nothing is lost and nothing is applied twice                                                         | P1  |
| OFF-4 | <b>Conflicting offline edits are surfaced, never silently resolved</b><br>Accepted when a person is shown both versions and chooses                                                  | P2  |
| OFF-5 | <b>Cached records stay encrypted and obey classification</b><br>Accepted when the most sensitive class is never cached on any device, and a time limit applies to the class below it | P0  |
| OFF-6 | <b>Revoking a device wipes what it holds</b><br>Accepted when cached records become unreadable at the next opportunity, without the holder's cooperation                             | P1  |
| OFF-7 | <b>Full function on a phone, including capture and approval</b><br>Accepted when a manager approves and a field officer files, from a phone, without a desktop                       | P1  |
| OFF-8 | <b>Usable on an intermittent connection</b><br>Accepted when the interface degrades rather than failing, and states plainly what is unavailable                                      | P0  |

REQUIREMENTS · L

# Administration

| ID    | REQUIREMENT                                                                                                                                                                                        | PRI |
|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| ADM-1 | <b>Every administrative task is performed in a browser</b><br>Accepted when nothing requires software installed on a desktop, ever — including document types, retention, security and connections | P0  |
| ADM-2 | <b>People are invited, suspended and removed by an administrator</b><br>Accepted when suspension preserves history and immediately ends sessions and shares the person created                     | P0  |
| ADM-3 | <b>An administrator sees a person's effective access and why</b><br>Accepted when the resolved answer and the rules producing it are both shown                                                    | P1  |
| ADM-4 | <b>A tenancy can be branded</b><br>Accepted when logo, colour and sign-in appearance are set by the customer without our involvement                                                               | P1  |
| ADM-5 | <b>Administrators can work across several tenancies at once where entitled</b><br>Accepted when switching does not require signing out, and each tenancy's data stays separate                     | P2  |
| ADM-6 | <b>A dashboard shows what needs attention on arrival</b><br>Accepted when tasks, recent records and items awaiting review, scoped to the person                                                    | P1  |
| ADM-7 | <b>Storage location is configurable per tenancy</b><br>Accepted when a customer's records can be placed on infrastructure they nominate                                                            | P2  |

## REQUIREMENTS · M

# Platform operation and licensing

| ID     | REQUIREMENT                                                                                                                                                                                                   | PRI |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| PLT-1  | <b>A tenancy is provisioned without engineering involvement</b><br>Accepted when an operator creates a customer, its first administrator and its address, in minutes                                          | P0  |
| PLT-2  | <b>Operating the platform confers no sight of customer records</b><br>Accepted when the operator realm cannot read, search or export any tenancy's documents, and cannot hold documents itself                | P0  |
| PLT-3  | <b>Suspending or closing a tenancy requires a recorded reason</b><br>Accepted when the reason is written to both the operator's and the customer's trail and cannot be edited afterwards                      | P0  |
| PLT-4  | <b>Entitlement is enforced without contacting a server</b><br>Accepted when a self-hosted deployment with no outbound connectivity still honours its limits                                                   | P0  |
| PLT-5  | <b>Entitlement cannot be raised by editing the database</b><br>Accepted when changing a seat count directly has no effect                                                                                     | P0  |
| PLT-6  | <b>Seats can be sold as reserved or as a shared pool</b><br>Accepted when a reserved seat is always available to its holder; a pooled seat is released when its holder becomes inactive                       | P1  |
| PLT-7  | <b>A pooled seat is never refused without a way forward</b><br>Accepted when a person turned away is told when one is expected, or can request release — being told only to come back later is not acceptable | P1  |
| PLT-8  | <b>External recipients never consume a seat</b><br>Accepted when a customer sharing with a thousand counterparties pays nothing further                                                                       | P0  |
| PLT-9  | <b>Usage is metered for billing</b><br>Accepted when storage, seats and activity are reportable per tenancy per period                                                                                        | P1  |
| PLT-10 | <b>A customer can leave with their records</b><br>Accepted when a complete export of documents and metadata in an open format, obtainable without our assistance                                              | P0  |

## BEYOND FEATURES

# Non-functional requirements

| ID     | REQUIREMENT                                                                                                                                                                                 | PRI |
|--------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| NFR-1  | <b>Runs on any modern browser, on any operating system</b><br>Accepted when no Windows requirement anywhere in the product, server or client                                                | P0  |
| NFR-2  | <b>A folder of a thousand records opens in under two seconds</b><br>Accepted when measured at the 95th percentile on a typical Nigerian broadband connection, not on a developer's machine  | P0  |
| NFR-3  | <b>Usable on a slow or intermittent connection</b><br>Accepted when the first screen is usable within five seconds on a 3G connection                                                       | P1  |
| NFR-4  | <b>Records are encrypted in transit and at rest</b><br>Accepted when stored bytes are unreadable without the platform's keys, and keys are not held beside the data                         | P0  |
| NFR-5  | <b>Nigerian data residency available on request</b><br>Accepted when a customer's records and backups remain in-country, contractually and technically                                      | P0  |
| NFR-6  | <b>Compliant with the Nigeria Data Protection Act</b><br>Accepted when lawful basis, subject rights, breach notification and retention are all supported by the product, not only by policy | P0  |
| NFR-7  | <b>SOC 2 Type II certified</b><br>Accepted when an unqualified report covering security and availability, held and renewed                                                                  | P1  |
| NFR-8  | <b>99.5% monthly availability for the managed service</b><br>Accepted when measured and published, with credits defined in the contract                                                     | P0  |
| NFR-9  | <b>Recoverable within four hours, losing no more than one hour of work</b><br>Accepted when demonstrated by a restore rehearsal, not by a backup existing                                   | P0  |
| NFR-10 | <b>Accessible to WCAG 2.1 AA</b><br>Accepted when operable by keyboard throughout and usable with a screen reader — required for public-sector procurement                                  | P1  |
| NFR-11 | <b>British English, with dates and currency in local convention</b><br>Accepted when no American spelling in customer-facing text; naira and day-month-year throughout                      | P0  |
| NFR-12 | <b>Everything the interface does is available through a documented interface</b><br>Accepted when a customer can integrate without asking us for an undocumented route                      | P1  |

## BOUNDARIES

## Out of scope

Recorded so these are not revisited without a decision.

| NOT BUILDING                       | WHY                                                                                                   |
|------------------------------------|-------------------------------------------------------------------------------------------------------|
| A collaborative document editor    | Embedded from an existing product. Building one is not justifiable at any realistic budget.           |
| A desktop client                   | The entire strategic position is that one is unnecessary. Building one concedes it.                   |
| Our own text-recognition engine    | A solved problem with good components available.                                                      |
| Accounting, ERP or case management | Dossiro holds records and integrates. It does not become the system of record for a business process. |
| Physical records tracking          | Barcode tracking of paper in a warehouse is a different product.                                      |
| Per-module pricing                 | A deliberate rejection of the incumbent model, not an omission.                                       |

## SEQUENCE

## Release phases

Phases follow dependency, not preference. Document types come first because a quarter of the product keys off them, and text extraction second because capture, search and automatic indexing all wait on it.

| PHASE           | CONTAINS                                                                                                                                                                                       | READY WHEN                                                                                                                        |
|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| 1 · Sellable    | All P0. Tenancy, filing, access, document types, capture with text extraction, search, sharing, the audit trail, retention and legal hold, browser administration, provisioning and licensing. | A customer can be provisioned, file their records, control access, share safely, and satisfy an auditor — with nothing installed. |
| 2 · Competitive | P1. Workflow and notifications, signatures, annotation and redaction, offline and mobile, automatic indexing, reports, seat pooling, SOC 2.                                                    | Dossiro wins a head-to-head evaluation against an incumbent on capability, not only on price and delivery.                        |
| 3 · Extending   | P2. Forms, co-editing, semantic search, public portal, external lookups, configuration portability, certificate signing.                                                                       | The remaining gaps against the category are closed and the product leads where incumbents have withdrawn.                         |

## UNRESOLVED

## Open questions

These need answers from the business, not from engineering.

- Pricing shape. Per seat, per tenancy, or per volume of records? PLT-6 and PLT-9 cannot be specified precisely until this is settled.
- Reserved and pooled seats — is the complexity worth it? It matches what buyers know, and pooling makes an occasional user affordable. It is also the incumbent's most disliked behaviour. Offering one

simple model may be the stronger position.

- Which regulated sector is targeted first? Banking, health and public sector each add requirements — health in particular adds a standard we have not scoped.
- Hosting location. NFR-5 requires Nigerian residency on request. Whether that is the default for all customers is a cost and latency decision.
- Is self-hosting offered at launch or withheld? It widens the addressable market and multiplies the support burden.
- Migration from what? Most buyers hold records in shared drives and in an incumbent system. Whether import tooling is a product feature or a service offering changes Phase 1.

Dossiro · Calm Global · Lagos and Abuja. Requirements v1.0, 19 September 2026. Each requirement is written to be judged true or false; where one cannot yet be, it is an open question above rather than a requirement here.