

PRODUCT REQUIREMENTS • v1.0

Dossiro

What the product must do to be sold to Nigerian enterprises and public bodies as a browser-delivered document management system. This document states requirements, not progress.

REQUIREMENTS

133 across 14 areas

LAUNCH SCOPE

65 must-haves

MARKET

Nigeria first

PURPOSE

What this document is

The definition of done for Dossiro. Every requirement below is written so that it can be judged true or false, and carries the condition under which it is accepted.

Priorities are fixed against a single question: can Dossiro be sold without this?

PRIORITY	MEANING
P0	Cannot launch without it. A buyer in this category will refuse the product, or a regulator will.
P1	Needed within two quarters of launch. Its absence loses competitive deals but not every deal.
P2	Expected eventually. Its absence is survivable and can be named honestly in a sales conversation.
LATER	Deliberately deferred. Recorded so the decision is not re-argued.

CONTEXT

The problem being solved

Nigerian enterprises, banks, hospitals and public agencies hold their records in shared drives, email and paper. They are increasingly required — by regulators, by auditors, by the Nigeria Data Protection Act, and by their own boards — to control who can see a record and to show afterwards who did.

The established products in this market are Windows-era software: a Windows-only server, a desktop administration tool, a Java desktop client, per-seat licences priced for a different economy, and a deployment that needs a partner on site. They work, and they are what buyers compare against, but they impose an IT burden most Nigerian organisations do not want and a cost most cannot justify.

Dossiro's opportunity is the gap between the compliance requirement and the delivery model. The compliance posture is not negotiable and must be matched. The delivery model — install, maintain, administer from a desktop, one database at a time — is where an incumbent can be beaten outright.

SUCCESS

Business objectives

OBJECTIVE	MEASURED BY
A customer can be live without an engineer visiting	Time from signed contract to first document filed, target under one hour
Administration never requires software on a desktop	Every administrative task completable in a browser. No exceptions.
The audit position survives scrutiny	An external auditor accepts the trail as evidence without supplementary explanation
Price at a level the market can pay	Total first-year cost below the incumbent's licence cost alone
Records stay in the country when required	Nigerian data residency available on request, contractually

WHO FOR

Users

USER	NEEDS	FAILS IF
Records officer	To capture a stack of paper, have it named and filed correctly, and find it again in seconds	Filing takes longer than the shared drive it replaced
Department head	To control who in their unit sees what, approve what needs approving, and share with counterparties safely	They must ask IT to change a permission
Compliance officer	To answer "who opened this, and when" without asking anyone, and to export that answer	The trail is incomplete, or could have been edited
IT administrator	To connect existing identity, set policy once, and not be the bottleneck for daily requests	Routine administration requires them at all
External counterparty	To open exactly what was sent to them, without an account	They are asked to register, or can reach more than intended
Platform operator	To provision, suspend and meter customers, without the ability to read their records	Operating the platform grants sight of customer data

STRATEGY

The product bets

Five decisions the requirements assume. Stated here so a requirement derived from them is not later questioned in isolation.

- Browser-first, with no desktop component at all, including administration. Incumbents administer from a Windows desktop tool; matching that concedes the clearest advantage available.
- Multi-tenant SaaS as the default delivery. Self-hosting is offered where a regulator demands it, not as the standard path.
- A customer configures their own document types, without a developer. A product without this is a file store with permissions.
- Capability is not divided into purchasable modules. Workflow, retention, notifications, indexing and search are one product.
- Text extraction and AI assistance are core, not an upsell. The proposal is always confirmed by a person before anything is renamed or moved.

VOCABULARY

The language the product speaks

Buyers already have words for these things, learned from the products they use today. Dossiro uses those words rather than inventing better ones.

TERM	MEANS
Tenancy	One customer organisation. Its own people, structure, records and address.

TERM	MEANS
Cabinet	A top-level division of the filing structure — Finance, Legal, Human Resources.
Drawer	A division within a cabinet. May be locked, requiring a passcode even from someone whose role would otherwise permit entry.
Folder	Nests without limit beneath a drawer.
Record	A document and all its versions, its type, its index fields and its history.
Classification	How sensitive a record is, independent of who may reach it.

REQUIREMENTS · A

Tenancy and identity

ID	REQUIREMENT	PRI
TEN-1	Each customer is an isolated tenancy Accepted when no query, export or search can return another tenancy's data, and this is proven by automated test on every build	P0
TEN-2	A tenancy answers on its own web address Accepted when visiting it identifies the organisation before sign-in, and shows that organisation's name and branding	P0
TEN-3	One person may belong to more than one tenancy Accepted when a consultant signs in to each separately; nothing is shared between them, including sessions	P0
TEN-4	Sign-in with Microsoft Entra and Okta Accepted when an administrator connects the provider and passwords become unnecessary for staff	P0
TEN-5	Sign-in against on-premises Active Directory or LDAP Accepted when a self-hosted customer authenticates against their existing directory	P1
TEN-6	Two-factor authentication, enforceable as policy Accepted when an administrator can require it for a role or for everyone, and non-compliant accounts cannot sign in	P0
TEN-7	A tenancy may restrict an account to one active session Accepted when signing in elsewhere names the other device and requires an explicit takeover, which ends the first session immediately	P1
TEN-8	An administrator can end any session immediately Accepted when the revoked session's next request fails, without waiting for a token to expire	P0
TEN-9	Devices are recognised and can be individually revoked Accepted when revoking a device wipes any records cached on it for offline use	P1
TEN-10	Staff are organised into departments that nest Accepted when a grant to a parent department reaches its children without a second grant	P0
TEN-11	Staff are also organised by branch or location Accepted when a grant can be scoped to a branch and to the offices beneath it	P1
TEN-12	Roles are definable by the customer, not fixed by us Accepted when an administrator composes a role from individual permissions and assigns it	P1

REQUIREMENTS · B

Filing structure and access

ID	REQUIREMENT	PRI
FIL-1	Cabinets, drawers and folders nesting without limit Accepted when depth is not capped, and moving a folder carries its whole subtree	P0
FIL-2	A drawer can be locked behind a passcode Accepted when entry requires the passcode even for someone whose role otherwise permits it, and each entry is recorded	P1
FIL-3	A folder can be sealed from inheritance Accepted when grants from above do not reach into it; only explicit grants apply	P0
FIL-4	Access is granted to a person, a department, or a role Accepted when all three resolve, and a person's effective access is the combination	P0
FIL-5	Access levels separate viewing from taking a copy Accepted when a person may be permitted to read a contract on screen and refused the download of it	P0
FIL-6	Levels cover view, modify, delete, print, send, check out, and the right to grant access Accepted when each is independently assignable	P0
FIL-7	The nearest rule wins, and a denial beats a permission at the same distance Accepted when a person with department-wide access can be excluded from one folder inside it	P0
FIL-8	Records a person cannot reach are invisible, not locked Accepted when a folder listing shows no trace of what is withheld — not a greyed row, not a count	P0
FIL-9	Classification constrains a record independently of permission Accepted when the most sensitive class cannot be sent outside the organisation by any route, by anyone	P0
FIL-10	A person can see why they can or cannot reach a record Accepted when the interface names the rule and where it came from	P2
FIL-11	Every edition is kept, and any prior edition can be restored Accepted when restoring creates a new edition rather than overwriting history	P0
FIL-12	A record can be checked out, blocking others from editing Accepted when a second person is told who holds it and since when, and an administrator can force its release	P1

REQUIREMENTS · C

Document types

The backbone of the product. Search filters, retention rules, workflow triggers, automatic indexing and per-type watermarking all key off this, so it precedes them all.

ID	REQUIREMENT	PRI
TYP-1	A customer defines their own document types without a developer Accepted when an administrator creates a type such as Contract or Personnel File in the browser, and there is no limit on how many exist	P0
TYP-2	Each type carries typed index fields Accepted when text, date, number, yes/no and selection-list fields are all available, and each can be marked required	P0
TYP-3	Index fields are searchable as fields, not as text Accepted when a query can ask for contracts expiring between two dates, or where contractor equals a named party	P0
TYP-4	A selection-list field can draw its values from an external system Accepted when a customer's existing supplier list populates the field without re-keying	P2
TYP-5	Version keeping is configurable per type Accepted when a type can be set to hold one edition only, where history is unwanted	P1
TYP-6	A watermark can be set per type, not only per share Accepted when every view of a record of that type is watermarked, however it was reached	P1
TYP-7	A tenancy's configuration exports to a portable file and imports into another Accepted when types, retention rules, notification rules and structure move between a test and a live tenancy	P2

DEPENDENCY

TYP-1 to TYP-3 block SRC-4, GOV-4, WFL-2 and CAP-6. Sequencing them late delays a quarter of the product.

REQUIREMENTS · D

Capture and intake

ID	REQUIREMENT	PRI
CAP-1	Documents are captured from a scanner in bulk Accepted when a stack scans in one pass, is deskewed, and separates into records without one-by-one handling	P0
CAP-2	Documents arrive by email to a monitored address Accepted when the sender is verified against a known account or domain before the attachment is filed	P1
CAP-3	Documents arrive by WhatsApp from verified senders Accepted when a field officer photographs a delivery note and it lands in the right folder	P1
CAP-4	Documents are captured from a phone camera with edge detection Accepted when a photographed page is corrected to a readable, straightened image	P1
CAP-5	Every document is made text-searchable on arrival Accepted when a scanned page is searchable by its content within minutes of filing, without anyone requesting it	P0
CAP-6	Index fields are filled automatically from the document Accepted when a recurring form has its fields read from known positions; a new layout is learned from one example	P1
CAP-7	A name, folder and classification are proposed for what arrives Accepted when the proposal is shown for confirmation and nothing is renamed or moved unattended	P1
CAP-8	Anything captured enters the same pipeline regardless of route Accepted when a WhatsApp photo and a scanner page receive identical naming, indexing and classification treatment	P0
CAP-9	Office documents convert to PDF in bulk Accepted when a folder of mixed formats converts without opening each one	P2
CAP-10	Extraction that is uncertain is queued for a person, never guessed Accepted when a low-confidence field is flagged for review and excluded from reports until confirmed	P0

REQUIREMENTS · E

Search

ID	REQUIREMENT	PRI
SRC-1	Search covers document content, not only names and metadata Accepted when a phrase inside a scanned contract is found	P0
SRC-2	Results never include a record the searcher cannot open Accepted when counts and result sets are scoped to permission, and reveal nothing by omission	P0
SRC-3	Results show why they matched Accepted when the matching phrase is quoted from the document with the matched words marked	P0
SRC-4	Search filters on document type and that type's fields Accepted when multiple field criteria combine in one query	P0
SRC-5	Search filters on cabinet, creator, date ranges and classification Accepted when created and modified ranges are independently selectable	P0
SRC-6	Exact phrase, any word and all words are all supported Accepted when each returns a demonstrably different result set	P1
SRC-7	Search covers the current edition by default, with prior editions optional Accepted when the choice is explicit in the interface	P1
SRC-8	Search filters on workflow state Accepted when everything awaiting a named person's approval is findable in one query	P1
SRC-9	A search can be saved and re-run Accepted when a saved search is available from the toolbar and can be shared with a department	P2
SRC-10	Search by meaning, not only by words Accepted when a query for "termination clause" finds a document phrasing it as "notice of cancellation"	P2
SRC-11	Results return within two seconds at one million records Accepted when measured at the 95th percentile on the reference deployment	P0

REQUIREMENTS · F

Viewing, editing and collaboration

ID	REQUIREMENT	PRI
VEW-1	Documents are viewed in the browser with nothing installed Accepted when PDF, Office formats and images all render without a plug-in or a download	P0
VEW-2	Viewing does not require the ability to download Accepted when a view-only record is rendered without the original bytes ever reaching the browser	P0
VEW-3	Pages can be annotated with notes, highlights and stamps Accepted when annotations are separate from the document and can be hidden, and never alter the original	P1
VEW-4	Content can be redacted irreversibly for onward sharing Accepted when the redacted copy contains no recoverable trace of what was removed	P1
VEW-5	Comments can be attached to a record and replied to Accepted when a thread is visible to everyone with access and is part of the record's history	P1
VEW-6	Two people can edit one document at the same time Accepted when both see each other's changes live, and neither loses work	P2
VEW-7	Editions can be compared Accepted when what changed between two editions is shown without opening both	P2

REQUIREMENTS · G

External sharing

ID	REQUIREMENT	PRI
SHR-1	A record can be sent to someone with no account Accepted when the recipient opens exactly that record and can reach nothing else	P0
SHR-2	A share carries an expiry Accepted when it stops working at the stated time without anyone intervening	P0
SHR-3	A share can require an access code Accepted when the code is delivered separately from the link, and a wrong code is refused and recorded	P0
SHR-4	A share can be limited to named email addresses Accepted when a forwarded link does not work for an unnamed recipient	P0
SHR-5	A share can be view-only, and this is enforced server-side Accepted when requesting the document as a download is refused, not merely hidden in the interface	P0
SHR-6	A share can cap the number of downloads Accepted when the link closes itself once the cap is reached	P1
SHR-7	A shared view can be watermarked with the recipient and the time Accepted when a screenshot of the shared document identifies who it was sent to	P1
SHR-8	A share can be revoked with immediate effect Accepted when the next request fails, with no cached grace period	P0
SHR-9	Sharing is refused when it contradicts the classification Accepted when the refusal states which rule stopped it, rather than failing generically	P0
SHR-10	The sender can see how the recipient engaged Accepted when opens, time spent and which pages held attention are reported	P1
SHR-11	A customer's own website can present documents to the public Accepted when an external site retrieves permitted records through an interface, with no accounts for the public	P2

REQUIREMENTS · H

Workflow and approvals

ID	REQUIREMENT	PRI
WFL-1	A workflow starts when a record is filed into a folder Accepted when no one has to remember to start it	P1
WFL-2	A workflow starts on index-field criteria, combinable Accepted when contracts above a value and of a named type route differently from the rest	P1
WFL-3	Steps assign to a person, a department or a role Accepted when a role assignment reaches whoever holds the role at that moment, not a fixed individual	P1
WFL-4	A step confers the access needed to complete it, for its duration only Accepted when the approver can open what they must approve without a standing grant, and loses it when the task closes	P1
WFL-5	Steps run in sequence or in parallel Accepted when a parallel step can require a stated number of several approvers	P2
WFL-6	An overdue step escalates to a named alternative Accepted when escalation happens on a schedule without intervention and is recorded	P1
WFL-7	A workflow is built in the browser without code Accepted when a department head composes a two-step approval unaided	P1
WFL-8	People are notified of what awaits them, and can choose how Accepted when notification preferences are set per person and per folder, on filing, change, approval and deletion	P1
WFL-9	Outstanding tasks are visible on arrival Accepted when a dashboard lists what is waiting for the person, oldest first	P1

REQUIREMENTS · I

Signatures and forms

ID	REQUIREMENT	PRI
SIG-1	A signature can be requested on a record from inside the system Accepted when the signer receives it without an account and without a third-party service	P1
SIG-2	A signature can be drawn, typed or applied from a stored mark Accepted when all three produce a signature fixed to a position on the page	P1
SIG-3	Every signature carries evidence sufficient for a dispute Accepted when who signed, when, from which address, on which exact edition, sealed against later alteration	P1
SIG-4	Certificate-based signing for documents that require it Accepted when the signature validates in third-party readers	P2
SIG-5	Forms are built in the browser and published Accepted when a form is composed without code and made available internally or externally	P2
SIG-6	A submission becomes a record and can start a workflow Accepted when the submission is filed, indexed, searchable, and triggers routing	P2

REQUIREMENTS · J

Governance, retention and evidence

ID	REQUIREMENT	PRI
GOV-1	Every consequential action is recorded Accepted when who, what, when, from where, on which record — including refusals and views	P0
GOV-2	The record of actions cannot be altered by anyone Accepted when the database itself refuses modification and deletion, so the guarantee does not depend on application code or on trusting an administrator	P0
GOV-3	Tampering is detectable, not merely prevented Accepted when an integrity check recomputes the trail on demand and names the first entry that disagrees	P0
GOV-4	The trail exports for an auditor Accepted when a date range exports to a file an auditor can verify independently	P0
GOV-5	Anyone with access to a record can see that record's own history Accepted when without needing administrative rights or asking anyone	P1
GOV-6	Retention schedules are set per document type Accepted when a schedule states how long a record is kept and what happens at the end	P0
GOV-7	Disposition requires review before destruction, where configured Accepted when a named person confirms, and the confirmation is recorded	P1
GOV-8	A legal hold suspends all destruction Accepted when a held record cannot be deleted or purged by anyone, including the highest role, until released	P0
GOV-9	Deletion is recoverable for a stated window Accepted when a deleted record is restorable with its history intact until the window elapses	P0
GOV-10	Reports by date range, cabinet and person Accepted when a compliance officer produces activity and holdings reports unaided	P1
GOV-11	A person's data can be located and exported on request Accepted when a data subject request under the Nigeria Data Protection Act is answerable within the statutory period	P0

REQUIREMENTS · K

Offline and mobile

WHERE THE CATEGORY IS WEAKEST

Incumbent web clients require a connection to take a record offline, handle one document at a time, and cannot work independently of the server — while the desktop client that did this properly is being retired. This is the clearest opening in the market, and these requirements are set deliberately higher than the competition.

ID	REQUIREMENT	PRI
OFF-1	A selection of records is taken offline in one action Accepted when a folder or a search result is taken offline together, not document by document	P1
OFF-2	Offline records are readable with no connection at all Accepted when reading works on a flight or during an outage, with no server contact	P1
OFF-3	Work done offline is queued and applied on reconnection Accepted when nothing is lost and nothing is applied twice	P1
OFF-4	Conflicting offline edits are surfaced, never silently resolved Accepted when a person is shown both versions and chooses	P2
OFF-5	Cached records stay encrypted and obey classification Accepted when the most sensitive class is never cached on any device, and a time limit applies to the class below it	P0
OFF-6	Revoking a device wipes what it holds Accepted when cached records become unreadable at the next opportunity, without the holder's cooperation	P1
OFF-7	Full function on a phone, including capture and approval Accepted when a manager approves and a field officer files, from a phone, without a desktop	P1
OFF-8	Usable on an intermittent connection Accepted when the interface degrades rather than failing, and states plainly what is unavailable	P0

REQUIREMENTS · L

Administration

ID	REQUIREMENT	PRI
ADM-1	Every administrative task is performed in a browser Accepted when nothing requires software installed on a desktop, ever — including document types, retention, security and connections	P0
ADM-2	People are invited, suspended and removed by an administrator Accepted when suspension preserves history and immediately ends sessions and shares the person created	P0
ADM-3	An administrator sees a person's effective access and why Accepted when the resolved answer and the rules producing it are both shown	P1
ADM-4	A tenancy can be branded Accepted when logo, colour and sign-in appearance are set by the customer without our involvement	P1
ADM-5	Administrators can work across several tenancies at once where entitled Accepted when switching does not require signing out, and each tenancy's data stays separate	P2
ADM-6	A dashboard shows what needs attention on arrival Accepted when tasks, recent records and items awaiting review, scoped to the person	P1
ADM-7	Storage location is configurable per tenancy Accepted when a customer's records can be placed on infrastructure they nominate	P2

REQUIREMENTS · M

Platform operation and licensing

ID	REQUIREMENT	PRI
PLT-1	A tenancy is provisioned without engineering involvement Accepted when an operator creates a customer, its first administrator and its address, in minutes	P0
PLT-2	Operating the platform confers no sight of customer records Accepted when the operator realm cannot read, search or export any tenancy's documents, and cannot hold documents itself	P0
PLT-3	Suspending or closing a tenancy requires a recorded reason Accepted when the reason is written to both the operator's and the customer's trail and cannot be edited afterwards	P0
PLT-4	Entitlement is enforced without contacting a server Accepted when a self-hosted deployment with no outbound connectivity still honours its limits	P0
PLT-5	Entitlement cannot be raised by editing the database Accepted when changing a seat count directly has no effect	P0
PLT-6	Seats can be sold as reserved or as a shared pool Accepted when a reserved seat is always available to its holder; a pooled seat is released when its holder becomes inactive	P1
PLT-7	A pooled seat is never refused without a way forward Accepted when a person turned away is told when one is expected, or can request release — being told only to come back later is not acceptable	P1
PLT-8	External recipients never consume a seat Accepted when a customer sharing with a thousand counterparties pays nothing further	P0
PLT-9	Usage is metered for billing Accepted when storage, seats and activity are reportable per tenancy per period	P1
PLT-10	A customer can leave with their records Accepted when a complete export of documents and metadata in an open format, obtainable without our assistance	P0

BEYOND FEATURES

Non-functional requirements

ID	REQUIREMENT	PRI
NFR-1	Runs on any modern browser, on any operating system Accepted when no Windows requirement anywhere in the product, server or client	P0
NFR-2	A folder of a thousand records opens in under two seconds Accepted when measured at the 95th percentile on a typical Nigerian broadband connection, not on a developer's machine	P0
NFR-3	Usable on a slow or intermittent connection Accepted when the first screen is usable within five seconds on a 3G connection	P1
NFR-4	Records are encrypted in transit and at rest Accepted when stored bytes are unreadable without the platform's keys, and keys are not held beside the data	P0
NFR-5	Nigerian data residency available on request Accepted when a customer's records and backups remain in-country, contractually and technically	P0
NFR-6	Compliant with the Nigeria Data Protection Act Accepted when lawful basis, subject rights, breach notification and retention are all supported by the product, not only by policy	P0
NFR-7	SOC 2 Type II certified Accepted when an unqualified report covering security and availability, held and renewed	P1
NFR-8	99.5% monthly availability for the managed service Accepted when measured and published, with credits defined in the contract	P0
NFR-9	Recoverable within four hours, losing no more than one hour of work Accepted when demonstrated by a restore rehearsal, not by a backup existing	P0
NFR-10	Accessible to WCAG 2.1 AA Accepted when operable by keyboard throughout and usable with a screen reader — required for public-sector procurement	P1
NFR-11	British English, with dates and currency in local convention Accepted when no American spelling in customer-facing text; naira and day-month-year throughout	P0
NFR-12	Everything the interface does is available through a documented interface Accepted when a customer can integrate without asking us for an undocumented route	P1

BOUNDARIES

Out of scope

Recorded so these are not revisited without a decision.

NOT BUILDING	WHY
A collaborative document editor	Embedded from an existing product. Building one is not justifiable at any realistic budget.
A desktop client	The entire strategic position is that one is unnecessary. Building one concedes it.
Our own text-recognition engine	A solved problem with good components available.
Accounting, ERP or case management	Dossiro holds records and integrates. It does not become the system of record for a business process.
Physical records tracking	Barcode tracking of paper in a warehouse is a different product.
Per-module pricing	A deliberate rejection of the incumbent model, not an omission.

SEQUENCE

Release phases

Phases follow dependency, not preference. Document types come first because a quarter of the product keys off them, and text extraction second because capture, search and automatic indexing all wait on it.

PHASE	CONTAINS	READY WHEN
1 · Sellable	All P0. Tenancy, filing, access, document types, capture with text extraction, search, sharing, the audit trail, retention and legal hold, browser administration, provisioning and licensing.	A customer can be provisioned, file their records, control access, share safely, and satisfy an auditor — with nothing installed.
2 · Competitive	P1. Workflow and notifications, signatures, annotation and redaction, offline and mobile, automatic indexing, reports, seat pooling, SOC 2.	Dossiro wins a head-to-head evaluation against an incumbent on capability, not only on price and delivery.
3 · Extending	P2. Forms, co-editing, semantic search, public portal, external lookups, configuration portability, certificate signing.	The remaining gaps against the category are closed and the product leads where incumbents have withdrawn.

UNRESOLVED

Open questions

These need answers from the business, not from engineering.

- Pricing shape. Per seat, per tenancy, or per volume of records? PLT-6 and PLT-9 cannot be specified precisely until this is settled.
- Reserved and pooled seats — is the complexity worth it? It matches what buyers know, and pooling makes an occasional user affordable. It is also the incumbent's most disliked behaviour. Offering one

simple model may be the stronger position.

- Which regulated sector is targeted first? Banking, health and public sector each add requirements — health in particular adds a standard we have not scoped.
- Hosting location. NFR-5 requires Nigerian residency on request. Whether that is the default for all customers is a cost and latency decision.
- Is self-hosting offered at launch or withheld? It widens the addressable market and multiplies the support burden.
- Migration from what? Most buyers hold records in shared drives and in an incumbent system. Whether import tooling is a product feature or a service offering changes Phase 1.

Dossiro · Calm Global · Lagos and Abuja. Requirements v1.0, 19 September 2026. Each requirement is written to be judged true or false; where one cannot yet be, it is an open question above rather than a requirement here.