

RMS Telegram Ads

Project Documentation

Where Influencers Meet Brands

Version 1.0 • April 2026

1. Project Overview

RMS Telegram Ads is a web-based influencer marketing platform that connects Telegram channel owners (influencers) with brands looking to run advertising campaigns. Influencers discover campaigns, join them, submit proof of promotion, and receive payments in INR directly to their bank accounts.

Project Name	RMS Telegram Ads
Platform	Web (HTML5, Vanilla JS, CSS3)
Backend	Firebase (Firestore, Authentication, Storage)
Auth Method	Google OAuth 2.0 + Telegram Username
Currency	INR (Indian Rupees)
User Roles	User (Influencer) and Admin
Founders	Rushikesh, Manoranjan, Aditya

2. Technology Stack

2.1 Frontend

Feature	Description
HTML5	Multi-page application with semantic markup
CSS3	Custom responsive stylesheets per module (dashboard, admin, chat)
Vanilla JS	All interactivity, data fetching, and UI management
No Framework	No React/Vue – pure browser-native JavaScript

2.2 Backend (Firebase)

Feature	Description
Firestore	NoSQL real-time database for all app data
Firebase Auth	Google sign-in with role-based access control
Firebase Storage	Proof file uploads (images, screenshots)
Offline Persistence	Enabled via <code>db.enablePersistence()</code>

3. Project File Structure

Feature	Description
index.html	Public landing page for visitors
index6.html	Alternative landing page variant
login.html	Authentication page (Google Sign-In)
dashboard.html	Main influencer dashboard (post-login)
admin.html	Full admin control panel
live-chat.html	Real-time chat for users
admin-chat.html	Admin-side chat management
setup.html	One-time admin account setup
seed-data.js	Sample data seeder for Firestore
js/firebase-config.js	Firebase project configuration & initialization
js/auth.js	Authentication manager class
js/finaldashboard.js	Complete user dashboard logic
js/admin.js	Full admin panel logic
js/admin-chat.js	Admin chat handler
js/user-chat.js	User-side live chat handler
js/utils.js	Shared utility functions
css/	Modular stylesheets for each page

4. Pages & Modules

4.1 Landing Page (index.html)

The public-facing marketing page introducing the platform to new visitors.

- Hero section with tagline: 'Grow with RMS Ads – Where Influencers Meet Brands'

- Highlights: Real-Time Analytics, Secure Payments, Instant Access
- Feature cards: Instant Campaign Access, Track Earnings, Smooth Dashboard, Secure Payments in INR
- About section showcasing the three co-founders
- Dashboard preview mockup
- Footer with quick links and contact information

4.2 Login Page (login.html)

Handles all user authentication in a single streamlined flow.

- Google Sign-In via OAuth 2.0 popup
- New user Telegram username collection form (appears after first Google sign-in)
- Telegram username uniqueness validation against Firestore 'usernames' collection
- Atomic batch write: creates both the user document and the username lock simultaneously
- Role-based redirect: admins → admin.html, users → dashboard.html
- Error handling with user-friendly messages for network issues, popup blocks, etc.

4.3 User Dashboard (dashboard.html)

The primary workspace for influencers after logging in. Contains 8 sidebar sections:

Feature	Description
Overview	Stats cards: wallet balance, total earnings, campaigns joined/completed. Real-time updates.
Campaigns	Browse all active campaigns with filter/search. View details, join campaigns.
Submissions	Track all submitted proofs. Filter by status (pending/approved/rejected). Resubmit if needed.
Wallet	View balance, transaction history, and request payout. Payment details management.
Announcements	Platform-wide announcements from admins. Pinned posts and read tracking.
Notifications	Personalised notifications. Mark all as read functionality.
Profile	Edit name, profile photo. View referral code. Telegram username display.
Live Chat	Link to live-chat.html for real-time support chat with admin.

4.4 Admin Panel (admin.html)

The full management interface for platform administrators. Contains 9 sidebar sections:

Feature	Description
Overview	Platform-wide stats: total users, campaigns, submissions, revenue. Real-time dashboard.
Campaigns	Create, edit, delete campaigns. Upload campaign images. Set reward, deadline, requirements.
Submissions	Review all user proof submissions. Approve, reject, or request resubmission with notes.
Users	View all users, edit profiles, adjust wallet balances, ban/unban, promote to admin, delete accounts.
Payments	Review payout requests. Approve or reject payments with reason logging.
Announcements	Create, publish, pin, and delete platform-wide announcements.
Notifications	Send targeted or broadcast notifications to individual users, admins, or all users.
Reports	Generate revenue, user, and campaign performance reports. Export as CSV.
Leaderboard	Rankings of top-performing influencers by earnings and campaigns completed.

4.5 Live Chat ([live-chat.html](#) / [admin-chat.html](#))

A real-time two-way messaging system built on Firestore.

- Users get a persistent chat session automatically created on first visit
- Messages stored in Firestore 'chats' and 'messages' subcollections
- Real-time updates via onSnapshot listeners – no page refresh needed
- Admin can see all user chats in a sidebar and reply to any conversation
- Unread message counters on both sides
- Admin access control: only users with role='admin' can access admin-chat.html

5. Authentication & Security

5.1 Sign-In Flow

Step 1: User clicks 'Sign in with Google' → Firebase Google Auth popup opens.

Step 2: On success, system checks if a Firestore user document exists for this UID.

Step 3a (Existing user): Update last_login timestamp, redirect based on role.

Step 3b (New user): Show Telegram username form. Validate format (5–32 alphanumeric/underscore characters).

Step 4 (New user): Batch write to 'users' and 'usernames' collections atomically to prevent duplicate usernames.

Step 5: Redirect to dashboard.html (user) or admin.html (admin).

5.2 User Data Model

Feature	Description
uid	Firebase Auth UID (document ID)
name	Display name from Google account
email	Email from Google account
telegram_username	Unique @handle, e.g. @john_doe
role	'user' or 'admin'
wallet_balance	Current withdrawable balance (INR)
total_earnings	Lifetime earnings (INR)
total_withdrawn	Lifetime withdrawals (INR)
campaigns_joined	Count of joined campaigns
campaigns_completed	Count of completed campaigns
referral_code	8-character unique referral code
is_active	Account status (ban flag)
created_at / last_login	Firestore server timestamps

6. Core Features

6.1 Campaign System

- Admins create campaigns with title, brand, description, reward amount (INR), deadline, and image
- Campaigns have status: active, paused, or completed
- Influencers can join active campaigns (one join per user per campaign)
- Each campaign tracks participant count and participant UIDs
- Campaign detail modal shows full requirements list before joining

6.2 Proof Submission

- Users submit proof after completing a campaign (screenshot/file upload)
- Multiple files supported per submission (up to 10MB per file)
- Files stored in Firebase Storage with unique timestamped filenames
- Submission statuses: pending, approved, rejected, resubmit_requested
- Admins can request resubmission with a custom note visible to the user

- Users can resubmit directly from the Submissions tab

6.3 Wallet & Payments

- Wallet balance updated automatically when admin approves a submission
- Users add bank details (account number, IFSC, account holder name) for payouts
- Payout requests tracked in a 'payments' Firestore collection
- Admin can approve or reject payout requests
- All transactions recorded with timestamps for audit trail
- Payments processed in INR directly to bank accounts

6.4 Notifications & Announcements

- Admins can broadcast notifications to: individual users, all admins, or all users
- Notifications are stored per-user in Firestore with read/unread status
- Announcements are global posts (pinnable) visible on all user dashboards
- Read tracking per announcement per user

6.5 Reports & Analytics

- Admin reports include: total revenue, active users, campaign performance
- Export users and all platform data as CSV
- Leaderboard ranks influencers by total earnings and campaigns completed
- Real-time stats on overview dashboard for both users and admins

6.6 Referral System

- Each user is assigned a unique 8-character referral code on registration
- Referral tracking stored in the user document
- Referrals array maintained for future referral reward implementation

7. Firestore Database Collections

Feature	Description
users	All registered user profiles with balances and stats
usernames	Username lock map (telegram_username → uid) for uniqueness
campaigns	All campaigns with requirements, rewards, and participants
submissions	Proof submissions per user per campaign
payments	Payout requests and their approval status

Feature	Description
announcements	Platform announcements with pin and read tracking
notifications	Per-user notification documents
chats	One document per user representing their support chat session
chats/{id}/messages	Subcollection of messages within each chat

8. Setup & Deployment

8.1 Firebase Configuration

The app uses a single firebase-config.js file with the following keys already configured for the 'rms-ads' Firebase project: apiKey, authDomain, projectId, storageBucket, messagingSenderId, appId, and measurementId.

8.2 First-Time Setup

- Open setup.html in a browser to create the first admin account
- After setup, use login.html for all subsequent sign-ins
- Run seed-data.js from the admin panel to populate sample campaigns and announcements for testing

8.3 Deployment

- Static hosting compatible: Firebase Hosting, Vercel, Netlify, or any web server
- No build step required – all files are plain HTML/CSS/JS
- Ensure the deployment domain is added to Firebase Auth authorised domains

9. User Roles & Permissions

Feature	Description	
Action	User (Influencer)	Admin
View campaigns	☒	☒
Join campaigns	☒	☒
Submit proof	☒	☒
Request payout	☒	☒
Create campaigns	☒	☒

Feature	Description	
Approve submissions	✕	☑
Approve payments	✕	☑
Manage users	✕	☑
Send announcements	✕	☑
View all chats	✕	☑
Generate reports	✕	☑

10. Code Patterns & Notes

10.1 Real-Time Data

All key data (campaigns, submissions, notifications, chat messages) uses Firestore onSnapshot listeners for live updates without page refresh.

10.2 Debouncing

Search and filter inputs use a custom debounce utility from utils.js to prevent excessive Firestore reads.

10.3 Offline Support

Firebase persistence is enabled, allowing users to view cached data when offline. Writes queue automatically and sync when connectivity is restored.

10.4 Role Enforcement

Admin pages check the user's 'role' field in Firestore on every load. Non-admin users are immediately redirected to dashboard.html if they attempt to access admin.html or admin-chat.html.