


Brand Guidelines

v.JUN2025

Table of Content

01 Signature Elements

02 Signatures Combinations

03 Signature Elements Proportion

07 Signatures Proportion

13 Minimum Clear Space

15 Minimum Logo Size

16 Color Palettes // Full Color (on light background)

17 Color Palettes // Metallic Color Effect (on dark background)

18 Monotone Color Palettes

19 Color Usage


20 Color Usage Demo

21 Graphic Elements 1,2,3

24 Typography Palettes

26 Usage Limitations

Signature Elements



Piques shape graph

DEEPSTACK

Brand English name

深码

Brand Chinese name

Signatures Combinations

Perfect Spacings

This is an indication of the spacing between the two shapes for better understanding of the signature. It is critical to study the roportions and spacings when constructing a 3D logo. (e.g. door sign)
















Signature Elements Proportion




Signature Elements Proportion




Signature Elements Proportion




Signature Elements Proportion




Signatures Proportion




Signatures Proportion




Signatures Proportion




Signatures Proportion



Signatures Proportion




Signatures Proportion





Minimum Clear Space

Invisible yet Important

- Always maintain the minimum clear space around the signature to preserve its integrity.
- To maintain visual clarity and to provide maximum impact, the signature must never appear to be linked or crowded by copy, photographs or graphic elements.
- The minimum clear space must never differ proportionally from the diagrams demonstrated on the right.











Minimum Clear Space






Minimum Logo Size




- To protect the integrity, legibility and readability of the signature, it must never be reproduced in sizes smaller than those shown on this page.
- The smallest possible size of the logos are used on small size application such as credit cards and apps icon etc.



Color Palettes // Full Color (on light background)

Pantone
Black

C : 0
M : 0
Y : 0
K : 100















Color Palettes // Metallic Color Effect (on dark background)



Monotone Color Palettes

Primary Color Usage

a Black on White



b Natural Gray on White



Primary Background Color Usage

c White on Black



d White on Natural Gray




Color Usage

Hue Range Restriction


Allowed Range: 180° – 360°
Prohibited Range: 0° – 180°

Description


In the HSB (Hue, Saturation, Brightness) color wheel, 0° corresponds to red, moving through yellow (60°), green (120°), and cyan (180°).
The range from 180° – 360° includes blue, violet, magenta, and red-violet hues. Therefore, only cool tones (blue to magenta) are permitted for secondary brand colors, while warm tones (red to green) are strictly prohibited.




Color Usage Demo




Graphic Elements 1



Graphic Elements 2



Graphic Elements 3



Typography Palettes

The selected typefaces must be used thoughout all applications.

Helvetica Neue LT Std // 75 Bold

For title

Revivial 565 BT Bold // 55 Roman

For body text

Helvetica Neue Lt Std 45 Light

For footnotes

Helvetica Neue LT Std // 75 Bold

The quick brown fox jumps over the lazy dog

Helvetica Neue LT Std // 55 Roman

The quick brown fox jumps over the lazy dog

Helvetica Neue LT Std // 45 Light

The quick brown fox jumps over the lazy dog

Typography Palettes

The selected typefaces must be used thoughout all applications.

MiSans Semibold
用於標題

MiSans Normal
用於內文

MiSans Light
用於註腳

MiSans Semibold
中文文字範例, 用於標題

MiSans Normal
中文文字範例, 用於內文


MiSans Light
中文文字範例, 用於註腳

MiSans Semibold
中文文字范例, 用于标题

MiSans Normal
中文文字范例, 用于内文

MiSans Light
中文文字范例, 用于注脚

Usage Limitations



Don’t move the brand name.



Don’t flip the logo.



Don’t change any element size of the logo.



Don’t apply transparency effect on signature.



Don’t delete any element of signature.



Don’t overlap any of the signature element.



Don’t reproduce the signature on textured or complex background.



Don’t create outline around the signature.



Please contact us if you have any questions about this guideline.