

Service Catalog Service Database Design

1. Overview

Purpose

The Service Catalog Service manages all bookable services offered by businesses registered on KevaBook.

It is responsible for:

- Creating services
- Updating services
- Activating or deactivating services
- Retrieving service information
- Providing service data to Booking Service

The Service Catalog Service does not manage:

- Business profiles
- Availability
- Bookings
- Notifications

2. Database Technology

Property	Value
Database Type	PostgreSQL
Service	Service Catalog Service
Table Count	1
Primary Aggregate	Service

3. Aggregate Root

Service

Represents a bookable offering provided by a business. Examples could be Career Coaching, Math Tutoring, Legal Consultation, Haircut, Photography Session, etc...

4. Ownership Model

Relationship

- Business Service owns Business.
- Service Catalog Service stores business_id only.
- No cross-service foreign key.

5. Table Design

Table Name

services

6. Table Structure

Column	Type	Required	Description
serviceId	Long	Yes	Unique identifier for service
businessId	String	Yes	Unique identifier for business
name	String	Yes	Service name

description	String	No	Summary of service
duration	Integer	Yes	Service duration
bufferTime	Integer	Yes	Buffer time
price	Decimal	Yes	Price of the service
currency	String	Yes	The currency code
category	String	Yes	Service category
isActive	Boolean	Yes	Visibility status
createdAt	Date Time	Yes	Creation timestamp
updatedAt	Date Time	Yes	Last update modification timestamp

7. Validation Rules

Field	Validation
duration	Greater than zero
price	Greater than or equal to zero
currency	Valid ISO currency code
category	Required
businessId	Required

8. Supported Use Cases

UC-04 Manage Services

Supported Fields: serviceId, businessId, name, description, duration, price, category, isActive

9. API Operations Supported

Endpoints	Purpose
POST /api/v1/services	Create service
GET /api/v1/services/{serviceId}	Get services
GET /api/v1/businesses/{businessId}/services	Get business services
PUT /api/v1/services/{serviceId}	Update Service
PATCH /api/v1/services/{serviceId}/activate	Activate service
PATCH /api/v1/services/{serviceId}/deactivate	Deactivate service

10. Data Ownership Rules

Service Catalog Service Owns

Service

Service Catalog Service References

businessId from Business Service.

Service Catalog Service Does NOT Own

Business, Availability, Booking, Notification