

Business Service Database Design

1. Overview

Purpose

The Business Service manages business profiles registered on the KevaBook platform.

It is responsible for:

- Creating business profiles
- Updating business information
- Retrieving business details
- Managing business settings
- Verifying business ownership

The Business Service does **not** manage:

- User authentication
- Services offered by businesses
- Availability schedules
- Bookings
- Notifications

2. Database Technology

Property	Value
Database Type	PostgresSQL
Service	Business service
Primary Aggregate	Business
Table count	1

3. Aggregate Root

Business

The Business aggregate represents a service provider registered on the KevaBook platform. Examples are tutors, consultants, coaches, therapists, freelancers, beauty professionals, etc...

4. Ownership Model

Relationship

- User Service owns BusinessOwner
- Business Service stores ownerId only
- No database foreign key exists

5. Table Design

Table Name

businesses

6. Table Structure

Column	Type	Required	Description
businessId	Long	Yes	Business unique identifier
userId	String	Yes	Business owner unique identifier
name	String	Yes	Business name
description	String	No	Short description of the business
businessEmail	String	No	Business email

phoneNumber	String	Yes	Business contact
Location	String	No	Location of the business
LogoUrl	String	No	Business logo
Status	Enum	Yes	Business status state
createdAt	Date Time	Yes	Creation date
updatedAt	Date Time	Yes	Last modification date

7. Business Status Enumeration

A business should have a lifecycle state.

BusinessStatus

Value	Description
ACTIVE	Available for bookings
INACTIVE	Hidden for public booking
SUSPENDED	Disabled on platform

8. Validation Rules

Field	Validation
businessEmail	Unique and valid email
phoneNumber	Required
userId	Required

9. Supported Use Cases

UC-03 Create Business Profile

Supported by: businessId, userId, name, description, businessEmail, phoneNumber

10. API Operations Supported

Endpoints	Purpose
POST /api/v1/businesses	Create businesses
GET /api/v1/businesses/{businessId}	Get a specific business
GET /api/v1/businesses/owner/{userId}	Get a specific business by owner
PUT /api/v1/businesses/{businessId}	Update a business
PATCH /api/v1/businesses/{businessId}/status	Deactivate a business

11. Data Ownership Rules

Business Service Owns

Business

Business Service References

userId from User Service.

Business Service Does NOT Own

Service, Availability, Booking, Notification