

Assignment 7

Instructions

- Create separate .js files for each question.
- Use descriptive variable names, indentation, and comments to explain logic.
- Use only html, css and core JavaScript (ES6+) — no frameworks.
- Test using Node.js console or browser console.

1. Dynamic Product List Manager (Add, Edit, Delete – Using Event Delegation)

Create a product list application where:

- User can add new products using an input box
- Each product appears with **Edit** and **Delete** buttons
- **Editing** allows inline text editing
- Use **event delegation** to handle Edit/Delete on parent `<ul>`
- If user clicks outside the edited item, the edit mode should auto-save

2. Live Character Counter with Warning Behavior

Build a text area that:

- Shows **remaining characters** (max 100 char)
- Turns the counter **yellow** at 20 chars left
- Turns **red** at 0 and prevents further typing using `preventDefault()`
- A button “Reset” clears everything

3. Multi-Step Form with Next/Back & Validation

Create a 3-step form:

- Step 1: Name
 - Step 2: Email
 - Step 3: Password
- “Next” moves to next step only if input is valid

“Back” moves to previous

When all 3 steps complete → show summary

4. Theme Switcher Using Attribute Manipulation

Build a theme switcher with 3 themes: **Light, Dark, Blue**

- Clicking a button adds a class to `<body>`
- All themes must be applied using `setAttribute()`
- Save current theme in a custom attribute: `data-theme="dark"`

5. Image Gallery with Modal Preview

Create an image grid (6 images).

On clicking any image:

- Show a modal popup
- Modal displays a **bigger version** of clicked image
- Clicking outside modal → closes the modal
- Use `event.stopPropagation()` so clicking inside modal does **not** close it

6. Real-Time Table Filter Using input Event

Given a table of students (Name, Branch, CGPA):

- When typing in a search box → only matching rows remain visible
- Searching should be case-insensitive
- If no results found → show “No results found”

7. Detect Mouse Path & Coordinates Logger

Create a box `<div>` (400×400).

Track:

- Mouse move inside the box
- Show live `clientX`, `clientY`
- On double-click inside, drop a **red dot** at the click position.

8. Custom Dropdown Using Only JavaScript (No `<select>` Tag)

Build a custom dropdown:

- A button shows/hides options
- Clicking an option updates the button text
- Clicking outside closes the dropdown
- Use **capturing phase** for the closing mechanism

9. Form Submit Blocker with `preventDefault()` and Live Errors

Build a form:

- Name (required)
- Email (required, must contain @)
- Password (min 6 chars)

Requirements:

- On submit: if any field invalid → show inline errors
- Use `preventDefault()` to stop form submission
- On correcting input → errors disappear automatically
- Show a final “Form Submitted Successfully” message