

## CSS 3 CHEAT SHEET

Here's a CSS3 cheat sheet that covers some of the most commonly used CSS properties and values:

### Selectors:

- Element Selector: `element`
- Class Selector: `.class`
- ID Selector: `#id`
- Universal Selector: `\*`
- Attribute Selector: `[attribute]`

### Box Model:

- width: `width`
- height: `height`
- margin: `margin`
- padding: `padding`
- border: `border`

### Text:

- color: `color`
- font-size: `font-size`
- font-family: `font-family`
- font-weight: `font-weight`
- text-align: `text-align`
- text-decoration: `text-decoration`

### Background:

- background-color: `background-color`
- background-image: `background-image`
- background-repeat: `background-repeat`
- background-size: `background-size`

### Positioning:

- position: `position`
- top: `top`
- bottom: `bottom`

- left: `left`
- right: `right`
- float: `float`
- clear: `clear`
- display: `display`

### **Layout:**

- flexbox: `display: flex`
- grid: `display: grid`
- justify-content: `justify-content`
- align-items: `align-items`
- grid-template-columns: `grid-template-columns`
- grid-template-rows: `grid-template-rows`

### **Transformations:**

- transform: `transform`
- translate: `translate`
- rotate: `rotate`
- scale: `scale`
- skew: `skew`

### **Animations and Transitions:**

- animation: `animation`
- transition: `transition`
- @keyframes: `@keyframes`

### **Pseudo-classes:**

- :hover
- :active
- :focus
- :first-child
- :last-child

### **Pseudo-elements:**

- ::before

- ::after
- ::first-letter
- ::first-line

#### **Media Queries:**

- @media: `@media`
- min-width: `min-width`
- max-width: `max-width`
- min-height: `min-height`
- max-height: `max-height`