

BUIDL CTC 2026 FALL · AI TRACK

ProofSettle

A settlement rail that pays for off-chain AI compute only when two independent proofs, of two different kinds, agree inside a single transaction.

Robert Moore · solo entrant · github.com/iamrobertmoore

Paying for compute you cannot verify

When you buy an AI inference, you get an answer and a bill. You cannot check that the model you paid for is the model that ran, or that anything ran at all.

The usual fix is to trust the provider, or to trust an oracle operator who watched them. Both replace a cryptographic question with a reputational one.

Two separate gaps

- **Did the payment happen?** On another chain, so the settling contract cannot see it.
- **Did the right code run?** Off chain, in someone else's data centre.

Solve one and you still have the other. Most designs solve one.

Compose two proofs, settle on the pair

ETHEREUM SEPOLIA Buyer pays, and names the enclave build they will accept The requirement travels inside the payment event itself.	OFF CHAIN A TEE runs the job and signs the result and its verdict The key never leaves the enclave.	ATTESTCOIN ORACLE Proves the Sepolia payment to Creditcoin Merkle inclusion plus continuity, no oracle operator.	CREDITCOIN Both proofs verified in one transaction, then money moves Neither half settles alone.
--	---	--	--

The proven foreign event does not just carry a fact. It carries the buyer's **policy**, and the contract on Creditcoin enforces that policy against a second, unrelated cryptographic system.

Most integrations ask the oracle for a fact

- 1 Call the prover, display a proof. The oracle is a widget. shallow
- 2 Burn on Sepolia, prove, mint on Creditcoin. The tutorial, renamed. the tutorial
- 3 Prove a domain event and drive real application logic from it. good
- 4 The proven event carries policy, enforced against a second independent proof system. ProofSettle

Levels 1 to 3 all treat the oracle as a source of facts. At level 4 the contract holds no opinion of its own: it reads `requiredMeasurement` out of the proven Sepolia event and enforces exactly that. Change what the buyer asked for and the settlement rule changes with it, with no redeploy and no admin key.

How much of the Attestcoin oracle is real application use

142

contracts called the verifier in 17.4 days

93.8%

of traffic came from just two of them

134/142

have exactly one sending address

11

senders on the most-used contract: the tutorial



Before building on a protocol it is worth knowing who else is. So I measured it: every event the verifier precompile emitted on CC3 testnet, complete coverage, no sampling.

Almost every contract there is exercised only by the address that deployed it. That is builders testing their own work, not users using it.

This says what was measured. It does not claim who operates any address. Reproduce it with [script/measure.ts](#).

A green test suite is not evidence

49

tests, every guarantee paired with a negative case

11/11

mutations killed. Each removes one guarantee and proves the test defending it goes red

2

independent implementations of the signing digest, checked against each other

The test that matters most

Anyone can deploy their own escrow, emit a perfectly well formed payment event naming themselves as provider for any amount, and obtain a completely genuine Attestcoin proof of it. The proof is real. The settlement would be theft.

Pinning the emitting contract is what makes a true proof also a **relevant** one.

Checked against the live network, not the docs

- A real proof verifies on chain: the precompile returns true
- A corrupted proof reverts with "Merkle proof validation failed"
- Prover output is decoded in a test, so a format change fails loudly

What this does not do

No hardware attestation on chain

Verifying an AMD SEV-SNP or Confidential Space attestation means walking an X.509 chain and doing RSA against a vendor's key service. That is not feasible in the EVM, and a contract claiming to do it is worth reading closely.

The registry records the binding, the evidence hash and where the full document lives. The contract enforces the **binding**. Anyone can recheck the evidence and disagree in public.

The rail is one-directional today

Attestcoin carries attested data into Creditcoin. Writability, which would carry a settlement receipt back out, is in final development and out of scope this season, as the protocol team confirmed at the kickoff AMA.

So the return leg is a plainly labelled conventional relayer, and writability is the roadmap step that removes the last trusted component.

Saying this plainly is the point. A settlement rail whose limits are hidden is not a settlement rail, it is a demo.

Escrow against verified delivery is a credit instrument

Creditcoin exists because credit cannot flow to people whose creditworthiness cannot be verified. Its premise is making off-chain facts provable so money can move against them. ProofSettle is the same shape applied to work instead of to borrowers.

Compute providers

Independent GPU and TEE operators who cannot currently prove they ran what they claim, and are paid on trust or not at all. Every settled job is a Creditcoin transaction.

Buyers with a compliance need

Anyone who must show which model version produced a decision. The result commitment and the enclave build are both on chain, permanently.

Agent-to-agent payments

Autonomous buyers cannot read a reputation score. They can read a signature from a named build. This is the settlement primitive that market needs.

Honest scope: this onboards a category, not a crowd. It is infrastructure, and its growth is the growth of the providers who adopt it.

Where this goes after the hackathon

HORIZON	WHAT	WHY IT MATTERS TO CREDITCOIN
Shipped	Two-proof settlement live on CC3 testnet, with a public page anyone can verify against	Deep Attestcoin use that is not the tutorial
Next	Attestcoin writability closes the loop, replacing the conventional return leg	Removes the last trusted component
Next	Settle in USD1 and USDT through existing PenguinSwap liquidity	Real value in the existing economy, not a bespoke token
Then	More source chains as Attestcoin adds them, same contract	Creditcoin becomes the settlement layer for multi-chain compute
Then	A provider marketplace: enclave builds compete on measurements buyers can name	A reason for compute operators to hold and spend CTC

Solo, and shipping is the habit

Recent results

- **3rd of 190 submissions** at KeeperHub Agents Onchain, from a 512-hacker field, five weeks ago
- Multiple packages published to npm with OIDC trusted publishing and SLSA provenance, one officially verified by its vendor
- A Chrome extension live on the Web Store

Why the hard half was cheap for me

This is the third system I have built that joins a hardware attestation to an on-chain registry. The first checked Confidential Space attestations against a Flare registry entirely in the browser. The second pointed the same verifier at a document store.

Declared plainly: the verification pattern is one I understand. The Solidity here is written fresh, during the hackathon, for this contract.

A solo entrant should be assessed on whether things get finished. Mine do, and the commit history for this one shows the build happening rather than arriving in one push.

IN ONE LINE

Most Attestcoin integrations ask the oracle for a fact.

This one asks it for a policy, and enforces that policy against a second, unrelated cryptographic system.

Deployed on CC3 testnet

49 tests, 11 mutations killed

Verifiable by anyone, in a browser

Robert Moore · github.com/iamrobertmoore/proofsettle