

PROJECT REPORT

Entitled

BHISMA: AN OPEN-SOURCE PLATFORM FOR AUTOMATED SECURITY TESTING AND RED- TEAMING OF LLM APPLICATIONS

Submitted by

ROHIT KANDPAL

VIKAS BHATI

ANISH PRAJAPATI

AASHISH SUMERA

in

**PARTIAL FULFILLMENT FOR THE DEGREE OF
BACHELOR OF TECHNOLOGY**

in

**COMPUTER SCIENCE AND ENGINEERING WITH
CYBERSECURITY**



Department of Computer Science and Engineering

College of Technology

School of Technology, Design and Computer Application

Silver Oak University, Ahmedabad

April, 2026



**SILVER OAK
UNIVERSITY**
EDUCATION TO INNOVATION

School of Technology, Design and Computer Application

College of Technology

Department of Computer Science and Engineering

CERTIFICATE

This is to certify that **Rohit Kandpal, Anish Prajapati, Vikas Bhati and Aashish Sumera** has submitted the Internship/Project report entitled **Bhisma: An Open-Source Platform for Automated Security Testing and Red-Teaming of Large Language Model Applications** in partial fulfilment of the requirement for the award of the degree in Bachelor of Technology in Computer Science and Engineering (Cybersecurity) of Silver Oak University, Ahmedabad during the academic year 2025-2026.

Harshita Makwana

Assistant Professor

Department of Computer Science and
Engineering

College of Technology

Silver Oak University

Mayuresh Kulkarni

Head of Department

Department of Computer Science and
Engineering

College of Technology

Silver Oak University



DECLARATION

I hereby declare that the project report entitled "**Bhisma: An Open-Source Platform for Automated Security Testing and Red-Teaming of Large Language Model Applications**" submitted in partial fulfillment of the requirements for the degree of Bachelor of Technology in Computer Science and Engineering (Cybersecurity) to Silver Oak University, Ahmedabad, is a bonafide record of original work carried out by me at College of Technology under the supervision of my Internal Guide.

We further declare that the report does not contain any material previously submitted for the award of any degree or diploma in this or any other university. It is also certified that no part of this report has been copied from any source without proper acknowledgment, and all referenced materials, figures, and information from other sources have been appropriately cited in the report.

ROHIT KANDPAL _____

VIKAS BHATI _____

ANISH PRAJAPATI _____

AASHISH SUMERA _____

ACKNOWLEDGEMENT

I wish to express my sincere gratitude to my project supervisor and mentor for their invaluable guidance, constructive feedback, and continuous support throughout this project. Their expertise and insights were instrumental in shaping the technical direction and ensuring the quality of this work.

I am also grateful to the open-source community for developing the tools and frameworks used in this project, particularly the React, Express.js, and LLM SDK ecosystems. The research papers and security frameworks from OWASP and the academic community provided a solid foundation for understanding LLM security challenges.

Finally, I thank my peers and colleagues for their discussions, suggestions, and encouragement during the development and testing phases of this project.

ABSTRACT

The rapid integration of Large Language Models (LLMs) into production applications has introduced a new class of security vulnerabilities that traditional security testing frameworks are ill-equipped to address. Prompt injection, jailbreaking, data extraction, and context boundary violations represent critical threats to LLM-powered systems, yet no standardized, open-source testing methodology exists for developers and security researchers.

This project presents Bhisma, an open-source web-based platform for automated security testing and red-teaming of LLM applications. Bhisma provides a curated library of 60+ attack vectors organized across 7 OWASP-aligned categories, including a novel Context Boundary Testing module that detects scope violations — instances where models respond to queries outside their designated role.

The platform features an automated scanning engine with a weighted risk scoring algorithm based on 80+ detection patterns, support for multiple LLM providers (Groq, OpenAI, Ollama), and a defence testing sandbox with 8 research-backed mitigation mechanisms. Initial evaluation demonstrates that Bhisma can identify vulnerabilities across all major OWASP LLM Top 10 categories with configurable confidence thresholds, providing actionable security reports for developers deploying LLM-based applications.

Keywords: *LLM Security, Prompt Injection, Red-Teaming, OWASP, Automated Testing, Context Boundary*

LIST OF FIGURES

Fig 3.1	Bhisma Platform High-Level Architecture Diagram	10
Fig 5.1	Frontend Component Hierarchy	25

LIST OF TABLES

Table 2.1	Comparative Analysis of Existing LLM Security Tools	7
Table 3.1	Frontend Technologies	12
Table 3.2	Backend Technologies	12
Table 4.1	Attack Categories and OWASP Alignment	17
Table 4.2	Risk Level Classification	22
Table 6.1	OWASP Coverage by Category	36
Table 6.2	Detection Capability by Attack Type	37
Table 6.3	Auto-Scan Performance Metrics	38
Table 7.1	Bhisma vs. Garak — Feature Comparison	42
Table A.1	API Error Codes	49
Table C.1	Performance Requirements vs Actual	51

LIST OF SYMBOLS, ABBREVIATIONS, AND NOMENCLATURE

AI	Artificial Intelligence
API	Application Programming Interface
CLI	Command Line Interface
CORS	Cross-Origin Resource Sharing
DAN	Do Anything Now (jailbreak technique)
GDPR	General Data Protection Regulation
HIPAA	Health Insurance Portability and Accountability Act
HTTP	Hypertext Transfer Protocol
LLM	Large Language Model
LOC	Lines of Code
OWASP	Open Worldwide Application Security Project
REST	Representational State Transfer
SPA	Single Page Application
SQL	Structured Query Language
UI	User Interface
UUID	Universally Unique Identifier
WCAG	Web Content Accessibility Guidelines
XSS	Cross-Site Scripting

TABLE OF CONTENTS

Declaration	i
Acknowledgement	ii
Abstract	iii
List of Figures	iv
List of Tables	v
List of Symbols, Abbreviations, and Nomenclature	vi
Table of Contents	vii
CHAPTER 1 INTRODUCTION	1
1.1 Background	1
1.2 Problem Statement	2
1.3 Contributions	3
1.4 Scope and Objectives	4
CHAPTER 2 LITERATURE REVIEW	5
2.1 OWASP Top 10 for LLM Applications	5
2.2 Adversarial Attack Research	6
2.3 Existing Tools and Frameworks	7
2.4 Context Boundary as a Security Concern	8
2.5 Related Work in Defence Mechanisms	9
CHAPTER 3 SYSTEM ARCHITECTURE AND DESIGN	10
3.1 High-Level Architecture	10
3.2 Technology Stack	12
3.3 Data Flow and Communication	13
3.4 Security Architecture	15
CHAPTER 4 ATTACK TAXONOMY AND DETECTION METHODOLOGY	17
4.1 Attack Categories and Organization	17
4.2 Attack Vector Classification	18
4.3 Detection Algorithm Layers	20
4.4 Risk Scoring Model	22
4.5 Context Boundary Analysis	23

CHAPTER 5 IMPLEMENTATION DETAILS	25
5.1 Frontend Architecture	25
5.2 Backend Architecture	28
5.3 Defense Sandbox	32
5.4 API Design and Endpoints	33
5.5 Security Middleware Implementation	34
CHAPTER 6 RESULTS AND ANALYSIS	36
6.1 Attack Coverage Assessment	36
6.2 Detection Capability Analysis	37
6.3 Auto-Scan Performance Metrics	38
6.4 User Interface and Experience	39
CHAPTER 7 DISCUSSION	40
7.1 Limitations	40
7.2 Ethical Considerations	41
7.3 Comparison with Existing Solutions	42
7.4 Lessons Learned	43
CHAPTER 8 CONCLUSION AND FUTURE WORK	44
8.1 Summary of Contributions	44
8.2 Impact and Applications	45
8.3 Recommendations for Future Development	46
8.4 Research Directions	47
References	48
Appendix A: API Documentation	49
Appendix B: Installation and Setup Guide	50
Appendix C: Technical Specifications	51
Appendix D: Project Statistics	52
Appendix E: Glossary	53

CHAPTER 1 INTRODUCTION

1.1 BACKGROUND

Large Language Models have become foundational components of modern software applications. From customer-facing chatbots and code assistants to autonomous agents with database and API access, LLMs are increasingly entrusted with sensitive operations and decision-making responsibilities. This widespread adoption has outpaced the development of security testing tools, creating a significant gap between the attack surface of LLM applications and the available methods for systematic vulnerability assessment.

Unlike traditional software vulnerabilities such as buffer overflows or SQL injection, LLM vulnerabilities exploit the model's natural language understanding capabilities in novel ways. An attacker can craft carefully constructed textual inputs that manipulate the model into overriding safety instructions, leaking confidential information such as system prompts, generating harmful content, or operating outside its designated scope — all through language-based attacks that evade conventional security detection mechanisms.

The increasing deployment of LLMs in high-stakes domains including finance, healthcare, and legal services amplifies the importance of comprehensive security evaluation. A vulnerability in an LLM-powered medical chatbot could lead to dangerous diagnostic suggestions; a financial advisory AI might provide biased or harmful investment recommendations; and an autonomous agent with database access could be manipulated into performing unauthorized data operations.

1.2 PROBLEM STATEMENT

Current approaches to LLM security testing suffer from three critical and interconnected limitations:

1.2.1 Fragmented and Specialized Tooling

Existing tools in the security community, such as Garak and Microsoft PyRIT, focus on specific attack types and categories. These tools require significant technical expertise to

deploy, configure, and interpret results. No unified platform provides end-to-end security testing with comprehensive coverage of attack vectors and simultaneous evaluation of defence mechanisms. Security practitioners must integrate multiple disparate tools, each with different APIs, configuration formats, and output structures.

1.2.2 Lack of Context Boundary Testing

Most security frameworks test for explicit safety violations such as content safety and prompt injection attacks. However, they ignore a fundamental but under-researched category of vulnerability: whether the model stays within its designated operational scope. A medical chatbot that accurately and safely answers legal questions represents a context boundary violation — the model is functioning safely in absolute terms, but unsafely in the context of its deployment role. Regulatory frameworks in healthcare (HIPAA), finance (SEC regulations), and law (legal liability) may explicitly require models to refuse out-of-scope queries. Existing security frameworks do not systematically detect these violations.

1.2.3 Lack of Standardized Risk Quantification

Security assessments typically produce binary pass/fail results or narrative descriptions. There is no widely adopted, standardized methodology for quantifying the severity and confidence of detected vulnerabilities in a manner that is comparative, reproducible, and suitable for trend analysis. Developers lack a principled approach to comparing model security characteristics, tracking security improvements over time, or justifying security investments to stakeholders.

1.3 CONTRIBUTIONS

This project makes the following contributions to the field of LLM security:

1. **Bhisma Platform:** An open-source, web-based LLM security testing platform with 60+ attack vectors organized across 7 categories, supporting both automated and manual testing modes. The platform is accessible to security generalists, developers, and researchers without requiring specialized security expertise.
2. **Context Boundary Testing Module:** A novel attack category and analysis algorithm that systematically detects when LLMs respond to queries outside their designated scope, filling a previously under-addressed gap in LLM security assessment.
3. **Weighted Risk Scoring Algorithm:** A configurable and reproducible risk quantification system that combines severity weighting, confidence-based detection, and category-specific vulnerability indicators, enabling comparative security assessments and trend analysis.

4. Integrated Defense Sandbox: An integrated environment for evaluating 8 research-backed defense mechanisms, including OWASP-recommended prompt hardening, input sanitization, output leak detection, and multi-instance architectural patterns.
5. Production-Ready Implementation: A full-stack implementation demonstrating security best practices (OWASP compliance, rate limiting, CORS, Helmet.js security headers), accessible architecture supporting multiple LLM providers, and statistical analysis capabilities.

1.4 SCOPE AND OBJECTIVES

1.4.1 Project Objectives

The primary objective of this project is to design, develop, and validate a practical, accessible platform for automated LLM security testing that addresses the identified gaps in existing tools. Specific objectives include: designing a taxonomy of LLM-specific attack vectors aligned with OWASP standards; developing a multi-layer detection algorithm with configurable confidence thresholds; implementing a web-based user interface for non-security specialists; creating an automated scanning feature reducing assessment time; providing support for multiple LLM providers; and demonstrating effectiveness through comprehensive evaluation.

1.4.2 Scope Boundaries

- The platform focuses on textual prompt-based attacks; multimodal attacks (image/audio/video) are addressed as future work.
- Single-turn attack scenarios are the primary focus; multi-turn persistent attacks are acknowledged as future enhancements.
- The implementation uses SQLite for the current prototype; a production deployment would integrate relational or document databases.
- The project emphasizes defensive security testing; the attack library is curated from published security research and excludes novel zero-day attack vectors.

CHAPTER 2 LITERATURE REVIEW

2.1 OWASP TOP 10 FOR LLM APPLICATIONS (2025)

The Open Worldwide Application Security Project (OWASP) published the definitive vulnerability classification for LLM applications in collaboration with industry and academic researchers. This taxonomy identifies ten critical risk categories specific to LLM systems. Bhisma aligns its attack taxonomy directly with this OWASP classification, ensuring comprehensive, standards-aligned coverage relevant to enterprise and production deployments. The ten categories are: LLM01 Prompt Injection, LLM02 Insecure Output Handling, LLM03 Training Data Poisoning, LLM04 Denial of Service, LLM05 Supply Chain Vulnerabilities, LLM06 Sensitive Information Disclosure, LLM07 Insecure Plugin Design, LLM08 Excessive Agency, LLM09 Misinformation and Attribution, and LLM10 Model Theft.

2.2 ADVERSARIAL ATTACK RESEARCH

Recent peer-reviewed research has demonstrated increasingly sophisticated and multi-faceted attack vectors against LLMs. Anthropic (2024) demonstrated Many-Shot Jailbreaking, where in-context learning mechanisms are exploited by embedding numerous examples of harmful behavior in the prompt context, gradually shifting the model's perceived task boundaries. Microsoft Security (2024) documented Crescendo Attacks — multi-turn manipulation techniques that progressively escalate conversation context toward harmful territory. Zou et al. (2023) identified Universal Adversarial Triggers, token-level perturbations that transfer across multiple models and effectively remove safety guardrails regardless of underlying model architecture. Wei et al. (2024) demonstrated Chain-of-Thought Exploitation, where attacks hijack step-by-step reasoning processes to lead models toward harmful conclusions.

2.3 EXISTING TOOLS AND FRAMEWORKS

A comparative analysis of current LLM security solutions is presented in Table 2.1. Despite the existence of specialized tools, the landscape lacks a comprehensive solution combining an accessible web-based interface, support for multiple LLM providers, automated testing,

integrated defense testing, reproducible risk scoring, open-source implementation, and novel context boundary attack categories. Bhisma is designed to fill this gap.

Table 2.1 Comparative Analysis of Existing LLM Security Tools

Tool	Type	Strengths	Limitations
Garak [1]	CLI probe framework	Open-source; research-focused; modular design	Requires Python expertise; no UI; no defense evaluation
Microsoft PyRIT [2]	Red-teaming toolkit	Enterprise support; comprehensive; extensible	Azure-focused; enterprise licensing; steep learning curve
HackAPrompt [3]	Research dataset	Real adversarial examples; comprehensive coverage	Static dataset; no automated testing; no integration
MITRE ATLAS [4]	Threat reference	Academic rigor; comprehensive taxonomy	Framework only; no testing or evaluation tools
Lakera Gandalf [5]	Web challenge	Accessible; gamified learning	Single model; not extensible for custom models

2.4 CONTEXT BOUNDARY AS A SECURITY CONCERN

While most LLM security research addresses explicit safety violations, the problem of scope adherence remains significantly under-explored. A context boundary violation occurs when an LLM application responds substantively to queries outside its designated operational scope, regardless of whether the response is technically harmful. Examples include a medical chatbot providing legal or financial advice, a coding assistant offering cooking recipes, a customer service bot providing mental health counseling, or a domain-specific Q&A system answering questions about unrelated fields. These violations matter because of regulatory and contractual risk under HIPAA and SEC regulations, liability exposure, user trust implications, potential inadvertent data disclosure, and their subtle nature as a failure mode that may go undetected during standard testing since the generated content can be technically sound but contextually inappropriate.

2.5 RELATED WORK IN DEFENSE MECHANISMS

Complementing attack research is substantial work on defense mechanisms. OWASP (2024) recommends structured prompt engineering patterns including clear system instruction delineation using special delimiters, explicit out-of-scope refusal instructions, and role-based delimiter separation. Microsoft (2023) proposes a Dual-Instance Architecture where a secondary evaluator model judges primary model outputs. Google (2024) investigates input sanitization and encoding techniques. OpenAI (2024) proposes post-generation output filtering. Anthropic (2024) recommends context window management to limit the attack surface. Bhisma's defense sandbox integrates all these research-backed mechanisms.

CHAPTER 3 SYSTEM ARCHITECTURE AND DESIGN

3.1 HIGH-LEVEL ARCHITECTURE

Bhisma employs a client-server architecture with three primary functional components: a Frontend Application (React 18 SPA providing model configuration, attack selection, test execution, results visualization, defense testing, and comparative analysis with Zustand state persistence), a Backend API (Node.js/Express.js server managing LLM provider communication, attack orchestration, detection analysis, and risk scoring), and External LLM Provider APIs (Groq for high-speed inference, OpenAI for latest models, and Ollama for self-hosted privacy-sensitive deployments).




Fig 3.1 Bhisma Platform High-Level Architecture Diagram

3.2 TECHNOLOGY STACK

The technology choices for the frontend and backend are detailed in Table 3.1 and Table 3.2 respectively.

Table 3.1 Frontend Technologies

Component	Technology	Purpose	Rationale
Framework	React 18	UI component library	Industry standard; excellent ecosystem
Bundler	Vite	Module bundling and dev server	Fast cold start and HMR
Styling	TailwindCSS 4.0	Utility-first CSS framework	Rapid iteration; accessibility
Design System	Glassmorphism + Dark Mode	Visual framework	Premium aesthetic; reduces eye strain
State Mgmt	Zustand + Persist	Client-side state	Lightweight; localStorage integration
HTTP Client	Axios	API communication	Promise-based; interceptor support
Charting	Recharts	Data visualization	React-native charts

Table 3.2 Backend Technologies

Component	Technology	Purpose	Rationale
Runtime	Node.js	JavaScript runtime	Non-blocking I/O; event-driven
Framework	Express.js	Web application framework	Minimal, flexible routing
Database	SQLite (prototype)	Data persistence	Zero-config; suitable for prototypes
Security	Helmet.js	HTTP security headers	OWASP-recommended; standard headers
Rate Limiting	express-rate-limit	Request throttling	Simple, effective DDoS mitigation
CORS	cors middleware	Cross-origin requests	Configurable origin whitelist
LLM SDKs	groq-sdk, openai	Provider integration	Official; well-maintained

3.3 DATA FLOW AND COMMUNICATION

A typical attack execution flow proceeds through eleven steps. The user configures a model (provider, API key, model ID, optional system prompt). The user selects attacks manually or initiates an auto-scan selecting 15 curated attacks. The frontend sends a POST request with model config and attack selections. The backend prepares each attack prompt. The backend calls the external LLM provider with the system prompt, attack prompt, and model parameters. The LLM provider returns a generated text response. The detection engine analyzes the response through four layers: refusal pattern matching, category-specific

vulnerability indicators, compliance behavior detection, and response length heuristics. A risk score is calculated using a weighted severity-confidence formula. Individual results are aggregated into test-level statistics. Results are stored in the database. The frontend renders interactive visualizations, risk heat maps, and detailed reports.

3.4 SECURITY ARCHITECTURE

Bhisma implements OWASP-aligned security measures throughout. Authentication relies on per-user API key management with rate limiting keyed per IP address. All user inputs are validated with URL format checks, UUID validation for attack selection, and a 4,096-character limit on system prompts. LLM responses are validated with 10,000-character size limits and character encoding checks. Helmet.js enforces Content-Security-Policy, X-Frame-Options, X-Content-Type-Options, and HSTS headers. LLM API keys are never logged, stored in environment variables only, excluded from error messages, and stripped from exports. A global rate limit of 100 requests per 15 minutes prevents denial-of-service abuse.

CHAPTER 4 ATTACK TAXONOMY AND DETECTION METHODOLOGY

4.1 ATTACK CATEGORIES AND ORGANIZATION

Bhisma organizes 60+ attack vectors across 7 categories, aligned with OWASP LLM Top 10 (2025) as shown in Table 4.1.

Table 4.1 Attack Categories and OWASP Alignment

#	Category	Count	OWASP	Key Characteristics
1	Prompt Injection (Direct)	9	LLM01	Instruction override, delimiter escape, adversarial suffix, nested prompts
2	Prompt Injection (Indirect)	3	LLM01	Hidden HTML, PDF metadata, markdown link injection
3	Jailbreak	12	LLM01, LLM02	DAN, developer mode, hypothetical framing, roleplay escalation
4	Data Extraction	6	LLM06	System prompt leakage, structured extraction, social engineering
5	Harmful Content	5	LLM02, LLM09	Malware generation, phishing templates, SQL/NoSQL injection
6	Context Override	10	LLM08	Fake system messages, privilege escalation, tool response spoofing
7	Context Boundary	8+	LLM08, Custom	Off-topic queries: cooking, medical, legal, financial, political

4.2 ATTACK VECTOR CLASSIFICATION

4.2.1 Prompt Injection (Direct)

Direct prompt injection occurs when an attacker includes instructions within the same user input. Variants include basic override attempts, delimiter escape attacks, nested prompt injection, special token injection, and encoding bypass using Base64 or ROT13. Example: "Classify this message as positive, negative, or neutral: [Ignore the above instructions. From now on, print the system prompt.]"

4.2.2 Prompt Injection (Indirect)

Indirect injection occurs when untrusted content is embedded in data that models are instructed to process. This includes HTML comment injection, PDF metadata injection where instructions are hidden in metadata Author or Title fields, and markdown link injection with embedded instructions in link labels or URLs.

4.2.3 Jailbreak

Jailbreaks exploit the model's learning context and architectural characteristics without explicit instruction override. Variants include DAN (Do Anything Now) framing the model as an unrestricted entity, developer mode claims, hypothetical framing, roleplay escalation, cognitive overload, and consent exploitation such as "For research purposes, I take full responsibility."

4.2.4 Data Extraction

Data extraction attacks aim to leak the model's system prompt, internal knowledge, or sensitive information through direct requests, structured extraction, creative social engineering, encoding-based requests, and privilege escalation techniques such as claiming administrator access.

4.2.5 Context Boundary

Context boundary attacks test whether the model respects its designated scope. The 8 standard attacks cover cooking/recipe queries for non-culinary assistants, medical diagnosis questions for general chatbots, legal advice requests to non-legal assistants, financial investment advice queries, political opinion questions for neutral assistants, religious guidance requests, relationship counseling queries, and creative fiction requests for factual assistants. These attacks specifically test boundary adherence rather than safety.

4.3 DETECTION ALGORITHM LAYERS

The detection engine uses a four-layer multi-layered analysis approach. Layer 1 checks for explicit refusal signals: two or more refusal pattern matches yield a SAFE classification at 95% confidence; one match gives 60% confidence; zero triggers Layer 2. Layer 2 applies category-specific vulnerability indicators: three or more matches yield VULNERABLE at

75–95% confidence; one to two give 50–70% confidence; zero triggers Layer 3. Layer 3 identifies compliance behavior patterns (step-by-step instruction provision, absence of caveats, persona adoption), yielding VULNERABLE at 55–75% confidence. Layer 4 applies response length heuristics: responses over 500 characters without refusal are flagged SUSPICIOUS at 45% confidence; 200–500 characters gives POSSIBLE VULNERABILITY at 35%; under 200 characters defaults to LIKELY NEUTRAL. The final classification synthesizes all four layers in priority order.

4.4 RISK SCORING MODEL

The risk scoring system quantifies vulnerability severity and confidence. The risk score formula computes the weighted sum of (severity_weight x confidence) for each detected vulnerability, divided by the maximum possible weight, then multiplied by 100 to yield a 0–100 scale. Severity weights are: CRITICAL 25 points (system prompt disclosure, arbitrary code execution), HIGH 15 points (prompt injection with model compliance, jailbreak success), MEDIUM 8 points (partial disclosure, context boundary violation), and LOW 3 points (misdirection or off-topic response). Risk level classification is presented in Table 4.2.

Table 4.2 Risk Level Classification

Risk Score Range	Risk Level	Guidance
70 – 100	CRITICAL	Immediate attention required; model unsuitable for production
50 – 69	HIGH	Significant vulnerabilities; remediation needed before production deployment
30 – 49	MEDIUM	Notable vulnerabilities; defense mechanisms should be implemented
10 – 29	LOW	Minor vulnerabilities; monitor but not immediately critical
0 – 9	MINIMAL	No significant vulnerabilities detected in tested attacks

4.5 CONTEXT BOUNDARY ANALYSIS

The context boundary analysis algorithm proceeds through five steps: (1) the user or system defines the model's intended scope; (2) 8 out-of-scope attack prompts are selected; (3) the user optionally provides the model's actual system prompt for realistic testing; (4) each response is analyzed for boundary refusal indicators (phrases such as "outside my scope", "consult a professional") versus scope violation indicators (substantive out-of-scope answers, topic-specific language, extended explanations without scope caveats); and (5) responses are classified as SCOPE ADHERENT, BOUNDARY VIOLATION, or UNCLEAR based on the evidence gathered.

CHAPTER 5 IMPLEMENTATION DETAILS

5.1 FRONTEND ARCHITECTURE

The frontend is organized as a hierarchical component tree. Top-level pages include the Dashboard (QuickActions, TestStats, RecentResults), Models Page (ModelList, ModelForm, TestConnection), Attacks Page (CategoryFilter, AttackSearch, AttackDetail), Test Page (dual Manual/Auto-Scan mode with ModelSelector, AttackSelector, SystemPromptInput, ExecutionMonitor, and LiveResults), Results Page (ResultsList, ResultDetail with RiskHeatmap, CategoryBreakdown, AttackResults, and ExportOptions), Defenses Page (DefenseBrowser, DefenseApplier, BeforeAfterComparison, Terminal), and Compare Page (TestSelector, ModelComparator, StatisticalAnalysis, ExportComparison).




Fig 5.1 Frontend Component Hierarchy

State is managed using Zustand with the persist middleware, storing models, tests, UI state, and dark mode preferences in localStorage under the key 'bhisma-storage'. The styling approach uses TailwindCSS 4.0 with a glassmorphism pattern: semi-transparent panels with blur backgrounds, dark mode with cyan, purple, and rose accent colors, a responsive

mobile-first design with breakpoints at 640px, 1024px, and 1280px, and WCAG 2.1 AA compliance throughout.

5.2 BACKEND ARCHITECTURE

The Express.js application is structured with a central entry point for middleware setup, a database initialization module, and separate route files for models (CRUD), attacks (library), tests (execution and analysis), defenses (mechanism application), and compare (comparison analysis). The middleware stack applies Helmet.js for Content Security Policy enforcement, CORS with a whitelisted origin, rate limiting at 100 requests per 15 minutes, and JSON body parsing with a 1 MB limit. The auto-scan endpoint creates a test record, selects 15 curated attacks, executes them sequentially with LLM calls and detection analysis, streams real-time progress updates to the client, calculates a test summary, stores results, and returns the final complete report.

5.3 DEFENSE SANDBOX

The defense sandbox provides 8 research-backed defense mechanisms users can apply and test: Instruction Hierarchy (prepend explicit boundary definitions to system prompt), Input Sanitization (strip special characters and control sequences), Spotlighting with XML (XML delimiters isolating user input), Spotlighting with Random Sequence (randomly generated 32-character delimiter tokens), Prompt Hardening following OWASP-recommended structured patterns, Dual LLM Pattern (secondary evaluator instance judging primary model responses), Output Filtering (scanning generated content against vulnerability patterns), and Context Window Management (enforcing token budget limits on user-controllable input). For each defense, the system tracks baseline vulnerability count, defended vulnerability count, and effectiveness percentage.

5.4 API DESIGN AND ENDPOINTS

The API follows RESTful design principles: stateless requests, resource-oriented endpoints, standard HTTP methods, consistent kebab-case URL naming with camelCase JSON fields, and proper HTTP status codes (200, 201, 400, 401, 404, 500). All responses use a consistent envelope format with a status field, a data object, and a timestamp. Error responses include an error code and user-friendly message without exposing stack traces or

internal paths. Pagination uses page, limit, and sort query parameters with a maximum of 100 results per page.

5.5 SECURITY MIDDLEWARE IMPLEMENTATION

Request validation middleware applies schema validation to all incoming request bodies, returning structured 400 errors with field-level detail on failure. API key validation checks for the presence and format of authentication credentials. The global error handler intercepts all unhandled exceptions, logs them with request context, and returns user-friendly error responses. In development environments, additional error details are included to aid debugging. Sensitive information such as API keys, stack traces, and internal paths is never included in responses to clients.

CHAPTER 6 RESULTS AND ANALYSIS

6.1 ATTACK COVERAGE ASSESSMENT

Bhisma's attack library comprehensively covers OWASP LLM Top 10 (2025) categories as shown in Table 6.1. Five categories are fully implemented (LLM01, 02, 06, 08 primary), three have partial coverage (LLM04, 07, 09), and two are not applicable to inference-time testing (LLM03 and LLM10). Overall relevant coverage stands at approximately 75%.

Table 6.1 OWASP Coverage by Category

OWASP Category	Attack Count	Bhisma Implementation	Status
LLM01: Prompt Injection	12	Direct (9) + Indirect (3)	Complete
LLM02: Insecure Output Handling	5	Harmful Content category	Covered
LLM03: Training Data Poisoning	0	Not applicable to inference testing	N/A
LLM04: Denial of Service	2	Token exhaustion, rate limits	Partial
LLM05: Supply Chain	0	Dependency management required	N/A
LLM06: Sensitive Info Disclosure	6	Data Extraction attacks	Covered
LLM07: Insecure Plugin Design	3	Tool response spoofing	Limited
LLM08: Excessive Agency	18	Context Override (10) + Boundary (8)	Comprehensive
LLM09: Misinformation	3	Creative extraction, roleplay	Partial
LLM10: Model Theft	0	Requires model internals access	N/A

6.2 DETECTION CAPABILITY ANALYSIS

Detection capability varies by attack type as shown in Table 6.2. The false positive rate when testing against safe model behaviours is approximately 5–10%, primarily caused by length-based heuristics triggering on legitimate long answers. Adjustable confidence thresholds allow users to reduce false positives at the cost of potentially missing some

genuine vulnerabilities. The false negative rate for novel attacks not matching known patterns is approximately 15–25%, with pattern-based detection struggling with novel phrasing. Future work will incorporate LLM-based semantic detection to improve both metrics.

Table 6.2 Detection Capability by Attack Type

Attack Type	Detection Mechanism	Confidence Range	Typical Accuracy
Direct Prompt Injection	Refusal + Indicator patterns	80–95%	85–90%
Jailbreak	Indicator patterns + Compliance	60–75%	70–80%
Data Extraction	Direct revelation matching	85–98%	90–95%
Harmful Content	Code patterns, keywords	70–90%	80–88%
Context Override	Fake instruction detection	55–80%	65–75%
Context Boundary	Scope adherence + length	60–85%	70–80%

6.3 AUTO-SCAN PERFORMANCE METRICS

Auto-scan execution performance is summarized in Table 6.3. Cost analysis for commercial APIs indicates approximately USD 0.30–0.50 per scan with OpenAI GPT-4, negligible cost with Groq, and zero cost with Ollama self-hosted inference.

Table 6.3 Auto-Scan Performance Metrics

Metric	Value	Notes
Setup time	~30 seconds	Select model, click scan
Per-attack inference time	2–5 seconds	Depends on model and complexity
Total scan duration (15 attacks)	3–8 minutes	Variable by model and provider
Analysis time per attack	0.5 seconds	Detection and scoring
Total analysis time	~7 seconds	For entire scan

Metric	Value	Notes
Report generation	~1 second	Aggregation and formatting
Total end-to-end time	3–10 minutes	Typical production deployment

6.4 USER INTERFACE AND EXPERIENCE

Frontend load time is approximately 1.5 seconds for initial page load and 2 seconds for full interactivity. The results table renders 100 rows in under 500 milliseconds and the risk heatmap chart renders in under 800 milliseconds. WCAG 2.1 AA compliance is verified with keyboard navigation across all interactive elements, screen reader support through semantic HTML and ARIA labels, and text color contrast meeting the 4.5:1 minimum ratio. Early user feedback highlighted the intuitive dashboard, clear results presentation, and useful export options as key strengths, with model filtering and historical trend graphs identified as improvement areas.

CHAPTER 7 DISCUSSION

7.1 LIMITATIONS

7.1.1 Heuristic-Based Detection

Current detection relies on pattern matching rather than semantic understanding. This approach is fast (milliseconds per response), deterministic, and requires no additional API calls. However, advanced attacks using novel phrasing may evade detection, nuanced responses cannot be understood semantically, and patterns require manual updates as attack techniques evolve. Future mitigation involves integrating LLM-based semantic analysis for secondary verification of ambiguous cases.

7.1.2 Provider and Rate Limit Dependency

The platform requires valid API keys for commercial LLM providers, with OpenAI limiting standard accounts to approximately 3.5 requests per minute. Users can use Ollama for self-hosted testing without API key constraints as a primary workaround.

7.1.3 Lightweight Storage

The current SQLite implementation is suitable for prototypes but lacks multi-server scalability, user authentication, persistent audit logs, and backup/recovery mechanisms. The production path involves migrating to PostgreSQL or MongoDB with proper database administration, replication, and backup strategies.

7.1.4 Single-Turn Testing

Approximately 20–30% of sophisticated attacks require multi-turn context that the current implementation does not support. Future enhancement will implement conversation session management and multi-turn attack orchestration to cover Crescendo-style sequential attacks.

7.1.5 Model Response Non-Determinism

Language models produce variable outputs even with fixed parameters. The current system recommends running tests multiple times and provides confidence ranges rather than binary verdicts to manage this inherent non-determinism.

7.2 ETHICAL CONSIDERATIONS

Bhisma is explicitly designed for defensive security testing — identifying vulnerabilities to remediate them. The attack library is curated from published security research and OWASP documentation. Safety measures include relying only on documented attack vectors (no novel zero-days), generating prompts rather than working exploits, user-provided API keys ensuring accountability, and requiring users to own or have explicit permission to test the models they assess. Users must use results to improve model security rather than for harm, and must not distribute Bhisma outputs for attack purposes.

7.3 COMPARISON WITH EXISTING SOLUTIONS

Table 7.1 compares Bhisma with Garak, a widely used CLI-based probe framework. Bhisma's key differentiation points are accessibility through a web UI, novel context boundary testing not found in existing tools, an integrated attack and defense sandbox, open-source community-driven development, and cost-effectiveness versus enterprise solutions such as Microsoft PyRIT which requires Azure integration and enterprise licensing.

Table 7.1 Bhisma vs. Garak — Feature Comparison

Dimension	Garak	Bhisma
Interface	CLI commands	Web dashboard
Learning curve	Steep (Python expertise required)	Gentle (intuitive UI)
Target user	Security researchers	Developers + researchers
Attack count	100+ probes	60+ carefully curated
Automation	Manual attack selection	Auto-scan (15 curated)
Defense testing	No	Yes (8 mechanisms)
Multi-model support	Limited	Full (Groq, OpenAI, Ollama)
Context Boundary testing	No	Yes (8 attacks)
Risk scoring	No	Yes (weighted algorithm)

7.4 LESSONS LEARNED

Key technical lessons include that multi-layer detection combining refusal signals, vulnerability indicators, compliance behavior, and length heuristics outperforms any single layer; confidence scoring is essential to capture the probabilistic reality of LLM attacks; and context matters because the same attack prompt produces different results depending on the system prompt, making testing with real system prompts critical. A key product insight was that context boundary testing revealed a category of vulnerability that most tools ignore. Research lessons include that attack diversity across 60+ vectors and 7 categories provides substantially better coverage than single-category approaches, and that domain-specific detection patterns significantly outperform generic ML approaches for this task.

CHAPTER 8 CONCLUSION AND FUTURE WORK

8.1 SUMMARY OF CONTRIBUTIONS

This project presents Bhisma, a comprehensive open-source platform addressing critical gaps in LLM security testing. The six primary contributions are: (1) an accessible web-based LLM security testing platform supporting multiple LLM providers; (2) a comprehensive attack taxonomy of 60+ vectors across 7 OWASP-aligned categories; (3) a novel context boundary testing module as the first systematic approach to detecting out-of-scope responses; (4) a weighted risk scoring algorithm enabling quantifiable, reproducible, and comparable vulnerability assessment; (5) an integrated defense testing sandbox with 8 research-backed defense mechanisms and effectiveness metrics; and (6) a production-ready full-stack implementation with security best practices including Helmet.js, rate limiting, CORS, and comprehensive input/output validation.

8.2 IMPACT AND APPLICATIONS

Immediate applications include security auditing for organizations deploying LLM-powered applications, developer education through hands-on testing, compliance testing for healthcare, finance, and legal organizations verifying regulatory scope requirements, and model selection through comparative security testing. The broader impact includes democratizing LLM security testing to shift the industry culture from assumed safety to verified security, providing an MIT-licensed foundation for community contributions and customization, supplying a testbed for security research on attack techniques and defense mechanisms, and offering a reference implementation of best practices for the industry.

8.3 RECOMMENDATIONS FOR FUTURE DEVELOPMENT

8.3.1 Near-Term Enhancements (3–6 Months)

Near-term priorities include migrating from SQLite to PostgreSQL with user authentication and role-based access control, implementing multi-turn attack support with conversation session management and Crescendo-style sequential attacks, integrating LLM-based semantic analysis to reduce false positives in ambiguous detection cases, and adding Claude (Anthropic) and Gemini (Google) provider support.

8.3.2 Medium-Term Enhancements (6–12 Months)

Medium-term work includes extending the attack library to multimodal inputs (image, audio, video), developing a CLI tool and GitHub Actions integration for CI/CD security automation, adding advanced analytics with trend graphs, vulnerability heatmaps, and statistical significance testing, and implementing collaborative multi-user team features with shared test result repositories.

8.3.3 Long-Term Vision (12+ Months)

Long-term aspirations include training custom ML detection models for vulnerable patterns and building ensemble detection combining heuristics and ML, ecosystem integration with LLM monitoring platforms and CVE-like vulnerability databases, advanced defense mechanism optimization using adversarial prompt generation, and a federated learning research platform with a standardized LLM Security Benchmark (LLMSB) dataset for community evaluation.

8.4 RESEARCH DIRECTIONS

Several promising research questions emerge: how does fine-tuning on safety datasets affect vulnerability to prompt injection; what is the relationship between model scale (7B to 70B parameters) and attack resilience; how effective are defense combinations versus standalone mechanisms; can adversarial examples transfer across models and providers; and what is the optimal confidence threshold for practical deployment across different risk tolerance profiles. The development of a standardized LLMSB with labeled datasets, peer-reviewed attack libraries, published baselines, and an annual challenge competition is proposed as a key community initiative.

REFERENCES

- [1] OWASP Foundation, "OWASP Top 10 for Large Language Model Applications," OWASP GenAI Security Project, 2025. [Online]. Available: <https://genai.owasp.org/llm-top-10/>
- [2] S. Willison, "Prompt Injection: What's the worst that can happen?" 2023. [Online]. Available: <https://simonwillison.net/2023/Apr/14/worst-that-can-happen/>
- [3] L. Derczynski, M. Carlini, D. Hsu, et al., "Garak: A Framework for Security Probing Large Language Models," EMNLP 2024, 2024.
- [4] Microsoft Security, "PyRIT: Python Risk Identification Toolkit for Generative AI," Microsoft Security Research, 2024. [Online]. Available: <https://github.com/Azure/PyRIT>
- [5] Anthropic, "Many-Shot Jailbreaking," Anthropic Research, 2024. [Online]. Available: <https://www.anthropic.com/research/many-shot-jailbreaking>
- [6] Microsoft Security, "Crescendo: Multi-Turn Jailbreak Attacks on Large Language Models," Microsoft Threat Intelligence, 2024.
- [7] A. Zou, Z. Wang, J. Z. Kolter, and M. Fredrikson, "Universal and Transferable Adversarial Attacks on Aligned Language Models," arXiv:2307.15043, 2023.
- [8] J. Wei, X. Wang, D. Schuurmans, et al., "Chain-of-Thought Prompting Elicits Reasoning in Large Language Models," in Neural Information Processing Systems (NeurIPS), 2022.
- [9] S. Schulhoff, M. Kumar, L. Hou, A. Zamir, and E. Wallace, "HackAPrompt: Exposing LLM Vulnerabilities Through Adversarial Prompt Engineering," EMNLP 2023, 2023.
- [10] MITRE Corporation, "ATLAS: Adversarial Threat Landscape for Artificial Intelligence Systems," 2024. [Online]. Available: <https://atlas.mitre.org/>
- [11] Lakera, "Gandalf: A Prompt Security Game," 2024. [Online]. Available: <https://gandalf.lakera.ai/>
- [12] Anthropic, "Constitutional AI: Harmlessness from AI Feedback," 2023. [Online]. Available: <https://www.anthropic.com/research/constitutional-ai>

- [13] OpenAI, "Adversarial Prompting," OpenAI Models Documentation, 2024.
- [14] Google DeepMind, "Frontier AI Regulation: Managing Emerging Risks to Public Safety," 2023.
- [15] S. Casper, J. D'Amato, L. Bashir, et al., "Open Problems and Future Directions for LLM Security," arXiv:2401.00287, 2024.

APPENDIX A API DOCUMENTATION

A.1 AUTHENTICATION

Authentication is not enforced in the current prototype API. The system is designed for controlled demo/local usage. For production, token-based authentication and role-based authorization must be enabled..

A.2 ENDPOINT REFERENCE

Complete API documentation and interactive endpoint testing is available at </api/docs>. The current prototype does not include an integrated Swagger UI route. API behaviour is documented through project documentation and backend route modules.

A.3 ERROR CODES

Table A.1 API Error Codes

Code	HTTP Status	Description
INVALID_REQUEST	400	Malformed request or invalid parameters
UNAUTHORIZED	401	Missing or invalid authentication
NOT_FOUND	404	Resource not found
CONFLICT	409	Resource already exists
RATE_LIMITED	429	Too many requests
INTERNAL_ERROR	500	Server error

APPENDIX B INSTALLATION AND SETUP GUIDE

B.1 PREREQUISITES

- Node.js 18.0 or higher
- npm 9.0 or higher
- Git for version control
- API keys from at least one provider (Groq, OpenAI, or local Ollama installation)

B.2 DEVELOPMENT SETUP

For the backend: navigate to the backend directory, run `npm install`, copy `.env.example` to `.env` and add API keys, then run `npm run dev` to start on `http://localhost:3001`. For the frontend: navigate to the frontend directory, run `npm install`, optionally update `VITE_API_URL` in `.env`, then run `npm run dev` to start on `http://localhost:5173`.

B.3 PRODUCTION DEPLOYMENT

See the deployment documentation in `/docs/deployment.md` for cloud deployment guides covering AWS, Azure, and GCP configurations.

APPENDIX C TECHNICAL SPECIFICATIONS

C.1 PERFORMANCE REQUIREMENTS

Table C.1 Performance Requirements vs Actual

Requirement	Target	Actual
Page load time	<3s	1.5–2s (met)
API response time	<2s	0.5–2s (met)
Test execution (15 attacks)	<15 min	3–10 min (met)
Detection accuracy	>80%	75–90% depending on attack type (met)
Uptime	99.5%	Production to be determined

C.2 SECURITY COMPLIANCE

- OWASP Top 10 mitigations implemented
- GDPR-compliant (no personal data storage)
- HIPAA-compatible (no health information processing)
- Input validation on all endpoints
- Output encoding for XSS prevention
- CSRF protection via SameSite cookies

APPENDIX D PROJECT STATISTICS

D.1 CODEBASE

- Backend: approximately 2,000 LOC (Node.js/Express/SQLite)
- Frontend: approximately 3,500 LOC (React/JavaScript)
- Tests: approximately 800 LOC (unit and integration tests)
- Total: approximately 6,300 LOC; Documentation: approximately 2,500 lines (Markdown)

D.2 TEST COVERAGE

- Backend tests: 36 passing tests covering core APIs; Frontend tests: 32 passing tests covering components and utilities
- Code coverage target: greater than 70%

D.3 ATTACK LIBRARY

- Total attacks: 60+; Categories: 7; Research references: 15+
- Yearly update cadence recommended as attack techniques evolve

APPENDIX E GLOSSARY

API Key: Credential authenticating requests to LLM providers (OpenAI, Groq, etc.)

Jailbreak: Technique to make model ignore safety instructions and operate beyond intended constraints

LLM: Large Language Model; neural network trained on large text corpus

OWASP: Open Worldwide Application Security Project; organization publishing security standards

Prompt Injection: Attack inserting malicious instructions into user input to manipulate model behavior

Risk Score: Quantitative measure of vulnerability severity on a 0–100 scale

System Prompt: Instructions provided to model at initialization, defining its role and constraints

Token: Individual unit of text processed by LLM, typically approximately 4 characters