


This project demonstrates how to deploy a simple Node.js application.

Step1: Launch an EC2 instance



Step3: Update the packages and install the **nodejs** webserver and package manager.

```
ec2-user@Nodeapp:~  
[ec2-user@Nodeapp ~]$ sudo yum update  
Last metadata expiration check: 0:00:42 ago on Sat Sep 13 14:05:43 2025.  
Dependencies resolved.  
Nothing to do.  
Complete!  
[ec2-user@Nodeapp ~]$ sudo yum install nodejs -y  
Last metadata expiration check: 0:00:58 ago on Sat Sep 13 14:05:43 2025.  
Dependencies resolved.  
Nothing to do.  
Complete!
```

```
ec2-user@Nodeapp:~  
[ec2-user@Nodeapp ~]$ sudo yum install npm -y  
Last metadata expiration check: 0:01:53 ago on Sat Sep 13 14:05:43 2025.  
Package nodejs-npm-1:10.8.2-1.18.20.8.1.amzn2023.0.2.x86_64 is already installed.  
Dependencies resolved.  
Nothing to do.  
Complete!
```

Step4: Create nodeapp directory and go inside this directory.

```
ec2-user@Nodeapp:~/nodeapp  
[ec2-user@Nodeapp ~]$ mkdir nodeapp  
[ec2-user@Nodeapp ~]$ cd nodeapp  
[ec2-user@Nodeapp nodeapp]$
```

Step5: Paste the URL taken from the git

```
ec2-user@Nodeapp:~/nodeapp  
[ec2-user@Nodeapp nodeapp]$ sudo git clone https://github.com/iamtruptime/node-app.git  
Cloning into 'node-app'...  
remote: Enumerating objects: 5, done.  
remote: Counting objects: 100% (5/5), done.  
remote: Compressing objects: 100% (5/5), done.  
remote: Total 5 (delta 0), reused 5 (delta 0), pack-reused 0 (from 0)  
Receiving objects: 100% (5/5), done.  
[ec2-user@Nodeapp nodeapp]$
```


Step6: Install all the dependency from package.json file

```
ec2-user@Nodeapp:~/nodeapp  
[ec2-user@Nodeapp node-app]$ sudo npm install  
added 69 packages, and audited 70 packages in 4s  
  
14 packages are looking for funding  
run 'npm fund' for details  
  
found 0 vulnerabilities  
npm notice  
npm notice New major version of npm available! 10.8.2 -> 11.6.0  
npm notice Changelog: https://github.com/npm/cli/releases/tag/v11.6.0  
npm notice To update run: npm install -g npm@11.6.0  
npm notice
```


Step7: Start the application

```
ec2-user@Nodeapp:~/nodeapp  
[ec2-user@Nodeapp node-app]$ node app.js  
Server is running on http://localhost:3000
```

Step8: Add 3000 port number to security group.



Step10: To run the application at background install pm2 and start the app.js file



Step11: Test the application using public IP address.

