Mini Project Report
(2021-2022)

COVID-19 INDIA

Department of Computer Engineering & Applications
Institute of Engineering and Technology

Submitted by:
Rahul Chaudhary (191500620)
Shahrukh Khan (181500644)
Sachin Mishra (191500687)
Salman Alam (191500701)

Supervised By:
Mr. Akash Kumar Chaudhary
Technical Trainer
Department of Computer Engineering and Application

Department of computer Engineering and Applications
GLA University, Mathura
17 km. Stone NH#2, Mathura-Delhi Road, P.O. – Chaumuha,
Mathura – 281406

Declaration

We hereby declare that the work which is being presented in the Mini Project II **"**Covid-19 India**",** in partial full fillment of the requirements for Mini Project viva voce, is an authentic record of our own work carried under the supervision of **Mr. Akash Kumar Chaudhary, Technical Trainer, GLA University, Mathura.**

Rahul Chaudhary (191500620)
Sign: _____

Shahrukh Khan (181500644)
Sign: _____

Sachin Mishra (191500687)
Sign: _____

Salman Alam (191500701)
Sign: _____

Course: B.Tech(CSE)
Year: 3rd
Semester: VI

Project Link: https://github.com/iamshahrukh19/COVID19-TMS.github.io

Department of computer Engineering and Applications
GLA University, Mathura
17 km. Stone NH#2, Mathura-Delhi Road, P.O. – Chaumuha,
Mathura – 281406

Certificate

This is to certify that the project entitled "Covid-19 India" carried out in Mini Project II is the work done by Rahul Chaudhary, Shahrukh Khan, Salman Alam, Sachin Mishra, is submitted in partial full fillment of the requirements for the award of degree Bachelor of Technology (Computer Science and Engineering).

Signature of Supervisor:

Name of Supervisor: Mr. Akash Kumar Chaudhary

Date: 25/05/2022

Acknowledgement

Presenting the ascribed project paper report in this very simple and official form, we would like to place my deep gratitude to GLA University for providing us the instructor **Mr. Akash Kumar Chaudhary**, our technical trainer and supervisor. He has been helping us since Day 1 in this project. He provided us with the roadmap, the basic guidelines explaining on how to work on the project.

He has been conducting regular meeting to check the progress of the project and providing us with the resources related to the project. Without his help, we wouldn't have been able to complete this project. And at last, but not the least we would like to thank our dear parents for helping us to grab this opportunity to get trained and also my colleagues who helped me find resources during the training.

It is our pleasure to acknowledge the assistance of a number of people without whose help this project would not have been possible We would like to thank my co-team members for their complete support throughout in finishing the mentioned project accurately. After doing this project We can confidently say that this experience has not only enriched us with technical knowledge but also has unparsed the maturity of thought and vision, the attributes required for being a professional.

Thanking You

Abstract

COVID-19 is emerging as a major public health threat leading to a global crisis that is unprecedented and extraordinary. There has been particular concern about the spread of the virus in countries that are already struggling with insecurity and weakened health systems.

Nations were poorly prepared and the governments initially tried to cover the damage. Some countries have effectively managed the pandemic yet most, if not all, are struggling to cope the onslaught. Short-term and long-term strategies need to be drawn and implemented to stem the tide. Otherwise, not only nCoV infection will spell doom over the mankind but other viruses may be in the wait to attack the global community. Governments have a responsibility and must be responsive to the changing needs of blocking the viral super-highway. Act now or else we will be annihilated by emerging tiny microbes. It is everyone's responsibility. Our health is in our hands. This pandemic will not be the last. Nations must use this opportunity to rebuild systems into something more resilient.

This project will examine the experiences faced by faculty and students in higher education during the COVID-19 pandemic. To understand the complexity of the situation we combine theory and best practices from the fields of I/O Psychology, Crisis Communication, Disaster Management, and Higher Education. Essentially, better understanding faculty and student perspectives will help us understand what sorts of directional changes Higher Ed might take in future adverse situations.

Table of Contents

Declaration.....**2**
Certificate.....**3**
Acknowledgement.....**4**
Abstract.....**5**

Table of Content.....**6**

1. Introduction
1.1 Overview.....7
1.2 About Project.....7
1.3 Project Plan.....7
1.3.1 Objective
1.3.2 Scope
1.4 Drawbacks in existing system.....8

2. Software
2.1 Hardware Requirements.....8
2.2 Software Requirements.....9
2.3 Installation of VS Code.....9
2.4 Specific Requirements.....10
2.4.1 Language Used.....10

3. Software Design
3.1 Use Case Diagram..... 11

4. Testing
4.1 Introduction.....12
4.2 User Tesing.....12
4.3 Performance Test.....12
4.4 Compatibility Test.....12
5. Implementation and User Interface.....**13-20**
6. Coding Part.....**21-94**
7. References/Bibliography.....**95**

Chapter-1 Introduction

1.1 Overview of the Project

We are working on Covid-19 Testing Management Report, in which we are planning to maintain the Covid reports that is generated after testing the Covid-19 using PHP and other Front-End Technologies. It is very useful to analyze the numbers of persons who have done the vaccination, So there will be different different modules like Admin Center in which Diagnostic Center can update their reports on the portal and user can check their report and even can download their report from User module.

1.2. About the Project

As the COVID-19 crisis endures and the virus continues to spread globally, the need for collecting epidemiological data and patient information also grows exponentially. The race against the clock to find a cure and a vaccine to the disease means researchers require storage of increasingly large and diverse types of information; for doctors following patients, recording symptoms and reactions to treatments, the need for storage flexibility is only surpassed by the necessity of storage security. The volume, variety, and variability of COVID-19 patient data requires storage in database management systems.

1.3. Project Plan

1.3.1. Objective

This research offers an opportunity to help the greater academic community that has been significantly uprooted and disrupted by COVID-19. There are dozens of other studies going on at the same time to unlock the secrets of this unprecedented event. Our approach is specifically designed in a way that will help us contribute a substantial piece of the puzzle. By opening a channel for the participating institutions, faculty, and students to systematically share their experience and their voices, we hope to contribute to a stronger, more resilient system of Higher Education that will emerge from this experience with the information and lessons needed to thrive in the future.

1.3.2. Scope

The project is developing because many peoples are suffering from covid 19 , so to track data of peoples we need any software that handle the data of patients or the test which is being conducted by hospitals, We will keep track of record of peoples wo are done with covid test and their result either it is positive or negative .

1.4. Drawbacks in Existing System

- Not proper data is available on website.
- Proper Dashboard not available
- Data is secured.

Chapter-2 Software Requirement Analysis

2.1. Hardware Requirements

- Pentium Processor
- 60 MB of free hard-drive space
- 4 GB of RAM

2.2. Software Requirements

- Operating System: Windows (Vista/7 or above)
- Web Browser: IE 10 or above, Mozilla FF 31 or Google Chrome
- Drivers: Java Runtime Environment
- Tools: GitHub, VS Code
- Front-end: HTML, CSS, JavaScript

2.3. Installation of VS Code

VS Code is a free code editor, which runs on the macOS, Linux, and Windows operating systems.
VS Code is lightweight and should run on most available hardware and platform versions. You can review the System Requirements to check if your computer configuration is supported.



2.4. Specific Requirements

2.4.1 Languages Used HTML:

1 HTML The Hyper Text Markup Language, or HTML is the standard markup language for documents designed to be displayed in a web browser. It can be assisted by technologies such as Cascading Style Sheets (CSS) and scripting languages such as JavaScript. Web browsers receive HTML documents from a web server or from local storage and render the documents into multimedia web pages. HTML describes the structure of a web page semantically and originally included cues for the appearance of the document. HTML elements are the building blocks of HTML pages. With HTML constructs, images and other objects such as interactive forms may be embedded into the rendered page. HTML provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items. HTML elements are delineated by tags, written using angle brackets. Tags such as input tag, img tag, an directly introduce content into the page. Other tags such as

surround and provide information about document text and may include other tags as sub-elements. Browsers do not display the HTML tags, but use them to interpret the content of the page. HTML can embed programs written in a scripting language such as JavaScript, which affects the behavior and content of web pages. Inclusion of CSS defines the look and layout of content. The World Wide Web Consortium (W3C), former maintainer of the HTML and current maintainer of the CSS standards, has encouraged the use of CSS over explicit presentational HTML since 1997.

Key Components Of HTML

In 1980, physicist Tim Berners-Lee, a contractor at CERN, proposed and prototyped ENQUIRE, a system for CERN researchers to use and share documents. In 1989, Berners-Lee wrote a memo proposing an Internet based hypertext system. Berners-Lee specified HTML and wrote the browser and server software in late 1990. That year, Berners-Lee and CERN data systems engineer Robert Cailliau collaborated on a joint request for funding, but the project was not formally adopted by CERN. In his personal notes from 1990 he listed "some of the many areas in which hypertext is used" and put an encyclopedia first. The first publicly available description of HTML was a document called "HTML Tags", first mentioned on the Internet by Tim Berners-Lee in late 1991. It describes 18 elements comprising the initial, relatively simple design of HTML. Except for the hyperlink tag, these were strongly influenced by SGMLguid, an inhouse Standard Generalized Markup Language (SGML)- based documentation format at CERN. Eleven of these elements still exist in HTML 4. HTML is a markup language that web browsers use to interpret and compose text, images, and other material into visual or audible web pages. Default characteristics for every item of HTML markup are defined in the browser, and these characteristics can be altered or enhanced by the web page designer's additional use of CSS. Many of the text elements are found in the 1988 ISO technical report TR 9537 Techniques for using SGML, which in turn covers the features of early text formatting languages such as that used by the RUNOFF command developed in the early 1960s for the CTSS (Compatible Time-Sharing System) operating system: these formatting commands were derived from the commands used by typesetters to manually format documents. However, the SGML concept of generalized markup is based on elements (nested annotated ranges with attributes) rather than merely print effects, with also the separation of structure and markup; HTML has been progressively moved in this direction with CSS. Berners-Lee considered HTML to be an application of SGML. It was formally defined as such by the Internet Engineering Task Force (IETF) with the mid-1993 publication of the first proposal for an HTML specification, the "Hypertext Markup Language (HTML)" Internet Draft by Berners-Lee and Dan Connolly, which included an SGML Document type definition to define the grammar. The draft expired after six months, but was notable for its acknowledgment of the NCSA Mosaic browser's custom tag for embedding in-line images, reflecting the IETF's philosophy of basing standards on successful prototypes. Similarly, Dave Raggett's competing Internet-Draft, "HTML+ (Hypertext Markup Format)", from late 1993, suggested standardizing already-implemented features like tables and fill-out forms. After the HTML and HTML+ drafts expired in early 1994, the IETF created an HTML Working Group, which in 1995 completed "HTML 2.0", the first HTML specification intended to be treated as a standard against which future implementations should be based. Further development under the auspices of the IETF was stalled by competing interests. Since 1996, the HTML specifications have been maintained, with input from commercial software vendors, by the World Wide Web Consortium (W3C).However, in 2000, HTML also became an international standard (ISO/IEC 15445:2000). HTML 4.01 was published in late 1999, with further errata published through 2001. In 2004, development began on HTML5 in the Web Hypertext Application Technology Working Group (WHATWG), which became a joint deliverable with the W3C in 2008, and completed and standardized on 28 October 2014

Java Script

JavaScript, often abbreviated as JS, is a programming language that conforms to the ECMAScript specification. JavaScript is high-level, often just-in-time compiled and multiparadigm. It has dynamic typing, prototype-based object orientation and first-class functions. Alongside HTML and CSS, JavaScript is one of the core technologies of the World Wide Web. Over 97% of websites use it client-side for web page behaviour, often incorporating third party libraries. All major web browsers have a dedicated JavaScript engine to execute the code on the user's device. As a multi-paradigm language, JavaScript supports event-driven, functional, and imperative programming styles. It has application programming interfaces (APIs) for working with text, dates, regular expressions, standard data structures, and the Document Object Model (DOM). The ECMAScript standard does not include any input/output (I/O), such as networking, storage, or graphics facilities. In practice, the web browser or other runtime system provides JavaScript APIs for I/O. JavaScript engines were originally used only in web browsers, but they are now core components of some servers and a variety of applications. The most popular runtime system for this usage is Node.js. Although there are similarities between JavaScript and Java, including language name, syntax, and respective standard libraries, the two languages are distinct and differ greatly in design. The use of JavaScript has expanded beyond its web browser roots. JavaScript engines are now embedded in a variety of other software systems, both for server-side website deployments and non-browser applications. Initial attempts at promoting server-side JavaScript usage were Netscape Enterprise Server and Microsoft's Internet Information Services, but they were small niches. Server-side usage eventually started to grow in the late 2000s, with the creation of Node.js and other approaches. Electron, Cordova, React Native, and other application frameworks have been used to create many applications with behaviours implemented in JavaScript. Other non-browser applications include Adobe Acrobat support for scripting PDF documents and GNOME Shell extensions written in JavaScript.

Chapter-3 Software Designs

3.1 Use Case diagram

A **use case diagram** is a dynamic or behaviour diagram in UML. Use case diagrams model the functionality of a system using actors and use cases. Use cases are a set of actions, services, and functions that the system needs to perform.

Chapter-4 Testing

Once source code has been generated, software must be tested to uncover as many errors as possible before delivery. It is very important to work the system successfully and achieve high quality of software. Testing include designing a series of test cases that have a high

likelihood of finding errors by applying software-testing techniques. System testing makes logical assumptions that if all the parts of the system are correct, the goal will be successfully achieved. The system should be checked logically. Validations and cross checks should be there. Avoid duplications of record that cause redundancy of data. In other Words, Testing is the process of evaluating a system or its component(s) with the intent to find whether it satisfies the specified requirements or not. It is executing a system in order to identify any gaps, errors, or missing requirements in contrary to the actual requirements. The Android framework includes an integrated testing framework that helps you test all aspects of your application and the SDK tools include tools for setting up and running test applications. Whether you are working in Eclipse with ADT or working from the command line, the SDK tools help you set up and run your tests within an emulator or the device you are targeting. There are different types of testing some of them are listed below:

User Testing : User testing is the process through which the interface and functions of a website, app, product, or service are tested by real users who perform specific tasks in realistic conditions. The purpose of this process is to evaluate the usability of that website or app and to decide whether the product is ready to be launched for real users. This app was tested by our team mates and friends who are using different mobile phones (and having different android version) also tested on different emulator to check its performance and it seems to be working fine and users of this app are satisfied with the facilities and performance of the app and like the way how the app is worked.

Performance Testing: In this type of testing we have checked the performances of our application under some peculiar conditions are checked. Those conditions include: · Low memory in the device. · The battery in extremely at a low level. · Poor/Bad network reception. Performance is basically tested from 2 ends, application end, and the application server end. Our app is also performing well in this phase of testing as well. And we are getting positive feedback from user of our app.

Combability Testing:

This application was tested and used on different devices like LG G3, Google Nexus 4. The application worked fine and is stable. The application worked fine in portrait mode and there isn't any problem with compatibility.

Chapter-6 Implementation and User Interface

Dashboard page :-



Profile Page:



Change Password Page:



Add Test Report



Add Testing Data



New Test Request:



Assigned Test



On The Way To sample collection



Send To Lab



Report Deliverted



All Test Data



Search Between Dates



Search By pateient Name



CODING

Java Script Part

Admin

```
(function($) {
  "use strict"; // Start of use strict

  // Toggle the side navigation
  $("#sidebarToggle, #sidebarToggleTop").on('click', function(e) {
    $("body").toggleClass("sidebar-toggled");
    $(".sidebar").toggleClass("toggled");
    if ($(".sidebar").hasClass("toggled")) {
      $('.sidebar .collapse').collapse('hide');
    };
  });

  // Close any open menu accordions when window is resized below 768px
  $(window).resize(function() {
    if ($(window).width() < 768) {
      $('.sidebar .collapse').collapse('hide');
    };

    // Toggle the side navigation when window is resized below 480px
    if ($(window).width() < 480 && !$(".sidebar").hasClass("toggled")) {
      $("body").addClass("sidebar-toggled");
      $(".sidebar").addClass("toggled");
      $('.sidebar .collapse').collapse('hide');
    };
  });

  // Prevent the content wrapper from scrolling when the fixed side navigation hovered over
  $('body.fixed-nav .sidebar').on('mousewheel DOMMouseScroll wheel', function(e) {
    if ($(window).width() > 768) {
      var e0 = e.originalEvent,
        delta = e0.wheelDelta || -e0.detail;
      this.scrollTop += (delta < 0 ? 1 : -1) * 30;
      e.preventDefault();
    }
  });

  // Scroll to top button appear
  $(document).on('scroll', function() {
    var scrollDistance = $(this).scrollTop();
    if (scrollDistance > 100) {
      $('.scroll-to-top').fadeIn();
```

```
    } else {
      $('.scroll-to-top').fadeOut();
    }
  });

  // Smooth scrolling using jQuery easing
  $(document).on('click', 'a.scroll-to-top', function(e) {
    var $anchor = $(this);
    $('html, body').stop().animate({
      scrollTop: ($($anchor.attr('href')).offset().top)
    }, 1000, 'easeInOutExpo');
    e.preventDefault();
  });

})(jQuery); // End of use strict
```

Admin 2

```
!function(s){"use strict";s("#sidebarToggle,
#sidebarToggleTop").on("click",function(e){s("body").toggleClass("sidebar-
toggled"),s(".sidebar").toggleClass("toggled"),s(".sidebar").hasClass("toggled")&&s(".sideb
ar
.collapse").collapse("hide")}),s(window).resize(function(){s(window).width()<768&&s(".sideb
ar
.collapse").collapse("hide"),s(window).width()<480&&!s(".sidebar").hasClass("toggled")&&(s(
"body").addClass("sidebar-toggled"),s(".sidebar").addClass("toggled"),s(".sidebar
.collapse").collapse("hide"))}),s("body.fixed-nav .sidebar").on("mousewheel DOMMouseScroll
wheel",function(e){if(768<s(window).width()){var o=e.originalEvent,l=o.wheelDelta||-
o.detail;this.scrollTop+=30*(l<0?1:-
1),e.preventDefault()}}),s(document).on("scroll",function(){100<s(this).scrollTop()?s(".scr
oll-to-top").fadeIn():s(".scroll-to-top").fadeOut()}),s(document).on("click","a.scroll-to-
top",function(e){var o=s(this);s("html,
body").stop().animate({scrollTop:s(o.attr("href")).offset().top},1e3,"easeInOutExpo"),e.pre
ventDefault()})}(jQuery);
```

Scrolling

```
(function($) {
  "use strict"; // Start of use strict

  // Smooth scrolling using jQuery easing
```

```
  $('a.js-scroll-trigger[href*="#"]:not([href="#"])').click(function() {
    if (location.pathname.replace(/^\//, '') == this.pathname.replace(/^\//, '') &&
location.hostname == this.hostname) {
      var target = $(this.hash);
      target = target.length ? target : $('[name=' + this.hash.slice(1) + ']');
      if (target.length) {
        $('html, body').animate({
          scrollTop: (target.offset().top - 56)
        }, 1000, "easeInOutExpo");
        return false;
      }
    }
  });

  // Closes responsive menu when a scroll trigger link is clicked
  $('.js-scroll-trigger').click(function() {
    $('.navbar-collapse').collapse('hide');
  });

  // Activate scrollspy to add active class to navbar items on scroll
  $('body').scrollspy({
    target: '#mainNav',
    offset: 56
  });

})(jQuery); // End of use strict
```

CSS Coding

Database Table

```
table.dataTable {
  clear: both;
  margin-top: 6px !important;
  margin-bottom: 6px !important;
  max-width: none !important;
  border-collapse: separate !important;
  border-spacing: 0;
}
table.dataTable td,
table.dataTable th {
  -webkit-box-sizing: content-box;
  box-sizing: content-box;
}
table.dataTable td.dataTables_empty,
table.dataTable th.dataTables_empty {
  text-align: center;
```

```
}
table.dataTable.nowrap th,
table.dataTable.nowrap td {
  white-space: nowrap;
}

div.dataTables_wrapper div.dataTables_length label {
  font-weight: normal;
  text-align: left;
  white-space: nowrap;
}
div.dataTables_wrapper div.dataTables_length select {
  width: auto;
  display: inline-block;
}
div.dataTables_wrapper div.dataTables_filter {
  text-align: right;
}
div.dataTables_wrapper div.dataTables_filter label {
  font-weight: normal;
  white-space: nowrap;
  text-align: left;
}
div.dataTables_wrapper div.dataTables_filter input {
  margin-left: 0.5em;
  display: inline-block;
  width: auto;
}
div.dataTables_wrapper div.dataTables_info {
  padding-top: 0.85em;
}
div.dataTables_wrapper div.dataTables_paginate {
  margin: 0;
  white-space: nowrap;
  text-align: right;
}
div.dataTables_wrapper div.dataTables_paginate ul.pagination {
  margin: 2px 0;
  white-space: nowrap;
  justify-content: flex-end;
}
div.dataTables_wrapper div.dataTables_processing {
  position: absolute;
  top: 50%;
  left: 50%;
  width: 200px;
  margin-left: -100px;
  margin-top: -26px;
  text-align: center;
  padding: 1em 0;
```

```
}

table.dataTable > thead > tr > th:active,
table.dataTable > thead > tr > td:active {
  outline: none;
}
table.dataTable > thead > tr > th:not(.sorting_disabled),
table.dataTable > thead > tr > td:not(.sorting_disabled) {
  padding-right: 30px;
}
table.dataTable > thead .sorting,
table.dataTable > thead .sorting_asc,
table.dataTable > thead .sorting_desc,
table.dataTable > thead .sorting_asc_disabled,
table.dataTable > thead .sorting_desc_disabled {
  cursor: pointer;
  position: relative;
}
table.dataTable > thead .sorting:before, table.dataTable > thead .sorting:after,
table.dataTable > thead .sorting_asc:before,
table.dataTable > thead .sorting_asc:after,
table.dataTable > thead .sorting_desc:before,
table.dataTable > thead .sorting_desc:after,
table.dataTable > thead .sorting_asc_disabled:before,
table.dataTable > thead .sorting_asc_disabled:after,
table.dataTable > thead .sorting_desc_disabled:before,
table.dataTable > thead .sorting_desc_disabled:after {
  position: absolute;
  bottom: 0.9em;
  display: block;
  opacity: 0.3;
}
table.dataTable > thead .sorting:before,
table.dataTable > thead .sorting_asc:before,
table.dataTable > thead .sorting_desc:before,
table.dataTable > thead .sorting_asc_disabled:before,
table.dataTable > thead .sorting_desc_disabled:before {
  right: 1em;
  content: "\2191";
}
table.dataTable > thead .sorting:after,
table.dataTable > thead .sorting_asc:after,
table.dataTable > thead .sorting_desc:after,
table.dataTable > thead .sorting_asc_disabled:after,
table.dataTable > thead .sorting_desc_disabled:after {
  right: 0.5em;
  content: "\2193";
}
table.dataTable > thead .sorting_asc:before,
table.dataTable > thead .sorting_desc:after {
```

```
  opacity: 1;
}
table.dataTable > thead .sorting_asc_disabled:before,
table.dataTable > thead .sorting_desc_disabled:after {
  opacity: 0;
}

div.dataTables_scrollHead table.dataTable {
  margin-bottom: 0 !important;
}

div.dataTables_scrollBody table {
  border-top: none;
  margin-top: 0 !important;
  margin-bottom: 0 !important;
}
div.dataTables_scrollBody table thead .sorting:before,
div.dataTables_scrollBody table thead .sorting_asc:before,
div.dataTables_scrollBody table thead .sorting_desc:before,
div.dataTables_scrollBody table thead .sorting:after,
div.dataTables_scrollBody table thead .sorting_asc:after,
div.dataTables_scrollBody table thead .sorting_desc:after {
  display: none;
}
div.dataTables_scrollBody table tbody tr:first-child th,
div.dataTables_scrollBody table tbody tr:first-child td {
  border-top: none;
}

div.dataTables_scrollFoot > .dataTables_scrollFootInner {
  box-sizing: content-box;
}
div.dataTables_scrollFoot > .dataTables_scrollFootInner > table {
  margin-top: 0 !important;
  border-top: none;
}

@media screen and (max-width: 767px) {
  div.dataTables_wrapper div.dataTables_length,
  div.dataTables_wrapper div.dataTables_filter,
  div.dataTables_wrapper div.dataTables_info,
  div.dataTables_wrapper div.dataTables_paginate {
    text-align: center;
  }
  div.dataTables_wrapper div.dataTables_paginate ul.pagination {
    justify-content: center !important;
  }
}
table.dataTable.table-sm > thead > tr > th:not(.sorting_disabled) {
  padding-right: 20px;
```

```
}
table.dataTable.table-sm .sorting:before,
table.dataTable.table-sm .sorting_asc:before,
table.dataTable.table-sm .sorting_desc:before {
  top: 5px;
  right: 0.85em;
}
table.dataTable.table-sm .sorting:after,
table.dataTable.table-sm .sorting_asc:after,
table.dataTable.table-sm .sorting_desc:after {
  top: 5px;
}

table.table-bordered.dataTable {
  border-right-width: 0;
}
table.table-bordered.dataTable th,
table.table-bordered.dataTable td {
  border-left-width: 0;
}
table.table-bordered.dataTable th:last-child, table.table-bordered.dataTable th:last-child,
table.table-bordered.dataTable td:last-child,
table.table-bordered.dataTable td:last-child {
  border-right-width: 1px;
}
table.table-bordered.dataTable tbody th,
table.table-bordered.dataTable tbody td {
  border-bottom-width: 0;
}

div.dataTables_scrollHead table.table-bordered {
  border-bottom-width: 0;
}

div.table-responsive > div.dataTables_wrapper > div.row {
  margin: 0;
}
div.table-responsive > div.dataTables_wrapper > div.row > div[class^="col-"]:first-child {
  padding-left: 0;
}
div.table-responsive > div.dataTables_wrapper > div.row > div[class^="col-"]:last-child {
  padding-right: 0;
}
```

PHP

Add Phabliomist:

```
<?php session_start();
```

```
//DB conncetion
include_once('includes/config.php');
//validating Session
if (strlen($_SESSION['aid']==0)) {
  header('location:logout.php');
  } else{


if(isset($_POST['submit'])){
//getting post values
$empid=$_POST['empid'];
$fname=$_POST['fullname'];
$mnumber=$_POST['mobilenumber'];
$query="insert into tblphlebotomist(EmpID,FullName,MobileNumber)
values('$empid','$fname','$mnumber')";
$result =mysqli_query($con, $query);
if ($result) {
echo '<script>alert("Phlebotomist created successfully.")</script>';
  echo "<script>window.location.href='add-phlebotomist.php'</script>";
}
else {
    echo "<script>alert('Something went wrong. Please try again.');</script>";
echo "<script>window.location.href='add-phlebotomist.php'</script>";
}
}
?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-19 Testing Management System | Add Phlebotomist</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">
<style type="text/css">
```

```
label{
    font-size:16px;
    font-weight:bold;
    color:#000;
}

</style>
  <script>
function empidAvailability() {
$("#loaderIcon").show();
jQuery.ajax({
url: "check_availability.php",
data:'employeeid='+$("#empid").val(),
type: "POST",
success:function(data){
$("#empid-availability-status").html(data);
$("#loaderIcon").hide();
},
error:function (){}
});
}
</script>

</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

<?php include_once('includes/sidebar.php');?>

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
          <?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-4 text-gray-800">Add Phlebotomist</h1>
<form name="addphlebotomist" method="post">
  <div class="row">
```

```
                        <div class="col-lg-8">

                            <!-- Basic Card Example -->
                            <div class="card shadow mb-4">
                                <div class="card-header py-3">
                                    <h6 class="m-0 font-weight-bold text-primary">Personal
Information</h6>
                                </div>
                                <div class="card-body">
     <div class="form-group">
                            <label>Employee Id</label>
                                        <input type="text" class="form-control"
id="empid" name="empid"  placeholder="Enter Emp Id..."   required="true"
onBlur="empidAvailability()">
                                            <span id="empid-availability-status"
style="font-size:12px;"></span>
                                    </div>

                        <div class="form-group">
                            <label>Full Name</label>
                                        <input type="text" class="form-control"
id="fullname" name="fullname"  placeholder="Enter your full name..." pattern="[A-Za-z ]+"
title="letters only" required="true">
                                    </div>
                                    <div class="form-group">
                                         <label>Mobile Number</label>
                                  <input type="text" class="form-control" id="mobilenumber"
name="mobilenumber" placeholder="Please enter your mobile number" pattern="[0-9]{10}"
title="10 numeric characters only" required="true" >

                                    </div>



        <div class="form-group">
                                   <input type="submit" class="btn btn-primary btn-user btn-
block" name="submit" id="submit">
                                </div>

                                </div>
                            </div>

                        </div>



                    </div>
</form>

                </div>
```

```
                <!-- /.container-fluid -->

             </div>
             <!-- End of Main Content -->

            <?php include_once('includes/footer.php');?>

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->
           <?php include_once('includes/footer2.php');?>



    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

</body>
</html>
<?php } ?>
```

All Test:

```
<?php session_start();
//DB conncetion
include_once('includes/config.php');
//error_reporting(0);
//validating Session
if (strlen($_SESSION['aid']==0)) {
  header('location:logout.php');
  } else{


?>
<!DOCTYPE html>
<html lang="en">

<head>
```

```
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-Tms | All Tests</title>

    <!-- Custom fonts for this template -->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template -->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

    <!-- Custom styles for this page -->
    <link href="vendor/datatables/dataTables.bootstrap4.min.css" rel="stylesheet">

</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
  <?php include_once('includes/sidebar.php');?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
<?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-2 text-gray-800">All Tests</h1>
```

```
                    <!-- DataTales Example -->
                    <div class="card shadow mb-4">
                        <div class="card-header py-3">
                            <h6 class="m-0 font-weight-bold text-primary">All Tests</h6>
                        </div>
                        <div class="card-body">
                            <div class="table-responsive">
                                <form name="assignto" method="post">
                    <table class="table table-bordered" id="dataTable" width="100%"
cellspacing="0">
                                        <thead>
                                            <tr>
                                                <th>Sno.</th>
                                                <th>Order No.</th>
                                                <th>Patient Name</th>
                                                <th>Mobile No.</th>
                                                <th>Test Type</th>
                                                <th>Time Slot</th>
                                                <th>Reg. Date</th>
                                                <th>Action</th>
                                            </tr>
                                        </thead>
                                          <tfoot>
                                                <tr>
                                                <th>Sno.</th>
                                                <th>Order No.</th>
                                                <th>Patient Name</th>
                                                <th>Mobile No.</th>
                                                <th>Test Type</th>
                                                <th>Time Slot</th>
                                                <th>Reg. Date</th>
                                                <th>Action</th>
                                            </tr>
                                        </tfoot>
                                        <tbody>
<?php $query=mysqli_query($con,"select
tbltestrecord.OrderNumber,tblpatients.FullName,tblpatients.MobileNumber,tbltestrecord.TestT
ype,tbltestrecord.TestTimeSlot,tbltestrecord.RegistrationDate,tbltestrecord.id as testid
from tbltestrecord
join tblpatients on tblpatients.MobileNumber=tbltestrecord.PatientMobileNumber
    ");
$cnt=1;
while($row=mysqli_fetch_array($query)){
?>

                                            <tr>
                                                <td><?php echo $cnt;?></td>
                                                <td><?php echo $row['OrderNumber'];?></td>
                                                <td><?php echo $row['FullName'];?></td>
                                                <td><?php echo $row['MobileNumber'];?></td>
```

```
                                        <td><?php echo $row['TestType'];?></td>
                                        <td><?php echo $row['TestTimeSlot'];?></td>
                                         <td><?php echo
$row['RegistrationDate'];?></td>
                                        <td>

                                <a href="test-details.php?tid=<?php echo
$row['testid'];?>&&oid=<?php echo $row['OrderNumber'];?>" class="btn btn-info btn-sm">View
Details</a>

                            </td>
                                        </tr>
<?php $cnt++;} ?>
                                    </tbody>
                                </table>
                                     </form>
                            </div>
                        </div>
                    </div>

                </div>
                <!-- /.container-fluid -->

            </div>
            <!-- End of Main Content -->


            <!-- Footer -->
    <?php include_once('includes/footer.php');?>
            <!-- End of Footer -->

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->
    <?php include_once('includes/footer2.php');?>

    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>
```

```
    <!-- Page level plugins -->
    <script src="vendor/datatables/jquery.dataTables.min.js"></script>
    <script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

    <!-- Page level custom scripts -->
    <script src="js/demo/datatables-demo.js"></script>
</body>
</html>
<?php } ?>
```

Assigned Test

```
<?php session_start();
//DB conncetion
include_once('includes/config.php');
//error_reporting(0);
//validating Session
if (strlen($_SESSION['aid']==0)) {
  header('location:logout.php');
  } else{


?>
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-Tms | Assigned Tests</title>

    <!-- Custom fonts for this template -->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template -->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

    <!-- Custom styles for this page -->
    <link href="vendor/datatables/dataTables.bootstrap4.min.css" rel="stylesheet">
```

```
</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
  <?php include_once('includes/sidebar.php');?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
<?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-2 text-gray-800">Assigned To Phlebotomist</h1>


                    <!-- DataTales Example -->
                    <div class="card shadow mb-4">
                        <div class="card-header py-3">
                            <h6 class="m-0 font-weight-bold text-primary">Assigned
Tests</h6>
                        </div>
                        <div class="card-body">
                            <div class="table-responsive">
                                <form name="assignto" method="post">
                    <table class="table table-bordered" id="dataTable" width="100%"
cellspacing="0">
                                        <thead>
                                            <tr>
                                                <th>Sno.</th>
                                                <th>Order No.</th>
                                                <th>Patient Name</th>
                                                <th>Mobile No.</th>
                                                <th>Test Type</th>
                                                <th>Time Slot</th>
                                                <th>Reg. Date</th>
                                                <th>Action</th>
                                            </tr>
```

```
                                    </thead>
                                      <tfoot>
                                            <tr>
                                            <th>Sno.</th>
                                            <th>Order No.</th>
                                            <th>Patient Name</th>
                                            <th>Mobile No.</th>
                                            <th>Test Type</th>
                                            <th>Time Slot</th>
                                            <th>Reg. Date</th>
                                            <th>Action</th>
                                        </tr>
                                    </tfoot>
                                    <tbody>
<?php $query=mysqli_query($con,"select
tbltestrecord.OrderNumber,tblpatients.FullName,tblpatients.MobileNumber,tbltestrecord.TestT
ype,tbltestrecord.TestTimeSlot,tbltestrecord.RegistrationDate,tbltestrecord.id as testid
from tbltestrecord
join tblpatients on tblpatients.MobileNumber=tbltestrecord.PatientMobileNumber
where ReportStatus='Assigned'
    ");
$cnt=1;
while($row=mysqli_fetch_array($query)){
?>

                                        <tr>
                                            <td><?php echo $cnt;?></td>
                                            <td><?php echo $row['OrderNumber'];?></td>
                                            <td><?php echo $row['FullName'];?></td>
                                            <td><?php echo $row['MobileNumber'];?></td>
                                            <td><?php echo $row['TestType'];?></td>
                                            <td><?php echo $row['TestTimeSlot'];?></td>
                                             <td><?php echo
$row['RegistrationDate'];?></td>
                                            <td>

                                <a href="test-details.php?tid=<?php echo
$row['testid'];?>&&oid=<?php echo $row['OrderNumber'];?>" class="btn btn-info btn-sm">View
Details</a>

                            </td>
                                        </tr>
<?php $cnt++;} ?>
                                    </tbody>
                                </table>
                                     </form>
                            </div>
                        </div>
                    </div>
```

```
                </div>
                <!-- /.container-fluid -->

            </div>
            <!-- End of Main Content -->


            <!-- Footer -->
    <?php include_once('includes/footer.php');?>
            <!-- End of Footer -->

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->
    <?php include_once('includes/footer2.php');?>

    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

    <!-- Page level plugins -->
    <script src="vendor/datatables/jquery.dataTables.min.js"></script>
    <script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

    <!-- Page level custom scripts -->
    <script src="js/demo/datatables-demo.js"></script>
</body>
</html>
<?php } ?>
```

Between Dates

```
<?php session_start();
//DB conncetion
include_once('includes/config.php');
error_reporting(0);

//validating Session
if (strlen($_SESSION['aid']==0)) {
```

```
  header('location:logout.php');
  } else{
if(isset($_POST['submit'])){
//getting post values
$mnumber=$_POST['mobilenumber'];
$testtype=$_POST['testtype'];
$timeslot=$_POST['birthdaytime'];
$orderno= mt_rand(100000000, 999999999);
$query="insert into tbltestrecord(PatientMobileNumber,TestType,TestTimeSlot,OrderNumber)
values('$mnumber','$testtype','$timeslot','$orderno');";
$result = mysqli_query($con, $query);
if ($result) {
echo '<script>alert("Your test request submitted successfully. Order number is
"+"'.$orderno.'")</script>';
  echo "<script>window.location.href='registered-user-testing.php'</script>";
}
else {
    echo "<script>alert('Something went wrong. Please try again.');</script>";
echo "<script>window.location.href='registered-user-testing.php'</script>";
}
}
?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-19 TMS | B/w Dates Report Date Selection</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">
<style type="text/css">
label{
    font-size:16px;
    font-weight:bold;
    color:#000;
```

```
}

</style>
</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

<?php include_once('includes/sidebar.php');?>

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
          <?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-4 text-gray-800">B/w Dates Report Date Selection</h1>

<form method="post" action="bwdates-report-result.php">
  <div class="row">

                        <div class="col-lg-6">

                            <!-- Basic Card Example -->
                            <div class="card shadow mb-4">

                                <div class="card-body">
                      <div class="form-group">
                                            <label>From Date</label>
                                           <input type="date" class="form-control"
id="fromdate" name="fromdate" required="true">
                                        </div>

  <div class="form-group">
                                            <label>To Date</label>
                                           <input type="date" class="form-control"
id="todate" name="todate" required="true">
                                        </div>

<div class="form-group">
```

```
                                    <input type="submit" class="btn btn-primary btn-user btn-
block" name="submit" value="Submit">
                                </div>

                                    </div>
                                </div>
                            </div>
                        </div>
</form>


                </div>
                <!-- /.container-fluid -->

            </div>
            <!-- End of Main Content -->

           <?php include_once('includes/footer.php');?>

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->
           <?php include_once('includes/footer2.php');?>


    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

</body>

</html>
<?php } ?>
```

Change Dates:

```
<?php session_start();
//DB conncetion
```

```php
include_once('includes/config.php');
//validating Session
if (strlen($_SESSION['aid']==0)) {
  header('location:logout.php');
  } else{


 if(isset($_POST['submit']))
{
$adminid=$_SESSION['aid'];
$cpassword=md5($_POST['currentpassword']);
$newpassword=md5($_POST['newpassword']);
$query=mysqli_query($con,"select ID from tbladmin where ID='$adminid'
and   Password='$cpassword'");
$row=mysqli_fetch_array($query);
if($row>0){
$ret=mysqli_query($con,"update tbladmin set Password='$newpassword' where ID='$adminid'");

echo '<script>alert("Your password successully changed.")</script>';
} else {

echo '<script>alert("Your current password is wrong.")</script>';
}
}

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-19 Testing Management System | Change Password</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">
<style type="text/css">
```

```
label{
    font-size:16px;
    font-weight:bold;
    color:#000;
}

</style>
<script type="text/javascript">
function checkpass()
{
if(document.changepassword.newpassword.value!=document.changepassword.confirmpassword.value
)
{
alert('New Password and Confirm Password field does not match');
document.changepassword.confirmpassword.focus();
return false;
}
return true;
}
</script>

</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

<?php include_once('includes/sidebar.php');?>

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
          <?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-4 text-gray-800">Change Password</h1>
     <form method="post"  name="changepassword" onsubmit="return checkpass();">
  <div class="row">

                        <div class="col-lg-8">
```

```
                            <!-- Basic Card Example -->
                            <div class="card shadow mb-4">
                                <div class="card-header py-3">
                                    <h6 class="m-0 font-weight-bold text-primary">Change
Password</h6>
                                </div>
                                <div class="card-body">
     <div class="form-group">
                            <label>Current Password</label>
                 <input type="password" id="currentpassword" name="currentpassword"
value="" class="form-control" required="true">
                                        </div>

                        <div class="form-group">
                            <label>New Password</label>
                            <input type="password" id="newpassword" name="newpassword"
value="" class="form-control" required="true">
                                        </div>
                                        <div class="form-group">
                                             <label>Confirm Password</label>
                        <input type="password" id="confirmpassword" name="confirmpassword"
class="form-control" value="" required="true">

                                        </div>



        <div class="form-group">
                                    <input type="submit" class="btn btn-primary btn-user btn-
block" name="submit" id="submit">
                                </div>

                                </div>
                            </div>

                        </div>



                    </div>
</form>

                </div>
                <!-- /.container-fluid -->

            </div>
            <!-- End of Main Content -->

           <?php include_once('includes/footer.php');?>
```

```
        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->

           <?php include_once('includes/footer2.php');?>


    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

</body>
</html>
<?php } ?>
```

Dashboard:

```
<?php
session_start();
include_once('includes/config.php');
if (strlen($_SESSION['aid']==0)) {
  header('location:logout.php');
  } else{

?>
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-Tms | Dashboard</title>
```

```
    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
       <?php include_once('includes/sidebar.php');?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
<?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <div class="d-sm-flex align-items-center justify-content-between mb-4">
                        <h1 class="h3 mb-0 text-gray-800">Dashboard</h1>
                        <a href="bwdates-report-ds.php" class="d-none d-sm-inline-block btn
btn-sm btn-primary shadow-sm"><i
                                class="fas fa-download fa-sm text-white-50"></i> Generate
Report</a>
                    </div>

                    <!-- Content Row -->
                    <div class="row">

<?php
//Total tests
$query=mysqli_query($con,"select id from tbltestrecord");
$totaltest=mysqli_num_rows($query);
```

```
//Assigned tests
$query1=mysqli_query($con,"select id from tbltestrecord where ReportStatus='Assigned'");
$totalassigned=mysqli_num_rows($query1);
//On the way for sample collection
$query2=mysqli_query($con,"select id from tbltestrecord where ReportStatus='On the Way for
Collection'");
$totalontheway=mysqli_num_rows($query2);
//Sample Collected
$query3=mysqli_query($con,"select id from tbltestrecord where ReportStatus='Sample
Collected'");
$totalsamplecollected=mysqli_num_rows($query3);
//Sent for lab
$query4=mysqli_query($con,"select id from tbltestrecord where ReportStatus='Sent to Lab'");
$totalsenttolab=mysqli_num_rows($query4);

//Report Delivered
$query5=mysqli_query($con,"select id from tbltestrecord where ReportStatus='Delivered'");
$totaldelivered=mysqli_num_rows($query5);

//Totall Registered Patients
$query6=mysqli_query($con,"select id from tblpatients");
$totalpatients=mysqli_num_rows($query6);

//Totall Registered Phlebotomist
$query7=mysqli_query($con,"select id from tblphlebotomist");
$totalphlebotomist=mysqli_num_rows($query7);
?>


                        <!-- Total Tests-->
                        <div class="col-xl-3 col-md-6 mb-4">
                            <div class="card border-left-primary shadow h-100 py-2">
                                <a href="all-test.php">
                                <div class="card-body">
                                    <div class="row no-gutters align-items-center">
                                        <div class="col mr-2">


                                            <div class="text-xs font-weight-bold text-
primary text-uppercase mb-1">

                                             Total Tests</div>
                                            <div class="h5 mb-0 font-weight-bold text-gray-
800"><?php echo $totaltest;?></div>
                                        </div>
                                        <div class="col-auto">
                                            <i class="fas fa-virus fa-2x text-gray-
300"></i>

                                        </div>
                                    </div>
                                </div>
```

```
                            </a>
                            </div>
                        </div>

                        <!-- Assigned test-->
                        <div class="col-xl-3 col-md-6 mb-4">
                            <div class="card border-left-success shadow h-100 py-2">
                                <a href="assigned-test.php">
                                <div class="card-body">
                                    <div class="row no-gutters align-items-center">
                                        <div class="col mr-2">
                                            <div class="text-xs font-weight-bold text-
success text-uppercase mb-1">
                                              Total Assigned</div>
                                            <div class="h5 mb-0 font-weight-bold text-gray-
800"><?php echo $totalassigned;?></div>
                                        </div>
                                        <div class="col-auto">
                                            <i class="fas fa-user fa-2x text-gray-300"></i>
                                        </div>
                                    </div>
                                </div>
                            </a>
                            </div>
                        </div>

                        <!-- On the way for sample collection-->
                        <div class="col-xl-3 col-md-6 mb-4">
                            <div class="card border-left-info shadow h-100 py-2">
                                <a href="ontheway-samplecollection-test.php">
                                <div class="card-body">
                                    <div class="row no-gutters align-items-center">
                                        <div class="col mr-2">
                                            <div class="text-xs font-weight-bold text-info
text-uppercase mb-1"> On the way for sample collection
                                            </div>
                                            <div class="row no-gutters align-items-center">
                                                <div class="col-auto">
                                                    <div class="h5 mb-0 mr-3 font-weight-
bold text-gray-800"><?php echo $totalontheway;?></div>
                                                </div>
                                                <div class="col">

                                                </div>
                                            </div>
                                        </div>
                                        <div class="col-auto">
                                            <i class="fas fa-motorcycle fa-2x text-gray-
300"></i>
                                        </div>
```

```
                                    </div>
                                </div>
                            </a>
                            </div>
                        </div>

                        <!-- Sample Collected -->
                        <div class="col-xl-3 col-md-6 mb-4">
                            <div class="card border-left-warning shadow h-100 py-2">
                                <a href="sample-collected-test.php">
                                <div class="card-body">
                                    <div class="row no-gutters align-items-center">
                                        <div class="col mr-2">
                                            <div class="text-xs font-weight-bold text-
warning text-uppercase mb-1">
                                               Sample Collected</div>
                                            <div class="h5 mb-0 font-weight-bold text-gray-
800"><?php echo $totalsamplecollected;?></div>
                                        </div>
                                        <div class="col-auto">
                                            <i class="fas fa-prescription-bottle fa-2x
text-gray-300"></i>
                                        </div>
                                    </div>
                                </div>
                                </a>
                            </div>
                        </div>

<!-- Sent to Lab -->
                        <div class="col-xl-3 col-md-6 mb-4">
                            <div class="card border-left-warning shadow h-100 py-2">
                                <a href="samplesent-lab-test.php">
                                <div class="card-body">
                                    <div class="row no-gutters align-items-center">
                                        <div class="col mr-2">
                                            <div class="text-xs font-weight-bold text-
warning text-uppercase mb-1">
                                              Sample Sent to Lab</div>
                                            <div class="h5 mb-0 font-weight-bold text-gray-
800"><?php echo $totalsenttolab;?></div>
                                        </div>
                                        <div class="col-auto">
                                            <i class="fas fa-microscope fa-2x text-gray-
300"></i>
                                        </div>
                                    </div>
                                </div>
                                </a>
                            </div>
```

```
                        </div>
    <!-- Report Delivered-->
                        <div class="col-xl-3 col-md-6 mb-4">
                            <div class="card border-left-info shadow h-100 py-2">
                                <a href="reportdelivered-test.php">
                                <div class="card-body">
                                    <div class="row no-gutters align-items-center">
                                        <div class="col mr-2">
                                            <div class="text-xs font-weight-bold text-info
text-uppercase mb-1">Report Delivered
                                            </div>
                                            <div class="row no-gutters align-items-center">
                                                <div class="col-auto">
                                                    <div class="h5 mb-0 mr-3 font-weight-
bold text-gray-800"><?php echo $totaldelivered;?></div>
                                                </div>
                                                <div class="col">

                                                </div>
                                            </div>
                                        </div>
                                        <div class="col-auto">
                                            <i class="fas fa-clipboard-list fa-2x text-
gray-300"></i>
                                        </div>
                                    </div>
                                </div>
                            </a>
                            </div>
                        </div>

 <!-- Total Registered Patients-->
                        <div class="col-xl-3 col-md-6 mb-4">
                            <div class="card border-left-primary shadow h-100 py-2">

                                <div class="card-body">
                                    <div class="row no-gutters align-items-center">
                                        <div class="col mr-2">


                                            <div class="text-xs font-weight-bold text-
primary text-uppercase mb-1">
                                             Total Registered Patients</div>
                                            <div class="h5 mb-0 font-weight-bold text-gray-
800"><?php echo $totalpatients;?></div>
                                        </div>
                                        <div class="col-auto">
                                            <i class="fas fa-users fa-2x text-gray-
300"></i>
                                        </div>
```

```
                                    </div>
                                </div>
                            </div>
                        </div>

            <!-- Total Registered Phlebotomist-->

                        <div class="col-xl-3 col-md-6 mb-4">
                            <div class="card border-left-success shadow h-100 py-2">
                                      <a href="manage-phlebotomist.php">
                                <div class="card-body">
                                    <div class="row no-gutters align-items-center">

                                        <div class="col mr-2">
                                            <div class="text-xs font-weight-bold text-
success text-uppercase mb-1">
                                              Total Registered Phlebotomist</div>
                                            <div class="h5 mb-0 font-weight-bold text-gray-
800"><?php echo $totalphlebotomist;?></div>
                                        </div>

                                        <div class="col-auto">
                                            <i class="fas fa-user-nurse fa-2x text-gray-
300"></i>
                                        </div>
                                    </div>
                                </div>
                                 </a>
                            </div>
                        </div>

                    </div>

                    <!-- Content Row -->




            <!-- Footer -->
        <?php include_once('includes/footer.php');?>
            <!-- End of Footer -->

         </div>
         <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->
```

```
        <?php include_once('includes/footer2.php');?>
    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

    <!-- Page level plugins -->
    <script src="vendor/chart.js/Chart.min.js"></script>

    <!-- Page level custom scripts -->
    <script src="js/demo/chart-area-demo.js"></script>
    <script src="js/demo/chart-pie-demo.js"></script>

</body>

</html>
<?php } ?>
```

Index Page

```
<!DOCTYPE html>
<html lang="en">

<head>

  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
  <meta name="description" content="">
  <meta name="author" content="">

  <title>Covid-19 Testing Management System</title>

  <!-- Bootstrap core CSS -->
  <link href="vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">

  <!-- Custom styles for this template -->
  <link href="css/scrolling-nav.css" rel="stylesheet">

</head>

<body id="page-top">

  <!-- Navigation -->
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top" id="mainNav">
    <div class="container">
```

```
      <a class="navbar-brand js-scroll-trigger" href="#page-top">Covid19-TMS</a>
      <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-
label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="navbarResponsive">
        <ul class="navbar-nav ml-auto">
          <li class="nav-item">
            <a class="nav-link js-scroll-trigger" href="#about">About Coronavirus </a>
          </li>
          <li class="nav-item">
            <a class="nav-link js-scroll-trigger" href="#services">Covid-19 Symptoms</a>
          </li>
          <li class="nav-item">
            <a class="nav-link js-scroll-trigger" href="#contact">Prevention</a>
          </li>
  <li class="nav-item active">
            <a class="nav-link js-scroll-trigger" href="new-user-testing.php">Testing</a>
          </li>
           <li class="nav-item active">
            <a class="nav-link js-scroll-trigger" href="live-test-updates.php">Live
Updates</a>
          </li>

           <li class="nav-item active">
            <a class="nav-link js-scroll-trigger" href="login.php">Admin</a>
          </li>


        </ul>
      </div>
    </div>
  </nav>

  <header class="bg-primary text-white">
    <div class="container text-center">
      <h1>COVID19-TMS</h1>
      <p class="lead">COVID19 - Testing Management System</p>
    </div>
  </header>

  <section id="about">
    <div class="container">
      <div class="row">
        <div class="col-lg-8 mx-auto">
          <h2>About this page</h2>
          <p class="lead">Coronavirus disease (COVID-19) is an infectious disease caused by
a newly discovered coronavirus. Most people infected with the COVID-19, virus will
experience mild to moderate, respiratory illness & recover without requiring special
```

```
treatment. Older people and those with underlying medical problem like cardiovascular
disease.</p>
          <p class="lead">The COVID-19 virus spread primarily through droplet of saliva or
discharge from the nose when an infected person coughs or sneezes so it’s important that
you also practice respiratory etiquette.</p>

        </div>
      </div>
    </div>
  </section>

  <section id="services" class="bg-light">
    <div class="container">
      <div class="row">
        <div class="col-lg-8 mx-auto">
          <h2>Covid-19 Symptoms</h2>
          <hr />
<p><strong>Hight Fever 2-14 days!</strong><br />
Reported illnesses have ranged from mild symptoms to severe illness and death</p>
             <hr />
<p><strong>Dry Cough 2-14 days!</strong><br />
Reported illnesses have ranged from mild symptoms to severe illness and death</p>
          <hr />
<p><strong>Shortness of breath!</strong><br />
Reported illnesses have ranged from mild symptoms to severe illness and death</p>
        </div>
      </div>
    </div>
  </section>

  <section id="contact">
    <div class="container">
      <div class="row">
        <div class="col-lg-8 mx-auto">
          <h2>Prevention</h2>
  <ul>
            <li>Wash your Hands often</li>
            <li>Wear A Face mask</li>
            <li>Avoid contact with sick people</li>
            <li>Always cover your cough or sneeze</li>
          </ul>
        </div>
      </div>
    </div>
  </section>

  <!-- Footer -->
  <footer class="py-5 bg-dark">
    <div class="container">
      <p class="m-0 text-center text-white">Copyright &copy; Your Website 2020</p>
```

```
    </div>
    <!-- /.container -->
  </footer>

  <!-- Bootstrap core JavaScript -->
  <script src="vendor/jquery/jquery.min.js"></script>
  <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

  <!-- Plugin JavaScript -->
  <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

  <!-- Custom JavaScript for this theme -->
  <script src="js/scrolling-nav.js"></script>

</body>

</html>
```

Login Page

```
<?php
session_start();
include('includes/config.php');

if(isset($_POST['login']))
  {
    $uname=$_POST['username'];
    $Password=md5($_POST['inputpwd']);
    $query=mysqli_query($con,"select ID from tbladmin where  AdminuserName='$uname' &&
Password='$Password' ");
    $ret=mysqli_fetch_array($query);
    if($ret>0){
      $_SESSION['aid']=$ret['ID'];
     header('location:dashboard.php');
    }
    else{
    echo "<script>alert('Invalid Details.');</script>";
    }
  }
  ?>


<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
```

```
    <meta name="author" content="">

    <title>Covid 19 Testing Management System | Admin Login</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

</head>

<body class="bg-gradient-primary">

    <div class="container">

        <!-- Outer Row -->
        <div class="row justify-content-center">

            <div class="col-xl-10 col-lg-12 col-md-9">
 <h3 align="center" style="margin-top:4%;color:#fff">Covid Testing Management System</h3>
                <div class="card o-hidden border-0 shadow-lg my-5">

                    <div class="card-body p-0">
                        <!-- Nested Row within Card Body -->
<form name="login" method="post">
                        <div class="row">
                            <div class="col-lg-6 d-none d-lg-block bg-login-image"></div>
                            <div class="col-lg-6">
                                <div class="p-5">
                                    <div class="text-center">
                                        <h1 class="h4 text-gray-900 mb-4">Welcome
Back!</h1>
                                    </div>
                                    <form class="user">
                                        <div class="form-group">
                                            <input type="text" class="form-control"
name="username"
                                                id="username" placeholder="Enter username"
required="true">
                                        </div>
                                        <div class="form-group">
                                            <input type="password" class="form-control"
name="inputpwd"
                                                id="inputpwd" placeholder="Password">
                                        </div>
```

```
                        <input type="submit" name="login" class="btn btn-primary btn-user
btn-block" value="login">
                                    </form>
                                    <hr>
                                    <div class="text-center">
                                        <a class="small" href="password-recovery.php"
style="font-weight:bold">Forgot Password?</a>

                                    </div>

                                     <div class="text-center">
                                    <a class="small" href="index.php" style="font-
weight:bold;"><i class="fa fa-home" aria-hidden="true"></i> Home Page</a>
                                    </div>

                                </div>
                            </div>
                        </div>

</form>

                    </div>
                </div>

            </div>

        </div>

    </div>

    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

</body>

</html>
```

Logout Page:

```
<?php
session_start();
session_unset();
```

```php
session_destroy();
header('location:index.php');

?>
```

New Test:

```php
<?php session_start();
//DB conncetion
include_once('includes/config.php');
//error_reporting(0);
//validating Session
if (strlen($_SESSION['aid']==0)) {
  header('location:logout.php');
  } else{


?>
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-Tms | New Test Request</title>

    <!-- Custom fonts for this template -->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template -->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

    <!-- Custom styles for this page -->
    <link href="vendor/datatables/dataTables.bootstrap4.min.css" rel="stylesheet">

</head>

<body id="page-top">
```

```
    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
  <?php include_once('includes/sidebar.php');?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
<?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-2 text-gray-800">New Test Requests</h1>


                    <!-- DataTales Example -->
                    <div class="card shadow mb-4">
                        <div class="card-header py-3">
                            <h6 class="m-0 font-weight-bold text-primary">New Test
Requests</h6>
                        </div>
                        <div class="card-body">
                            <div class="table-responsive">
                                <form name="assignto" method="post">
                    <table class="table table-bordered" id="dataTable" width="100%"
cellspacing="0">
                                        <thead>
                                            <tr>
                                                <th>Sno.</th>
                                                <th>Order No.</th>
                                                <th>Patient Name</th>
                                                <th>Mobile No.</th>
                                                <th>Test Type</th>
                                                <th>Time Slot</th>
                                                <th>Reg. Date</th>
                                                <th>Action</th>
                                            </tr>
                                        </thead>
                                          <tfoot>
                                                <tr>
                                                <th>Sno.</th>
```

```
                                        <th>Order No.</th>
                                        <th>Patient Name</th>
                                        <th>Mobile No.</th>
                                        <th>Test Type</th>
                                        <th>Time Slot</th>
                                        <th>Reg. Date</th>
                                        <th>Action</th>
                                    </tr>
                                </tfoot>
                                <tbody>
<?php $query=mysqli_query($con,"select
tbltestrecord.OrderNumber,tblpatients.FullName,tblpatients.MobileNumber,tbltestrecord.TestT
ype,tbltestrecord.TestTimeSlot,tbltestrecord.RegistrationDate,tbltestrecord.id as testid
from tbltestrecord
join tblpatients on tblpatients.MobileNumber=tbltestrecord.PatientMobileNumber
where ReportStatus is null
    ");
$cnt=1;
while($row=mysqli_fetch_array($query)){
?>

                                    <tr>
                                        <td><?php echo $cnt;?></td>
                                        <td><?php echo $row['OrderNumber'];?></td>
                                        <td><?php echo $row['FullName'];?></td>
                                        <td><?php echo $row['MobileNumber'];?></td>
                                        <td><?php echo $row['TestType'];?></td>
                                        <td><?php echo $row['TestTimeSlot'];?></td>
                                         <td><?php echo
$row['RegistrationDate'];?></td>
                                        <td>

                                <a href="test-details.php?tid=<?php echo
$row['testid'];?>&&oid=<?php echo $row['OrderNumber'];?>" class="btn btn-info btn-sm">View
Details</a>

                            </td>
                                    </tr>
<?php $cnt++;} ?>
                                </tbody>
                            </table>
                                 </form>
                            </div>
                        </div>
                    </div>

                </div>
                <!-- /.container-fluid -->

            </div>
```

```
            <!-- End of Main Content -->


            <!-- Footer -->
    <?php include_once('includes/footer.php');?>
            <!-- End of Footer -->

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->
    <?php include_once('includes/footer2.php');?>

    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

    <!-- Page level plugins -->
    <script src="vendor/datatables/jquery.dataTables.min.js"></script>
    <script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

    <!-- Page level custom scripts -->
    <script src="js/demo/datatables-demo.js"></script>
</body>
</html>
<?php } ?>
```

Onway Sample Collection

```
<?php session_start();
//DB conncetion
include_once('includes/config.php');
//error_reporting(0);
//validating Session
if (strlen($_SESSION['aid']==0)) {
  header('location:logout.php');
  } else{


?>
```

```
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-Tms | Assigned Tests</title>

    <!-- Custom fonts for this template -->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template -->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

    <!-- Custom styles for this page -->
    <link href="vendor/datatables/dataTables.bootstrap4.min.css" rel="stylesheet">

</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
  <?php include_once('includes/sidebar.php');?>
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
<?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">
```

```
                    <!-- Page Heading -->
                    <h1 class="h3 mb-2 text-gray-800">Assigned To Phlebotomist</h1>


                    <!-- DataTales Example -->
                    <div class="card shadow mb-4">
                        <div class="card-header py-3">
                            <h6 class="m-0 font-weight-bold text-primary">Assigned
Tests</h6>
                        </div>
                        <div class="card-body">
                            <div class="table-responsive">
                                <form name="assignto" method="post">
                    <table class="table table-bordered" id="dataTable" width="100%"
cellspacing="0">
                                        <thead>
                                            <tr>
                                                <th>Sno.</th>
                                                <th>Order No.</th>
                                                <th>Patient Name</th>
                                                <th>Mobile No.</th>
                                                <th>Test Type</th>
                                                <th>Time Slot</th>
                                                <th>Reg. Date</th>
                                                <th>Action</th>
                                            </tr>
                                        </thead>
                                          <tfoot>
                                                <tr>
                                                <th>Sno.</th>
                                                <th>Order No.</th>
                                                <th>Patient Name</th>
                                                <th>Mobile No.</th>
                                                <th>Test Type</th>
                                                <th>Time Slot</th>
                                                <th>Reg. Date</th>
                                                <th>Action</th>
                                            </tr>
                                        </tfoot>
                                        <tbody>
<?php $query=mysqli_query($con,"select
tbltestrecord.OrderNumber,tblpatients.FullName,tblpatients.MobileNumber,tbltestrecord.TestT
ype,tbltestrecord.TestTimeSlot,tbltestrecord.RegistrationDate,tbltestrecord.id as testid
from tbltestrecord
join tblpatients on tblpatients.MobileNumber=tbltestrecord.PatientMobileNumber
where ReportStatus='On the Way for Collection'
    ");
$cnt=1;
while($row=mysqli_fetch_array($query)){
?>
```

```
                                        <tr>
                                            <td><?php echo $cnt;?></td>
                                            <td><?php echo $row['OrderNumber'];?></td>
                                            <td><?php echo $row['FullName'];?></td>
                                            <td><?php echo $row['MobileNumber'];?></td>
                                            <td><?php echo $row['TestType'];?></td>
                                            <td><?php echo $row['TestTimeSlot'];?></td>
                                             <td><?php echo
$row['RegistrationDate'];?></td>
                                            <td>

                                    <a href="test-details.php?tid=<?php echo
$row['testid'];?>&&oid=<?php echo $row['OrderNumber'];?>" class="btn btn-info btn-sm">View
Details</a>

                                </td>
                                            </tr>
<?php $cnt++;} ?>
                                        </tbody>
                                    </table>
                                         </form>
                                </div>
                            </div>
                        </div>

                    </div>
                    <!-- /.container-fluid -->

                </div>
                <!-- End of Main Content -->


                <!-- Footer -->
    <?php include_once('includes/footer.php');?>
                <!-- End of Footer -->

            </div>
            <!-- End of Content Wrapper -->

        </div>
        <!-- End of Page Wrapper -->

        <!-- Scroll to Top Button-->
        <?php include_once('includes/footer2.php');?>

        <!-- Bootstrap core JavaScript-->
        <script src="vendor/jquery/jquery.min.js"></script>
        <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

    <!-- Page level plugins -->
    <script src="vendor/datatables/jquery.dataTables.min.js"></script>
    <script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

    <!-- Page level custom scripts -->
    <script src="js/demo/datatables-demo.js"></script>
</body>
</html>
<?php } ?>
```

Password Recovery

```
<?php
session_start();
include('includes/config.php');

if(isset($_POST['submit']))
  {
$contactno=$_POST['contactno'];
$username=$_POST['username'];
$password=md5($_POST['newpassword']);
$query=mysqli_query($con,"select ID from tbladmin where  AdminuserName='$username' and
MobileNumber='$contactno' ");

    $ret=mysqli_num_rows($query);
    if($ret>0){
      $query1=mysqli_query($con,"update tbladmin set
Password='$password'  where  AdminuserName='$username' && MobileNumber='$contactno' ");
       if($query1)
   {
echo "<script>alert('Password successfully changed');</script>";
echo "<script>window.location.href='login.php'</script>";

   }

    }
    else{

      echo "<script>alert('Invalid Details. Please try again.');</script>";
    }
  }
  ?>


<!DOCTYPE html>
<html lang="en">
```

```
<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid 19 Testing Management System | Admin Login</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">
  <script type="text/javascript">
function checkpass()
{
if(document.changepassword.newpassword.value!=document.changepassword.confirmpassword.value
)
{
alert('New Password and Confirm Password field does not match');
document.changepassword.confirmpassword.focus();
return false;
}
return true;
}

</script>
</head>

<body class="bg-gradient-primary">

    <div class="container">

        <!-- Outer Row -->
        <div class="row justify-content-center">

            <div class="col-xl-10 col-lg-12 col-md-9">
 <h3 align="center" style="margin-top:4%;color:#fff">Covid Testing Management System</h3>
                <div class="card o-hidden border-0 shadow-lg my-5">

                    <div class="card-body p-0">
                        <!-- Nested Row within Card Body -->
<form name="login" method="post" name="changepassword">
```

```
                        <div class="row">
                            <div class="col-lg-6 d-none d-lg-block bg-login-image"></div>
                            <div class="col-lg-6">
                                <div class="p-5">
                                    <div class="text-center">
                                        <h1 class="h4 text-gray-900 mb-4">Password
Recovery</h1>
                                    </div>
                                    <form class="user">
                                        <div class="form-group">
                                            <input type="text" class="form-control"
name="username"
                                                id="username" placeholder="Enter username"
required="true">
                                        </div>
                                        <div class="form-group">
                                    <input type="text" name="contactno" placeholder="Contact
Number" autocomplete="off" class="form-control">
                                        </div>
                                    <div class="form-group">
                                      <input type="password" name="newpassword"
placeholder="New Password" autocomplete="off" class="form-control">
                                        </div>

                                            <div class="form-group">
                                  <input type="password" name="confirmpassword"
placeholder="Confirm Password" autocomplete="off" class="form-control">
                                        </div>

                        <input type="submit" name="submit" class="btn btn-primary btn-user
btn-block" value="Submit">
                                    </form>
                                    <hr>
                                    <div class="text-center">
                                        <a class="small" href="login.php" style="font-
weight:bold">Signin</a>
                                    </div>
                                  <div class="text-center">
                                        <a class="small" href="index.php" style="font-
weight:bold;"><i class="fa fa-home" aria-hidden="true"></i> Home Page</a>
                                    </div>
                                </div>
                            </div>
                        </div>

</form>

                    </div>
                </div>
```

```
            </div>

        </div>

    </div>

    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

</body>

</html>
```

Patient Report Details

```
<?php session_start();
//DB conncetion
include_once('includes/config.php');
error_reporting(0);


?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-19 Testing Management System | Add Phlebotomist</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">
```

```
    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">
<style type="text/css">
label{
    font-size:16px;
    font-weight:bold;
    color:#000;
}

</style>


</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

<?php include_once('includes/sidebar.php');?>

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
          <?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-4 text-gray-800">Test Details# <?php echo
intval($_GET['oid']);?></h1>
<div class="row">
<?php
$testid=intval($_GET['tid']);
$query=mysqli_query($con,"select * from tbltestrecord
join tblpatients on tblpatients.MobileNumber=tbltestrecord.PatientMobileNumber
where  tbltestrecord.id='$testid'");
while($row=mysqli_fetch_array($query)){
    ?>
<!-- personal information --->
                        <div class="col-lg-6">

                            <!-- Basic Card Example -->
                            <div class="card shadow mb-4">
```

```
                                <div class="card-header py-3">
                                    <h6 class="m-0 font-weight-bold text-primary">Personal
Information</h6>
                                </div>
                                <div class="card-body">

 <table class="table table-bordered"  width="100%" cellspacing="0">
    <tr>
    <th>Full Name</th>
    <td><?php echo $row['FullName'];?></td>
    </tr>

     <tr>
    <th>Mobile Number</th>
    <td><?php echo $row['MobileNumber'];?></td>
    </tr>

     <tr>
    <th>DOB (Date of Birth)</th>
    <td><?php echo $row['DateOfBirth'];?></td>
    </tr>


     <tr>
    <th>Govt Issued Id</th>
    <td><?php echo $row['GovtIssuedId'];?></td>
    </tr>


     <tr>
    <th>Govt Issued Id No</th>
    <td><?php echo $row['GovtIssuedIdNo'];?></td>
    </tr>


     <tr>
    <th>Full Address</th>
    <td><?php echo $row['FullAddress'];?></td>
    </tr>

    <tr>
    <th>State</th>
    <td><?php echo $row['State'];?></td>
    </tr>

    <tr>
    <th>Profile Reg Date</th>
    <td><?php echo $row['RegistrationDate'];?></td>
    </tr>
 </table>
```

```
                                </div>
                            </div>
                        </div>

<!-- Test Information --->
                         <div class="col-lg-6">

                            <!-- Basic Card Example -->
                            <div class="card shadow mb-4">
                                <div class="card-header py-3">
                                    <h6 class="m-0 font-weight-bold text-primary">Test
Information</h6>
                                </div>
                                <div class="card-body">

 <table class="table table-bordered"  width="100%" cellspacing="0">
    <tr>
    <th>Order Number</th>
    <td><?php echo $row['OrderNumber'];?></td>
    </tr>

    <tr>
    <th>Test Type</th>
    <td><?php echo $row['TestType'];?></td>
    </tr>


    <tr>
    <th>Time Slot</th>
    <td><?php echo $row['TestTimeSlot'];?></td>
    </tr>

 <tr>
    <th>Report Status</th>
    <td><?php if($row['ReportStatus']==''):
              echo "Not Processed yet";
          else:
           echo $row['ReportStatus'];
          endif;

    ?></td>
    </tr>


<?php if($row['AssignedtoEmpId']!=''):?>
  <tr>
    <th>Assign To</th>
    <td><?php echo $row['AssigntoName'];?>-(<?php echo $row['AssignedtoEmpId'];?>)</td>
```

```
    </tr>

    <tr>
    <th>Assigned Date</th>
    <td><?php echo $row['AssignedTime'];?></td>
    </tr>
<?php endif;?>
<?php if($row['FinalReport']!=''):?>
  <tr>
    <th>Report</th>
    <td><a href="reportfiles/<?php echo $row['FinalReport'];?>"
target="_blank">Download</a></td>
    </tr>

    <tr>
    <th>Report Delivered Time</th>
    <td><?php echo $row['ReportUploadTime'];?></td>
    </tr>
<?php endif;?>

</table>


                    </div>
                            </div>

                        </div>
                    </div>
                <?php } ?>


<!-- Test Tracking History --->
<?php
$orderid=intval($_GET['oid']);
$ret=mysqli_query($con,"select * from tblreporttracking
join tbladmin on tbladmin.ID=tblreporttracking.RemarkBy
where tblreporttracking.OrderNumber='$orderid'");
$num=mysqli_num_rows($ret);
?>

<div class="row">
                          <div class="col-lg-12">

                             <!-- Basic Card Example -->
                             <div class="card shadow mb-4">
                                 <div class="card-header py-3">
                                     <h6 class="m-0 font-weight-bold text-primary"
align="center">Test  Tracking History</h6>
                                 </div>
                                 <div class="card-body">
```

```
<?php if($num>0){
?>
 <table class="table table-bordered"  width="100%" cellspacing="0">
<tr>
    <th>Remark</th>
    <th>Status</th>
    <th>Remark Date</th>
    <th>Remark By</th>
<?php while($result=mysqli_fetch_array($ret)){?>
</tr>
    <tr>
    <td><?php echo $result['Remark'];?></td>
    <td><?php echo $result['Status'];?></td>
    <td><?php echo $result['PostingTime'];?></td>
    <td><?php echo $result['AdminName'];?></td>
    </tr>

<?php } // End while loop?>

</table>
         <?php
       //end if
     } else { ?>
<h4 align="center" style="color:red"> No Tracking history found </h4>
         <?php } ?>


                              </div>
                            </div>

                        </div>
                    </div>

</form>

                </div>
                <!-- /.container-fluid -->

            </div>
            <!-- End of Main Content -->

           <?php include_once('includes/footer.php');?>

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->
<a class="scroll-to-top rounded" href="#page-top">
        <i class="fas fa-angle-up"></i>
```

```
    </a>



    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>
<script type="text/javascript">

  //For report file
  $('#reportfile').hide();
  $(document).ready(function(){
  $('#status').change(function(){
  if($('#status').val()=='Delivered')
  {
  $('#reportfile').show();
  jQuery("#report").prop('required',true);
  }
  else{
  $('#reportfile').hide();
  }
})})
</script>
</body>
</html>
```

Patient Search Report

```
<?php session_start();
//DB conncetion
include_once('includes/config.php');
error_reporting(0);
?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">
```

```
    <title>Covid-19 TMS | Search Report</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">
<style type="text/css">
label{
    font-size:16px;
    font-weight:bold;
    color:#000;
}

</style>
</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

<?php include_once('includes/sidebar.php');?>

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
          <?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-4 text-gray-800">Search Report</h1>

<form method="post" action="patient-report.php">
  <div class="row">

                        <div class="col-lg-6">
```

```
                            <!-- Basic Card Example -->
                            <div class="card shadow mb-4">

                                <div class="card-body">
                        <div class="form-group">
                                                <label>Search By Patient Name or Mobile Number
or Order Number</label>
                                               <input type="text" class="form-control"
id="searchdata" name="searchdata" required="true" placeholder="Enter name or mobile number
or Order Number">
                                           </div>


<div class="form-group">
                                    <input type="submit" class="btn btn-primary btn-user btn-
block" name="search" value="Search">
                                </div>

                                    </div>
                                </div>
                            </div>
                        </div>
</form>


                </div>
                <!-- /.container-fluid -->

            </div>
            <!-- End of Main Content -->

           <?php include_once('includes/footer.php');?>

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->

<a class="scroll-to-top rounded" href="#page-top">
        <i class="fas fa-angle-up"></i>
    </a>



    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

</body>
</html>
```

Profile

```
<?php session_start();
//DB conncetion
include_once('includes/config.php');
//validating Session
if (strlen($_SESSION['aid']==0)) {
  header('location:logout.php');
  } else{


    if(isset($_POST['update']))
  {
    $adminid=$_SESSION['aid'];
    $aname=$_POST['adminname'];
  $mobno=$_POST['mobilenumber'];
  $email=$_POST['email'];

     $query=mysqli_query($con, "update tbladmin set AdminName='$aname', MobileNumber
='$mobno', Email= '$email' where ID='$adminid'");
    if ($query) {

    echo '<script>alert("Profile has been updated")</script>';
  }
  else
    {
      echo '<script>alert("Something Went Wrong. Please try again.")</script>';
    }
  }

?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
```

```
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-19 Testing Management System | Admin Profile</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">
<style type="text/css">
label{
    font-size:16px;
    font-weight:bold;
    color:#000;
}

</style>

</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

<?php include_once('includes/sidebar.php');?>

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
          <?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-4 text-gray-800">Admin Profile</h1>
     <form method="post"  name="adminprofile" >
```

```
  <div class="row">

                        <div class="col-lg-8">

                            <!-- Basic Card Example -->
                            <div class="card shadow mb-4">

                <?php
$adminid=$_SESSION['aid'];
$ret=mysqli_query($con,"select * from tbladmin where ID='$adminid'");
$cnt=1;
while ($row=mysqli_fetch_array($ret)) {

?>

                                <div class="card-header py-3">
                                    <h6 class="m-0 font-weight-bold text-
primary">Registration Date: <?php  echo $row['AdminRegdate'];?></h6>
                                </div>
                                <div class="card-body">
     <div class="form-group">
                            <label>Admin Name</label>
           <input type="text" class="form-control" name="adminname" value="<?php  echo
$row['AdminName'];?>" required='true'>
                                        </div>

                        <div class="form-group">
                            <label>User Name</label>
                        <input type="text" class="form-control" name="username"
value="<?php  echo $row['AdminuserName'];?>" readonly='true'>
                                        </div>

<div class="form-group">
<label>Email Id</label>
<input type="email" class="form-control" name="email" value="<?php  echo $row['Email'];?>"
required='true'>
</div>

<div class="form-group">
<label>Contact Number</label>
<input type="text" class="form-control" name="mobilenumber" value="<?php  echo
$row['MobileNumber'];?>" required='true' maxlength='10'>
</div>


<?php } ?>
        <div class="form-group">
                                    <input type="submit" class="btn btn-primary btn-user btn-
block" name="update" id="update" value="Update">
                                </div>
```

```
                                </div>
                            </div>

                        </div>



                    </div>
</form>

                </div>
                <!-- /.container-fluid -->

            </div>
            <!-- End of Main Content -->

           <?php include_once('includes/footer.php');?>

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->

           <?php include_once('includes/footer2.php');?>


    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

</body>
</html>
<?php } ?>
```

Registered User

```
<?php
//DB conncetion
include_once('includes/config.php');
error_reporting(0);
```

```
if(isset($_POST['submit'])){
//getting post values
$mnumber=$_POST['mobilenumber'];
$testtype=$_POST['testtype'];
$timeslot=$_POST['birthdaytime'];
$orderno= mt_rand(100000000, 999999999);
$query="insert into tbltestrecord(PatientMobileNumber,TestType,TestTimeSlot,OrderNumber)
values('$mnumber','$testtype','$timeslot','$orderno');";
$result = mysqli_query($con, $query);
if ($result) {
echo '<script>alert("Your test request submitted successfully. Order number is
"+"'.$orderno.'")</script>';
  echo "<script>window.location.href='registered-user-testing.php'</script>";
}
else {
    echo "<script>alert('Something went wrong. Please try again.');</script>";
echo "<script>window.location.href='registered-user-testing.php'</script>";
}
}
?>

<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-19 Testing Management System</title>

    <!-- Custom fonts for this template-->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template-->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">
<style type="text/css">
label{
    font-size:16px;
    font-weight:bold;
    color:#000;
}
```

```
</style>
</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

<?php include_once('includes/sidebar.php');?>

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
          <?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-4 text-gray-800">Covid19-Testing | Already Registeres
Users</h1>

<form method="post">
  <div class="row">

                        <div class="col-lg-6">

                            <!-- Basic Card Example -->
                            <div class="card shadow mb-4">

                                <div class="card-body">
                       <div class="form-group">
                                                <label>Registered Mobile Number</label>
                                               <input type="text" class="form-control"
id="regmobilenumber" name="regmobilenumber" placeholder="Please enter your registered
mobile number" pattern="[0-9]{10}" title="10 numeric characters only" required="true"
maxlength="10">
                                            </div>
<div class="form-group">
                                 <input type="submit" class="btn btn-primary btn-user btn-
block" name="search" value="Search">
                               </div>

                                    </div>
                                </div>
```

```
                            </div>
                        </div>
</form>

<hr />
<?php if(isset($_POST['search'])){ ?>
<h3 align="center" style="color:red">Resulst againt mobile number "<?php echo
$_POST['regmobilenumber'];?>"</h3>
<hr />
    <?php
    $mnumber=intval($_POST['regmobilenumber']);
    $sql=mysqli_query($con,"select * from tblpatients where MobileNumber='$mnumber'");
    $row=mysqli_num_rows($sql);
    if($row>0){
    while ($result=mysqli_fetch_array($sql)) {

?>
<form name="newtesting" method="post">
  <div class="row">

                        <div class="col-lg-6">

                            <!-- Basic Card Example -->
                            <div class="card shadow mb-4">
                                <div class="card-header py-3">
                                    <h6 class="m-0 font-weight-bold text-primary">Personal
Information</h6>
                                </div>
                                <div class="card-body">
                        <div class="form-group">
                            <label>Full Name</label>
                                        <input type="text" class="form-control"
id="fullname" name="fullname"  value="<?php echo $result['FullName']; ?>" readonly="true">
                                    </div>
                                    <div class="form-group">
                                         <label>Mobile Number</label>
                                        <input type="text" class="form-control"
id="mobilenumber" name="mobilenumber" value="<?php echo $result['MobileNumber']; ?>"
readonly="true">
                                    </div>
                                    <div class="form-group">
                                         <label>DOB (yyyy-mm-dd)</label>
                                        <input type="text" class="form-control"
id="dob" name="dob" readonly="true" value="<?php echo $result['DateOfBirth']; ?>">
                                    </div>
                                    <div class="form-group">
                                           <label>Any Govt Issued ID</label>
                                        <input type="text" class="form-control"
id="govtissuedid" name="govtissuedid" value="<?php echo $result['GovtIssuedId']; ?>"
readonly="true">
```

```
                                    </div>
                                    <div class="form-group">
                                          <label>Govt Issued ID Number</label>
                                        <input type="text" class="form-control"
id="govtidnumber" name="govtidnumber" value="<?php echo $result['GovtIssuedIdNo']; ?>"
readonly="true">
                                    </div>


                                <div class="form-group">
                                          <label>Address</label>
                                        <textarea class="form-control" id="address"
name="address" readonly="true"><?php echo $result['FullAddress']; ?></textarea>
                                    </div>
 <div class="form-group">
                                          <label>State</label>
                                    <input type="text" class="form-control" id="state"
name="state" value="<?php echo $result['State']; ?>" readonly="true">
                                    </div>

                                </div>
                            </div>

                        </div>

                        <div class="col-lg-6">

                           <div class="card shadow mb-4">
                                <div class="card-header py-3">
                                    <h6 class="m-0 font-weight-bold text-primary">Testing
Information</h6>
                                </div>
                                <div class="card-body">
                              <div class="form-group">
                                          <label>Test Type</label>
                                          <select class="form-control" id="testtype"
name="testtype" required="true">
                                        <option value="">Select</option>
                                        <option value="Antigen">Antigen</option>
                                        <option value="RT-PCR">RT-PCR</option>
                                          </select>
                                    </div>

                                                <div class="form-group">
                                        <label>Time Slot for Test</label>
                                 <input type="datetime-local" class="form-control"
id="birthdaytime" name="birthdaytime" class="form-
control">
                                </div>
                            <div class="form-group">
```

```
                                    <input type="submit" class="btn btn-primary btn-user btn-
block" name="submit">
                                </div>

                                    </div>
                                </div>


                            </div>

                        </div>
</form>
<?php } } else { ?>
<h4 align="center" style="color:red;">No record found</h4>
<?php }}?>

                </div>
                <!-- /.container-fluid -->

            </div>
            <!-- End of Main Content -->

           <?php include_once('includes/footer.php');?>

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->
    <a class="scroll-to-top rounded" href="#page-top">
        <i class="fas fa-angle-up"></i>
    </a>



    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

</body>

</html>
```

Sample Collected

```
<?php session_start();
//DB conncetion
include_once('includes/config.php');
//validating Session
if (strlen($_SESSION['aid']==0)) {
  header('location:logout.php');
  } else{


?>
<!DOCTYPE html>
<html lang="en">

<head>

    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="">
    <meta name="author" content="">

    <title>Covid-Tms | Sample Collected Tests</title>

    <!-- Custom fonts for this template -->
    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">
    <link
        href="https://fonts.googleapis.com/css?family=Nunito:200,200i,300,300i,400,400i,600
,600i,700,700i,800,800i,900,900i"
        rel="stylesheet">

    <!-- Custom styles for this template -->
    <link href="css/sb-admin-2.min.css" rel="stylesheet">

    <!-- Custom styles for this page -->
    <link href="vendor/datatables/dataTables.bootstrap4.min.css" rel="stylesheet">

</head>

<body id="page-top">

    <!-- Page Wrapper -->
    <div id="wrapper">

        <!-- Sidebar -->
  <?php include_once('includes/sidebar.php');?>
```

```
        <!-- End of Sidebar -->

        <!-- Content Wrapper -->
        <div id="content-wrapper" class="d-flex flex-column">

            <!-- Main Content -->
            <div id="content">

                <!-- Topbar -->
<?php include_once('includes/topbar.php');?>
                <!-- End of Topbar -->

                <!-- Begin Page Content -->
                <div class="container-fluid">

                    <!-- Page Heading -->
                    <h1 class="h3 mb-2 text-gray-800">Sample Collected Tests</h1>


                    <!-- DataTales Example -->
                    <div class="card shadow mb-4">
                        <div class="card-header py-3">
                            <h6 class="m-0 font-weight-bold text-primary">Sample Collected
Tests</h6>
                        </div>
                        <div class="card-body">
                            <div class="table-responsive">
                                <form name="assignto" method="post">
                    <table class="table table-bordered" id="dataTable" width="100%"
cellspacing="0">
                                        <thead>
                                            <tr>
                                                <th>Sno.</th>
                                                <th>Order No.</th>
                                                <th>Patient Name</th>
                                                <th>Mobile No.</th>
                                                <th>Test Type</th>
                                                <th>Time Slot</th>
                                                <th>Reg. Date</th>
                                                <th>Action</th>
                                            </tr>
                                        </thead>
                                          <tfoot>
                                                <tr>
                                                <th>Sno.</th>
                                                <th>Order No.</th>
                                                <th>Patient Name</th>
                                                <th>Mobile No.</th>
                                                <th>Test Type</th>
                                                <th>Time Slot</th>
```

```
                                        <th>Reg. Date</th>
                                        <th>Action</th>
                                    </tr>
                                </tfoot>
                                <tbody>
<?php $query=mysqli_query($con,"select
tbltestrecord.OrderNumber,tblpatients.FullName,tblpatients.MobileNumber,tbltestrecord.TestT
ype,tbltestrecord.TestTimeSlot,tbltestrecord.RegistrationDate,tbltestrecord.id as testid
from tbltestrecord
join tblpatients on tblpatients.MobileNumber=tbltestrecord.PatientMobileNumber
where ReportStatus='Sample Collected'
    ");
$cnt=1;
while($row=mysqli_fetch_array($query)){
?>

                                    <tr>
                                        <td><?php echo $cnt;?></td>
                                        <td><?php echo $row['OrderNumber'];?></td>
                                        <td><?php echo $row['FullName'];?></td>
                                        <td><?php echo $row['MobileNumber'];?></td>
                                        <td><?php echo $row['TestType'];?></td>
                                        <td><?php echo $row['TestTimeSlot'];?></td>
                                         <td><?php echo
$row['RegistrationDate'];?></td>
                                        <td>

                                <a href="test-details.php?tid=<?php echo
$row['testid'];?>&&oid=<?php echo $row['OrderNumber'];?>" class="btn btn-info btn-sm">View
Details</a>

                            </td>
                                    </tr>
<?php $cnt++;} ?>
                                </tbody>
                            </table>
                                 </form>
                        </div>
                    </div>
                </div>

            </div>
            <!-- /.container-fluid -->

        </div>
        <!-- End of Main Content -->


        <!-- Footer -->
    <?php include_once('includes/footer.php');?>
```

```
            <!-- End of Footer -->

        </div>
        <!-- End of Content Wrapper -->

    </div>
    <!-- End of Page Wrapper -->

    <!-- Scroll to Top Button-->
    <?php include_once('includes/footer2.php');?>

    <!-- Bootstrap core JavaScript-->
    <script src="vendor/jquery/jquery.min.js"></script>
    <script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

    <!-- Core plugin JavaScript-->
    <script src="vendor/jquery-easing/jquery.easing.min.js"></script>

    <!-- Custom scripts for all pages-->
    <script src="js/sb-admin-2.min.js"></script>

    <!-- Page level plugins -->
    <script src="vendor/datatables/jquery.dataTables.min.js"></script>
    <script src="vendor/datatables/dataTables.bootstrap4.min.js"></script>

    <!-- Page level custom scripts -->
    <script src="js/demo/datatables-demo.js"></script>
</body>
</html>
<?php } ?>
```

Footer

```
<a class="scroll-to-top rounded" href="#page-top">
        <i class="fas fa-angle-up"></i>
    </a>

    <!-- Logout Modal-->
    <div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel"
        aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>
                    <button class="close" type="button" data-dismiss="modal" aria-
label="Close">
                        <span aria-hidden="true">×</span>
                    </button>
                </div>
```

```
                <div class="modal-body">Select "Logout" below if you are ready to end your
current session.</div>
                <div class="modal-footer">
                    <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>
                    <a class="btn btn-primary" href="logout.php">Logout</a>
                </div>
            </div>
        </div>
    </div>
```

Slide Bar

```
        <!-- Sidebar -->
        <ul class="navbar-nav bg-gradient-primary sidebar sidebar-dark accordion"
id="accordionSidebar">

            <!-- Sidebar - Brand -->
            <a class="sidebar-brand d-flex align-items-center justify-content-center"
href="#">
                <div class="sidebar-brand-icon rotate-n-15">
                    <i class="fas fa-virus"></i>
                </div>
                <div class="sidebar-brand-text mx-3">COVID19-TMS</div>
            </a>

            <!-- Divider -->
            <hr class="sidebar-divider my-0">
<?php if($_SESSION['aid']):?>


     <li class="nav-item">
                <a class="nav-link" href="dashboard.php">
                    <i class="fas fa-fw fa-tachometer-alt"></i>
                    <span>Dashboard</span></a>
            </li>

    <li class="nav-item">
                <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
target="#collapseOne"
                    aria-expanded="true" aria-controls="collapseOne">
                    <i class="fas fa-fw fa-users"></i>
                    <span>Phlebotomist</span>
                </a>
                <div id="collapseOne" class="collapse" aria-labelledby="headingTwo" data-
parent="#accordionSidebar">
                    <div class="bg-white py-2 collapse-inner rounded">
                        <a class="collapse-item" href="add-phlebotomist.php">Add</a>
                         <a class="collapse-item" href="manage-phlebotomist.php">Manage</a>
                    </div>
```

```
                </div>
            </li>


     <li class="nav-item">
                <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
target="#collapseTwo"
                    aria-expanded="true" aria-controls="collapseTwo">
                    <i class="fas fa-fw fa-virus"></i>
                    <span>Testing</span>
                </a>
                <div id="collapseTwo" class="collapse" aria-labelledby="headingTwo" data-
parent="#accordionSidebar">
                    <div class="bg-white py-2 collapse-inner rounded">
                        <a class="collapse-item" href="new-test.php">New</a>
                        <a class="collapse-item" href="assigned-test.php">Assigned</a>
                        <a class="collapse-item" href="ontheway-samplecollection-
test.php">On the Way for<br /> Sample Collection</a>
                         <a class="collapse-item" href="sample-collected-test.php">Sample
Collected</a>
                           <a class="collapse-item" href="samplesent-lab-test.php">Sent to
lab</a>
                            <a class="collapse-item" href="reportdelivered-test.php">Report
Delivered</a>
 <a class="collapse-item" href="all-test.php">All Tests</a>
                    </div>
                </div>
            </li>
   <li class="nav-item">
                <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
target="#collapseThree"
                    aria-expanded="true" aria-controls="collapseThree">
                    <i class="fas fa-fw fa-file"></i>
                    <span>Report</span>
                </a>
                <div id="collapseThree" class="collapse" aria-labelledby="headingTwo" data-
parent="#accordionSidebar">
                    <div class="bg-white py-2 collapse-inner rounded">
                        <a class="collapse-item" href="bwdates-report-ds.php">B/w Dates
Report</a>
                         <a class="collapse-item" href="search-report.php">Search
Report</a>
                        </div>
                </div>
            </li>

<?php else:    ?>

            <!-- Nav Item - Dashboard -->
            <li class="nav-item">
```

```
                <a class="nav-link" href="live-test-updates.php">
                    <i class="fas fa-fw fa-tachometer-alt"></i>
                    <span>Dashboard</span></a>
            </li>

            <!-- Divider -->
            <hr class="sidebar-divider">

            <!-- Heading -->
            <div class="sidebar-heading">
                COVID19 Testing
            </div>

            <!-- Nav Item - Pages Collapse Menu -->
            <li class="nav-item">
                <a class="nav-link collapsed" href="#" data-toggle="collapse" data-
target="#collapseTwo"
                    aria-expanded="true" aria-controls="collapseTwo">
                    <i class="fas fa-fw fa-cog"></i>
                    <span>Testing</span>
                </a>
                <div id="collapseTwo" class="collapse" aria-labelledby="headingTwo" data-
parent="#accordionSidebar">
                    <div class="bg-white py-2 collapse-inner rounded">
                        <a class="collapse-item" href="new-user-testing.php">New User</a>
                        <a class="collapse-item" href="registered-user-testing.php">Already
Registered User</a>
                    </div>
                </div>
            </li>
 <li class="nav-item">
                <a class="nav-link" href="patient-search-report.php">
                    <i class="fas fa-fw fa-file"></i>
                    <span>Test Report</span></a>
            </li>

<li class="nav-item active">
                <a class="nav-link" href="login.php">
                    <i class="fas fa-fw fa-user"></i>
                    <span>Admin</span></a>
            </li>

<?php endif;    ?>

            <!-- Divider -->
            <hr class="sidebar-divider d-none d-md-block">

            <!-- Sidebar Toggler (Sidebar) -->
            <div class="text-center d-none d-md-inline">
                <button class="rounded-circle border-0" id="sidebarToggle"></button>
```

```
            </div>

        </ul>
        <!-- End of Sidebar -->
```

Top bar

```
      <nav class="navbar navbar-expand navbar-light bg-white topbar mb-4 static-top
shadow">

                    <!-- Sidebar Toggle (Topbar) -->
                    <button id="sidebarToggleTop" class="btn btn-link d-md-none rounded-
circle mr-3">
                        <i class="fa fa-bars"></i>
                    </button>

                    <!-- Topbar Search -->
            <?php if($_SESSION['aid']):?>

                    <!-- Topbar Navbar -->
                    <ul class="navbar-nav ml-auto">

                        <!-- Nav Item - Search Dropdown (Visible Only XS) -->
                        <li class="nav-item dropdown no-arrow d-sm-none">
                            <a class="nav-link dropdown-toggle" href="#"
id="searchDropdown" role="button"
                                data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                                <i class="fas fa-search fa-fw"></i>
                            </a>
                            <!-- Dropdown - Messages -->
                            <div class="dropdown-menu dropdown-menu-right p-3 shadow
animated--grow-in"
                                aria-labelledby="searchDropdown">
                                <form class="form-inline mr-auto w-100 navbar-search">
                                    <div class="input-group">
                                        <input type="text" class="form-control bg-light
border-0 small"
                                            placeholder="Search for..." aria-label="Search"
                                            aria-describedby="basic-addon2">
                                        <div class="input-group-append">
                                            <button class="btn btn-primary" type="button">
                                                <i class="fas fa-search fa-sm"></i>
                                            </button>
                                        </div>
                                    </div>
                                </form>
                            </div>
                        </li>
<?php $query=mysqli_query($con,"select * from tbltestrecord where ReportStatus is null");
$count=mysqli_num_rows($query);
```

```
?>
                        <!-- Nav Item - Alerts -->
                        <li class="nav-item dropdown no-arrow mx-1">
                            <a class="nav-link dropdown-toggle" href="#"
id="alertsDropdown" role="button"
                                data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                                <i class="fas fa-bell fa-fw"></i>
                                <!-- Counter - Alerts -->
                                <span class="badge badge-danger badge-counter"><?php echo
$count;?></span>
                            </a>
                            <!-- Dropdown - Alerts -->
                            <div class="dropdown-list dropdown-menu dropdown-menu-right
shadow animated--grow-in"
                                aria-labelledby="alertsDropdown">
                                <h6 class="dropdown-header">
                                    Alerts Center
                                </h6>
                                <?php if($count>0){
while($row=mysqli_fetch_array($query)){
                                    ?>
                                <a class="dropdown-item d-flex align-items-center"
href="test-details.php?tid=<?php echo $row['id'];?>&&oid=<?php echo
$row['OrderNumber'];?>">
                                    <div class="mr-3">
                                        <div class="icon-circle bg-primary">
                                            <i class="fas fa-file-alt text-white"></i>
                                        </div>
                                    </div>
                                    <div>
                                        <div class="small text-gray-500"><?php echo
$row['RegistrationDate'];?></div>
                                        <span class="font-weight-bold">A new test received
# <?php echo $row['OrderNumber'];?></span>
                                    </div>
                                </a>
                            <?php }} else{?>
                                <p style="color:red">No record found</p>
                            <?php } ?>

                                <a class="dropdown-item text-center small text-gray-500"
href="new-test.php">Show All Alerts</a>
                            </div>
                        </li>
```

```
                        <div class="topbar-divider d-none d-sm-block"></div>

                        <!-- Nav Item - User Information -->
                        <li class="nav-item dropdown no-arrow">
                            <a class="nav-link dropdown-toggle" href="#" id="userDropdown"
role="button"
                                data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
                <?php
                //Fetching admin Name
$adid=$_SESSION['aid'];
$ret1=mysqli_query($con,"select AdminName from tbladmin where ID='$adid'");
while($row1=mysqli_fetch_array($ret1)){

?>
                                <span class="mr-2 d-none d-lg-inline text-gray-600
small"><?php  echo $row1['AdminName'];?></span>
                            <?php } ?>
                                <img class="img-profile rounded-circle"
                                    src="img/profile.png">
                            </a>
                            <!-- Dropdown - User Information -->
                            <div class="dropdown-menu dropdown-menu-right shadow animated--
grow-in"
                                aria-labelledby="userDropdown">
                                <a class="dropdown-item" href="profile.php">
                                    <i class="fas fa-user fa-sm fa-fw mr-2 text-gray-
400"></i>
                                    Profile
                                </a>
                                <a class="dropdown-item" href="change-password.php">
                                    <i class="fas fa-cogs fa-sm fa-fw mr-2 text-gray-
400"></i>
                                  Change Password
                                </a>

                                <div class="dropdown-divider"></div>
                                <a class="dropdown-item" href="#" data-toggle="modal" data-
target="#logoutModal">
                                    <i class="fas fa-sign-out-alt fa-sm fa-fw mr-2 text-
gray-400"></i>
                                    Logout
                                </a>
                            </div>
                        </li>

                    </ul>
                <?php endif;?>

                </nav>
```

Chapter-7 References

1. www.w3school.com
2. www.tutorialspoint.com
3. www.youtube.com