


Added UI elements by SN Utils



[SN Utils] Element added

Application scope: sn-utils-assets
Update set: Arnoud Kooi [sn-utils-assets]

for your convenience...








1. Show "pickers" in next experience

Show the Application and Updateset and other pickers



- In one glance know active scope and updateset
- Show domain and encryption context if applicable
- CTRL / CMD Click for switching via slash command
- One click drill down and focus on filter
- Option to mark default update set in red








2. Question Mark

Clicking the Question Mark in the header of a form shows info about the current record, usualy not shown on the form.



- Show who and when created / updated
- Show tablename and sys_id
- Show application scope (if applicable)
- Quick links to open relevant slash commands
- Doubleclick the icon to open "view data" tab








3. Background Script

The background script page is changed to add a (Monaco) codeeditor.



- All benefits of a code editor i.e. linenumbers and intellisense
- Results showing in same page on right side
- Visual indication in tab title via red or green dot if script is running or finished
- Open the page via slash command /bg or with template of current record (/bgc) or list (/bgl)







4. Clickable list items

Elements in a glide list field are converted to link to the undelying record.



- One click to navigate to to underlying record in classic UI
- One click to remove element from list, by clicking the red x








5. Customize List

One click to add common columns to your list view



- One click to add created, updated and application columns to list
- Configure columns to be added in the settings tab of popup
- Hold <u>CTRL</u> or <u>CMD</u> to keep modal open
- Hold <u>SHIFT</u> to add sys_id at beginning of list








6. Show sort icon in grouped list

One click to order grouped list by group size



- Easy way to order list by group size
- (Since Tokyo platform adds icon with same function on right side)








7. Icon to open script in VS Code

One click to order grouped list by group size



- One Click to open script in VS Code.
- No instance config needed in VS Code
- Automaticly synced to instance
- Requires sn-scriptsync VS Code extension








8. Alternative compare link

When in the merge / compare view, add a link to use the open Monaco codeeditor compare tab.



- Easier view of updates in fullscreen Monaco editor
- Link only added to actually changed fields
- Link added to more field types, like CSS fields








9. Add links to underlying indicators

For formula indicators, add a box with links



Benefit

 Save steps to explore the underlying indicators of a formula indicator








10. Add link to collection dictionary

For sys_db_object records, add a link to collection dictionary record



- Always have a link at hand to the collection entry
- Save navigation / search steps







11. Hyperlinks in logfiles

Convert sys_id's to hypelinks in log files

All > Created on Today > Message contains sys_script .or. Source contains sys_script											
	Created ▼	Level	Message								
			org.mozilla.javascript.Interpreter.interpretLoop(Interpreter.java:1271)								
			org.mozilla.javascript.Interpreter.interpret(Interpreter.java:830)								
			org. mozilla. javas cript. Interpreted Function. lamb da\$call\$0 (Interpreted Function. java: 160)								
			com.glide.caller.gen.sys_script_include_b5d7507ab7082300616ceb67ee11a9cb_script.call(Unknown Source)								
			com.glide.script.ScriptCaller.call(ScriptCaller.java:18)								
			org.mozilla.javascript.InterpretedFunction.call(InterpretedFunction.java:159)								
	20-04-2023 19:30:01	Error	org.mozilla.javascript.ScriptRuntime.doCall2(Script								
			org.mozilla.javascript.ScriptRuntime.doCall(ScriptRun e.java:2657)								
			org.mozilla.javascript.Interpreter.interpretLoop(Interpreter.java:1518)								
			org.mozilla.javascript.Interpreter.interpret(Interpreter.java:830)								
			org.mozilla.javascript.InterpretedFunction.lambda\$call\$0(InterpretedFunction.java:160)								

Benefit

Easier troubleshouting when a analyzing log files








12. Add filter to studio

Easly filter to the artifact you need



Benefit

No long searching scrolling when working on a large app







13. Disable via settings

Customize your experience

Update Set	Updates	Nodes	Tables	View Data	User	GlideRecord	Slashcommands	Settings				
Settings (Reload browser after changing settings to take affect)												
Enable sn-scriptsync buttons (VS Code)							Slashcommands:					
Enable C	ode Editor	buttons (f	On - Activate on / or CTRL-/									
Show Ted	chnical nam	nes on pa	Slash popup theme:									
Don't add	d UI elemer	nts to brow	Dark									
Apply VS	Code style	editor to	Locall	Locally store slashcommands per ins								
☐ Disable C	TRL/CMD-	-V to past	100									
	ext UI) or Er et picker at		One click personalise list fields:									

- Customize your experience, by selecting the options you wish
- Core setting: Don't add UI elements to browser
- Separate setting for pickers, and others







14. More!

The next in this series will be about the more hidden functions, accessible via shortcuts and clicks.

Visit <u>arnoudkooi.com</u> for resources around SN Utils



Benefit

Visit <u>my site</u> to find your version. A link to all my other channels and start benefiting (more) form SN Utils! **Feel free to share this document!**

