Create connection to MySQL

With following name, password

```
"jdbc:mysql://localhost:7969/flight_ticket_booking", "root", "@Suru_07112000@
```

Create 3 tables with following fields;

1. Table 1 name -users;

create table users(id int primary key auto_increment,fname varchar(50),email varchar(50),gender varchar(6),password varchar(16),type varchar(6));

| + | + Type | + Null | Key | Default | |
|---------------------------------|---|-------------|-----|--------------------------------------|----------------|
| email gender password | varchar(200) varchar(200) varchar(6) varchar(16) | YES YES | | NULL NULL NULL NULL NULL | auto_increment |

2. Table 2 name flights;

create table flights(flight_number varchar(5),city_from varchar(25),city_to varchar(25),available int, flight_date date);

| + | Type | Null | Key | Default | Extra |
|---|-------------|------|-----|------------------------------|-------|
| flight_number city_from city_to available flight_date | varchar(25) | YES | | NULL NULL NULL NULL | |

3. Table 3 name bookings;

create table bookings(id int,name varchar(50),age varchar(3),gender varchar(6),flight_number varchar(5),city_from varchar(25),city_to varchar(25),flight_date date);

| Field | Type | Null | Key | Default | Extra |
|---------|--------------------------|-------------------------------------|-----|---|-------|
| city_to | varchar(3) varchar(6) | YES YES YES YES YES YES YES YES YES | | NULL NULL NULL NULL NULL NULL NULL NULL | |