

Reservation Feature Refactoring Guide

Goal


Reduce complexity inside `ReservationForm.tsx` by separating:

- Business Logic
- UI Composition
- Presentational Components
- Utilities
- Hooks
- Layouts

This keeps the feature maintainable as booking requirements grow.

Final Structure

```
ReservationForm/
|
|— ReservationForm.tsx
|— ReservationForm.module.scss
|
|— schema/
|   └─ contactSchema.ts
|
|— hooks/
|   └─ useReservationCalendar.ts
|   └─ useReservationStage.ts
|
|— utils/
|   └─ calculateBookingTotal.ts
|   └─ formatPrice.ts
|
|— layouts/
|   └─ ReservationLayout.tsx
|   └─ ReservationLayout.module.scss
|
|— sections/
|   └─ ReservationDateTime.tsx
|   └─ ReservationServices.tsx
|   └─ ReservationAddons.tsx
|   └─ ReservationContact.tsx
```



Responsibility Breakdown

ReservationForm

Feature Controller

Responsibilities:

- Connect Redux
- Connect React Hook Form
- Connect Zod
- Connect Services
- Compose Sections
- Manage Submission Flow

Should contain:

```
const dispatch = useAppDispatch();
const booking = useAppSelector(...);

const { register } = useForm(...);

const { stage, setStage } =
  useReservationStage();
```

```
const {  
  year,  
  month,  
  prevMonth,  
  nextMonth,  
} = useReservationCalendar();
```

Should NOT contain:

- Calendar rendering
- Time slot rendering
- Menu item rendering
- Addon rendering
- Summary rendering

ReservationLayout

Layout Only

Responsibilities:

- Main column
- Sidebar column
- Sticky sidebar

Should never contain:

- Redux
- Form logic
- Business logic

ReservationDateTime

Section Composition

Responsibilities:

- FormLabel
- CalendarPicker
- TimeSlotPicker

Owns:

Date Selection Area
Time Selection Area

Should not know:

- Redux
- Booking Summary
- Services

ReservationServices

Section Composition

Responsibilities:

- ServiceGallery
- CategoryFocusPanel

Owns:

Category Selection
Service Selection

Should not know:

- Contact Form
- Booking Summary

ReservationAddons

Section Composition

Responsibilities:

- FormLabel
- AddonPicker

Owns:

Addon Selection

ReservationContact

Section Composition

Responsibilities:

- BookingSummary

Owns:

Contact Inputs
Booking Total
Submit Button

Component Responsibilities

CalendarPicker

Owns:

Month Navigation
Calendar Grid
Date Selection

Receives:

year
month
selectedDate

Returns:

onPrevMonth()
onNextMonth()
onDayClick()

TimeSlotPicker

Owns:

```
Time Slot Rendering  
Time Selection UI
```

Receives:

```
selectedTime
```

Returns:

```
onSelect()
```

ServiceGallery

Owns:

```
Category Navigation  
Category Slider  
Category Cards
```

Should NOT display:

```
Menu Items
```

CategoryFocusPanel

Owns:

```
Menu Items  
Prices  
Selection State
```

Should NOT display:

Category Navigation

AddonPicker

Owns:

Addon List
Addon Selection

BookingSummary

Owns:

Selected Services
Selected Addons
Total Price
Contact Form
Submit Button

Should NOT:

Submit API Request

ConfirmationView

Owns:

Review Screen

Displays:

Date
Time
Services
Addons

Contact Info
Total

Actions:

Back
Confirm

SuccessView

Owns:

Success State

Displays:

Success Message
Reset Button

Hooks

useReservationCalendar

Purpose:

Move month/year navigation outside component.

Provides:

```
{  
  year,  
  month,  
  prevMonth,  
  nextMonth  
}
```


Benefits:

- Easier testing
- Smaller ReservationForm

useReservationStage

Purpose:

Manage flow state.

Stages:

```
type ReservationStage =  
  | 'form'  
  | 'confirm'  
  | 'success';
```

Provides:

```
{  
  stage,  
  setStage  
}
```

Utilities

formatPrice

Purpose:

Display menu prices consistently.

Example:

```
¥8,000  
¥8,000~
```

+¥2,000
+¥2,000~

calculateBookingTotal

Purpose:

Calculate service total plus addon total.

Benefits:

- Single source of truth
- Easier unit testing

Shared UI Extraction

Current Issue

```
.btn  
.btnGhost  
.fieldLabel
```

exist inside ReservationForm.

This causes duplication across:

```
BookingSummary  
ConfirmationView  
SuccessView  
CalendarPicker  
TimeSlotPicker
```

Extract Button Primitive

```
src/components/01.primitives/Button/  
├─ Button.tsx  
└─ Button.module.scss
```

Usage:

```
<Button variant="primary">  
  Confirm  
</Button>  
  
<Button variant="ghost">  
  Back  
</Button>
```

Extract FormLabel Primitive

```
src/components/01.primitives/FormLabel/  
├─ FormLabel.tsx  
└─ FormLabel.module.scss
```

Usage:

```
<FormLabel>  
  ご希望日程  
</FormLabel>  
  
<FormLabel>  
  追加オプション  
</FormLabel>
```

Architecture Flow

```
ReservationForm  
├─  
└─ Redux
```

```
├─ React Hook Form
├─ Zod
├─ API Services
├─
▼
Sections
├─
├─ ReservationDateTime
├─ ReservationServices
├─ ReservationAddons
├─ ReservationContact
├─
▼
Components
├─
├─ CalendarPicker
├─ TimeSlotPicker
├─ ServiceGallery
├─ CategoryFocusPanel
├─ AddonPicker
├─ BookingSummary
├─ ConfirmationView
├─ SuccessView
├─
▼
Primitives
├─
├─ Button
├─ FormLabel
├─ Card
├─ Input
├─ Stack
```

Refactoring Rule

When a file reaches:

300+ lines

evaluate extracting:

1. Hook

2. Section
3. Utility
4. Component

Priority:

```
Business Logic
  ↓
Hooks

Repeated Calculations
  ↓
Utilities

Repeated UI
  ↓
Components

Page Areas
  ↓
Sections
```

Target size:

```
ReservationForm.tsx

150-250 lines
```

This range typically provides the best balance between readability, maintainability, and scalability.