Overview
Authentication
Conventions & limits
Data usage & license FREE

GUIDES
Quickstart: first request
Build a league page
Football player profile
Tennis player profile
Connect to live WebSockets
Working with images
Use BSD from AI agents

FOOTBALL API
Overview FREE
Events & live scores
Leagues, seasons & standings
Competition structure FREE
Teams, players & transfers
Managers, referees & venues
Odds & predictions
TV, broadcasts & social
v1 API (legacy)

MORE SPORTS APIS
Tennis API PRO
Padel API PRO
CS2 API PRO
Darts API PRO
Hockey API PRO
Basketball API PRO
Horse Racing API PRO

WEIGHT OF MONEY
Weight of Money API ADDON

WEBSOCKETS
Overview ADDON
Football live channel
Tennis live channel
Arena 3D

AI & AGENTS
MCP servers

IMAGES & DATA
Image API
Static datasets
OpenAPI explorer

LEGAL
Terms of Service

Managers, referees & venues#

Managers

```
GET /api/v2/managers/
```
copy

PARAM	TYPE	DESCRIPTION
`name`	string	Name search
`team_id`	int	Current club
`league_id`	int	Managers active in a league
`nationality_code`	string	ISO code
`tactical_profile`	string	Style classification filter
`team_style`	string	Team-style classification filter
`min_matches`	int	Minimum matches managed
`limit` / `offset`	int	Pagination

```
GET /api/v2/managers/{id}/          # profile: preferred formation, style, record
GET /api/v2/managers/{id}/career/   # clubs managed, spells, win rates
GET /api/v2/managers/{id}/matches/  # match log — date_from/to, league_id, team_id, s
GET /api/v2/managers/{id}/social/   # curated media
```
copy

```
curl -H "Authorization: Token YOUR_API_KEY" \
     "https://sports.bzzoiro.com/api/v2/managers/?league_id=85&min_matches=50"
```
copy

Every manager also has a profile page at /managers/, which renders exactly what these endpoints return and nothing else.

Career

```
GET /api/v2/managers/{id}/career/     # cached 30 min
```
copy

PARAM	TYPE	DESCRIPTION
`window`	int	Matches either side of the appointment (default 10, max 38). `0` skips it

One entry per spell, newest first, carrying the record at that club — `matches`, `wins`, `draws`, `losses`, `points`, `ppm`, `goals_for`, `goals_against`, `goal_diff` — plus `home` and `away` blocks in the same shape.

`ppm` is null, never `0.0`, when there are no matches to judge. Zero means he took no points; null means we have nothing to say about him.

A manager with two spells at the same club gets two entries, and matches are assigned by date rather than by badge, so the 2004 spell does not inherit the 2013 one's results.

`appointment_effect`

The part that makes the rest readable. A manager on 1.8 points per match is having a good season or a bad one depending entirely on what the club was doing before he walked in, and that is not in his own record.

ON THIS PAGE
Career
appointment_effect
Managers
Career
appointment_effect
Referees
Venues

Data usage & license

```
"appointment_effect": {
  "window": 10,
  "before": { "matches": 10, "points": 11, "ppm": 1.1 },
  "after":  { "matches": 10, "points": 21, "ppm": 2.1 },
  "ppm_change": 1.0
}
```

`before` is the club's record in the matches immediately preceding the appointment, under whoever was in charge. `after` is the same club over the same number of matches from the appointment onwards, and it stops at the end of the tenure — matches after his last day belong to his successor, and counting them would turn a sacking into an improvement of his.

It is `null` when the tenure has no start date, or when one of the two sides has no matches at all. A promoted club has no "before", and inventing a 0.0 there would publish that its manager improved everything.

Referees

```
GET /api/v2/referees/
```

PARAM	TYPE	DESCRIPTION
`name`	string	Name search
`country_code`	string	ISO code
`league_id`	int	Referees active in a league
`min_matches`	int	Minimum matches officiated
`limit` / `offset`	int	Pagination

```
GET /api/v2/referees/{id}/          # profile + per-match aggregates (cards, fouls, p
GET /api/v2/referees/{id}/matches/  # match log — date_from/to, league_id, season_id,
```

Referee aggregates (yellow/red cards per match) are the data behind cards-market research. Note that cards markets are **not currently quoted** in the odds feed — `total_red_cards` still answers, with historical rows only — so today these aggregates are a research input rather than something to price against. See Markets in the feed.

Venues

```
GET /api/v2/venues/
```

PARAM	TYPE	DESCRIPTION
`name`	string	Name search
`country_code`	string	ISO code
`city`	string	City filter
`min_capacity`	int	Minimum capacity
`team_id`	int	Home venue of a team
`limit` / `offset`	int	Pagination

```
GET /api/v2/venues/{id}/               # capacity, city, coordinates, home team
GET /api/v2/venues/{id}/competitions/  # competitions hosted at this venue
```

Venue photos: `/img/venue/{id}/` — see Working with images.

← PREVIOUS
Teams, players & transfers

NEXT →
Odds & predictions

Times shown in UTC

ABOUT

Bzzoiro Sports Data (BSD) is a developer API for football and six other sports: 88 competitions, 8,500+ teams, 214,000+ players, live scores, odds from many bookmakers, and analytic forecasts. Football is free.

sports@bzzoiro.com

QUICK LINKS

- Home
- Register
- Pricing
- Donate
- Showcase
- Status
- Feedback

FOOTBALL

- Leagues
- Teams
- Players
- Stats
- Free API

API & INTEGRATIONS

- API Hub
- Live WebSocket
- MCP Server
- Static Data
- Swagger UI
- ReDoc
- OpenAPI Schema
- llms.txt

Terms of Service · Privacy · Cookies · Refunds · Data licence

© 2026 Bzzoiro LLC — sports.bzzoiro.com