

Lab Report: Comparison of Virtual Machines (VMs) and Containers

1. Objective

The primary goals of this experiment are:

- * To understand the conceptual and practical differences between Virtual Machines (VMs) and Containers.
 - * To install and configure an Ubuntu-based Nginx web server using both VirtualBox/Vagrant and Docker inside WSL.
 - * To compare resource utilization, performance, and operational characteristics of both environments.
-

2. Hardware and Software Requirements

Hardware

- 64-bit system with virtualization support enabled in BIOS.
- Minimum 8 GB RAM (4 GB acceptable).
- Internet connection.

Software

- Oracle VirtualBox and Vagrant.
 - Windows Subsystem for Linux (WSL 2) with Ubuntu distribution.
 - Docker Engine (docker.io).
-

3. Theory

Feature	Virtual Machine (VM)	Container
Virtualization Level	Emulates complete hardware and kernel.	Virtualizes at the OS level, sharing the host kernel.
Isolation	Strong (Full OS isolation).	Moderate (Process-level isolation).
Resource Usage	Higher (Requires dedicated RAM/CPU for guest OS).	Lightweight and efficient.
Startup Time	Slower (Minutes/Seconds).	Fast (Milliseconds/Seconds).

4. Experiment Setup - Part A: Virtual Machine

Step 1: Initialization and Deployment

Using Vagrant, an Ubuntu VM was initialized and started.

* **Command:** `vagrant init ubuntu/jammy64` followed by `vagrant up` .

```
PS C:\Users\Yuvraj Singh> mkdir vm-Lab

Directory: C:\Users\Yuvraj Singh


Mode                LastWriteTime         Length Name
----                -
d-----          31-01-2026   23:15             vm-lab

PS C:\Users\Yuvraj Singh> cd vm-Lab
PS C:\Users\Yuvraj Singh\vm-Lab> vagrant init ubuntu/ jammy64
A 'Vagrantfile' has been placed in this directory. You are now
ready to 'vagrant up' your first virtual environment! Please read
the comments in the Vagrantfile as well as documentation on
'vagrantup.com' for more information on using Vagrant.
PS C:\Users\Yuvraj Singh\vm-Lab> vagrant up
Bringing machine 'default' up with 'virtualbox' provider...
==> default: Importing base box 'ubuntu/jammy64'...
==> default: Matching MAC address for NAT networking...
==> default: Checking if box 'ubuntu/jammy64' version '20241002.0.0' is up to date...
==> default: Setting the name of the VM: vm-lab_default_1769882140559_18457
==> default: Clearing any previously set network interfaces...
==> default: Preparing network interfaces based on configuration...
default: Adapter 1: nat
==> default: Forwarding ports...
default: 22 (guest) => 2222 (host) (adapter 1)
```

Observation: The system downloads the base box (Ubuntu Jammy) and configures the VirtualBox provider. Port forwarding (2222 -> 22) is established.

Step 2: Accessing the VM (SSH)

Once the VM was up, we established a connection to the guest OS.

* **Command:** `vagrant ssh`

```
PS C:\Users\Yuvraj Singh vm-lab> vagrant ssh
Welcome to Ubuntu 22.04.5 LTS (GNU/Linux 5.15.0-164-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Sat Jan 31 18:08:05 UTC 2026

System load:            0.55
Usage of /:             4.5% of 38.70GB
Memory usage:          32%
Swap usage:            0%
Processes:             111
Users logged in:       0
IPv4 address for enp0s3: 10.0.2.15
IPv6 address for enp0s3: fd00::28:41ff:fee4:55a4

Expanded Security Maintenance for Applications is not enabled.

1 update can be applied immediately.
1 of these updates is a standard security update.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

The list of available updates is more than a week old.
```

)

Observation: Successful login to the Ubuntu 22.04.5 LTS environment.

Step 3: Installing Nginx

Inside the VM terminal, the package lists were updated, and the Nginx web server was installed.

* **Commands:** `sudo apt update`, `sudo apt install -y nginx`

[illegible]

Observation: The `apt` package manager retrieves necessary archives. This process is slower than Docker as it installs dependencies for a full OS environment.

Step 4: Verification Inside VM

We verified the server was running locally within the guest OS.

* **Command:** `curl localhost`

```
vagrant@ubuntu-jammy:~$ curl localhost
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
    body {
        width: 35em;
        margin: 0 auto;
        font-family: Tahoma, Verdana, Arial, sans-serif;
    }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

Observation: The `curl` command inside the VM returns the full HTML source of the "Welcome to nginx!" page.

5. Experiment Setup - Part B: Containers (Docker)

Step 1: Running the Container

The Docker engine was used to pull the Ubuntu image and deploy a containerized Nginx instance.

* **Command:** `docker run -dp 8080:80 --name nginx-container nginx`

```
PS C:\Users\Yuvraj Singh vm-Lab> wsl
yuvraj_singh@LUCIF3R: /mnt/c/Users/Yuvraj Singh/vm-Lab$ docker pull ubuntu
Using default tag: latest
latest: Pulling from library/ubuntu
a3629ac5b9f4: Pull complete
Digest: sha256:cd1dba651b3080c3686ecf4e3c4220f026b521fb76978881737d24f200828b2b
Status: Downloaded newer image for ubuntu:latest
docker.io/library/ubuntu:latest
yuvraj_singh@LUCIF3R: /mnt/c/Users/Yuvraj Singh/vm-Lab$ docker run -dp 8080:80 --name nginx-container nginx
Unable to find image 'nginx:latest' locally
latest: Pulling from library/nginx
119d43eec815: Pull complete
700146c8ad64: Pull complete
d989100b8a84: Pull complete
500799c30424: Pull complete
10b68cfeef1: Pull complete
57f0dd1bef2: Pull complete
eaf8753feae0: Pull complete
Digest: sha256:c881927c4077710ac4b1da63b83aa163937fb47457950c267d92f7e4dedf4aec
Status: Downloaded newer image for nginx:latest
2b4aca5cf3b2631be5b89041c077ce31f7db9189fc06dea8f7e47b15be962c45
```

Observation: Docker pulls the image layers and starts the container nearly instantaneously.

Step 2: Verification

The Nginx server was verified by accessing the mapped port on the localhost.

* **Command:** `curl localhost:8080`

```
anirudh_chawla@LUCIF3R:/mnt/c/Users/Anirudh Chawla/vm-lab$ curl localhost:8080
<!DOCTYPE html>
<html>
<head>
<title>Welcome to nginx!</title>
<style>
html { color-scheme: light dark; }
body { width: 35em; margin: 0 auto;
font-family: Tahoma, Verdana, Arial, sans-serif; }
</style>
</head>
<body>
<h1>Welcome to nginx!</h1>
<p>If you see this page, the nginx web server is successfully installed and
working. Further configuration is required.</p>

<p>For online documentation and support please refer to
<a href="http://nginx.org/">nginx.org</a>.<br/>
Commercial support is available at
<a href="http://nginx.com/">nginx.com</a>.</p>

<p><em>Thank you for using nginx.</em></p>
</body>
</html>
```

Observation: The `curl` command confirms the Nginx "Welcome" page is active on port 8080.

6. Resource Utilization & Comparison

This section uses specific metrics captured during the experiment to contrast the two technologies.

A. Boot Time Analysis

- **Metric:** Time taken to reach a usable state.
- **VM Command:** `systemd-analyze`

```
vagrant@ubuntu-jammy:~$ systemd-analyze
Startup finished in 6.948s (kernel) + 29.871s (userspace) = 36.819s
graphical.target reached after 27.730s in userspace
```

Observation (VM): The VM took **36.819 seconds** to finish startup (6.9s kernel + 29.8s userspace).

Observation (Container): The container started in **less than 1 second** (refer to Docker output in Sec 5).

B. Process Overhead & Isolation

- **Metric:** Number of background processes required to run the application.
- **VM Command:** `htop`

```
0[ 0.0%] Tasks: 29, 25 thr; 1 running
1[ 0.0%] Load average: 0.01 0.18 0.16
Mem[ 194M/957M] Uptime: 00:09:43
Swp[ 0K/0K]

PID USER PRI NI VIRT RES SHR S CPU% MEM% TIME+ Command
689 syslog 20 0 217M 5344 4272 S 0.0 0.5 0:00.04 /usr/sbin/rsyslogd -n -iNONE
690 root 20 0 82700 3876 3536 S 0.0 0.4 0:00.00 /usr/sbin/irqbalance --foreground
693 root 20 0 1367M 37756 23944 S 0.0 3.9 0:02.13 /usr/lib/snapd/snapd
694 root 20 0 23696 7200 6240 S 0.0 0.7 0:00.20 /lib/systemd/systemd-logind
696 root 20 0 1367M 37756 23944 S 0.0 3.9 0:00.55 /usr/lib/snapd/snapd
697 root 20 0 1367M 37756 23944 S 0.0 3.9 0:00.19 /usr/lib/snapd/snapd
698 root 20 0 1367M 37756 23944 S 0.0 3.9 0:00.00 /usr/lib/snapd/snapd
699 root 20 0 1367M 37756 23944 S 0.0 3.9 0:00.00 /usr/lib/snapd/snapd
705 syslog 20 0 217M 5344 4272 S 0.0 0.5 0:00.01 /usr/sbin/rsyslogd -n -iNONE
706 syslog 20 0 217M 5344 4272 S 0.0 0.5 0:00.00 /usr/sbin/rsyslogd -n -iNONE
707 syslog 20 0 217M 5344 4272 S 0.0 0.5 0:00.00 /usr/sbin/rsyslogd -n -iNONE
736 root 20 0 6220 1108 1020 S 0.0 0.1 0:00.02 /sbin/agetty -o -p -- \u --keep-baud 115200,57600,38400,9600 ttyS0 vt220
750 root 20 0 6176 1104 1016 S 0.0 0.1 0:00.03 /sbin/agetty -o -p -- \u --noclear tty1 linux
761 root 20 0 107M 21312 13192 S 0.0 2.2 0:00.20 /usr/bin/python3 /usr/share/unattended-upgrades/unattended-upgrade-shutdown --wait-for-sign
769 root 20 0 1367M 37756 23944 S 0.0 3.9 0:00.08 /usr/lib/snapd/snapd
770 root 20 0 1367M 37756 23944 S 0.0 3.9 0:00.20 /usr/lib/snapd/snapd
771 root 20 0 107M 21312 13192 S 0.0 2.2 0:00.00 /usr/bin/python3 /usr/share/unattended-upgrades/unattended-upgrade-shutdown --wait-for-sign
783 root 20 0 1367M 37756 23944 S 0.0 3.9 0:00.25 /usr/lib/snapd/snapd
842 root 20 0 15440 8884 7248 S 0.0 0.9 0:00.04 sshd: /usr/sbin/sshd -D [listener] 0 of 10-100 startups
856 root 20 0 1367M 37756 23944 S 0.0 3.9 0:00.26 /usr/lib/snapd/snapd
862 root 20 0 1367M 37756 23944 S 0.0 3.9 0:00.24 /usr/lib/snapd/snapd
1881 root 20 0 16924 9868 7716 S 0.0 1.0 0:00.03 sshd: vagrant [priv]
1884 vagrant 20 0 17076 9316 7720 S 0.0 1.0 0:00.10 /lib/systemd/systemd --user
1885 vagrant 20 0 102M 4780 0 S 0.0 0.5 0:00.00 (sd-pam)
1948 vagrant 20 0 17472 7824 5300 S 0.0 0.8 0:00.50 sshd: vagrant@pts/0
1949 vagrant 20 0 9156 5016 3272 S 0.0 0.5 0:00.05 -bash
2271 root 20 0 289M 19444 16524 S 0.0 2.0 0:00.07 /usr/libexec/packagekitd
2272 root 20 0 289M 19444 16524 S 0.0 2.0 0:00.00 /usr/libexec/packagekitd
2273 root 20 0 289M 19444 16524 S 0.0 2.0 0:00.00 /usr/libexec/packagekitd
2275 root 20 0 229M 6804 6176 S 0.0 0.7 0:00.02 /usr/libexec/polkitd --no-debug
2276 root 20 0 229M 6804 6176 S 0.0 0.7 0:00.00 /usr/libexec/polkitd --no-debug
2278 root 20 0 229M 6804 6176 S 0.0 0.7 0:00.00 /usr/libexec/polkitd --no-debug
2824 root 20 0 55200 12020 10428 S 0.0 1.2 0:00.02 nginx: master process /usr/sbin/nginx -g daemon on; master_process on;
2827 www-data 20 0 55872 5400 3484 S 0.0 0.6 0:00.00 nginx: worker process
2828 www-data 20 0 55872 5400 3484 S 0.0 0.6 0:00.00 nginx: worker process
2931 vagrant 20 0 8708 4468 3412 R 0.0 0.5 0:00.10 htop
F1Help F2Setup F3Search F4Filter F5Tree F6SortBy F7Nice F8Nice F9Kill F10Quit
```

Observation (VM): `htop` reveals a heavy process tree. Even though we only want Nginx, the VM is running `systemd`, `snapd`, `rsyslogd`, `polkitd`, and `sshd`. There are dozens of tasks running to support the OS.

CONTAINER ID	NAME	CPU %	MEM USAGE / LIMIT	MEM %	NET I/O	BLOCK I/O	PIDS
aca20b894db3	nginx-container	0.00%	13.22MiB / 7.592GiB	0.17%	2.02kB / 1.4kB	0B / 12.3kB	17

Observation (Container): `docker stats` shows the container uses minimal resources because it only runs the application process (Nginx) and its direct dependencies.

C. Memory Usage

- **Metric:** RAM consumption.

```
</html>
vagrant@ubuntu-jammy:~$ free -h
htop
systemd-analyze
              total        used        free      shared  buff/cache   available
Mem:          957Mi       196Mi       171Mi         0.0Ki       589Mi       604Mi
Swap:           0B           0B           0B
Startup finished in 6.948s (kernel) + 29.871s (userspace) = 36.819s
graphical.target reached after 27.730s in userspace
```

Observation (VM): The `free -h` command inside the VM shows it has allocated **957Mi** total, with **196Mi** used immediately by the OS kernel and services.

Observation (Container): Referring to the Docker Stats image above, the container consumes only **13.22MiB** of RAM.

Comparison Summary Table

Parameter	Virtual Machine (VM)	Container (Docker)
Boot Time	~36.8 seconds (Measured)	< 1 second
RAM Usage	~196 MiB (Base OS overhead)	~13.22 MiB (App only)
Background Processes	High (init, systemd, ssh, logs)	Low (only Nginx entrypoint)
Disk Usage	Larger (Full OS libraries)	Smaller (Layered Image)

7. Conclusion

The experiment validates that **Containers** are significantly more lightweight.

1. **Speed:** The Docker container started instantly, whereas the VM required nearly 37 seconds to boot.
2. **Efficiency:** The VM required ~200MB of RAM just to exist, while the containerized application ran comfortably on ~13MB.
3. **Complexity:** The `htop` analysis clearly shows that VMs run a full operating system stack, creating unnecessary overhead for single-application deployments.

Therefore, Containers are ideal for microservices and rapid scaling, while VMs are better suited for scenarios requiring full hardware simulation or complete OS isolation.

8. Viva Voce Answers

1. **Main Difference:** VMs virtualize hardware (slow, heavy); containers virtualize the OS (fast, light).
2. **Fast Startup:** Containers use the host kernel and don't need to boot a new OS, saving the ~30s kernel/userspace init time seen in the VM.
3. **Hypervisor Role:** The hypervisor (VirtualBox) manages the VM's access to hardware.
4. **Different Kernels:** Containers share the host kernel. VMs run their own kernel.
5. **Why use `htop` ?** To visualize the process tree and see that a VM runs many system services (systemd, journald) that a container does not.