

Puerto Rico AIDS Surveillance Summary

Cumulative AIDS Cases Diagnosed as of October 31, 2013

Table 1. Number of cases and deaths^a by diagnostic status and age category

| Diagnostic status | Adults or adolescents | | | | Children (<13 yrs) | | | | Total | | | |
|--------------------|-----------------------|------------|--------------|-----------|--------------------|------------|------------|-----------|--------------|------------|--------------|-----------|
| | No. | % | Deaths | % | No. | % | Deaths | % | No. | % | Deaths | % |
| AIDS - Immunologic | 11143 | 31 | 4892 | 44 | 0 | 0 | 0 | 0 | 11143 | 31 | 4892 | 44 |
| AIDS - All others | 24618 | 69 | 19202 | 78 | 419 | 100 | 278 | 66 | 25037 | 69 | 19480 | 78 |
| Total | 35761 | 100 | 24094 | 67 | 419 | 100 | 278 | 66 | 36180 | 100 | 24372 | 67 |

Table 2. Number of cases by age at diagnosis and sex^b

| Age at diagnosis (yrs) | Male | | Female | | Total | |
|------------------------|--------------|------------|-------------|------------|--------------|------------|
| | No. | % | No. | % | No. | % |
| <13 | 203 | 1 | 216 | 2 | 419 | 1 |
| 13-14 | 35 | 0 | 24 | 0 | 59 | 0 |
| 15-24 | 1045 | 4 | 599 | 7 | 1644 | 5 |
| 25-34 | 8451 | 31 | 2975 | 33 | 11426 | 32 |
| 35-44 | 10405 | 38 | 2998 | 33 | 13403 | 37 |
| 45-54 | 4757 | 17 | 1459 | 16 | 6216 | 17 |
| 55-64 | 1593 | 6 | 510 | 6 | 2103 | 6 |
| >=65 | 727 | 3 | 183 | 2 | 910 | 3 |
| Total | 27216 | 100 | 8964 | 100 | 36180 | 100 |

Table 3. Number of cases by race/ethnicity^c and age category

| Race/ethnicity | Adults or adolescents | | Children (<13 yrs) | | Total | |
|--|-----------------------|------------|--------------------|------------|--------------|------------|
| | No. | % | No. | % | No. | % |
| Hispanic, All races | 35677 | 100 | 415 | 99 | 36092 | 100 |
| Not Hispanic, American Indian/Alaska Native | 1 | 0 | 0 | 0 | 1 | 0 |
| Not Hispanic, Asian | 0 | 0 | 0 | 0 | 0 | 0 |
| Not Hispanic, Black or African American | 24 | 0 | 3 | 1 | 27 | 0 |
| Not Hispanic, Native Hawaiian/Pacific Islander | 0 | 0 | 0 | 0 | 0 | 0 |
| Not Hispanic, White | 58 | 0 | 1 | 0 | 59 | 0 |
| Not Hispanic, Legacy Asian/Pacific Islander | 0 | 0 | 0 | 0 | 0 | 0 |
| Not Hispanic, Multi-race | 0 | 0 | 0 | 0 | 0 | 0 |
| Unknown | 1 | 0 | 0 | 0 | 1 | 0 |
| Total | 35761 | 100 | 419 | 100 | 36180 | 100 |

Note. Data include cases with a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnosis of HIV infection and AIDS.

Note. Data exclude cases missing age at diagnosis.

^aDeaths among persons diagnosed in the selected time period.

^bData exclude (0) persons with missing or unknown sex.

^cData exclude (0) adults or adolescents and (0) children <13 years missing race/ethnicity.

Puerto Rico AIDS Surveillance Summary

Cumulative AIDS Cases Diagnosed as of October 31, 2013

Table 4a. Number of cases among adults or adolescents by transmission category and sex^d

| Transmission category | Male | | Female | | Total | |
|---|--------------|------------|-------------|------------|--------------|------------|
| | No. | % | No. | % | No. | % |
| Male-to-male sexual contact | 6135 | 23 | 0 | 0 | 6135 | 17 |
| Injection drug use | 13931 | 52 | 3004 | 34 | 16935 | 47 |
| Male-to-male sexual contact and injection drug use | 2470 | 9 | 0 | 0 | 2470 | 7 |
| Hemophilia/coagulation disorder | 50 | 0 | 6 | 0 | 56 | 0 |
| Heterosexual contact | 4089 | 15 | 5511 | 63 | 9600 | 27 |
| Receipt of blood, components, or tissue | 77 | 0 | 91 | 1 | 168 | 0 |
| Perinatal exposure, HIV diagnosed \geq 13 years old | 7 | 0 | 4 | 0 | 11 | 0 |
| Other risk factor reported | 0 | 0 | 0 | 0 | 0 | 0 |
| No identified risk factor (NIR) ⁱ | 64 | 0 | 24 | 0 | 88 | 0 |
| No risk factor reported (NRR) ^g | 136 | 1 | 69 | 1 | 205 | 1 |
| Total | 26959 | 100 | 8709 | 100 | 35668 | 100 |

Table 4b. Number of cases among children <13 years by transmission category and sex^e

| Transmission category | Male | | Female | | Total | |
|--|------------|------------|------------|------------|------------|------------|
| | No. | % | No. | % | No. | % |
| Hemophilia/coagulation disorder | 2 | 1 | 1 | 0 | 3 | 1 |
| Mother with/at risk for HIV infection | 189 | 93 | 205 | 95 | 394 | 94 |
| Receipt of blood, components, or tissue | 7 | 3 | 5 | 2 | 12 | 3 |
| Other risk factor reported | 0 | 0 | 0 | 0 | 0 | 0 |
| No identified risk factor (NIR) ⁱ | 0 | 0 | 3 | 1 | 3 | 1 |
| No risk factor reported (NRR) ^g | 5 | 2 | 2 | 1 | 7 | 2 |
| Total | 203 | 100 | 216 | 100 | 419 | 100 |

Note. Data include cases with a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnosis of HIV infection and AIDS.

Note. Data exclude cases missing age at diagnosis.

^dData exclude (0) adults or adolescents with unknown or missing sex.

^eData exclude (0) children <13 years with unknown or missing sex.

ⁱNIR: After one year, or after investigation, no risk factor identified.

^gNRR: No risk factor reported at the time of initial report.

Puerto Rico AIDS Surveillance Summary

Cumulative AIDS Cases Diagnosed as of October 31, 2013

Table 5. Number of cases, deaths^h and case fatality rates by time of diagnosis

| Time of diagnosis | No. | Deaths | Case fatality rate % |
|-------------------|--------------|--------------|----------------------|
| Before 1985 | 183 | 172 | 94 |
| 1985 | 268 | 232 | 87 |
| 1986 | 456 | 408 | 89 |
| 1987 | 812 | 719 | 89 |
| 1988 | 1282 | 1157 | 90 |
| 1989 | 1598 | 1434 | 90 |
| 1990 | 1852 | 1634 | 88 |
| 1991 | 2309 | 2024 | 88 |
| 1992 | 2533 | 2171 | 86 |
| 1993 | 2673 | 2230 | 83 |
| 1994 | 2359 | 1874 | 79 |
| 1995 | 2158 | 1619 | 75 |
| 1996 | 2073 | 1406 | 68 |
| 1997 | 1759 | 1074 | 61 |
| 1998 | 1469 | 903 | 61 |
| 1999 | 1308 | 752 | 57 |
| 2000 | 1200 | 696 | 58 |
| 2001 | 1202 | 658 | 55 |
| 2002 | 1064 | 562 | 53 |
| 2003 | 1072 | 509 | 47 |
| 2004 | 930 | 451 | 48 |
| 2005 | 957 | 392 | 41 |
| 2006 | 825 | 330 | 40 |
| 2007 | 774 | 251 | 32 |
| 2008 | 759 | 239 | 31 |
| 2009 | 665 | 174 | 26 |
| 2010 | 547 | 143 | 26 |
| 2011 | 514 | 91 | 18 |
| 2012 | 393 | 56 | 14 |
| 2013 | 186 | 11 | 6 |
| Total | 36180 | 24372 | 67 |

Note. Data include cases with a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnosis of HIV infection and AIDS.

Note. Data exclude cases missing age at diagnosis.

^hDeaths among persons diagnosed in the selected time period.

HIV/AIDS Surveillance Program
Office of Epidemiology and Research, Puerto Rico Health Department
eHARS System October 31, 2013