

Roll Film Print System

Low cost and ideal for small lot and various kind of products



MODEL
RPS-106W(2headtype)



RPS-106W・159・53W・106・53

SHINMEI CO., LTD.

株式会社 シンメイ

URL <http://www.co-shinmei.com/>

Function

Ability to print Name, logo, Bar code, QR code etc., on the surface and batch, production date, Lot no., expiry dates and traceability on the rear side.

Special Features

Able to print as per demand

Print data is created on PC, after which it can be printed according to the demand of customer.

Additional Printing

Besides printing expiry dates and batches, it can print different kinds of information and images on different areas.

Printing plate not needed.

Since the data is created digitally there is no need for the printing plate and results in cost down.

Printing directly on the pouch

Direct printing on the film possible. This saves the cost of extra label

Traceability

By direct printing traceability is possible for various kinds of films.

Wide Printing

Printing available on a wide area.
212(106×2)mm W×200 L MAX

Color Printing

Ribbons with different kind of colors are available.
(Black, red, white, blue, green, yellow, brown, gold)



Use

- Mark of variable information on preprinted roll film.
- Printing on plain roll films such as display, traceability, expiry date and registration marks.

●Specification

Product Name Model	RPS-106W	RPS-106	RPS-159	RPS-53W	RPS-53
Roll film	245(L) Winding Diameter Max ø320 Paper tube ø75				
Printing Method	Thermal transfer operator, 4 inch head 300dpi, 2inch head 300dp				
Printing head	4inch 106mm X 2		4inch, 2inch		2inch 53mm X 2
Printing Area	106 X 200mm (L) X2 ^{*1}		106X 200mm (L) and 53 X 200 ^{*1}		53X200mm (L) X2 ^{*1}
Print speed	12m/min 300dpi				
Letter Type	Barcode (2 of 5 [JTF], JAN [13.8], 2 of 7 [NW7], 3 of 9 [CODE29], CODE-128 [CODE SUBSET A, B, C]), OCR, line, QR code, 8 types of Windows font, vertical/horizontal magnification (1 to 4 times), ANK, kanji characters				
Print position/Direction of Character	Free setting (in some areas, there are dead zones where printing is disabled) 0°/90°/180°/270°				
Outer Dimensions	1230X615X460 without reel installed				
Power Supply/Weight	AC100V・500W(MAX)・50/60Hz・120kg				
Software	Dedicated PC software "Direct KOB0"				

^{*1} It depends on combinations of printer. *Specification changes without any notice. * Ribbon colors may show differently on the catalog.

Manufacturing/sales by

SHINMEI CO., LTD.

URL <http://www.co-shinmei.com/>

E-mail info@co-shinmei.com

Headquarters Sales

Department, Fashion face Bldg., 2-3-3 Nihonbashi-bakurocho,
Chuo-ku, Tokyo 103-0002 Japan

Tel: +81-3-3831-3921 (main) Fax: +81-3-3831-7541

Agent