Activity 3: Repository Creation and Basic Git Commands

Name: Ian R. Diaz Section: BSIS 3A Course: IS393/IT353 Information Assurance and Security 1
Repository: https://github.com/iandiaz003/Git-Activity-3

Commands used

1. `git clone https://github.com/iandiaz003/Git-Activity-3.git`
2. `cd Git-Activity-3`
3. `git add git-activity.txt`
4. `git push origin main`
5. `git branch feature-branch`
6. `git checkout feature-branch`
7. `git add git-activity.txt`
8. `git commit -m "Updated git-activity.txt in feature-branch"`
9. `git checkout main`
10. `git merge feature-branch`
11. `git push origin main`
12. `git pull origin main`

Terminal screenshots follow on the next pages.

```
Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1 (main)
$ git clone https://github.com/iandiaz003/Git-Activity-3.git
Cloning into 'Git-Activity-3'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1 (main)
$ cd Git-Activity-3

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (main)
$ echo "This is my Git Activity." > git-activity.txt

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (main)
$ git add git-activity.txt
warning: in the working copy of 'git-activity.txt', LF will be replaced by CRLF the next time Git touches it

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (main)
$ git push origin main
Everything up-to-date

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (main)
$ git branch feature-branch

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (main)
$ git checkout feature-branch
A       git-activity.txt
Switched to branch 'feature-branch'

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (feature-branch)
$ echo "Added this line in feature-branch." >> git-activity.txt

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (feature-branch)
$ git add git-activity.txt
warning: in the working copy of 'git-activity.txt', LF will be replaced by CRLF the next time Git touches it

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (feature-branch)
$ git commit -m "Updated git-activity.txt in feature-branch"
[feature-branch 4a7f70b] Updated git-activity.txt in feature-branch
 1 file changed, 2 insertions(+)
 create mode 100644 git-activity.txt

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (feature-branch)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (main)
$ git merge feature-branch
Updating 71983f5..4a7f70b
Fast-forward
 git-activity.txt | 2 ++
 1 file changed, 2 insertions(+)
 create mode 100644 git-activity.txt

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 363 bytes | 363.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/iandiaz003/Git-Activity-3.git
   71983f5..4a7f70b  main -> main

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (main)
```

```
$ git pull origin main
From https://github.com/iandiaz003/Git-Activity-3
 * branch            main       -> FETCH_HEAD
Already up to date.

Admin@DESKTOP-5C24R05 UCRT64 ~/Git-Activity-1/Git-Activity-3 (main)
$
```