

# Phase 1 Welcome

This study is now closed.

However, we appreciate your interest to participate in our studies.

Please become a CCBS Friend and you will be invited to participate in future studies.

Thank you!

System Testing?

☐ Yes ☐ No

---

## A Little Bit About You

Why did you decide to participate in this survey?

Check all that apply

- ☐ I love dogs
- ☐ To help shelter animals
- ☐ My dog may have a behavior problem
- ☐ I work with animals
- ☐ Other

Email Address:

---

Zip/Postal Code:

---

# Phase 1a

---

---

## Who Is Your Canine Companion

If you have multiple dogs, please fill in separate surveys for each.  
You will be given an opportunity to do so after you submit this survey.

Canine Companion Name:

---

---

---

**A Little Bit About [dog\_name\_1a]**

Is [dog\_name\_1a] a purebred?

☐ Yes ☐ No

Is the breed recognized by the AKC?

☐ Yes ☐ No

Please select breed:

- ☐ affenpinscher
- ☐ afghan hound
- ☐airedale terrier
- ☐ akita
- ☐ alaskan malamute
- ☐ american english coonhound
- ☐ american eskimo dog
- ☐ american foxhound
- ☐ american hairless terrier
- ☐ american leopard hound
- ☐ american staffordshire terrier
- ☐ american water spaniel
- ☐ anatolian shepherd dog
- ☐ appenzeller sennenhunde
- ☐ australian cattle dog
- ☐ australian shepherd
- ☐ australian terrier
- ☐ azawakh
- ☐ barbet
- ☐ basenji
- ☐ basset fauve de bretagne
- ☐ basset hound
- ☐ bavarian mountain scent hound
- ☐ beagle
- ☐ bearded collie
- ☐ beauceron
- ☐ bedlington terrier
- ☐ belgian laekenois
- ☐ belgian malinois
- ☐ belgian sheepdog
- ☐ belgian tervuren
- ☐ bergamasco sheepdog
- ☐ berger picard
- ☐ bernese mountain dog
- ☐ bichon frise
- ☐ biewer terrier
- ☐ black and tan coonhound
- ☐ black russian terrier
- ☐ bloodhound
- ☐ bluetick coonhound
- ☐ boerboel
- ☐ bolognese
- ☐ border collie
- ☐ border terrier
- ☐ borzoi
- ☐ boston terrier
- ☐ bouvier des flandres
- ☐ boxer
- ☐ boykin spaniel
- ☐ briard
- ☐ brittany
- ☐ brussels griffon
- ☐ bull terrier
- ☐ bull terrier (miniature)
- ☐ bulldog
- ☐ bullmastiff
- ☐ cairn terrier
- ☐ canaan dog
- ☐ cane corso
- ☐ cardigan welsh corgi
- ☐ cavalier king charles spaniel
- ☐ cesky terrier
- ☐ chesapeake bay retriever
- ☐ chihuahua
- ☐ chinese crested dog
- ☐ chinese shar pei
- ☐ chinook
- ☐ chow chow
- ☐ cirneco dell'etna
- ☐ clumber spaniel

- ☐ cocker spaniel
- ☐ collie
- ☐ coton de tulear
- ☐ curly-coated retriever
- ☐ dachshund
- ☐ dalmatian
- ☐ dandie dinmont terrier
- ☐ doberman pinscher
- ☐ doque de bordeaux
- ☐ english cocker spaniel
- ☐ english foxhound
- ☐ english setter
- ☐ english springer spaniel
- ☐ english toy spaniel
- ☐ entlebucher mountain dog
- ☐ field spaniel
- ☐ finnish lapphund
- ☐ finnish spitz
- ☐ flat-coated retriever
- ☐ french bulldog
- ☐ german pinscher
- ☐ german shepherd dog
- ☐ german shorthaired pointer
- ☐ german wirehaired pointer
- ☐ giant schnauzer
- ☐ glen of imaal terrier
- ☐ golden retriever
- ☐ gordon setter
- ☐ great dane
- ☐ great pyrenees
- ☐ greater swiss mountain dog
- ☐ greyhound
- ☐ harrier
- ☐ havanese
- ☐ ibizan hound
- ☐ icelandic sheepdog
- ☐ irish red and white setter
- ☐ irish setter
- ☐ irish terrier
- ☐ irish water spaniel
- ☐ irish wolfhound
- ☐ italian greyhound
- ☐ japanese chin
- ☐ keeshond
- ☐ kerry blue terrier
- ☐ komondor
- ☐ kuvasz
- ☐ labrador retriever
- ☐ lagotto romagnolo
- ☐ lakeland terrier
- ☐ leonberger
- ☐ lhasa apso
- ☐ lowchen
- ☐ maltese
- ☐ manchester terrier
- ☐ mastiff
- ☐ miniature american shepherd
- ☐ miniature bull terrier
- ☐ miniature pinscher
- ☐ miniature schnauzer
- ☐ neapolitan mastiff
- ☐ newfoundland
- ☐ norfolk terrier
- ☐ norwegian buhund
- ☐ norwegian elkhound
- ☐ norwegian lundehund
- ☐ norwich terrier
- ☐ nova scotia duck-tolling retriever
- ☐ old english sheepdog
- ☐ otterhound
- ☐ papillon

- ☐ parson russell terrier
- ☐ pekingese
- ☐ pembroke welsh corgi
- ☐ petit basset griffon vendeen
- ☐ pharaoh hound
- ☐ plott
- ☐ pointer
- ☐ polish lowland sheepdog
- ☐ pomeranian
- ☐ poodle
- ☐ portuguese podengo
- ☐ portuguese water dog
- ☐ pug
- ☐ puli
- ☐ pumi
- ☐ pyrenean shepherd
- ☐ rat terrier
- ☐ redbone coonhound
- ☐ rhodesian ridgeback
- ☐ rottweiler
- ☐ russel terrier
- ☐ st. benard
- ☐ saluki
- ☐ samoyed
- ☐ schapendoes
- ☐ schipperke
- ☐ scottish deerhound
- ☐ scottish terrier
- ☐ sealyham terrier
- ☐ shetland sheepdog
- ☐ shiba inu
- ☐ shih tzu
- ☐ siberian husky
- ☐ silky terrier
- ☐ skye terrier
- ☐ sloughi
- ☐ smooth fox terrier
- ☐ soft-coated wheaten terrier
- ☐ spanish water dog
- ☐ spinone italiano
- ☐ staffordshire bull terrier
- ☐ standard schnauzer
- ☐ sussex spaniel
- ☐ swedish valhund
- ☐ tibetan mastiff
- ☐ tibetan spaniel
- ☐ tibetan terrier
- ☐ toy fox terrier
- ☐ treeing water coonhound
- ☐ vizsla
- ☐ weimaraner
- ☐ welsh springer spaniel
- ☐ welsh terrier
- ☐ west highland white terrier
- ☐ whippet
- ☐ wire fox terrier
- ☐ wirehaired pointing griffon
- ☐ wirehaired vizsla
- ☐ xoloitzcuintli
- ☐ yorkshire terrier

Please enter the breed:

---

Do you know the breed composition for [dog\_name\_1a]?

☐ Yes ☐ No

Please list the breed composition:

---

Where did you acquire [dog\_name\_1a]?

- ☐ Online - Rescue   ☐ Online - Purchase  
☐ Pet Store   ☐ Shelter/Rescue  
☐ Breeder   ☐ Self Bred  
☐ Friend/Family Member  
☐ Found   ☐ Other

Was [dog\_name\_1a] older than 12 months when acquired?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the age of [dog\_name\_1a] when acquired:

\_\_\_\_\_  
(in months)

Please enter the age of [dog\_name\_1a] when acquired:

\_\_\_\_\_  
(in years)

Is [dog\_name\_1a] older than 12 months today?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the current age of [dog\_name\_1a]:

\_\_\_\_\_  
(in months)

Please enter the current age of [dog\_name\_1a]:

\_\_\_\_\_  
(in years)

What gender is [dog\_name\_1a]?

- ☐ Male   ☐ Female

Is [dog\_name\_1a] spayed/neutered?

- ☐ Yes   ☐ No   ☐ I don't know

Was [dog\_name\_1a] spayed/neutered before 12 months of age?

- ☐ Yes   ☐ No   ☐ I don't know

How old was [dog\_name\_1a] when spayed/neutered?

\_\_\_\_\_  
(in months)

How old was [dog\_name\_1a] when spayed/neutered?

\_\_\_\_\_  
(in years)

Do you know how much [dog\_name\_1a] weighs?

- ☐ Yes   ☐ No

Please enter the current weight of [dog\_name\_1a]:

\_\_\_\_\_  
(in pounds)



---

**How Does [dog\_name\_1a] Behave**

---

Do you believe [dog\_name\_1a] has ever had a behavior problem?

☐ Yes ☐ No ☐ I don't know

Was the behavior problem evident at the time of acquisition?

☐ Yes ☐ No ☐ I don't know

Do you remember the age of [dog\_name\_1a] when you first noticed the behavior problem?

☐ Yes ☐ No

Did you notice the behavior problem within the first 12 months of age?

☐ Yes ☐ No

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in months)

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in years)

The information you provide about [dog\_name\_1a] is essential to this scientific study and important to the canine community.

Has [dog\_name\_1a] ever exhibited any of the following?  
Check all that apply

- ☐ Aggression (e.g., growling, snarling, snapping, lunging, biting)
- ☐ Fearful and/or anxious behavior (e.g., hiding, cowering, shaking, low tail or body, panting, pacing, vocalization)
- ☐ Repetitive behavior (e.g., light or tail chasing, licking)
- ☐ House soiling
- ☐ Excessive barking
- ☐ Jumping on people
- ☐ Mounting/humping
- ☐ Eating feces (i.e., poop)
- ☐ Destructive behavior
- ☐ Rolling in repulsive objects (e.g., feces, garbage)
- ☐ Running away
- ☐ Overactive/hyperactive

Behavior score:

\_\_\_\_\_

---

**Fill Us In On The Details**

---

To which of the following has [dog\_name\_1a] ever shown aggression?

(e.g., growling, snarling, snapping, lunging, biting)

Check all that apply

- ☐ Familiar people in the home
- ☐ Strangers visiting the home
- ☐ Strangers away from the home
- ☐ Another dog in the home
- ☐ Unfamiliar dogs visiting the home
- ☐ Unfamiliar dogs outside on walks (off lead)
- ☐ Unfamiliar dogs outside on walks (on lead)
- ☐ Veterinarians
- ☐ Trainers
- ☐ Groomers
- ☐ Animals other than dogs in the home

Which animal(s) has [dog\_name\_1a] show aggression to? \_\_\_\_\_

Aggression count: \_\_\_\_\_

In which of the following forms has [dog\_name\_1a] exhibited aggression?

Check all that apply

- ☐ Growling
- ☐ Snarling
- ☐ Snapping
- ☐ Lunging
- ☐ Biting

Has [dog\_name\_1a] ever bitten a person?

☐ Yes ☐ No

How many times has [dog\_name\_1a] bitten another person?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1a] ever bitten another dog?

☐ Yes ☐ No

How many times has [dog\_name\_1a] bitten another dog?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1a] ever delivered more than a single bite per incident?

☐ Yes ☐ No

How severe was the worst bite?

- ☐ Level 1 - Obnoxious or aggressive behavior but no skin-contact by teeth
- ☐ Level 2 - Skin-contact by teeth but no skin-puncture   ☐ Level 3 - One to four punctures from a single bite with no puncture deeper than half the length of the dog's canine teeth   ☐ Level 4 - One to four punctures from a single bite with at least one puncture deeper than half the length of the dog's canine teeth   ☐ Level 5 - Multiple-bite incident with at least two Level 4 bites or multiple-attack incident with at least one Level 4 bite in each

Has [dog\_name\_1a] ever exhibited any of the following fearful or anxious behaviors?

Check all that apply

- ☐ Thunderstorm phobia
- ☐ Other noise phobia
- ☐ Fearful or anxious when confronted by certain people or in crowds (without showing aggression toward the people)
- ☐ Fearful of other dogs (without showing aggression toward the dogs)
- ☐ Post-traumatic stress disorder (PTSD) (hypervigilance and avoidance following a life-threatening event)
- ☐ General anxiety (e.g., pacing, panting, easily startled in most circumstances)
- ☐ Situational anxiety (e.g., pacing, panting, easily startled in certain circumstances)
- ☐ Fearful/anxious in the veterinary office
- ☐ Separation anxiety (i.e., showing signs such as pre-departure anxiety, vocalization, destructive behavior when alone and exuberant greeting on owner's return)
- ☐ Anxiety in the car (e.g. panting, restless, vocalizing)
- ☐ Other fear or anxious behavior

Please describe the other fearful/anxious behavior:

Fearful count: \_\_\_\_\_

Has [dog\_name\_1a] ever exhibited any of the following repetitive behaviors?

Check all that apply

- ☐ Spinning
- ☐ Tail chasing
- ☐ Shadow or light chasing
- ☐ Running in a geometric pattern
- ☐ Compulsive licking of the wrist or hock
- ☐ Fly snapping (no flies actually present)
- ☐ Sucking the flank region or blankets
- ☐ Tennis ball fetish
- ☐ Collecting objects, and arranging them in piles or patterns
- ☐ Nail biting
- ☐ Digging in the yard
- ☐ Stone/rock chewing
- ☐ Other

Please describe the other repetitive behavior:

Do you think that [dog\_name\_1a] has ever had a house soiling problem?

☐ Yes ☐ No

In which way has [dog\_name\_1a] soiled in the house?

☐ Urine ☐ Feces ☐ Both

In which of the following situations has [dog\_name\_1a] soiled in the house?

Check all that apply

- ☐ When I am home
- ☐ When I am out
- ☐ When excited or overwhelmed (e.g., greetings, approach)

Where has [dog\_name\_1a] soiled in the house?

Check all that apply

- ☐ Specific locations
- ☐ Anywhere on the floor

Do you think that [dog\_name\_1a] has ever barked excessively?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1a] barked excessively?

Check all that apply

- ☐ When you are home
- ☐ When you are away
- ☐ To get your attention
- ☐ Inside - At triggers (e.g., noise, passerby)
- ☐ Outside - At triggers (e.g., dogs, people, noises)
- ☐ During car rides

Do you think [dog\_name\_1a] has ever jumped on people to an extent that you considered it to be a behavioral problem?

☐ Yes ☐ No

On whom does [dog\_name\_1a] usually jump?

Check all that apply

- ☐ You
- ☐ Family members
- ☐ Strangers

Which of the following has [dog\_name\_1a] attempted to mount/hump?

Check all that apply

- ☐ People
- ☐ Familiar dogs
- ☐ Unfamiliar dogs
- ☐ Inanimate objects (e.g., stuffed toys, pillows)

How often does [dog\_name\_1a] mount/hump?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly

What type of feces has [dog\_name\_1a] consumed?

Check all that apply

- ☐ Their own feces
- ☐ Other dogs' feces
- ☐ Other species' feces (e.g., deer, goose)

Would you consider the destructive behavior exhibited by [dog\_name\_1a] to be problematic?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1a] exhibited destructive behavior?

Check all that apply

- ☐ When you are home
- ☐ When you are away

How often does [dog\_name\_1a] exhibit destructive behavior?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly

Has [dog\_name\_1a] ever rolled in any of the following repulsive objects?

Check all that apply

- ☐ Urine
- ☐ Feces
- ☐ Dead stuff (e.g., blackish, greasy, rancid)
- ☐ Garbage

When out with [dog\_name\_1a], has [dog\_name\_1a] ever run away and not come back on his/her own?

☐ Yes ☐ No

Has [dog\_name\_1a] ever bolted/escaped from the house and left?

☐ Yes ☐ No

Has [dog\_name\_1a] ever escaped confinement (e.g., fenced backyard) and run away?

☐ Yes ☐ No

Will [dog\_name\_1a] always return if you call for him/her?

☐ Yes ☐ No

Which of the following overactive/hyperactive behaviors has [dog\_name\_1a] exhibited?

Check all that apply

- ☐ Moving or jumping constantly
- ☐ Difficulty settling
- ☐ Highly distractible
- ☐ Impulsive

---

---

**Do You Have Other Dogs?**

Do you have another dog you that you would like to complete the survey for?

☐ Yes ☐ No

## Phase 1b

---

---

## Who Is Your Canine Companion

Canine Companion Name:

---



---

---

**A Little Bit About [dog\_name\_1b]**

Is [dog\_name\_1b] a purebred?

☐ Yes ☐ No

Is the breed recognized by the AKC?

☐ Yes ☐ No

Please select breed:

- ☐ affenpinscher
- ☐ afghan hound
- ☐airedale terrier
- ☐ akita
- ☐ alaskan malamute
- ☐ american english coonhound
- ☐ american eskimo dog
- ☐ american foxhound
- ☐ american hairless terrier
- ☐ american leopard hound
- ☐ american staffordshire terrier
- ☐ american water spaniel
- ☐ anatolian shepherd dog
- ☐ appenzeller sennenhunde
- ☐ australian cattle dog
- ☐ australian shepherd
- ☐ australian terrier
- ☐ azawakh
- ☐ barbet
- ☐ basenji
- ☐ basset fauve de bretagne
- ☐ basset hound
- ☐ bavarian mountain scent hound
- ☐ beagle
- ☐ bearded collie
- ☐ beauceron
- ☐ bedlington terrier
- ☐ belgian laekenois
- ☐ belgian malinois
- ☐ belgian sheepdog
- ☐ belgian tervuren
- ☐ bergamasco sheepdog
- ☐ berger picard
- ☐ bernese mountain dog
- ☐ bichon frise
- ☐ biewer terrier
- ☐ black and tan coonhound
- ☐ black russian terrier
- ☐ bloodhound
- ☐ bluetick coonhound
- ☐ boerboel
- ☐ bolognese
- ☐ border collie
- ☐ border terrier
- ☐ borzoi
- ☐ boston terrier
- ☐ bouvier des flandres
- ☐ boxer
- ☐ boykin spaniel
- ☐ briard
- ☐ brittany
- ☐ brussels griffon
- ☐ bull terrier
- ☐ bull terrier (miniature)
- ☐ bulldog
- ☐ bullmastiff
- ☐ cairn terrier
- ☐ canaan dog
- ☐ cane corso
- ☐ cardigan welsh corgi
- ☐ cavalier king charles spaniel
- ☐ cesky terrier
- ☐ chesapeake bay retriever
- ☐ chihuahua
- ☐ chinese crested dog
- ☐ chinese shar pei
- ☐ chinook
- ☐ chow chow
- ☐ cirneco dell'etna
- ☐ clumber spaniel

- ☐ cocker spaniel
- ☐ collie
- ☐ coton de tulear
- ☐ curly-coated retriever
- ☐ dachshund
- ☐ dalmatian
- ☐ dandie dinmont terrier
- ☐ doberman pinscher
- ☐ doque de bordeaux
- ☐ english cocker spaniel
- ☐ english foxhound
- ☐ english setter
- ☐ english springer spaniel
- ☐ english toy spaniel
- ☐ entlebucher mountain dog
- ☐ field spaniel
- ☐ finnish lapphund
- ☐ finnish spitz
- ☐ flat-coated retriever
- ☐ french bulldog
- ☐ german pinscher
- ☐ german shepherd dog
- ☐ german shorthaired pointer
- ☐ german wirehaired pointer
- ☐ giant schnauzer
- ☐ glen of imaal terrier
- ☐ golden retriever
- ☐ gordon setter
- ☐ great dane
- ☐ great pyrenees
- ☐ greater swiss mountain dog
- ☐ greyhound
- ☐ harrier
- ☐ havanese
- ☐ ibizan hound
- ☐ icelandic sheepdog
- ☐ irish red and white setter
- ☐ irish setter
- ☐ irish terrier
- ☐ irish water spaniel
- ☐ irish wolfhound
- ☐ italian greyhound
- ☐ japanese chin
- ☐ keeshond
- ☐ kerry blue terrier
- ☐ komondor
- ☐ kuvasz
- ☐ labrador retriever
- ☐ lagotto romagnolo
- ☐ lakeland terrier
- ☐ leonberger
- ☐ lhasa apso
- ☐ lowchen
- ☐ maltese
- ☐ manchester terrier
- ☐ mastiff
- ☐ miniature american shepherd
- ☐ miniature bull terrier
- ☐ miniature pinscher
- ☐ miniature schnauzer
- ☐ neapolitan mastiff
- ☐ newfoundland
- ☐ norfolk terrier
- ☐ norwegian buhund
- ☐ norwegian elkhound
- ☐ norwegian lundehund
- ☐ norwich terrier
- ☐ nova scotia duck-tolling retriever
- ☐ old english sheepdog
- ☐ otterhound
- ☐ papillon

- ☐ parson russell terrier
- ☐ pekingese
- ☐ pembroke welsh corgi
- ☐ petit basset griffon vendeen
- ☐ pharaoh hound
- ☐ plott
- ☐ pointer
- ☐ polish lowland sheepdog
- ☐ pomeranian
- ☐ poodle
- ☐ portuguese podengo
- ☐ portuguese water dog
- ☐ pug
- ☐ puli
- ☐ pumi
- ☐ pyrenean shepherd
- ☐ rat terrier
- ☐ redbone coonhound
- ☐ rhodesian ridgeback
- ☐ rottweiler
- ☐ russel terrier
- ☐ st. benard
- ☐ saluki
- ☐ samoyed
- ☐ schapendoes
- ☐ schipperke
- ☐ scottish deerhound
- ☐ scottish terrier
- ☐ sealyham terrier
- ☐ shetland sheepdog
- ☐ shiba inu
- ☐ shih tzu
- ☐ siberian husky
- ☐ silky terrier
- ☐ skye terrier
- ☐ sloughi
- ☐ smooth fox terrier
- ☐ soft-coated wheaten terrier
- ☐ spanish water dog
- ☐ spinone italiano
- ☐ staffordshire bull terrier
- ☐ standard schnauzer
- ☐ sussex spaniel
- ☐ swedish valhund
- ☐ tibetan mastiff
- ☐ tibetan spaniel
- ☐ tibetan terrier
- ☐ toy fox terrier
- ☐ treeing water coonhound
- ☐ vizsla
- ☐ weimaraner
- ☐ welsh springer spaniel
- ☐ welsh terrier
- ☐ west highland white terrier
- ☐ whippet
- ☐ wire fox terrier
- ☐ wirehaired pointing griffon
- ☐ wirehaired vizsla
- ☐ xoloitzcuintli
- ☐ yorkshire terrier

Please enter the breed:

---

Do you know the breed composition for [dog\_name\_1b]?

☐ Yes   ☐ No

Please list the breed composition:

---

Where did you acquire [dog\_name\_1b]?

- ☐ Online - Rescue   ☐ Online - Purchase  
☐ Pet Store   ☐ Shelter/Rescue  
☐ Breeder   ☐ Self Bred  
☐ Friend/Family Member  
☐ Found   ☐ Other

Was [dog\_name\_1b] older than 12 months when acquired?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the age of [dog\_name\_1b] when acquired:

\_\_\_\_\_  
(in months)

Please enter the age of [dog\_name\_1b] when acquired:

\_\_\_\_\_  
(in years)

Is [dog\_name\_1b] older than 12 months today?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the current age of [dog\_name\_1b]:

\_\_\_\_\_  
(in months)

Please enter the current age of [dog\_name\_1b]:

\_\_\_\_\_  
(in years)

What gender is [dog\_name\_1b]?

- ☐ Male   ☐ Female

Is [dog\_name\_1b] spayed/neutered?

- ☐ Yes   ☐ No   ☐ I don't know

Was [dog\_name\_1b] spayed/neutered before 12 months of age?

- ☐ Yes   ☐ No   ☐ I don't know

How old was [dog\_name\_1b] when spayed/neutered?

\_\_\_\_\_  
(in months)

How old was [dog\_name\_1b] when spayed/neutered?

\_\_\_\_\_  
(in years)

Do you know how much [dog\_name\_1b] weighs?

- ☐ Yes   ☐ No

Please enter the current weight of [dog\_name\_1b]:

\_\_\_\_\_  
(in pounds)

---

**How Does [dog\_name\_1b] Behave**

---

Do you believe [dog\_name\_1b] has ever had a behavior problem?

☐ Yes ☐ No ☐ I don't know

Was the behavior problem evident at the time of acquisition?

☐ Yes ☐ No ☐ I don't know

Do you remember the age of [dog\_name\_1b] when you first noticed the behavior problem?

☐ Yes ☐ No

Did you notice the behavior problem within the first 12 months of age?

☐ Yes ☐ No

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in months)

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in years)

The information you provide about [dog\_name\_1b] is essential to this scientific study and important to the canine community.

Has [dog\_name\_1b] ever exhibited any of the following?  
Check all that apply

- ☐ Aggression (e.g., growling, snarling, snapping, lunging, biting)
- ☐ Fearful and/or anxious behavior (e.g., hiding, cowering, shaking, low tail or body, panting, pacing, vocalization)
- ☐ Repetitive behavior (e.g., light or tail chasing, licking)
- ☐ House soiling
- ☐ Excessive barking
- ☐ Jumping on people
- ☐ Mounting/humping
- ☐ Eating feces (i.e., poop)
- ☐ Destructive behavior
- ☐ Rolling in repulsive objects (e.g., feces, garbage)
- ☐ Running away
- ☐ Overactive/hyperactive

Behavior score:

\_\_\_\_\_

---

**Fill Us In On The Details**

---

To which of the following has [dog\_name\_1b] ever shown aggression?

(e.g., growling, snarling, snapping, lunging, biting)

Check all that apply

- ☐ Familiar people in the home
- ☐ Strangers visiting the home
- ☐ Strangers away from the home
- ☐ Another dog in the home
- ☐ Unfamiliar dogs visiting the home
- ☐ Unfamiliar dogs outside on walks (off lead)
- ☐ Unfamiliar dogs outside on walks (on lead)
- ☐ Veterinarians
- ☐ Trainers
- ☐ Groomers
- ☐ Animals other than dogs in the home

Which animal(s) has [dog\_name\_1b] show aggression to? \_\_\_\_\_

Aggression count: \_\_\_\_\_

In which of the following forms has [dog\_name\_1b] exhibited aggression?

Check all that apply

- ☐ Growling
- ☐ Snarling
- ☐ Snapping
- ☐ Lunging
- ☐ Biting

Has [dog\_name\_1b] ever bitten a person?

☐ Yes ☐ No

How many times has [dog\_name\_1b] bitten another person?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1b] ever bitten another dog?

☐ Yes ☐ No

How many times has [dog\_name\_1b] bitten another dog?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1b] ever delivered more than a single bite per incident?

☐ Yes ☐ No

How severe was the worst bite?

- ☐ Level 1 - Obnoxious or aggressive behavior but no skin-contact by teeth
- ☐ Level 2 - Skin-contact by teeth but no skin-puncture ☐ Level 3 - One to four punctures from a single bite with no puncture deeper than half the length of the dog's canine teeth ☐ Level 4 - One to four punctures from a single bite with at least one puncture deeper than half the length of the dog's canine teeth ☐ Level 5 - Multiple-bite incident with at least two Level 4 bites or multiple-attack incident with at least one Level 4 bite in each

Has [dog\_name\_1b] ever exhibited any of the following fearful or anxious behaviors?

Check all that apply

- ☐ Thunderstorm phobia
- ☐ Other noise phobia
- ☐ Fearful or anxious when confronted by certain people or in crowds (without showing aggression toward the people)
- ☐ Fearful of other dogs (without showing aggression toward the dogs)
- ☐ Post-traumatic stress disorder (PTSD) (hypervigilance and avoidance following a life-threatening event)
- ☐ General anxiety (e.g., pacing, panting, easily startled in most circumstances)
- ☐ Situational anxiety (e.g., pacing, panting, easily startled in certain circumstances)
- ☐ Fearful/anxious in the veterinary office
- ☐ Separation anxiety (i.e., showing signs such as pre-departure anxiety, vocalization, destructive behavior when alone and exuberant greeting on owner's return)
- ☐ Anxiety in the car (e.g. panting, restless, vocalizing)
- ☐ Other fear or anxious behavior

Please describe the other fearful/anxious behavior:

Fearful count: \_\_\_\_\_

Has [dog\_name\_1b] ever exhibited any of the following repetitive behaviors?

Check all that apply

- ☐ Spinning
- ☐ Tail chasing
- ☐ Shadow or light chasing
- ☐ Running in a geometric pattern
- ☐ Compulsive licking of the wrist or hock
- ☐ Fly snapping (no flies actually present)
- ☐ Sucking the flank region or blankets
- ☐ Tennis ball fetish
- ☐ Collecting objects, and arranging them in piles or patterns
- ☐ Nail biting
- ☐ Digging in the yard
- ☐ Stone/rock chewing
- ☐ Other

Please describe the other repetitive behavior:

Do you think that [dog\_name\_1b] has ever had a house soiling problem?

☐ Yes ☐ No

In which way has [dog\_name\_1b] soiled in the house?

☐ Urine ☐ Feces ☐ Both

In which of the following situations has [dog\_name\_1b] soiled in the house?

Check all that apply

- ☐ When I am home
- ☐ When I am out
- ☐ When excited or overwhelmed (e.g., greetings, approach)



Where has [dog\_name\_1b] soiled in the house?

Check all that apply

- ☐ Specific locations
- ☐ Anywhere on the floor

Do you think that [dog\_name\_1b] has ever barked excessively?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1b] barked excessively?

Check all that apply

- ☐ When you are home
- ☐ When you are away
- ☐ To get your attention
- ☐ Inside - At triggers (e.g., noise, passerby)
- ☐ Outside - At triggers (e.g., dogs, people, noises)
- ☐ During car rides

Do you think [dog\_name\_1b] has ever jumped on people to an extent that you considered it to be a behavioral problem?

☐ Yes ☐ No

On whom does [dog\_name\_1b] usually jump?

Check all that apply

- ☐ You
- ☐ Family members
- ☐ Strangers

Which of the following has [dog\_name\_1b] attempted to mount/hump?

Check all that apply

- ☐ People
- ☐ Familiar dogs
- ☐ Unfamiliar dogs
- ☐ Inanimate objects (e.g., stuffed toys, pillows)

How often does [dog\_name\_1b] mount/hump?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly

What type of feces has [dog\_name\_1b] consumed?

Check all that apply

- ☐ Their own feces
- ☐ Other dogs' feces
- ☐ Other species' feces (e.g., deer, goose)

Would you consider the destructive behavior exhibited by [dog\_name\_1b] to be problematic?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1b] exhibited destructive behavior?

Check all that apply

- ☐ When you are home
- ☐ When you are away

How often does [dog\_name\_1b] exhibit destructive behavior?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly

Has [dog\_name\_1b] ever rolled in any of the following repulsive objects?

Check all that apply

- ☐ Urine
- ☐ Feces
- ☐ Dead stuff (e.g., blackish, greasy, rancid)
- ☐ Garbage

When out with [dog\_name\_1b], has [dog\_name\_1b] ever run away and not come back on his/her own?

☐ Yes ☐ No

Has [dog\_name\_1b] ever bolted/escaped from the house and left?

☐ Yes ☐ No

Has [dog\_name\_1b] ever escaped confinement (e.g., fenced backyard) and run away?

☐ Yes ☐ No

Will [dog\_name\_1b] always return if you call for him/her?

☐ Yes ☐ No

Which of the following overactive/hyperactive behaviors has [dog\_name\_1b] exhibited?

Check all that apply

- ☐ Moving or jumping constantly
- ☐ Difficulty settling
- ☐ Highly distractible
- ☐ Impulsive

---

---

**Do You Have Other Dogs?**

Do you have another dog you that you would like to complete the survey for?

☐ Yes ☐ No

## Phase 1c

---

---

## Who Is Your Canine Companion

Canine Companion Name:

---

---

---

**A Little Bit About [dog\_name\_1c]**

Is [dog\_name\_1c] a purebred?

☐ Yes ☐ No

Is the breed recognized by the AKC?

☐ Yes ☐ No

Please select breed:

- ☐ affenpinscher
- ☐ afghan hound
- ☐airedale terrier
- ☐ akita
- ☐ alaskan malamute
- ☐ american english coonhound
- ☐ american eskimo dog
- ☐ american foxhound
- ☐ american hairless terrier
- ☐ american leopard hound
- ☐ american staffordshire terrier
- ☐ american water spaniel
- ☐ anatolian shepherd dog
- ☐ appenzeller sennenhunde
- ☐ australian cattle dog
- ☐ australian shepherd
- ☐ australian terrier
- ☐ azawakh
- ☐ barbet
- ☐ basenji
- ☐ basset fauve de bretagne
- ☐ basset hound
- ☐ bavarian mountain scent hound
- ☐ beagle
- ☐ bearded collie
- ☐ beauceron
- ☐ bedlington terrier
- ☐ belgian laekenois
- ☐ belgian malinois
- ☐ belgian sheepdog
- ☐ belgian tervuren
- ☐ bergamasco sheepdog
- ☐ berger picard
- ☐ bernese mountain dog
- ☐ bichon frise
- ☐ biewer terrier
- ☐ black and tan coonhound
- ☐ black russian terrier
- ☐ bloodhound
- ☐ bluetick coonhound
- ☐ boerboel
- ☐ bolognese
- ☐ border collie
- ☐ border terrier
- ☐ borzoi
- ☐ boston terrier
- ☐ bouvier des flandres
- ☐ boxer
- ☐ boykin spaniel
- ☐ briard
- ☐ brittany
- ☐ brussels griffon
- ☐ bull terrier
- ☐ bull terrier (miniature)
- ☐ bulldog
- ☐ bullmastiff
- ☐ cairn terrier
- ☐ canaan dog
- ☐ cane corso
- ☐ cardigan welsh corgi
- ☐ cavalier king charles spaniel
- ☐ cesky terrier
- ☐ chesapeake bay retriever
- ☐ chihuahua
- ☐ chinese crested dog
- ☐ chinese shar pei
- ☐ chinook
- ☐ chow chow
- ☐ cirneco dell'etna
- ☐ clumber spaniel

- ☐ cocker spaniel
- ☐ collie
- ☐ coton de tulear
- ☐ curly-coated retriever
- ☐ dachshund
- ☐ dalmatian
- ☐ dandie dinmont terrier
- ☐ doberman pinscher
- ☐ doque de bordeaux
- ☐ english cocker spaniel
- ☐ english foxhound
- ☐ english setter
- ☐ english springer spaniel
- ☐ english toy spaniel
- ☐ entlebucher mountain dog
- ☐ field spaniel
- ☐ finnish lapphund
- ☐ finnish spitz
- ☐ flat-coated retriever
- ☐ french bulldog
- ☐ german pinscher
- ☐ german shepherd dog
- ☐ german shorthaired pointer
- ☐ german wirehaired pointer
- ☐ giant schnauzer
- ☐ glen of imaal terrier
- ☐ golden retriever
- ☐ gordon setter
- ☐ great dane
- ☐ great pyrenees
- ☐ greater swiss mountain dog
- ☐ greyhound
- ☐ harrier
- ☐ havanese
- ☐ ibizan hound
- ☐ icelandic sheepdog
- ☐ irish red and white setter
- ☐ irish setter
- ☐ irish terrier
- ☐ irish water spaniel
- ☐ irish wolfhound
- ☐ italian greyhound
- ☐ japanese chin
- ☐ keeshond
- ☐ kerry blue terrier
- ☐ komondor
- ☐ kuvasz
- ☐ labrador retriever
- ☐ lagotto romagnolo
- ☐ lakeland terrier
- ☐ leonberger
- ☐ lhasa apso
- ☐ lowchen
- ☐ maltese
- ☐ manchester terrier
- ☐ mastiff
- ☐ miniature american shepherd
- ☐ miniature bull terrier
- ☐ miniature pinscher
- ☐ miniature schnauzer
- ☐ neapolitan mastiff
- ☐ newfoundland
- ☐ norfolk terrier
- ☐ norwegian buhund
- ☐ norwegian elkhound
- ☐ norwegian lundehund
- ☐ norwich terrier
- ☐ nova scotia duck-tolling retriever
- ☐ old english sheepdog
- ☐ otterhound
- ☐ papillon



- ☐ parson russell terrier
- ☐ pekingese
- ☐ pembroke welsh corgi
- ☐ petit basset griffon vendeen
- ☐ pharaoh hound
- ☐ plott
- ☐ pointer
- ☐ polish lowland sheepdog
- ☐ pomeranian
- ☐ poodle
- ☐ portuguese podengo
- ☐ portuguese water dog
- ☐ pug
- ☐ puli
- ☐ pumi
- ☐ pyrenean shepherd
- ☐ rat terrier
- ☐ redbone coonhound
- ☐ rhodesian ridgeback
- ☐ rottweiler
- ☐ russel terrier
- ☐ st. benard
- ☐ saluki
- ☐ samoyed
- ☐ schapendoes
- ☐ schipperke
- ☐ scottish deerhound
- ☐ scottish terrier
- ☐ sealyham terrier
- ☐ shetland sheepdog
- ☐ shiba inu
- ☐ shih tzu
- ☐ siberian husky
- ☐ silky terrier
- ☐ skye terrier
- ☐ sloughi
- ☐ smooth fox terrier
- ☐ soft-coated wheaten terrier
- ☐ spanish water dog
- ☐ spinone italiano
- ☐ staffordshire bull terrier
- ☐ standard schnauzer
- ☐ sussex spaniel
- ☐ swedish valhund
- ☐ tibetan mastiff
- ☐ tibetan spaniel
- ☐ tibetan terrier
- ☐ toy fox terrier
- ☐ treeing water coonhound
- ☐ vizsla
- ☐ weimaraner
- ☐ welsh springer spaniel
- ☐ welsh terrier
- ☐ west highland white terrier
- ☐ whippet
- ☐ wire fox terrier
- ☐ wirehaired pointing griffon
- ☐ wirehaired vizsla
- ☐ xoloitzcuintli
- ☐ yorkshire terrier

Please enter the breed:

---

Do you know the breed composition for [dog\_name\_1c]?

☐ Yes ☐ No

Please list the breed composition:

---

Where did you acquire [dog\_name\_1c]?

- ☐ Online - Rescue   ☐ Online - Purchase  
☐ Pet Store   ☐ Shelter/Rescue  
☐ Breeder   ☐ Self Bred  
☐ Friend/Family Member  
☐ Found   ☐ Other

Was [dog\_name\_1c] older than 12 months when acquired?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the age of [dog\_name\_1c] when acquired:

\_\_\_\_\_  
(in months)

Please enter the age of [dog\_name\_1c] when acquired:

\_\_\_\_\_  
(in years)

Is [dog\_name\_1c] older than 12 months today?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the current age of [dog\_name\_1c]:

\_\_\_\_\_  
(in months)

Please enter the current age of [dog\_name\_1c]:

\_\_\_\_\_  
(in years)

What gender is [dog\_name\_1c]?

- ☐ Male   ☐ Female

Is [dog\_name\_1c] spayed/neutered?

- ☐ Yes   ☐ No   ☐ I don't know

Was [dog\_name\_1c] spayed/neutered before 12 months of age?

- ☐ Yes   ☐ No   ☐ I don't know

How old was [dog\_name\_1c] when spayed/neutered?

\_\_\_\_\_  
(in months)

How old was [dog\_name\_1c] when spayed/neutered?

\_\_\_\_\_  
(in years)

Do you know how much [dog\_name\_1c] weighs?

- ☐ Yes   ☐ No

Please enter the current weight of [dog\_name\_1c]:

\_\_\_\_\_  
(in pounds)

---

**How Does [dog\_name\_1c] Behave**

---

Do you believe [dog\_name\_1c] has ever had a behavior problem?

☐ Yes ☐ No ☐ I don't know

Was the behavior problem evident at the time of acquisition?

☐ Yes ☐ No ☐ I don't know

Do you remember the age of [dog\_name\_1c] when you first noticed the behavior problem?

☐ Yes ☐ No

Did you notice the behavior problem within the first 12 months of age?

☐ Yes ☐ No

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in months)

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in years)

The information you provide about [dog\_name\_1c] is essential to this scientific study and important to the canine community.

Has [dog\_name\_1c] ever exhibited any of the following?  
Check all that apply

- ☐ Aggression (e.g., growling, snarling, snapping, lunging, biting)
- ☐ Fearful and/or anxious behavior (e.g., hiding, cowering, shaking, low tail or body, panting, pacing, vocalization)
- ☐ Repetitive behavior (e.g., light or tail chasing, licking)
- ☐ House soiling
- ☐ Excessive barking
- ☐ Jumping on people
- ☐ Mounting/humping
- ☐ Eating feces (i.e., poop)
- ☐ Destructive behavior
- ☐ Rolling in repulsive objects (e.g., feces, garbage)
- ☐ Running away
- ☐ Overactive/hyperactive

Behavior score:

\_\_\_\_\_

---

**Fill Us In On The Details**

---

To which of the following has [dog\_name\_1c] ever shown aggression?

(e.g., growling, snarling, snapping, lunging, biting)

Check all that apply

- ☐ Familiar people in the home
- ☐ Strangers visiting the home
- ☐ Strangers away from the home
- ☐ Another dog in the home
- ☐ Unfamiliar dogs visiting the home
- ☐ Unfamiliar dogs outside on walks (off lead)
- ☐ Unfamiliar dogs outside on walks (on lead)
- ☐ Veterinarians
- ☐ Trainers
- ☐ Groomers
- ☐ Animals other than dogs in the home

Which animal(s) has [dog\_name\_1c] show aggression to? \_\_\_\_\_

Aggression count: \_\_\_\_\_

In which of the following forms has [dog\_name\_1c] exhibited aggression?

Check all that apply

- ☐ Growling
- ☐ Snarling
- ☐ Snapping
- ☐ Lunging
- ☐ Biting

Has [dog\_name\_1c] ever bitten a person?

☐ Yes ☐ No

How many times has [dog\_name\_1c] bitten another person?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1c] ever bitten another dog?

☐ Yes ☐ No

How many times has [dog\_name\_1c] bitten another dog?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1c] ever delivered more than a single bite per incident?

☐ Yes ☐ No

How severe was the worst bite?

- ☐ Level 1 - Obnoxious or aggressive behavior but no skin-contact by teeth
- ☐ Level 2 - Skin-contact by teeth but no skin-puncture    ☐ Level 3 - One to four punctures from a single bite with no puncture deeper than half the length of the dog's canine teeth    ☐ Level 4 - One to four punctures from a single bite with at least one puncture deeper than half the length of the dog's canine teeth    ☐ Level 5 - Multiple-bite incident with at least two Level 4 bites or multiple-attack incident with at least one Level 4 bite in each

Has [dog\_name\_1c] ever exhibited any of the following fearful or anxious behaviors?

Check all that apply

- ☐ Thunderstorm phobia
- ☐ Other noise phobia
- ☐ Fearful or anxious when confronted by certain people or in crowds (without showing aggression toward the people)
- ☐ Fearful of other dogs (without showing aggression toward the dogs)
- ☐ Post-traumatic stress disorder (PTSD) (hypervigilance and avoidance following a life-threatening event)
- ☐ General anxiety (e.g., pacing, panting, easily startled in most circumstances)
- ☐ Situational anxiety (e.g., pacing, panting, easily startled in certain circumstances)
- ☐ Fearful/anxious in the veterinary office
- ☐ Separation anxiety (i.e., showing signs such as pre-departure anxiety, vocalization, destructive behavior when alone and exuberant greeting on owner's return)
- ☐ Anxiety in the car (e.g. panting, restless, vocalizing)
- ☐ Other fear or anxious behavior

Please describe the other fearful/anxious behavior:

Fearful count: \_\_\_\_\_

Has [dog\_name\_1c] ever exhibited any of the following repetitive behaviors?

Check all that apply

- ☐ Spinning
- ☐ Tail chasing
- ☐ Shadow or light chasing
- ☐ Running in a geometric pattern
- ☐ Compulsive licking of the wrist or hock
- ☐ Fly snapping (no flies actually present)
- ☐ Sucking the flank region or blankets
- ☐ Tennis ball fetish
- ☐ Collecting objects, and arranging them in piles or patterns
- ☐ Nail biting
- ☐ Digging in the yard
- ☐ Stone/rock chewing
- ☐ Other

Please describe the other repetitive behavior:

Do you think that [dog\_name\_1c] has ever had a house soiling problem?

☐ Yes ☐ No

In which way has [dog\_name\_1c] soiled in the house?

☐ Urine ☐ Feces ☐ Both

In which of the following situations has [dog\_name\_1c] soiled in the house?

Check all that apply

- ☐ When I am home
- ☐ When I am out
- ☐ When excited or overwhelmed (e.g., greetings, approach)

Where has [dog\_name\_1c] soiled in the house?

Check all that apply

- ☐ Specific locations
- ☐ Anywhere on the floor

Do you think that [dog\_name\_1c] has ever barked excessively?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1c] barked excessively?

Check all that apply

- ☐ When you are home
- ☐ When you are away
- ☐ To get your attention
- ☐ Inside - At triggers (e.g., noise, passerby)
- ☐ Outside - At triggers (e.g., dogs, people, noises)
- ☐ During car rides

Do you think [dog\_name\_1c] has ever jumped on people to an extent that you considered it to be a behavioral problem?

☐ Yes ☐ No

On whom does [dog\_name\_1c] usually jump?

Check all that apply

- ☐ You
- ☐ Family members
- ☐ Strangers

Which of the following has [dog\_name\_1c] attempted to mount/hump?

Check all that apply

- ☐ People
- ☐ Familiar dogs
- ☐ Unfamiliar dogs
- ☐ Inanimate objects (e.g., stuffed toys, pillows)

How often does [dog\_name\_1c] mount/hump?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly

What type of feces has [dog\_name\_1c] consumed?

Check all that apply

- ☐ Their own feces
- ☐ Other dogs' feces
- ☐ Other species' feces (e.g., deer, goose)

Would you consider the destructive behavior exhibited by [dog\_name\_1c] to be problematic?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1c] exhibited destructive behavior?

Check all that apply

- ☐ When you are home
- ☐ When you are away

How often does [dog\_name\_1c] exhibit destructive behavior?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly

Has [dog\_name\_1c] ever rolled in any of the following repulsive objects?

Check all that apply

- ☐ Urine
- ☐ Feces
- ☐ Dead stuff (e.g., blackish, greasy, rancid)
- ☐ Garbage

When out with [dog\_name\_1c], has [dog\_name\_1c] ever run away and not come back on his/her own?

☐ Yes ☐ No

Has [dog\_name\_1c] ever bolted/escaped from the house and left?

☐ Yes ☐ No

Has [dog\_name\_1c] ever escaped confinement (e.g., fenced backyard) and run away?

☐ Yes ☐ No

Will [dog\_name\_1c] always return if you call for him/her?

☐ Yes ☐ No

Which of the following overactive/hyperactive behaviors has [dog\_name\_1c] exhibited?

Check all that apply

- ☐ Moving or jumping constantly
- ☐ Difficulty settling
- ☐ Highly distractible
- ☐ Impulsive

---

---

**Do You Have Other Dogs?**

Do you have another dog you that you would like to complete the survey for?

☐ Yes ☐ No



## Phase 1d

---

---

## Who Is Your Canine Companion

Canine Companion Name:

---

---

---

**A Little Bit About [dog\_name\_1d]**

Is [dog\_name\_1d] a purebred?

☐ Yes ☐ No

Is the breed recognized by the AKC?

☐ Yes ☐ No

Please select breed:

- ☐ affenpinscher
- ☐ afghan hound
- ☐airedale terrier
- ☐ akita
- ☐ alaskan malamute
- ☐ american english coonhound
- ☐ american eskimo dog
- ☐ american foxhound
- ☐ american hairless terrier
- ☐ american leopard hound
- ☐ american staffordshire terrier
- ☐ american water spaniel
- ☐ anatolian shepherd dog
- ☐ appenzeller sennenhunde
- ☐ australian cattle dog
- ☐ australian shepherd
- ☐ australian terrier
- ☐ azawakh
- ☐ barbet
- ☐ basenji
- ☐ basset fauve de bretagne
- ☐ basset hound
- ☐ bavarian mountain scent hound
- ☐ beagle
- ☐ bearded collie
- ☐ beauceron
- ☐ bedlington terrier
- ☐ belgian laekenois
- ☐ belgian malinois
- ☐ belgian sheepdog
- ☐ belgian tervuren
- ☐ bergamasco sheepdog
- ☐ berger picard
- ☐ bernese mountain dog
- ☐ bichon frise
- ☐ biewer terrier
- ☐ black and tan coonhound
- ☐ black russian terrier
- ☐ bloodhound
- ☐ bluetick coonhound
- ☐ boerboel
- ☐ bolognese
- ☐ border collie
- ☐ border terrier
- ☐ borzoi
- ☐ boston terrier
- ☐ bouvier des flandres
- ☐ boxer
- ☐ boykin spaniel
- ☐ briard
- ☐ brittany
- ☐ brussels griffon
- ☐ bull terrier
- ☐ bull terrier (miniature)
- ☐ bulldog
- ☐ bullmastiff
- ☐ cairn terrier
- ☐ canaan dog
- ☐ cane corso
- ☐ cardigan welsh corgi
- ☐ cavalier king charles spaniel
- ☐ cesky terrier
- ☐ chesapeake bay retriever
- ☐ chihuahua
- ☐ chinese crested dog
- ☐ chinese shar pei
- ☐ chinook
- ☐ chow chow
- ☐ cirneco dell'etna
- ☐ clumber spaniel

- ☐ cocker spaniel
- ☐ collie
- ☐ coton de tulear
- ☐ curly-coated retriever
- ☐ dachshund
- ☐ dalmatian
- ☐ dandie dinmont terrier
- ☐ doberman pinscher
- ☐ doque de bordeaux
- ☐ english cocker spaniel
- ☐ english foxhound
- ☐ english setter
- ☐ english springer spaniel
- ☐ english toy spaniel
- ☐ entlebucher mountain dog
- ☐ field spaniel
- ☐ finnish lapphund
- ☐ finnish spitz
- ☐ flat-coated retriever
- ☐ french bulldog
- ☐ german pinscher
- ☐ german shepherd dog
- ☐ german shorthaired pointer
- ☐ german wirehaired pointer
- ☐ giant schnauzer
- ☐ glen of imaal terrier
- ☐ golden retriever
- ☐ gordon setter
- ☐ great dane
- ☐ great pyrenees
- ☐ greater swiss mountain dog
- ☐ greyhound
- ☐ harrier
- ☐ havanese
- ☐ ibizan hound
- ☐ icelandic sheepdog
- ☐ irish red and white setter
- ☐ irish setter
- ☐ irish terrier
- ☐ irish water spaniel
- ☐ irish wolfhound
- ☐ italian greyhound
- ☐ japanese chin
- ☐ keeshond
- ☐ kerry blue terrier
- ☐ komondor
- ☐ kuvasz
- ☐ labrador retriever
- ☐ lagotto romagnolo
- ☐ lakeland terrier
- ☐ leonberger
- ☐ lhasa apso
- ☐ lowchen
- ☐ maltese
- ☐ manchester terrier
- ☐ mastiff
- ☐ miniature american shepherd
- ☐ miniature bull terrier
- ☐ miniature pinscher
- ☐ miniature schnauzer
- ☐ neapolitan mastiff
- ☐ newfoundland
- ☐ norfolk terrier
- ☐ norwegian buhund
- ☐ norwegian elkhound
- ☐ norwegian lundehund
- ☐ norwich terrier
- ☐ nova scotia duck-tolling retriever
- ☐ old english sheepdog
- ☐ otterhound
- ☐ papillon

- ☐ parson russell terrier
- ☐ pekingese
- ☐ pembroke welsh corgi
- ☐ petit basset griffon vendeen
- ☐ pharaoh hound
- ☐ plott
- ☐ pointer
- ☐ polish lowland sheepdog
- ☐ pomeranian
- ☐ poodle
- ☐ portuguese podengo
- ☐ portuguese water dog
- ☐ pug
- ☐ puli
- ☐ pumi
- ☐ pyrenean shepherd
- ☐ rat terrier
- ☐ redbone coonhound
- ☐ rhodesian ridgeback
- ☐ rottweiler
- ☐ russel terrier
- ☐ st. benard
- ☐ saluki
- ☐ samoyed
- ☐ schapendoes
- ☐ schipperke
- ☐ scottish deerhound
- ☐ scottish terrier
- ☐ sealyham terrier
- ☐ shetland sheepdog
- ☐ shiba inu
- ☐ shih tzu
- ☐ siberian husky
- ☐ silky terrier
- ☐ skye terrier
- ☐ sloughi
- ☐ smooth fox terrier
- ☐ soft-coated wheaten terrier
- ☐ spanish water dog
- ☐ spinone italiano
- ☐ staffordshire bull terrier
- ☐ standard schnauzer
- ☐ sussex spaniel
- ☐ swedish valhund
- ☐ tibetan mastiff
- ☐ tibetan spaniel
- ☐ tibetan terrier
- ☐ toy fox terrier
- ☐ treeing water coonhound
- ☐ vizsla
- ☐ weimaraner
- ☐ welsh springer spaniel
- ☐ welsh terrier
- ☐ west highland white terrier
- ☐ whippet
- ☐ wire fox terrier
- ☐ wirehaired pointing griffon
- ☐ wirehaired vizsla
- ☐ xoloitzcuintli
- ☐ yorkshire terrier

Please enter the breed:

---

Do you know the breed composition for [dog\_name\_1d]?

☐ Yes ☐ No

Please list the breed composition:

---

Where did you acquire [dog\_name\_1d]?

- ☐ Online - Rescue   ☐ Online - Purchase  
☐ Pet Store   ☐ Shelter/Rescue  
☐ Breeder   ☐ Self Bred  
☐ Friend/Family Member  
☐ Found   ☐ Other

Was [dog\_name\_1d] older than 12 months when acquired?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the age of [dog\_name\_1d] when acquired:

\_\_\_\_\_  
(in months)

Please enter the age of [dog\_name\_1d] when acquired:

\_\_\_\_\_  
(in years)

Is [dog\_name\_1d] older than 12 months today?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the current age of [dog\_name\_1d]:

\_\_\_\_\_  
(in months)

Please enter the current age of [dog\_name\_1d]:

\_\_\_\_\_  
(in years)

What gender is [dog\_name\_1d]?

- ☐ Male   ☐ Female

Is [dog\_name\_1d] spayed/neutered?

- ☐ Yes   ☐ No   ☐ I don't know

Was [dog\_name\_1d] spayed/neutered before 12 months of age?

- ☐ Yes   ☐ No   ☐ I don't know

How old was [dog\_name\_1d] when spayed/neutered?

\_\_\_\_\_  
(in months)

How old was [dog\_name\_1d] when spayed/neutered?

\_\_\_\_\_  
(in years)

Do you know how much [dog\_name\_1d] weighs?

- ☐ Yes   ☐ No

Please enter the current weight of [dog\_name\_1d]:

\_\_\_\_\_  
(in pounds)

---

---

## How Does [dog\_name\_1d] Behave

Do you believe [dog\_name\_1d] has ever had a behavior problem?

☐ Yes ☐ No ☐ I don't know

Was the behavior problem evident at the time of acquisition?

☐ Yes ☐ No ☐ I don't know

Do you remember the age of [dog\_name\_1d] when you first noticed the behavior problem?

☐ Yes ☐ No

Did you notice the behavior problem within the first 12 months of age?

☐ Yes ☐ No

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in months)

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in years)

The information you provide about [dog\_name\_1d] is essential to this scientific study and important to the canine community.

Has [dog\_name\_1d] ever exhibited any of the following?  
Check all that apply

- ☐ Aggression (e.g., growling, snarling, snapping, lunging, biting)
- ☐ Fearful and/or anxious behavior (e.g., hiding, cowering, shaking, low tail or body, panting, pacing, vocalization)
- ☐ Repetitive behavior (e.g., light or tail chasing, licking)
- ☐ House soiling
- ☐ Excessive barking
- ☐ Jumping on people
- ☐ Mounting/humping
- ☐ Eating feces (i.e., poop)
- ☐ Destructive behavior
- ☐ Rolling in repulsive objects (e.g., feces, garbage)
- ☐ Running away
- ☐ Overactive/hyperactive

Behavior score:

\_\_\_\_\_



---

**Fill Us In On The Details**

---

To which of the following has [dog\_name\_1d] ever shown aggression?

(e.g., growling, snarling, snapping, lunging, biting)

Check all that apply

- ☐ Familiar people in the home
- ☐ Strangers visiting the home
- ☐ Strangers away from the home
- ☐ Another dog in the home
- ☐ Unfamiliar dogs visiting the home
- ☐ Unfamiliar dogs outside on walks (off lead)
- ☐ Unfamiliar dogs outside on walks (on lead)
- ☐ Veterinarians
- ☐ Trainers
- ☐ Groomers
- ☐ Animals other than dogs in the home

Which animal(s) has [dog\_name\_1d] show aggression to? \_\_\_\_\_

Aggression count: \_\_\_\_\_

In which of the following forms has [dog\_name\_1d] exhibited aggression?

Check all that apply

- ☐ Growling
- ☐ Snarling
- ☐ Snapping
- ☐ Lunging
- ☐ Biting

Has [dog\_name\_1d] ever bitten a person?

☐ Yes ☐ No

How many times has [dog\_name\_1d] bitten another person?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1d] ever bitten another dog?

☐ Yes ☐ No

How many times has [dog\_name\_1d] bitten another dog?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1d] ever delivered more than a single bite per incident?

☐ Yes ☐ No

How severe was the worst bite?

- ☐ Level 1 - Obnoxious or aggressive behavior but no skin-contact by teeth
- ☐ Level 2 - Skin-contact by teeth but no skin-puncture    ☐ Level 3 - One to four punctures from a single bite with no puncture deeper than half the length of the dog's canine teeth    ☐ Level 4 - One to four punctures from a single bite with at least one puncture deeper than half the length of the dog's canine teeth    ☐ Level 5 - Multiple-bite incident with at least two Level 4 bites or multiple-attack incident with at least one Level 4 bite in each

Has [dog\_name\_1d] ever exhibited any of the following fearful or anxious behaviors?

Check all that apply

- ☐ Thunderstorm phobia
- ☐ Other noise phobia
- ☐ Fearful or anxious when confronted by certain people or in crowds (without showing aggression toward the people)
- ☐ Fearful of other dogs (without showing aggression toward the dogs)
- ☐ Post-traumatic stress disorder (PTSD) (hypervigilance and avoidance following a life-threatening event)
- ☐ General anxiety (e.g., pacing, panting, easily startled in most circumstances)
- ☐ Situational anxiety (e.g., pacing, panting, easily startled in certain circumstances)
- ☐ Fearful/anxious in the veterinary office
- ☐ Separation anxiety (i.e., showing signs such as pre-departure anxiety, vocalization, destructive behavior when alone and exuberant greeting on owner's return)
- ☐ Anxiety in the car (e.g. panting, restless, vocalizing)
- ☐ Other fear or anxious behavior

Please describe the other fearful/anxious behavior:

Fearful count: \_\_\_\_\_

Has [dog\_name\_1d] ever exhibited any of the following repetitive behaviors?

Check all that apply

- ☐ Spinning
- ☐ Tail chasing
- ☐ Shadow or light chasing
- ☐ Running in a geometric pattern
- ☐ Compulsive licking of the wrist or hock
- ☐ Fly snapping (no flies actually present)
- ☐ Sucking the flank region or blankets
- ☐ Tennis ball fetish
- ☐ Collecting objects, and arranging them in piles or patterns
- ☐ Nail biting
- ☐ Digging in the yard
- ☐ Stone/rock chewing
- ☐ Other

Please describe the other repetitive behavior:

Do you think that [dog\_name\_1d] has ever had a house soiling problem?

☐ Yes ☐ No

In which way has [dog\_name\_1d] soiled in the house?

☐ Urine ☐ Feces ☐ Both

In which of the following situations has [dog\_name\_1d] soiled in the house?

Check all that apply

- ☐ When I am home
- ☐ When I am out
- ☐ When excited or overwhelmed (e.g., greetings, approach)

Where has [dog\_name\_1d] soiled in the house?

Check all that apply

- ☐ Specific locations
- ☐ Anywhere on the floor

Do you think that [dog\_name\_1d] has ever barked excessively?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1d] barked excessively?

Check all that apply

- ☐ When you are home
- ☐ When you are away
- ☐ To get your attention
- ☐ Inside - At triggers (e.g., noise, passerby)
- ☐ Outside - At triggers (e.g., dogs, people, noises)
- ☐ During car rides

Do you think [dog\_name\_1d] has ever jumped on people to an extent that you considered it to be a behavioral problem?

☐ Yes ☐ No

On whom does [dog\_name\_1d] usually jump?

Check all that apply

- ☐ You
- ☐ Family members
- ☐ Strangers

Which of the following has [dog\_name\_1d] attempted to mount/hump?

Check all that apply

- ☐ People
- ☐ Familiar dogs
- ☐ Unfamiliar dogs
- ☐ Inanimate objects (e.g., stuffed toys, pillows)

How often does [dog\_name\_1d] mount/hump?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly

What type of feces has [dog\_name\_1d] consumed?

Check all that apply

- ☐ Their own feces
- ☐ Other dogs' feces
- ☐ Other species' feces (e.g., deer, goose)

Would you consider the destructive behavior exhibited by [dog\_name\_1d] to be problematic?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1d] exhibited destructive behavior?

Check all that apply

- ☐ When you are home
- ☐ When you are away

How often does [dog\_name\_1d] exhibit destructive behavior?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly

Has [dog\_name\_1d] ever rolled in any of the following repulsive objects?

Check all that apply

- ☐ Urine
- ☐ Feces
- ☐ Dead stuff (e.g., blackish, greasy, rancid)
- ☐ Garbage

When out with [dog\_name\_1d], has [dog\_name\_1d] ever run away and not come back on his/her own?

☐ Yes ☐ No

Has [dog\_name\_1d] ever bolted/escaped from the house and left?

☐ Yes ☐ No

Has [dog\_name\_1d] ever escaped confinement (e.g., fenced backyard) and run away?

☐ Yes ☐ No

Will [dog\_name\_1d] always return if you call for him/her?

☐ Yes ☐ No

Which of the following overactive/hyperactive behaviors has [dog\_name\_1d] exhibited?

Check all that apply

- ☐ Moving or jumping constantly
- ☐ Difficulty settling
- ☐ Highly distractible
- ☐ Impulsive

---

---

**Do You Have Other Dogs?**

Do you have another dog you that you would like to complete the survey for?

☐ Yes ☐ No

## Phase 1e

---

---

## Who Is Your Canine Companion

Canine Companion Name:

---

---

---

**A Little Bit About [dog\_name\_1e]**

Is [dog\_name\_1e] a purebred?

☐ Yes ☐ No

Is the breed recognized by the AKC?

☐ Yes ☐ No



Please select breed:

- ☐ affenpinscher
- ☐ afghan hound
- ☐airedale terrier
- ☐ akita
- ☐ alaskan malamute
- ☐ american english coonhound
- ☐ american eskimo dog
- ☐ american foxhound
- ☐ american hairless terrier
- ☐ american leopard hound
- ☐ american staffordshire terrier
- ☐ american water spaniel
- ☐ anatolian shepherd dog
- ☐ appenzeller sennenhunde
- ☐ australian cattle dog
- ☐ australian shepherd
- ☐ australian terrier
- ☐ azawakh
- ☐ barbet
- ☐ basenji
- ☐ basset fauve de bretagne
- ☐ basset hound
- ☐ bavarian mountain scent hound
- ☐ beagle
- ☐ bearded collie
- ☐ beauceron
- ☐ bedlington terrier
- ☐ belgian laekenois
- ☐ belgian malinois
- ☐ belgian sheepdog
- ☐ belgian tervuren
- ☐ bergamasco sheepdog
- ☐ berger picard
- ☐ bernese mountain dog
- ☐ bichon frise
- ☐ biewer terrier
- ☐ black and tan coonhound
- ☐ black russian terrier
- ☐ bloodhound
- ☐ bluetick coonhound
- ☐ boerboel
- ☐ bolognese
- ☐ border collie
- ☐ border terrier
- ☐ borzoi
- ☐ boston terrier
- ☐ bouvier des flandres
- ☐ boxer
- ☐ boykin spaniel
- ☐ briard
- ☐ brittany
- ☐ brussels griffon
- ☐ bull terrier
- ☐ bull terrier (miniature)
- ☐ bulldog
- ☐ bullmastiff
- ☐ cairn terrier
- ☐ canaan dog
- ☐ cane corso
- ☐ cardigan welsh corgi
- ☐ cavalier king charles spaniel
- ☐ cesky terrier
- ☐ chesapeake bay retriever
- ☐ chihuahua
- ☐ chinese crested dog
- ☐ chinese shar pei
- ☐ chinook
- ☐ chow chow
- ☐ cirneco dell'etna
- ☐ clumber spaniel

- ☐ cocker spaniel
- ☐ collie
- ☐ coton de tulear
- ☐ curly-coated retriever
- ☐ dachshund
- ☐ dalmatian
- ☐ dandie dinmont terrier
- ☐ doberman pinscher
- ☐ doque de bordeaux
- ☐ english cocker spaniel
- ☐ english foxhound
- ☐ english setter
- ☐ english springer spaniel
- ☐ english toy spaniel
- ☐ entlebucher mountain dog
- ☐ field spaniel
- ☐ finnish lapphund
- ☐ finnish spitz
- ☐ flat-coated retriever
- ☐ french bulldog
- ☐ german pinscher
- ☐ german shepherd dog
- ☐ german shorthaired pointer
- ☐ german wirehaired pointer
- ☐ giant schnauzer
- ☐ glen of imaal terrier
- ☐ golden retriever
- ☐ gordon setter
- ☐ great dane
- ☐ great pyrenees
- ☐ greater swiss mountain dog
- ☐ greyhound
- ☐ harrier
- ☐ havanese
- ☐ ibizan hound
- ☐ icelandic sheepdog
- ☐ irish red and white setter
- ☐ irish setter
- ☐ irish terrier
- ☐ irish water spaniel
- ☐ irish wolfhound
- ☐ italian greyhound
- ☐ japanese chin
- ☐ keeshond
- ☐ kerry blue terrier
- ☐ komondor
- ☐ kuvasz
- ☐ labrador retriever
- ☐ lagotto romagnolo
- ☐ lakeland terrier
- ☐ leonberger
- ☐ lhasa apso
- ☐ lowchen
- ☐ maltese
- ☐ manchester terrier
- ☐ mastiff
- ☐ miniature american shepherd
- ☐ miniature bull terrier
- ☐ miniature pinscher
- ☐ miniature schnauzer
- ☐ neapolitan mastiff
- ☐ newfoundland
- ☐ norfolk terrier
- ☐ norwegian buhund
- ☐ norwegian elkhound
- ☐ norwegian lundehund
- ☐ norwich terrier
- ☐ nova scotia duck-tolling retriever
- ☐ old english sheepdog
- ☐ otterhound
- ☐ papillon

- ☐ parson russell terrier
- ☐ pekingese
- ☐ pembroke welsh corgi
- ☐ petit basset griffon vendeen
- ☐ pharaoh hound
- ☐ plott
- ☐ pointer
- ☐ polish lowland sheepdog
- ☐ pomeranian
- ☐ poodle
- ☐ portuguese podengo
- ☐ portuguese water dog
- ☐ pug
- ☐ puli
- ☐ pumi
- ☐ pyrenean shepherd
- ☐ rat terrier
- ☐ redbone coonhound
- ☐ rhodesian ridgeback
- ☐ rottweiler
- ☐ russel terrier
- ☐ st. benard
- ☐ saluki
- ☐ samoyed
- ☐ schapendoes
- ☐ schipperke
- ☐ scottish deerhound
- ☐ scottish terrier
- ☐ sealyham terrier
- ☐ shetland sheepdog
- ☐ shiba inu
- ☐ shih tzu
- ☐ siberian husky
- ☐ silky terrier
- ☐ skye terrier
- ☐ sloughi
- ☐ smooth fox terrier
- ☐ soft-coated wheaten terrier
- ☐ spanish water dog
- ☐ spinone italiano
- ☐ staffordshire bull terrier
- ☐ standard schnauzer
- ☐ sussex spaniel
- ☐ swedish valhund
- ☐ tibetan mastiff
- ☐ tibetan spaniel
- ☐ tibetan terrier
- ☐ toy fox terrier
- ☐ treeing water coonhound
- ☐ vizsla
- ☐ weimaraner
- ☐ welsh springer spaniel
- ☐ welsh terrier
- ☐ west highland white terrier
- ☐ whippet
- ☐ wire fox terrier
- ☐ wirehaired pointing griffon
- ☐ wirehaired vizsla
- ☐ xoloitzcuintli
- ☐ yorkshire terrier

Please enter the breed:

---

Do you know the breed composition for [dog\_name\_1e]?

☐ Yes   ☐ No

Please list the breed composition:

---

Where did you acquire [dog\_name\_1e]?

- ☐ Online - Rescue   ☐ Online - Purchase  
☐ Pet Store   ☐ Shelter/Rescue  
☐ Breeder   ☐ Self Bred  
☐ Friend/Family Member  
☐ Found   ☐ Other

Was [dog\_name\_1e] older than 12 months when acquired?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the age of [dog\_name\_1e] when acquired:

\_\_\_\_\_  
(in months)

Please enter the age of [dog\_name\_1e] when acquired:

\_\_\_\_\_  
(in years)

Is [dog\_name\_1e] older than 12 months today?

- ☐ Yes   ☐ No   ☐ I don't know

Please enter the current age of [dog\_name\_1e]:

\_\_\_\_\_  
(in months)

Please enter the current age of [dog\_name\_1e]:

\_\_\_\_\_  
(in years)

What gender is [dog\_name\_1e]?

- ☐ Male   ☐ Female

Is [dog\_name\_1e] spayed/neutered?

- ☐ Yes   ☐ No   ☐ I don't know

Was [dog\_name\_1e] spayed/neutered before 12 months of age?

- ☐ Yes   ☐ No   ☐ I don't know

How old was [dog\_name\_1e] when spayed/neutered?

\_\_\_\_\_  
(in months)

How old was [dog\_name\_1e] when spayed/neutered?

\_\_\_\_\_  
(in years)

Do you know how much [dog\_name\_1e] weighs?

- ☐ Yes   ☐ No

Please enter the current weight of [dog\_name\_1e]:

\_\_\_\_\_  
(in pounds)

---

**How Does [dog\_name\_1e] Behave**

---

Do you believe [dog\_name\_1e] has ever had a behavior problem?

☐ Yes ☐ No ☐ I don't know

Was the behavior problem evident at the time of acquisition?

☐ Yes ☐ No ☐ I don't know

Do you remember the age of [dog\_name\_1e] when you first noticed the behavior problem?

☐ Yes ☐ No

Did you notice the behavior problem within the first 12 months of age?

☐ Yes ☐ No

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in months)

Please enter the age you first noticed the behavior problem:

\_\_\_\_\_  
(in years)

The information you provide about [dog\_name\_1e] is essential to this scientific study and important to the canine community.

Has [dog\_name\_1e] ever exhibited any of the following?  
Check all that apply

- ☐ Aggression (e.g., growling, snarling, snapping, lunging, biting)
- ☐ Fearful and/or anxious behavior (e.g., hiding, cowering, shaking, low tail or body, panting, pacing, vocalization)
- ☐ Repetitive behavior (e.g., light or tail chasing, licking)
- ☐ House soiling
- ☐ Excessive barking
- ☐ Jumping on people
- ☐ Mounting/humping
- ☐ Eating feces (i.e., poop)
- ☐ Destructive behavior
- ☐ Rolling in repulsive objects (e.g., feces, garbage)
- ☐ Running away
- ☐ Overactive/hyperactive

Behavior score:

\_\_\_\_\_

---

**Fill Us In On The Details**

---

To which of the following has [dog\_name\_1e] ever shown aggression?

(e.g., growling, snarling, snapping, lunging, biting)

Check all that apply

- ☐ Familiar people in the home
- ☐ Strangers visiting the home
- ☐ Strangers away from the home
- ☐ Another dog in the home
- ☐ Unfamiliar dogs visiting the home
- ☐ Unfamiliar dogs outside on walks (off lead)
- ☐ Unfamiliar dogs outside on walks (on lead)
- ☐ Veterinarians
- ☐ Trainers
- ☐ Groomers
- ☐ Animals other than dogs in the home

Which animal(s) has [dog\_name\_1e] show aggression to? \_\_\_\_\_

Aggression count: \_\_\_\_\_

In which of the following forms has [dog\_name\_1e] exhibited aggression?

Check all that apply

- ☐ Growling
- ☐ Snarling
- ☐ Snapping
- ☐ Lunging
- ☐ Biting

Has [dog\_name\_1e] ever bitten a person?

☐ Yes ☐ No

How many times has [dog\_name\_1e] bitten another person?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1e] ever bitten another dog?

☐ Yes ☐ No

How many times has [dog\_name\_1e] bitten another dog?

Please enter a number, it is okay to estimate

\_\_\_\_\_

Has [dog\_name\_1e] ever delivered more than a single bite per incident?

☐ Yes ☐ No

How severe was the worst bite?

- ☐ Level 1 - Obnoxious or aggressive behavior but no skin-contact by teeth
- ☐ Level 2 - Skin-contact by teeth but no skin-puncture    ☐ Level 3 - One to four punctures from a single bite with no puncture deeper than half the length of the dog's canine teeth    ☐ Level 4 - One to four punctures from a single bite with at least one puncture deeper than half the length of the dog's canine teeth    ☐ Level 5 - Multiple-bite incident with at least two Level 4 bites or multiple-attack incident with at least one Level 4 bite in each

Has [dog\_name\_1e] ever exhibited any of the following fearful or anxious behaviors?

Check all that apply

- ☐ Thunderstorm phobia
- ☐ Other noise phobia
- ☐ Fearful or anxious when confronted by certain people or in crowds (without showing aggression toward the people)
- ☐ Fearful of other dogs (without showing aggression toward the dogs)
- ☐ Post-traumatic stress disorder (PTSD) (hypervigilance and avoidance following a life-threatening event)
- ☐ General anxiety (e.g., pacing, panting, easily startled in most circumstances)
- ☐ Situational anxiety (e.g., pacing, panting, easily startled in certain circumstances)
- ☐ Fearful/anxious in the veterinary office
- ☐ Separation anxiety (i.e., showing signs such as pre-departure anxiety, vocalization, destructive behavior when alone and exuberant greeting on owner's return)
- ☐ Anxiety in the car (e.g. panting, restless, vocalizing)
- ☐ Other fear or anxious behavior

Please describe the other fearful/anxious behavior:

Fearful count: \_\_\_\_\_

Has [dog\_name\_1e] ever exhibited any of the following repetitive behaviors?

Check all that apply

- ☐ Spinning
- ☐ Tail chasing
- ☐ Shadow or light chasing
- ☐ Running in a geometric pattern
- ☐ Compulsive licking of the wrist or hock
- ☐ Fly snapping (no flies actually present)
- ☐ Sucking the flank region or blankets
- ☐ Tennis ball fetish
- ☐ Collecting objects, and arranging them in piles or patterns
- ☐ Nail biting
- ☐ Digging in the yard
- ☐ Stone/rock chewing
- ☐ Other

Please describe the other repetitive behavior:

Do you think that [dog\_name\_1e] has ever had a house soiling problem?

☐ Yes ☐ No

In which way has [dog\_name\_1e] soiled in the house?

☐ Urine ☐ Feces ☐ Both

In which of the following situations has [dog\_name\_1e] soiled in the house?

Check all that apply

- ☐ When I am home
- ☐ When I am out
- ☐ When excited or overwhelmed (e.g., greetings, approach)

Where has [dog\_name\_1e] soiled in the house?

Check all that apply

- ☐ Specific locations
- ☐ Anywhere on the floor

Do you think that [dog\_name\_1e] has ever barked excessively?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1e] barked excessively?

Check all that apply

- ☐ When you are home
- ☐ When you are away
- ☐ To get your attention
- ☐ Inside - At triggers (e.g., noise, passerby)
- ☐ Outside - At triggers (e.g., dogs, people, noises)
- ☐ During car rides

Do you think [dog\_name\_1e] has ever jumped on people to an extent that you considered it to be a behavioral problem?

☐ Yes ☐ No

On whom does [dog\_name\_1e] usually jump?

Check all that apply

- ☐ You
- ☐ Family members
- ☐ Strangers

Which of the following has [dog\_name\_1e] attempted to mount/hump?

Check all that apply

- ☐ People
- ☐ Familiar dogs
- ☐ Unfamiliar dogs
- ☐ Inanimate objects (e.g., stuffed toys, pillows)

How often does [dog\_name\_1e] mount/hump?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly

What type of feces has [dog\_name\_1e] consumed?

Check all that apply

- ☐ Their own feces
- ☐ Other dogs' feces
- ☐ Other species' feces (e.g., deer, goose)

Would you consider the destructive behavior exhibited by [dog\_name\_1e] to be problematic?

☐ Yes ☐ No

In which of the following situations has [dog\_name\_1e] exhibited destructive behavior?

Check all that apply

- ☐ When you are home
- ☐ When you are away

How often does [dog\_name\_1e] exhibit destructive behavior?

☐ Daily ☐ Weekly ☐ Monthly  
☐ Yearly



Has [dog\_name\_1e] ever rolled in any of the following repulsive objects?

Check all that apply

- ☐ Urine
- ☐ Feces
- ☐ Dead stuff (e.g., blackish, greasy, rancid)
- ☐ Garbage

When out with [dog\_name\_1e], has [dog\_name\_1e] ever run away and not come back on his/her own?

☐ Yes ☐ No

Has [dog\_name\_1e] ever bolted/escaped from the house and left?

☐ Yes ☐ No

Has [dog\_name\_1e] ever escaped confinement (e.g., fenced backyard) and run away?

☐ Yes ☐ No

Will [dog\_name\_1e] always return if you call for him/her?

☐ Yes ☐ No

Which of the following overactive/hyperactive behaviors has [dog\_name\_1e] exhibited?

Check all that apply

- ☐ Moving or jumping constantly
- ☐ Difficulty settling
- ☐ Highly distractible
- ☐ Impulsive

We have no further questions for [dog\_name\_1e], please press Submit to continue.

# Phase 1 Feedback

---

---

## Feedback

Feedback score:

---

Did you find this survey to be too long?

☐ Yes ☐ No

Would you be willing to participate in a follow-up survey about what solutions, if any, you have used to try to resolve the behavior problems of your canine companions?

☐ Yes ☐ No

## Phase 2 Welcome

Welcome back to the study!

The survey will be open until 1/15/2018. Please spread the word and encourage your friends to assist in this cutting edge research by participating in the study.

Thank you!

The CCBS Research Team

When you are ready, please press Submit to begin the follow-up survey.

## Phase 2.0

---

---

**More About [event\_1\_arm\_1][dog\_name\_1a]**

We are excited to have you and [event\_1\_arm\_1][dog\_name\_1a] back!

Please press "Next" when you are ready to begin the follow-up survey for [event\_1\_arm\_1][dog\_name\_1a].

---

**Treatment**

Have you ever sought professional help in an attempt to resolve the problematic behavior of [event\_1\_arm\_1][dog\_name\_1a]?

☐ Yes ☐ No

Did the professional discover anything abnormal that might be relevant to the behavior of [event\_1\_arm\_1][dog\_name\_1a]? (e.g., example, example)

☐ Yes ☐ No

What type of professional did you consult?  
Check all that apply

- ☐ Dog trainer  
☐ Dog behavior consultant

Consulting score:

Have you seen multiple dog trainers for [event\_1\_arm\_1][dog\_name\_1a]?

☐ Yes ☐ No

How many dog trainers would you say you have consulted for [event\_1\_arm\_1][dog\_name\_1a]?

Were the dog trainers credentialed?

☐ Yes ☐ No ☐ I don't know

Were the trainers certified by the Certification Council of Professional Dog Trainers (CPDT-KA or CPDT-KSA)?

☐ Yes ☐ No ☐ I don't know

Have you seen multiple dog behavior consultants for [event\_1\_arm\_1][dog\_name\_1a]?

☐ Yes ☐ No

How many dog behavior consultants would you say you have consulted for [event\_1\_arm\_1][dog\_name\_1a]?

Were the dog behavior consultants credentialed?

☐ Yes ☐ No ☐ I don't know

What type of credentials did the behavior consultants hold?  
Check all that apply

- ☐ Certification Council of Professional Dog Trainers, Certified Behavior Consultant, CBCC-KA  
☐ International Association of Animal Behavior Consultants, Certified Dog Behavior Consultant, CDBC  
☐ Animal Behavior Society Certified Behaviorist, CAAB or ACAAB  
☐ Board Certified Veterinary Behaviorist, DACVB  
☐ Veterinarian, DVM, for help outside of health issues (e.g., advice, medication)  
☐ Other

Which of the following methods for skill training (e.g., "watch", "leave it", "stay") were recommended?  
Check all that apply

- ☐ Reward-based training (e.g., food, play, praise)  
☐ Punishment-based training (e.g., corrections, time-outs, abandonment)  
☐ Combination of reward and punishment-based training  
☐ Compulsion (i.e., forcing the dog to do something)  
☐ Withholding (e.g., withholding food)

What types of equipment were recommended and utilized?  
Check all that apply

- ☐ Flat collar or martingale
- ☐ Slip collar, choke collar, or prong collar
- ☐ Head halter (e.g., Gentle Leader, Halti)
- ☐ Body harness
- ☐ Non-remote anti-bark collar (e.g., sound activated)
- ☐ Remote-controlled electric collar
- ☐ Other

Please describe other equipment:

---

**Medication**

---

Was medication recommended for  
[event\_1\_arm\_1][dog\_name\_1a]?

☐ Yes ☐ No

Did you pursue the option of medication for  
[event\_1\_arm\_1][dog\_name\_1a]?

☐ Yes ☐ No

Which of the following medications were administered?  
Check all that apply

- ☐ Fluoxetine (Prozac), sertraline (Zoloft), paroxetine (Paxil)
- ☐ Clomipramine (Clomicalm)
- ☐ Trazadone
- ☐ Buspirone
- ☐ Valium-type drug (e.g., diazepam, alprazolam, clonazepam)
- ☐ Clonidine
- ☐ Acepromazine (Ace)
- ☐ Other

Please describe other medication:

Did you use an alternative treatment for  
[event\_1\_arm\_1][dog\_name\_1a]?

☐ Yes ☐ No



---

**Behavior Modification Programs**

---

Was a behavior modifying program recommended?

☐ Yes ☐ No

Which behavior modifying program was recommended?

- ☐ Desensitization  
☐ Counterconditioning  
☐ Both

Did a veterinarian prescribe medication for use during behavior modification?

☐ Yes ☐ No

## Response To Treatment

### Response To Treatment For Aggression

	More than 75% worse	50% worse	25% worse	No change	25% better	50% better	More than 75% better
Aggression to familiar people in the home	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to strangers visiting the home	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to strangers away from home	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to another dog in the home	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to dogs visiting the home	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to unfamiliar dogs outside on walks (off lead)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to unfamiliar dogs outside on walks (on lead)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to veterinarians	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to trainers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to groomers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Aggression to animals other than dogs in the home	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Aggression sum:

---

Aggression average score:

---

### Response To Treatment For Fearfulness

	More than 75% worse	50% worse	25% worse	No change	25% better	50% better	More than 75% better
Separation anxiety	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Thunderstorm phobia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other noise phobia	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Frightened of people (no aggression)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Frightened of dogs (no aggression)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Post traumatic stress disorder (PTSD)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
General anxiety (panting, pacing, startle)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Other fear ☐ ☐ ☐ ☐ ☐ ☐ ☐

Fear sum: \_\_\_\_\_

#### Response To Treatment For A Repetitive Behavior

	More than 75% worse	50% worse	25% worse	No change	25% better	50% better	More than 75% better
Rating for treatment without medication	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rating for treatment with medication	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Repetitive sum: \_\_\_\_\_

Repetitive count: \_\_\_\_\_

Approximate time until improvement was seen: \_\_\_\_\_  
(in weeks)

#### Response To Treatment Of Simple House Soiling

	More than 75% worse	50% worse	25% worse	No change	25% better	50% better	More than 75% better
Rating for response to treatment for inappropriate urination and/or defecation	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Soiling sum: \_\_\_\_\_

#### Response To Treatment Of Excessive Barking

	More than 75% worse	50% worse	25% worse	No change	25% better	50% better	More than 75% better
Rating for response to treatment for excessive barking	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Barking sum: \_\_\_\_\_

#### Response To Treatment Of Nuisance Jumping Up

	More than 75% worse	50% worse	25% worse	No change	25% better	50% better	More than 75% better
Rating for response to treatment for nuisance jumping	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Jumping sum: \_\_\_\_\_

#### Response To Treatment Of Mounting/Humping

More than 50% worse 25% worse No change 25% better 50% better More than 75% worse 75% better

Rating for response to treatment  
for mounting/humping

☐ ☐ ☐ ☐ ☐ ☐ ☐

Mounting sum:

\_\_\_\_\_

Response To Treatment Of Eating Feces

More than 50% worse 25% worse No change 25% better 50% better More than 75% worse 75% better

Rating for response of treatment  
to eating feces

☐ ☐ ☐ ☐ ☐ ☐ ☐

Eating feces sum:

\_\_\_\_\_

Response To Treatment Of Destructive Behavior

More than 50% worse 25% worse No change 25% better 50% better More than 75% worse 75% better

Rating for response of treatment  
to destructive behavior

☐ ☐ ☐ ☐ ☐ ☐ ☐

Destructive sum:

\_\_\_\_\_

---

---

## Final Thoughts

Follow-up sum:

---

Follow-up count:

---

Follow-up average:

---

What was the principle problem you were treating or managing?

---

What do you think worked best?

---

Which of the professionals you used was the most helpful?

---

What do you think accounted for the failure?

---

Were you able to implement all the advice given?

☐ Yes ☐ No

Thank you for participating!

## Phase 2 Feedback

---

---

### Feedback

Did you find this survey to be too long?

☐ Yes ☐ No