Pet Dog Behavior Series
Study 3 Questionnaire

Start of Block: More About [dog name]

QID1. Please press "Next" when you are ready to begin the follow-up survey for [dog name].

End of Block: More About [dog name]

Start of Block: From Whom Did You Seek Advice

QID2. Have you ever sought professional help in an attempt to deal with the problematic behavior of [dog name]?
- ○ Yes (1)
- ○ No (0)

> **Display This Question:**
> If (QID2) Have you ever sought professional help in an attempt to deal with the problematic ... = 1

QID3. What type of professional did you consult?
- ☐ Veterinarian, DVM (for help other than health issues) (1)
- ☐ Dog trainer (2)
- ☐ Dog behavior consultant (3)

End of Block: From Whom Did You Seek Advice

Start of Block: Veterinarians

> **Display This Question:**
> If (QID3) What type of professional did you consult? = 1

QID4. Did the veterinarian discover any medical issue that might be relevant to the behavior of [dog name]?
- ○ Yes (1)
- ○ No (0)

> **Display This Question:**
> If (QID4) Did the veterinarian discover any medical issue that might be relevant to the behavior ... = 1

QID5. Which of the following health issues were found?
- ☐ Thyroid problem (1)
- ☐ Seizures (2)
- ☐ Pain (3)
- ☐ Tumor (4)
- ☐ Cognitive dysfunction (5)
- ☐ Other (6) _____

End of Block: Veterinarians

Start of Block: Trainers

> **Display This Question:**
> If (QID3) What type of professional did you consult? = 2

QID6. Have you seen multiple dog trainers for [dog name]?
- ○ Yes (1)
- ○ No (0)

> **Display This Question:**
> If (QID6) Have you seen multiple dog trainers for [dog name]? = 1

QID7. How many dog trainers would you say you have consulted for [dog name]? _____

QID8. Were the dog trainers credentialed?
- ○ Yes (1)
- ○ I don't know (2)
- ○ No (0)

QID9. Were the trainers certified by the Certification Council of Professional Dog Trainers (CPDT-KA or CPDT-KSA)?
- ○ Yes (1)
- ○ I don't know (2)
- ○ No (0)

QID10. What were the credentials of the dog trainers? _____

End of Block: Trainers

Start of Block: Consultants
QID11. Have you seen multiple dog behavior consultants for [dog name]?
- ○ Yes (1)
- ○ No (0)

QID12. How many dog behavior consultants would you say you have consulted for [dog name]? _____

QID13. Were the dog behavior consultants credentialed?
- ○ Yes (1)
- ○ I don't know (2)
- ○ No (0)

QID14. What type of credentials did the behavior consultant hold?
- ☐ Certification Council of Professional Dog Trainers, Certified Behavior Consultant, CBCC-KA (1)
- ☐ International Association of Animal Behavior Consultants, Certified Dog Behavior Consultant, CDBC (2)
- ☐ Animal Behavior Society Certified Behaviorist, CAAB or ACAAB (3)
- ☐ Board Certified Veterinary Behaviorist, DACVB (4)
- ☐ Other (5) _____

End of Block: Consultants

Display This Question:
    If (QID3) What type of professional did you consult? > 0

QID15. Which type of professional worked out best in terms of results?
- ○ Veterinarian, DVM (1)
- ○ Non-credentialed dog trainer (2)
- ○ Credentialed dog trainer (3)
- ○ Non-credentialed behavior consultant (4)
- ○ Certified behavior consultant - CBCC-KA or CDBC (5)
- ○ Certified behaviorist - ACAAB or CAAB (6)
- ○ Certified veterinary behaviorist - DACVB (7)
- ○ Combination of the above professionals (8)

Display This Question:
    If (QID15) Which type of professional worked out best in terms of results? = 8

QID16. Please explain which combination of professionals worked best for you: _____

QID17. Which of the following training methods were used for basic obedience (e.g., "watch", "leave it", "stay")?
- ☐ Reward-based training (e.g., food, play, praise) (1)
- ☐ Punishment -based training (e.g., collar jerk, spray bottle, shaker can) (2)
- ☐ Combination of reward and punishment-based training (3)
- ☐ Compulsion (i.e., forcing the dog to do something) (4)

QID18. What types of equipment were recommended and utilized?
- ○ Flat collar (leather or nylon) (1)
- ○ Martingale (2)
- ○ Slip collar, choke collar, or prong collar (3)
- ○ Head halter (e.g., Gentle Leader, Halti) (4)
- ○ Body harness - leash clips on chest (5)
- ○ Body harness - leash clips between the shoulders (6)
- ○ Anti-bark collar that is not remote controlled (e.g., shock, tone, spray) (7)
- ○ Remote-controlled electric collar using shock, tone, or vibration (8)
- ○ Muzzle (9)
- ○ Clicker or whistle (10)
- ○ Other (11) _____

Display This Question:
    If (QID3) What type of professional did you consult? > 0

QID19. Was medication recommended for [dog name]?
- ○ Yes (1)
- ○ No (0)

QID20. Did you pursue the option of medication for [dog name]?
- ○ Yes (1)
- ○ No (0)

QID21. Which of the following medications were administered?
- ☐ Fluoxetine (Prozac) (1)
- ☐ Sertraline (Zoloft) (2)
- ☐ Paroxetine (Paxil) (3)
- ☐ Citalopram (Celexa) (4)
- ☐ Escitalopram (Lexapro) (5)
- ☐ Clomipramine (Clomicalm) (6)
- ☐ Trazadone (7)
- ☐ Buspirone (8)
- ☐ Valium-type drug (e.g., diazepam, alprazolam, clonazepam) (9)
- ☐ Clonidine (10)
- ☐ Acepromazine (Ace) (11)
- ☐ Diphenhydramine (Benadryl) (12)
- ☐ Other, non-listed medication (13) _____

QID22. Which drug or combination of medications worked best for your dog's problem?
- ☐ Fluoxetine (Prozac) (1)
- ☐ Sertraline (Zoloft) (2)
- ☐ Paroxetine (Paxil) (3)
- ☐ Citalopram (Celexa) (4)
- ☐ Escitalopram (Lexapro) (5)
- ☐ Clomipramine (Clomicalm) (6)
- ☐ Trazadone (7)
- ☐ Buspirone (8)
- ☐ Valium-type drug (e.g., diazepam, alprazolam, clonazepam) (9)
- ☐ Clonidine (10)
- ☐ Acepromazine (Ace) (11)
- ☐ Diphenhydramine (Benadryl) (12)
- ☐ Other, non-listed medication (13) _____

End of Block: Medication

Start of Block: Medication Specific Questions

Start of Loop: Medication Specific Questions
    Repeat the loop for each selection in: (QID22) Which of the following medications were administered?
    The medicine name for each selection will be stored in the variable: MEDICATION

QID23. What was the dosage of ${MEDICATION} administered? (dosage in milligrams (mg)) _____

QID24. How many times was the ${MEDICATION} administered per day? _____

QID25. Was the ${MEDICATION} only to be administered when necessary?
- ○ Yes (1)
- ○ No (0)

QID26. ${MEDICATION} was administered for a duration consisting of?
- ○ Weeks (1)
- ○ Months (2)
- ○ Years (3)

QID27. For how long was ${MEDICATION} administered? (in weeks) _____

QID28. For how long was ${MEDICATION} administered? (in months) _____

QID29. For how long was ${MEDICATION} administered? (in years) _____

End of Loop: Medication Specific Questions
End of Block: Medication Specific Questions

Start of Block: Alternative Treatments

QID30. Did you use an alternative treatment for [dog name]?
- ○ Yes (1)
- ○ No (0)

QID31. Which of the following alternative treatments were used?
- ☐ Acupuncture/acupressure (1)
- ☐ Aromatherapy (essential oils) (2)
- ☐ CBD (cannabidiol) (e.g. Canape) (3)
- ☐ Chiropractic (manipulation of musculoskeletal system, especially the spine) (4)
- ☐ DOG TV (5)
- ☐ Herbal/botanical medicine (e.g. Bach Flower Essences, Rescue Remedy) (6)
- ☐ Homeopathy (based on "like cures like") (7)
- ☐ Hormonal (melatonin, estrogen [DES]) (8)
- ☐ Hydrotherapy (9)
- ☐ Magnetic field therapy (10)
- ☐ Massage (including Tellington Touch [T-Touch]) (11)
- ☐ Music therapy (bioacoustics music, e.g. Through a Dog's Ear, Pet Acoustics)
- ☐ Nutraceuticals (vitamins; minerals; enzymes; Zylkene [milk protein = alpha-casozepine]; L-tryptophan/TP/5HTP; Anxitane (L-theanine), Omega 3, Omega 6) (12)
- ☐ Pheromone therapy (calming collars, diffusers, spray) (13)
- ☐ Pressure wraps (Thundershirt, Anxiety Wrap) (14)
- ☐ Reiki (laying on of hands) (15)
- ☐ Vision blocking (Calming cap/Thundercap) (16)

End of Block: Alternative Treatments

Start of Block: Behavior Modification Programs

QID32. Was a behavior modifying strategy recommended?
- ○ Yes (1)
- ○ No (0)

QID33. Which behavior modifying strategy was recommended?
- ○ Systematic Desensitization (Systematic desensitization is a behavioral technique that involves exposing a dog gradually and systematically to an anxiety-producing person, other animal, object or event beginning with the stimulus at a very low level (e.g., the subject to be desensitized is presented with the fear inducing stimulus at a reduced intensity by arranging for it to be farther away or with fear of sounds substantially reducing the volume and then gradually increasing exposure to the stimulus until it is tolerated at full intensity). (1)
- ○ Counterconditioning (teaching an opposite behavioral response to a once fear-inducing stimulus, e.g., a stranger's approach initially = fear; that response is changed so that the stranger's approach always predicts a valuable reward, i.e. stranger = good stuff) (2)
- ○ A combination of systematic desensitization and counterconditioning (3)
- ○ Leadership program (a.k.a. Learn to earn, Nothing in life is free, No free lunch, Working for a living, "Say please.") (4)
- ○ Medication - A veterinarian prescribed medication for use during behavior modification supervised by a trainer or behavior specialist (5)
- ○ Medication - A veterinarian prescribed medication as a standalone treatment (e.g., without the addition of training/behavior modification) (6)

QID34. Which of the following techniques were used:
- ☐ Mental stimulation and enrichment (e.g., nose work, puzzle toys) (1)
- ☐ Relaxation protocol (2)
- ☐ Increase in physical exercise (3)
- ☐ Habituation (gradually increasing exposure to a lower level of an aversive stimulus, e.g., placing a nail clipper somewhere the dog can see it and over time moving it closer to the dog) (4)
- ☐ Flooding (inescapable exposure to a full strength aversive, e.g., throwing you into a swimming pool full of snakes and keeping you there until you stop screaming) (5)
- ☐ Response blocking (physically preventing a dog from performing an undesired behavior, e.g. lunging, until the behavior stops) (6)
- ☐ Management (preventing exposure to a stimulus, e.g., putting the dog in another room when company arrives to prevent jumping) (7)
- ☐ Reduction or elimination of other stressors or distractions while training (8)
- ☐ Marker or clicker training (9)
- ☐ Play (10)
- ☐ Participation in dog sports (e.g., agility, obedience, flyball) (11)
- ☐ Ignoring bad behavior (reinforcement is removed, leading to extinction of the behavior) (12)
- ☐ Training alternatives to problem behavior (e.g., teach and reinforce sit and ignore jumping) (13)
- ☐ Short but frequent sessions v. longer, infrequent sessions (14)
- ☐ Group classes (15)
- ☐ Private sessions (16)
- ☐ Change in diet (17)
- ☐ Improve communication between dog and owner (understanding canine body language, e.g., stress, fear, aggression) (18)
- ☐ Other (19) _____

Display This Question:

> If (QID34) Which of the following techniques were used: > 0

QID35. Which combination of techniques worked best:

- ☐ Mental stimulation and enrichment (e.g., nose work, puzzle toys) (1)
- ☐ Relaxation protocol (2)
- ☐ Increase in physical exercise (3)
- ☐ Habituation (gradually increasing exposure to a lower level of an aversive stimulus, e.g., placing a nail clipper somewhere the dog can see it and over time moving it closer to the dog) (4)
- ☐ Flooding (inescapable exposure to a full strength aversive, e.g., throwing you into a swimming pool full of snakes and keeping you there until you stop screaming) (5)
- ☐ Response blocking (physically preventing a dog from performing an undesired behavior, e.g. lunging, until the behavior stops) (6)
- ☐ Management (preventing exposure to a stimulus, e.g., putting the dog in another room when company arrives to prevent jumping) (7)
- ☐ Reduction or elimination of other stressors or distractions while training (8)
- ☐ Marker or clicker training (9)
- ☐ Play (10)
- ☐ Participation in dog sports (e.g., agility, obedience, flyball) (11)
- ☐ Ignoring bad behavior (reinforcement is removed, leading to extinction of the behavior) (12)
- ☐ Training alternatives to problem behavior (e.g., teach and reinforce sit and ignore jumping) (13)
- ☐ Short but frequent sessions v. longer, infrequent sessions (14)
- ☐ Group classes (15)
- ☐ Private sessions (16)
- ☐ Change in diet (17)
- ☐ Improve communication between dog and owner (understanding canine body language, e.g., stress, fear, aggression) (18)
- ☐ Other (19) _____

End of Block: Behavior Modification Programs

Note: From this point on, any question with logic that includes a reference to PREV indicates that the visibility of the question was determined by a result from the previous questionnaire. The previous questionnaire can be found in the supplemental materials for the publication "Demographics and comorbidity of behavior problems in dogs" (DOI: 10.1016/j.jveb.2019.04.007).

Start of Block: Response to Treatment for Aggression

Display This Question:

> If (PREV) Has [dog name] ever exhibited any of the following? = 1

QID36. Response to Treatment for Aggression

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 1 Aggression to familiar people in the home (1)	○	○	○	○	○	○	○
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 2 Aggression to strangers visiting the home (2)	○	○	○	○	○	○	○
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 3 Aggression to strangers away from the home (3)	○	○	○	○	○	○	○
Display This Question: If (PREV) To which of the following has [dog	○	○	○	○	○	○	○

name] ever shown aggression? (e.g. growling, snaring, snapping... = 4 Aggression to another dog in the home (4)							
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 5 Aggression to unfamiliar dogs visiting the home (5)	○	○	○	○	○	○	○
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 6 Aggression to unfamiliar dogs outside on walks (off lead) (6)	○	○	○	○	○	○	○
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 7 Aggression to unfamiliar dogs outside on walks (on lead) (7)	○	○	○	○	○	○	○
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 8 Aggression to veterinarians (8)	○	○	○	○	○	○	○
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 9 Aggression to trainers (9)	○	○	○	○	○	○	○
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 10 Aggression to groomers (10)	○	○	○	○	○	○	○
Display This Question: If (PREV) To which of the following has [dog name] ever shown aggression? (e.g. growling, snaring, snapping... = 11 Aggression to animals other than dogs in the home (11)	○	○	○	○	○	○	○

QID37. Approximate time until improvement was seen: (in weeks) _____

End of Block: Response to Treatment for Aggression

Start of Block: Response to Treatment for Fearfulness

QID38. Response to Treatment for Fearfulness

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 1 Thunderstorm phobia (1)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 2	○	○	○	○	○	○	○

Other noise phobia (2)							
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 3 Frightened of people (no aggression) (3)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 4 Frightened of dogs (no aggression) (4)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 5 Post traumatic stress disorder (PTSD) (5)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 6 General anxiety (e.g., panting, pacing, startled in most circumstances) (6)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 7 Situational anxiety (e.g., panting, pacing, startled in certain circumstances) (7)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 8 Fearful/anxious in the veterinary office (8)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 9 Separation anxiety (9)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 10 Anxiety in the car (10)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following fearful or anxious behaviors? = 11 Other fear (11)	○	○	○	○	○	○	○

Display This Question:
    Or Count((QID38) Response to Treatment for Fearfulness = 5) > 0
    Or Count((QID38) Response to Treatment for Fearfulness = 6) > 0
    Or Count((QID38) Response to Treatment for Fearfulness = 7) > 0

QID39. Approximate time until improvement was seen: (in weeks) _____

End of Block: Response to Treatment for Fearfulness

Start of Loop: Medication Specific Questions
    Execute loop once if (QID20) Did you pursue the option of medication for [dog name]? = 0
    Execute loop twice if (QID20) Did you pursue the option of medication for [dog name]? = 1
    The medication status for will be stored in the variable: STATUS
    Medication status is "without" for the first loop and "with" for the second loop

Display This Question:
    If (PREV) Has [dog name] ever exhibited any of the following? = 3

QID40. Response to Treatment for Repetitive Behavior ${STATUS} Medication

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 1 Spinning (1)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 2 Tail chasing (2)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 3 Shadow or light chasing (3)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 4 Running in a geometric pattern (4)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 5 Compulsive licking of the wrist or hock (5)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 6 Fly snapping (no flies around) (6)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 7 Sucking the flank region and/or blankets (7)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 8 Tennis ball fetish (8)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 9 Collecting objects, arranging them in piles or patterns (9)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 10 Nail biting (10)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever	○	○	○	○	○	○	○

exhibited any of the following repetitive behaviors? = 11 Digging in the yard (11)						
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 12 Stone/rock chewing (12)	○	○	○	○	○	○	○
Display This Question: If (PREV) Has [dog name] ever exhibited any of the following repetitive behaviors? = 13 Other (13)	○	○	○	○	○	○	○

QID41. Approximate time until improvement with spinning was first observed when treating ${STATUS} medication: (in weeks) _____

QID42. Approximate time until improvement with tail chasing was first observed when treating ${STATUS} medication: (in weeks) _____

QID43. Approximate time until improvement with shadow/light chasing was first observed when treating ${STATUS} medication: (in weeks) _____

QID44. Approximate time until improvement with running in patterns was first observed when treating ${STATUS} medication: (in weeks) _____

QID45. Approximate time until improvement with compulsive licking was first observed when treating ${STATUS} medication: (in weeks) _____

QID46. Approximate time until improvement with fly snapping was first observed when treating ${STATUS} medication: (in weeks) _____

QID47. Approximate time until improvement with sucking the flank region was first observed when treating ${STATUS} medication: (in weeks) _____

QID48. Approximate time until improvement with tennis ball fetish was first observed when treating ${STATUS} medication: (in weeks) _____

QID49. Approximate time until improvement with collecting objects was first observed when treating ${STATUS} medication: (in weeks) _____

QID50. Approximate time until improvement with nail biting was first observed when treating ${STATUS} medication:(in weeks) _____

QID51. Approximate time until improvement with digging was first observed when treating ${STATUS} medication:(in weeks) _____

QID52. Approximate time until improvement with stone/rock chewing was first observed when treating ${STATUS} medication: (in weeks) _____

QID53. Approximate time until improvement with other repetitive behaviors was first observed when treating ${STATUS} medication: (in weeks) _____

End of Loop: Response to Treatment for Repetitive Behavior

End of Block: Response to Treatment for Repetitive Behavior

Start of Block: Response to Treatment for Simple House Soiling

QID54. Response to Treatment for Simple House Soiling

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment of inappropriate urination and/or defecation (1)	○	○	○	○	○	○	○

QID55. Approximate time until improvement was seen: (in weeks) _____

End of Block: Response to Treatment for Simple House Soiling

Start of Block: Response to Treatment for Urine/Fecal Marking

QID56. Response to Treatment for Urine/Fecal Marking

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment for urine or fecal marking behavior (1)	○	○	○	○	○	○	○

QID57. Approximate time until improvement was seen: (in weeks) _____

End of Block: Response to Treatment for Urine/Fecal Marking

Display This Question:
If (PREV) In which of the following situations has [dog name] soiled in the house? = 3

QID58. Response to Treatment for Eliminating when Excited/Overwhelmed

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment of elimination when excited or overwhelmed (1)	○	○	○	○	○	○	○

Display This Question:
If (QID58) Response to Treatment for Eliminating when Excited/Overwhelmed [1] > 4

QID59. Approximate time until improvement was seen: (in weeks) _____

Display This Question:
If (PREV) Has [dog name] ever exhibited any of the following? = 5

QID60. Response to Treatment for Excessive Barking

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment for excessive barking (1)	○	○	○	○	○	○	○

Display This Question:
If (QID60) Response to Treatment for Excessive Barking [1] > 4

QID61. Approximate time until improvement was seen: (in weeks) _____

Display This Question:
If (PREV) Has [dog name] ever exhibited any of the following? = 6

QID62. Response to Treatment for Jumping

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment for nuisance jumping (1)	○	○	○	○	○	○	○

Display This Question:
If (QID62) Response to Treatment for Jumping [1] > 4

QID63. Approximate time until improvement was seen: (in weeks) _____

Display This Question:
If (PREV) Has [dog name] ever exhibited any of the following? = 7

QID64. Response to Treatment for Mounting/Humping

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment for mounting/humping (1)	○	○	○	○	○	○	○

QID65. Approximate time until improvement was seen: (in weeks) _____

End of Block: Response to Treatment for Mounting/Humping

Start of Block: Response to Treatment for Eating Feces

QID66. Response to Treatment for Eating Feces

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment for eating feces (1)	○	○	○	○	○	○	○

QID67. Approximate time until improvement was seen: (in weeks) _____

End of Block: Response to Treatment for Eating Feces

Start of Block: Response to Treatment for Destructive Behavior

QID68. Response to Treatment for Destructive Behavior

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment for destructive behavior (1)	○	○	○	○	○	○	○

QID69. Approximate time until improvement was seen: (in weeks) _____

End of Block: Response to Treatment for Destructive Behavior

Start of Block: Response to Treatment for Rolling in Disgusting Stuff

QID70. Response to Treatment for Rolling in Disgusting Stuff

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment for rolling in disgusting stuff (1)	○	○	○	○	○	○	○

QID71. Approximate time until improvement was seen: (in weeks) _____

End of Block: Response to Treatment for Rolling in Disgusting Stuff

Start of Block: Response to Treatment for Running Away/Escaping

QID72. Response to Treatment for Running Away/Escaping

	At least 75% worse (1)	50% worse (2)	25% worse (3)	No change (4)	25% better (5)	50% better (6)	At least 75% better (7)
Rating for response to treatment for running away/escaping behavior (1)	○	○	○	○	○	○	○

QID73. Approximate time until improvement was seen: (in weeks) _____

End of Block: Response to Treatment for Running Away/Escaping

---

Start of Block: Wrapping Up

QID74. For those of you whose dogs did not improve, or got worse, what was the outcome for your dog?
- ○ Kept my dog anyway (1)
- ○ Rehomed the dog (2)
- ○ Surrendered the dog to a shelter, rescue, or pound (3)
- ○ Euthanized the dog (i.e., put to sleep) (4)

End of Block: Wrapping Up

Start of Block: Feedback

QID75. Did you find this survey to be too long?
- ○ Yes (1)
- ○ No (0)

QID76. Please provide any other information that you may feel is relevant to your canine companions or general comments about the survey below: _____

End of Block: Feedback