Generator Internal Resistance Calculations

Author: Ian Eykamp, Date: 6/16/2023

Purpose

All generators have some amount of internal resistance, which allows there to be a variable voltage drop across the terminals, even if the generator always outputs the same emf. By connecting various resistors across the terminals (using no resistance as a baseline), I can figure out what the internal resistance is.

Import libraries

plecs_helper.py is a file I created which defines some helper functions for nice plots and getting data off the oscilloscope and out of PLECS.

```
In [ ]: import numpy as np
        import pandas as pd
        import matplotlib.pyplot as plt
        import matplotlib.ticker as mtick
        from UliEngineering.EngineerIO import format_value
        from si_prefix import si_format
        import plecs_helper as helper
        %matplotlib
        %matplotlib inline
        # Imports and setup
        from pint import UnitRegistry, Quantity
        from scipy.signal import find_peaks
        from scipy.optimize import fsolve
        # pandas display using scientific notation
        # pd.set_option('display.float_format', lambda x: f'{x:.3e}')
        # use pint
        units = UnitRegistry()
        units.default format = "~P.2f"
        def to_decibels(arr, dc_gain = 0):
            return np.log10(np.abs(arr)) * 20 + dc_gain
```

Using matplotlib backend: <object object at 0x0000029CAE9AC580>

C:\Users\ieykamp\AppData\Local\Packages\PythonSoftwareFoundation.Python.3.9_qbz5n2
kfra8p0\LocalCache\local-packages\Python39\site-packages\scipy__init__.py:146: Us
erWarning: A NumPy version >=1.16.5 and <1.23.0 is required for this version of Sc
iPy (detected version 1.23.1
 warnings.warn(f"A NumPy version >={np_minversion} and <{np_maxversion}"</pre>

Import Data

I connected the oscilloscope leads between two terminals of the generator (the third terminal was left dangling). I set the oscilloscope up with 2V/division (y axis) and 5s/division (time axis). That way, I got a trace which lasted more than 30 seconds, enough for it to slow down considerably. I used the data density setting of 12k data points, and this was easily able to capture all the peaks. I spun the turbine by hand by giving it a moderate shove. It started spinning with a frequency around 6Hz, and as it slowed down, I was able to capture its frequency and amplitude on the oscilloscope.


I captured one dataset with no load, and three further datasets at 1000hm, 6.80hm, and (6.8 + 6.8)) Ohm loads between the terminals I was measuring.

Plot Data

I calculated the frequency by looking at the spacing of the peaks. After smoothing out the frequency and the peak values, I found the location where each trace crossed 4Hz and took the amplitude at that location. Since the amplitude depends on frequency, this is to normalize across datasets, since the turbine is not necsessarily spinning at the same frequency at the same timestamp.

```
In [ ]: def moving_average(x, w):
            w = int(w / 2) * 2
            convolution = np.convolve(x, np.ones(w), 'full') / w
            return convolution[int(w/2):-int(w/2)+1]
        def find_y_crossing_monotonic_decrease(y_vals, y_target):
            left_side_idx = list(np.arange(len(y_vals))[y_vals > y_target])
            return left_side_idx[-1]
        def interpolate_outliers(y_vals, outlier_bool):
            outlier_idx = np.nonzero(outlier_bool)[0]
            if len(outlier_idx) == 0:
                 return y_vals
            assert(all(np.diff(outlier_idx) > 1))
            assert(all(outlier_idx > 0) and all(outlier_idx < len(y_vals - 1))) # not the f</pre>
            for idx in outlier_idx:
                y_{vals}[idx] = (y_{vals}[idx - 1] + y_{vals}[idx + 1]) / 2
            return y_vals
```

```
df_{zoom} = df[(df["t"] > 3) & (df["t"] < 25)]
fig, ((ax1, ax2), (ax3, ax4)) = plt.subplots(nrows = 2, ncols = 2, sharex = True, s
fig.autofmt_xdate()
ax_list = [ax1, ax2, ax3, ax4]
channel_list = ["unloaded", "1000hm", "6.80hm", "4.50hm"]
label_list = ["Unloaded", "1000hm Load", "6.80hm Load", "4.50hm Load"]
amplitudes = []
for (ax, channel, label) in zip(ax_list, channel_list, label_list):
       helper.axes_labels("Oscilloscope timestamp", "s", "Voltage", "V", title = label
       ax.plot(df zoom["t"], df zoom[channel], label = label)
       # find peaks for frequency and envelope amplitude analysis
       peak_idx = find_peaks(df_zoom[channel], distance = 25, width = 25)[0]
       df_peak_trace = df_zoom.iloc[peak_idx]
       smooth_peaks = moving_average(df_peak_trace[channel], 10)
       # find frequency using time difference between peaks
       frequency = np.hstack((0, 1 / (np.diff(df_peak_trace["t"]))))
       smooth_frequency = moving_average(interpolate_outliers(frequency, frequency > 2
       # find the envelope amplitude at a certain frequency for normalized comparison
       target_freq = 4 # Hz
       target_freq_idx = find_y_crossing_monotonic_decrease(y_vals = smooth_frequency,
       amplitude_at_target_freq = smooth_peaks[target_freq_idx]
       amplitudes.append(amplitude_at_target_freq)
       # plot peaks
       ax.scatter(df_peak_trace["t"], df_peak_trace[channel])
       ax.plot(df_peak_trace["t"], smooth_peaks, linestyle = "dashed", color = "green"
       ax.legend(loc = "upper right")
       # plot frequency
       rax = ax.twinx()
       helper.axes_labels("Oscilloscope timestamp", "s", "Frequency", "Hz", title = la
       rax.plot(df_peak_trace["t"], smooth_frequency, color = "orange", label = "Frequency, color = "orange", label = "orange", 
       rax.set_ylim(0, 6.9)
       rax.legend(loc = "lower right")
C:\Users\ieykamp\AppData\Local\Temp\ipykernel_13580\1153253338.py:36: PeakProperty
Warning: some peaks have a width of 0
   peak_idx = find_peaks(df_zoom[channel], distance = 25, width = 25)[0]
C:\Users\ieykamp\AppData\Local\Temp\ipykernel_13580\1153253338.py:36: PeakProperty
Warning: some peaks have a width of 0
   peak_idx = find_peaks(df_zoom[channel], distance = 25, width = 25)[0]
C:\Users\ieykamp\AppData\Local\Temp\ipykernel_13580\1153253338.py:36: PeakProperty
Warning: some peaks have a width of 0
   peak_idx = find_peaks(df_zoom[channel], distance = 25, width = 25)[0]
```



The abrupt drop off in frequency near the end is a figment of the smoothing algorithm and can be ignored.

The amplitudes at 4Hz are as follows. I calcualted the internal resistance R_1 using the following equation, based on the load resistor I was using: $R1=R2\cdot(\frac{V_{in}}{V_{out}}-1)$, where V_{in} is the unloaded amplitude and V_{out} is the amplitude given a load resistor of R_2 . The internal resistance of the generator is approximately $14.5\Omega\pm1\Omega$.

```
In [ ]:
        def calculate_R1(Vin, Vout, R2):
            R1 = R2 * (Vin / Vout - 1)
            return R1
        print("Amplitude with no load at 4Hz =", np.round(amplitudes[0], 3) * units.volt)
        print("Amplitude with 100\Omega load at 4Hz =", np.round(amplitudes[1], 3) * units.volt)
        print("Amplitude with 6.8\Omega load at 4Hz =", np.round(amplitudes[2], 3) * units.volt)
        print("Amplitude with 4.5\Omega load at 4Hz =", np.round(amplitudes[3], 3) * units.volt)
        print("")
        print("Three different calculations for internal resistance:")
        R1_100Ohm_test = calculate_R1(amplitudes[0] * units.volt, amplitudes[1] * units.vol
        print(f"R1 = {R1_1000hm_test}")
        R1_6_80hm_test = calculate_R1(amplitudes[0] * units.volt, amplitudes[2] * units.vol
        print(f"R1 = \{R1_6_80hm_test\}")
        R1_4_5Ohm_test = calculate_R1(amplitudes[0] * units.volt, amplitudes[3] * units.vol
        print(f"R1 = {R1_4_50hm_test}")
        R1 = np.mean(Quantity.from_list([R1_1000hm_test, R1_6_80hm_test, R1_4_50hm_test]))
        print(f"Average R1 = {np.round(R1, 2)}")
```

```
Amplitude with no load at 4Hz = 1.17 V Amplitude with 100\Omega load at 4Hz = 1.02 V Amplitude with 6.8\Omega load at 4Hz = 0.38 V Amplitude with 4.5\Omega load at 4Hz = 0.26 V
```

Three different calculations for internal resistance:

R1 = 13.97 Ω

R1 = 14.17 Ω

R1 = 15.93 Ω

Average R1 = 14.69 ohm