Newsroom/Magazine Layout Docs

Template Columns

Class		Description
.body-container	default	The default layout is a single, centered column. It has no additional class declaration.
.body-container.two-col	optional	Two column layout – requires a "main-content" and "secondary-content" wrapper. This class will constrain all full-width and full-bleed elements to the first column.

Hero

Class		Description
.hero	required	Default version. Applies a full bleed image with headline, subhead and byline overlaid.
.hero.alt	optional	Square left image. Headline, subhead and byline floated over right edge.
.hero.simple	optional	No image.

Typography

Class		Description
.intro-text	optional	Applies all caps to the specified section of text.
.drop-cap	optional	Applies drop cap style to the specified section of text (intended to be the first letter)

Images

Class		Description
.in-content-image **attributes:** *.left* *.right*	required	Enables an inline image within the text area. Must be combined with **.left** or **.right** class to define float.
.in-content-image.rectangle	optional	Displays a rectangular image (aspect ratio of 1:1.6)
.in-content-image.round	optional	Displays a round image.
[container].rounds	optional	When applied to a container, all `<img>` elements within the container become round. Not compatible with rectangular images.

Content Grid

Allows a masonry-style content layout with default support for images, and an optional color-block text effect.

Class		Description
.content-grid	required	Enables a container row that fills the width of the current region.
.content-grid.forty-sixty	optional	Splits the row into 2 sections (2fr/3fr)
.content-grid.sixty-forty	optional	Splits the row into 2 sections (3fr/2fr)
.content-grid .text	optional	Allows a content grid block to be filled with enlarged text. Best used when combined with color block classes.

Visual List

The visual list allows a combination of an image, headline, subhead, tag and CTA in three basic design flavors:
- A standard list layout.
- A grid, modifiable to display 1, 2, 3 or 4 columns and unlimited rows.
- A profile layout, similar to the grid but image-based.

Notes:
- The list and grid layouts can also be customized significantly by combining them with modifiers, including .card, .round and .color-block.
- A single list item can be utilized as an alternative to the callout box.

Class		Description
.fleixble-visual-list	required	Enables a visual list of any number of items, consisting of -sq image, headline, subhead, and CTA. Defaults to a vertical list that spans 100% of the content region.
.fleixble-visual-list.grid	optional	Displays items in a grid. Supports two, three of four columns. Must be combined with grid col class to specify number of columns.
.fleixble-visual-list.two-col	optional	Displays a two-up grid.
.fleixble-visual-list.three-col	optional	Displays a three-up grid.
.fleixble-visual-list.four-col	optional	Displays a four-up grid.
.fleixble-visual-list.no-image	optional	Suppresses image for all list items. Use this to achieve text-only layouts. When using with a grid list, apply **.cards** for better visual hierarchy.
.fleixble-visual-list.profile	optional	Displays an image-based version of the grid.

Visual List is particularly well suited for .card utilities.

To-Do:
- Add variant for round images.
- In grid view, text likely needs to be centered below image.

Utilities

Cards

Class		Description
.card	optional	Wraps a single element in in a card effect: slightly darkens the content area and applies a drop shadow.
[container].cards	optional	Wraps an element's children in a card effect. Combine with elements that use CSS grid (such as Flexible Visual List) to easily create a series of cards.

Color Blocks

Class		Description
.color-block	optional	Allows certain block-level elements to be set with an alternative background color. Supported elements include: • full bleed section • flexible list items • callout
*.color-block**.gold***	Required for "color-block" to take effect	Set background to Brand Gold.
*.color-block**.dark***	Required for "color-block" to take effect	Set background to Glen Mist. Sets text to Brand Gold.

Notes for Build:

- As many options as possible in the story need to be live-configurable – i.e., different version of a snippet needs to be available via on-page configuration rather than rebuilding the snippet.

- Source code must be available in Omni, especially for lists, so that items can be added, removed, and moved without issue. This might rule out the use of components.