
Out-of-sample regret, split: random half (blue = adaptive, black = best fixed on train)
delta, budget 4 ms
always LR/MC (Malliavin)
always FD-raw/MC (bump & revalue)
adaptive (pilot)
fixed: CPW-first/MC
always CPW-first/MC
fixed: FD-smooth/RQMC
adaptive-lite (3 cands, 5% pilot)
fixed: CPW-first/RQMC
best fixed on train (CPW-first/RQMC)
always CPW-first/RQMC
$10^0$
$10^1$
$10^2$
RMSE / oracle RMSE (test scenarios, geo-mean, 95% CI)
gamma, budget 4 ms
always FD-raw/MC (bump & revalue)
always LR/MC (Malliavin)
always CPW-first/MC
fixed: CPW-first/MC
fixed: FD-smooth/RQMC
fixed: CPW-first/RQMC
best fixed on train (CPW-first/RQMC)
always CPW-first/RQMC
adaptive (pilot)
adaptive-lite (3 cands, 5% pilot)
$10^0$
$10^1$
RMSE / oracle RMSE (test scenarios, geo-mean, 95% CI)
vega, budget 4 ms
always LR/MC (Malliavin)
always FD-raw/MC (bump & revalue)
always CPW-first/MC
fixed: FD-smooth/MC
fixed: FD-smooth/RQMC
adaptive (pilot)
adaptive-lite (3 cands, 5% pilot)
fixed: CPW-first/RQMC
best fixed on train (CPW-first/RQMC)
always CPW-first/RQMC
$10^0$
$10^1$
$10^2$
RMSE / oracle RMSE (test scenarios, geo-mea