Temperature (Time?) Variation in Muon Detection Rate

Ian Hunt-Isaak

Partner: Corina Miner

December 10, 2015

Muon Sources

- Cosmic Rays $\rightarrow$ Muons
- Sun Cosmic Rays $\rightarrow$ Day/Night rate variation?





Confounding Effects

- Temperature affecting Detector
- Solar Activity
-





Experimental SetupBlock Diagrams



Left Diagram from [1]

Sweet Boundaries

God this text has a beautiful boundary

Results - Hourly Temperature Variation



Hourly Temperature Variation with Muon Rate



Temperature Rate Correlation



200 mV Threshold



400 mV Threshold

Temperature Rate Correlation

Data Set	Slope	$\tilde{\chi}^2$
Low Threshold	-0.0114 ± 0.0028	4.681
High Threshold	-0.0053 ± 0.0017	1.099

Possible Explanations

- Threshold voltage drift
- Electronics Efficiency
- Noise

Next Steps...

- Fix Muon Rate Data collection
- Record Threshold voltage to try to detect drift
- Correct for temperature offset
- Better Data $\rightarrow$ More Complicated Temperature Dependence

[1] T.E Coan, J. Ye, *Muon Physics*, Accessed from Blackboard site

[2] Accessed from `http://i.cdn-surfline.com/forecasters/blog/2013/12_dec/121813_3.jpg`

[3] Leslie Lamport, *LaTeX: a document preparation system*, Addison Wesley, Massachusetts, 2nd edition, 1994.