

## Networked Life: Project

The project's goal is to introduce new algorithms and techniques to provide custom recommendations to users based on what other users liked. This should remind you of the Netflix chapter, where a linear regression is used to recommend movies to a user based on a large (sparse) matrix of ratings. The chapter tells you about this big dataset that Netflix made available for scientists to play with (with added benefits for Netflix of course!) We will be using parts of this dataset for the project, allowing you to use real data and learn a few tricks that data scientists have developed over the last few years.

The project is divided in three parts:

- First, you will expand on the homework given to you for chapter 4 by reusing the code you have written previously, applying it to the Netflix training dataset. You may need to perform a few additional steps to obtain the data in the right format, but you will be guided along the way.
- Second, you will review a few concepts of Bayesian inference that will come handy when developing another algorithm to predict a user's preferences: the restricted Boltzmann machines. We will give you some theory and it will be your job to fill in the gaps in our code.
- Third, you will build extensions to the model using some hints we give you and any information you can find online.

As was explained in the Networked Life book, the teams competing in the Netflix prize were given the opportunity to test their algorithms against a hidden test set. We will do the same, hiding from you a part of the dataset, and rewarding teams that perform best against the test set. There is no unique way of implementing the best algorithm, and a lot of the work is "guessing" (smartly) which parameters to use and which combination of techniques works best. Along the way, there will be tests to make sure that you have implemented the base algorithms correctly, but we also encourage you to experiment and see for yourself. Due to the popularity of the Netflix contest, a whole universe of online articles flourished, detailing the techniques used to win the contest and explaining them in a very approachable way. You may find some of these during your research, which you can take inspiration from (and duly cite in your reports!)

The three parts will be equally demanding, so we do advise you to start early at this point. Both Python and some good skills in machine learning (more broadly: data science) are great to have on your resumes if you are going to pursue any career in technology. Employers also love to see that you have applied a successful model and thought about how to extend it. We hope this project gives you more tools to convince your dream company that you are ready for the job!

# 1 Linear regression on the Netflix dataset

In the folder you have downloaded containing the project, you will find in the resources subfolder the training dataset, `training.csv`. The CSV file can be imported in your code using the `getTrainingData` function in the `projectLib` file. Similarly, we give a `validation.csv` file that can be loaded with the `getValidationData` function.

Both files have three columns: one for the movie ID, one for the user ID and one for the rating ID, *in that order*. For example, a row of 5,3,4 means that user 3 has given to movie 5 a rating of 4. Note that to make the scripts (a lot) simpler, we have reindexed movies and users so that movies are  $0, 1, \dots, M$  and users are  $0, 1, \dots, U$ , where  $M$  is the total number of movies and  $U$  is the total number of users.

The training data set provided can be divided in two, one part, the training set, containing 80% of the data and the other, the validation set, with 20% of the data. In this project, we give you two CSV files containing the training set and the validation set. The training set has a rating for every movie and every user in the dataset, so you will not see any new user or new movie appear in either the validation set or the test set that we keep hidden!

**Question 1.1.** *Using the solution you have worked out in the homework for chapter 4 or the one provided, run the parameter estimation `param` function to compute the estimator for the training set, without regularisation. Once this is done, use the `predict` function to compute the predicted rating of every (movie, user) pair of the training set. You now have the real rating from the dataset  $r_{m,u}$  and the one predicted by your model  $\hat{r}_{m,u}$ . You can compute the RMSE to compare the two.*

**Question 1.2.** *As you have seen in Chapter 4, you can regularise this model so that it does not overfit, by adding a penalty to your biases. You should now complete the `param_reg` function with your previous homework implementation.*

In section 3, you will learn how to tune the regularisation parameter  $\lambda$  to optimise the performance of your model on a validation set, a good proxy for the test set.

## 2 The hidden patterns: predicting the rating with Restricted Boltzmann Machines

### 2.1 Presentation of the model

Neural networks are all the rage when it comes to training estimators on very large datasets, due to their flexibility. Our previous model was biased in the sense that we give the shape of the function we use for our estimator (the average rating plus the biases). Neural networks on the other hand are relatively agnostic when it comes to which part of the function space to explore to find the best estimator, which works especially well when the dataset is very big.

In this project we use a much simpler version of a neural network, the Restricted Boltzmann Machine (RBM). Developed by Salakhutdinov et al. for use on the Netflix dataset, it is a two layer network as shown in Fig. 1. The bottom layer, which we call *visible layer*  $V$  (or *input layer*), receives an *input*, typically a piece of data (such as the ratings). The top layer, also called *hidden layer*  $H$ , receives a non-linear transformation of the input. The non-linear part matters because this is what allows neural networks to explore a large space of functions to find the estimator. We will present the precise model in the next section.

The edges connecting the visible layer to the hidden one are given *weights*  $W$ . It is in fact the end goal of the learning procedure: **to find the best weights  $W$  to represent our data**. By representing our data, we mean that we want at the end of our training to have one very




Figure 1: A restricted Boltzmann Machine with 5 visible units and 3 hidden units.

good RBM to work with. A good RBM is one that encodes the information contained in our dataset properly, i.e. is able to pick out patterns from the ratings of the users. These patterns could be anything from "Users with an odd ID number like movies with an ID ending in a 2" or "Users who enjoyed movie  $i$  did not really like movie  $q$ ", though the latter is definitely what a good RBM will find out. This good RBM corresponds to a particular choice of weights  $W$ . After training our model on the data, we get an estimator of  $W$ , similar to our previous estimation of the biases in the linear regression method.

We now explain how we will use the RBM model. Each visible unit will correspond to one unique movie. Each hidden unit will correspond to some "abstract" notion. The model is powerful because we do not need to specify what these abstract notions are. It may happen that the model will be able to separate sci-fi movies from action movies, simply by looking at the data and the associated ratings. One hidden unit may *activate* (more on this later) when the ratings fed to the visible layer are those of a sci-fi movie fan, and this may help predict the rating given to an unseen sci-fi movie by the same user.

The dataset we provide contains a smaller set of  $m$  movies. We call **the main RBM** one big RBM consisting of  $m$  visible units and a number  $F$  hidden units (which you can tune). Each user  $u$  has rated a subset  $M_u$  of movies. This user  $u$  will be associated with a part of the main RBM, consisting of all the hidden units and *only* the visible units corresponding to movies rated by this user. You can see some details on Fig. 2.

## 2.2 Preliminary work

We will start implementing a few functions to create the model. These functions will help us run operations that are common when using RBMs. Let  $v_i, i \in V$  represent the value held by the  $i$ -th node of the visible layer. This value is binary, i.e., it is equal to 0 or to 1. We denote a vector of inputs by  $\mathbf{v} = (v_1, \dots, v_n)$ . Let  $h_j, j \in H$  denote the value held by the  $j$ -th node of the hidden layer, also binary. The edge connecting  $v_i$  to  $h_j$  has a weight  $W_{ij} \in \mathbb{R}$ .

When the visible layer receives an input, this input is transformed and sent to the hidden layer, in the following way: the probability that  $h_j$  equals 1, or that  $h_j$  is *on*, given the visible input  $\mathbf{v}$ , is equal to

$$\mathbb{P}(h_j = 1 | \mathbf{v}) = \sigma\left(\sum_{i \in V} v_i W_{ij}\right), \text{ where } \sigma(x) = \frac{1}{1 + e^{-x}}. \quad (1)$$

In words, we do a weighted sum of the inputs and apply the  $\sigma$  function, also called *logistic*




Figure 2: We only look at a part of the main RBM if the user has seen *Singing in the Rain*, *Seven Samurais* and *Amélie*, but not the other two. Only the weights inside the box will be updated when we compute the gradient for that user.

function, to obtain the probability. Observe that this function takes values from 0 to 1 and is highly non-linear.

**Question 2.1.** In the `rbm.py` file, complete the functions `sig`. It should accept a vector of inputs and return another vector, where the logistic function has been applied to each component.

Hold on, our inputs are not binary! The rating from a user can be one of the five options  $K = \{1, 2, 3, 4, 5\}$ . One way to circumvent this difficulty is to encode each rating as a binary vector of size 5. All components of the vector are zero except the  $k$ -th component, if  $k$  is the rating given. So if a user gives a rating 3, that piece of data will be encoded by the vector  $(0, 0, 1, 0, 0)$ . The formula to go from visible states to the hidden ones is very similar:

$$\mathbb{P}(h_j = 1 | \mathbf{v}) = \sigma \left( \sum_{k \in K} \sum_{i \in V} v_i^k W_{ij}^k \right). \quad (2)$$

Each user will be associated to one part of the main RBM. Each visible unit in this smaller RBM will correspond to one movie. A visible unit receives a binary vector encoding one rating given by the user. So the RBM receives a list of binary vectors  $\mathbf{v}$  to work with. The weights  $w_{ij}^k$  are divided between five matrices, one for each  $k = 1, 2, 3, 4, 5$ . You can represent it easily in Numpy, as a 3D array. Our weights array is of dimensions  $|V| \times |H| \times |K|$  (respectively the number of visible units, the number of hidden units and the number of possible ratings). To get the matrix of weights for a particular  $k$ , you can simply write `W[:, :, k]`. The first and second axes will correspond respectively to the movies and the hidden nodes (features).

**Question 2.2.** Write a function to propagate the visible input (binary vectors of ratings) to the hidden layer, in `visibleToHiddenVec`, using equation 2.

RBMs are part of a family of generative models. Given inputs, we can use the estimated weights to compute the probabilities that hidden units will activate. But we can also go the other direction: if we know the values of the hidden units, then we can *generate* data. Say we have a vector of hidden units that encodes the preferences of a user that likes action movies, but not sci-fi. We could generate data that looks like the ratings of such a user, for example would assign 5 to *The Bourne Identity* but 2 to *Star Trek*.

How do we go from the hidden layer to the visible one then? Note that contrary to  $h_j$  which is a single binary variable, the vector  $v_i$  consist by  $K$  binary variables. Thus, we use the softmax function to create a distribution over all the possible  $K$  states, i.e., to compute the probability that each of the  $K$  binary variables takes the value 1 (see reference [4], section 13.1).

$$\mathbb{P}(v_i^k = 1|\mathbf{h}) = \text{softmax}\left(\sum_{j \in J} h_j W_{ij}^k\right), \text{ where } \text{softmax}(x_k) = \frac{e^{x_k}}{\sum_{l \in K} e^{x_l}}. \quad (3)$$

Note that  $h_j$  used in the equation is a binary variable. By (2), we only get the probability of  $h_j$ . We need to generate the value of  $h_j$  from its probability by sampling (see the function `sample` in the `rbm.py` file). Also note that from the distribution in (3), we need to derive the predicted rating for movie  $i$ . In section 2.4 we propose two alternatives to deal with this issue.

**Question 2.3.** *Implement the `hiddenToVisible` function, taking as input a binary vector of hidden units and the edge weights.*

### 2.3 Learning the weights

We move on to the next part of the problem: learning the weights. We use what is called a *gradient ascent* method. Finding the best weights to represent our data can be written as an optimisation problem: find the weights that maximise a certain function. We usually pick the log-likelihood, i.e we seek to find the weights that maximise *the probability that our model would generate the data it has been trained on*. Just like the linear regression case, we can *regularise* the model so that it does not fit too closely the training set and is able to generalise well, but we will not do that here (it is, however, an interesting extension to better your performance).

It would be too long to present every last detail of the gradient ascent, but here is the general idea: we want to move our weights in a direction where this log-likelihood function is greater. We first initialise our weights to some random value (done in `getInitialWeights`) and then perform some updates.

How do we get the gradient then? Hinton and peers proposed an efficient procedure called *contrastive divergence* to compute the  $\nabla W_{i,j}^k$ . Here is the full recipe:

- **Learning**

- We start with the data  $\mathbf{v}$ , consisting by all the  $K - elements$  vectors  $v_i, i \in M_u$ , of all the movies  $M_u$  that a particular user  $u$  has rated. This part is implemented by the function `getV` in the `rbm.py` file.
- Compute  $\mathbb{P}(h_j = 1|\mathbf{v})$  with `visibleToHiddenVec`.
- Call positive gradient  $(PG)_{i,j,k} = \mathbb{P}(h_j = 1|\mathbf{v}) \cdot v_i^k$  (computed by `probProduct`). You can see that  $PG$  is a 3D array, which Numpy can let you define and apply transformations to easily. It also has the same shape as  $W$ , the 3D array holding the weights.

- **Unlearning**

- Sample the states of each hidden unit  $j$  (i.e.,  $h_j = 0$  or  $1$ ) according to  $\mathbb{P}(h_j = 1|\mathbf{v})$ .
- Use `hiddenToVisible` to compute "negative" data  $\bar{\mathbf{v}}$ .
- Essentially repeat the steps of the Learning part, this time with "negative" data, i.e compute  $\mathbb{P}(h_j = 1|\bar{\mathbf{v}})$  and call "negative" gradient  $(NG)_{i,j,k} = \mathbb{P}(h_j = 1|\bar{\mathbf{v}}) \cdot \bar{v}_i^k$ .




Figure 3: Visible input flows up in the network.




Figure 4: Hidden activations flow down to give a distribution over the ratings.

- **Synthesis** We now update the weights  $W$  as such

$$W \leftarrow W + \frac{\epsilon}{\#\text{users in batch}} \cdot (PG - NG)$$

where  $\epsilon$  is a small learning rate (usually set to 0.1) and where we divide by the number of users in the batch (1 if we do not use mini-batch) to obtain an average direction.

## 2.4 Predicting the ratings

We sum up the work we have done up until now.

- We have implemented some functions to represent the data (ratings) as binary vectors.
- We then worked on how to go from the visible layer to the hidden one and vice-versa.
- We gave the description of a simple gradient ascent algorithm in section 2.3 to learn the best estimator of the weights. This is essentially done in the `mainRBM.py` file.

We have everything we need to perform the prediction! In fact, we have done most of the hard work required to implement this part. Assume we now would like to predict a movie  $q$  for user  $u$ . We can get the binary matrix of visible inputs  $\mathbf{v}$  for that user and use our `visibleToHiddenVec` function to propagate the values to the hidden units (seen in Fig. 3). Once we have these hidden activations (by using the `sampleHidden` function), we can go in the reverse direction, just like we do in the unlearning part of the gradient ascent algorithm. We take the vector  $p$  of hidden activations and use our `hiddenToVisible` function to get the "negative data". We can do this to reconstruct the movie we want to predict the rating of, such as *Blade Runner* in Fig. 4. In fact we can do this for movies that are part of the training set, allowing us to compute its RMSE.

**Question 2.4.** *Implement the function `getPredictedDistribution` to get the predicted distribution over the ratings for a movie, using the description given in the previous paragraph and the comments to be found in `rbm.py`.*

The negative data gives us a distribution over the possible ratings the user might attribute to this unseen movie. It is now up to us to decide what we are going to do with the distribution. We are given some options to decide the predicted rating we want to return:

- **Predict the rating which corresponds to the highest softmax probability:**

We can return the rating that is the most weighted by the distribution  $\mathbb{P}(v_i^k = 1 | \mathbf{h})$  in (3). This option is implemented by the function `predictRatingMax` in the `rbm.py` file.

- **Predict the rating as the weighted average of the softmax probabilities:**

We return the average rating over the distribution  $\mathbb{P}(v_i^k = 1|\mathbf{h})$  in (3). This option is implemented by the function `predictRatingExp` in the `rbm.py` file.

As an example, suppose that our `hiddenToVisible` function returned the distribution  $\mathbb{P}(v_i^k = 1|\mathbf{h}) = (0.1, 0.2, 0.4, 0.3, 0.0)$  for some movie  $i$ , i.e the probability of rating 1 is 0.1, the probability of rating 2 is 0.2 etc. Our first method would return 3 as predicted rating, since 3 has the highest probability. Our second method would return the average prediction

$$0.1 \times 1 + 0.2 \times 2 + 0.4 \times 3 + 0.3 \times 4 + 0.0 \times 5 = 2.9.$$

**Question 2.5.** *Implement the two functions `predictRatingMax` and `predictRatingExp`, described above.*

You can test which of the two functions gives you the better RMSE and include in your report the RMSEs for each. For the `predictRatingMax`, your RMSEs can be large because you will predict an exact integer rating. In that case you may want to consider checking how many ratings your model correctly predicts out of all the ratings in the training set.

## 2.5 Some extensions

To make your algorithm better, we encourage you to tweak it using the tips we give below. They are not explicitly detailed but we add a number of stars next to indicate the difficulty of implementing them, (\*) being easier and (\*\*\*) harder. You may find additional resources online or in the bibliography at the end to help you with the implementation.

- **Momentum (\*)** An easy addition to the existing code, momentum will give some inertia to the gradient updates, limiting the risk that your gradient starts oscillating.
- **Adaptive learning rates (\*\*)** This method progressively reduces the learning rate, as your algorithm zeroes in on the best estimator of the weights.
- **Early stopping (\*)** With the momentum and other tricks, your RMSE is susceptible to increase from one iteration to the next. Early stopping simply means keeping in memory the best weights found so far, e.g if your RMSE at epoch 950 is better than the one at the end of your training, you would use the weights obtained at epoch 950.
- **Regularisation (\*\*)** Following the same principle used in the linear regression, you can add a penalty to your cost function if your weights grow too large. Hint: you can modify how the `grad` variable is set.
- **Mini batch (\*\*)** In the linear regression, we have used the full dataset at once to get our estimator. On the other hand, in online training, where we may not have the whole data but a stream that keeps growing, we update our estimator with every incoming piece of data. Mini-batch is between the two: we sample from a big dataset a smaller batch (the size can be tuned) and update our current estimator with this new data. In practice, you will compute the gradient for a few users, add these up and *then* update your weights with this computed gradient.
- **Biases (\*\*\*)** The method described above is not exactly complete. We would usually add biases to the visible and hidden units, and estimate their value just like we would for the weights, using learning. The model with biases is described in the Salakhutdinov et al.

paper [2]<sup>1</sup>, though you will need to adapt it for the case of visible units receiving binary vectors as inputs. This is the hardest extension but an essential one to give your algorithm a big performance boost.

### 3 Testing out your algorithms

After finishing up the two previous sections, you should have two algorithms to predict the rating that a user would give to unrated movies. One makes use of linear regression to compute biases per user and per movie, while the other employs latent factors to predict the rating.

In the resources of the project you will find a validation dataset named `validation.csv`. It is important to train your model on the training set, and then see how well it performs on previously unseen data contained in the validation set.

Why would you want to do this? In both methods, you have *hyperparameters* that you can change to make the algorithm more performant. Let us recapitulate them here:

- **Linear regression**

- **The regularisation parameter  $\lambda$**  This parameter controls the penalty given to weights in the objective function. A higher  $\lambda$  will penalise large biases, making your algorithm less likely to overfit (but with the cost of higher variance).

- **Restricted Boltzmann Machines**

- **The number of hidden units  $F$**  This parameter controls how many hidden units appear in your main RBM. The higher it is, the more likely it is that your model will overfit.
- **The learning rate  $\epsilon$**  Gradient ascent needs a learning rate controlling how much the gradient is allowed to change from one iteration to the next. A higher learning rate will make your algorithm converge faster to a better value, but a value that is too high can also derail it and provoke oscillations. Here is an idea on how to tune it: at the end of every batch, when you update your weights, compute the RMSE on the training set. If it is steadily decreasing, you are on the right track and maybe you can increase your learning rate a bit. If it seems to oscillate, or increases, you have to decrease your learning rate.
- **Extensions** The extensions will add a lot more parameters to optimise: the momentum  $\delta$ , the regularisation parameter  $\lambda$ , the mini-batch size  $B$ ...

When you train your model to be extremely performant (i.e give very good predictions) on the training set itself, you run the risk of *overfitting*. Overfitting happens when your model estimates very precisely ratings from your training set, but is incapable of generalising to a different dataset. By computing the RMSE on the validation set, you make predictions over data that your model *has not seen*, and thus you are able to control whether your model overfits. To check if you are overfitting, see if during learning both the training RMSE and the validation RMSE decrease, and after a while your training RMSE starts increasing again, while the validation RMSE keeps going down. We are logging both values at every epoch of the gradient ascent for you to control, but you could go beyond and plot these curves to have a visual idea of what is going on.

Coming back to the hyperparameters, you should then be tuning their values such that your model avoids both underfitting and overfitting. Underfitting is harder to control for, but happens when your model is not trained enough. If at the end of your training, both validation

---

<sup>1</sup>The paper is in the reference subfolder.



and training RMSEs keep decreasing consistently, you may want to increase your number of epochs or, e.g, increase your number of hidden units.

### 3.1 Apply your model on the test data

Perhaps the most important part of the project: we are keeping from you a test set where real ratings appears. These ratings are taken from the same set of users and movies you have trained your model on, so you do not need to worry about how to treat these new cases. Once you believe that your hyperparameters have been optimised correctly (i.e, after repeated testing against a validation set), you will be able to try out your model on the hidden test.

To do so, you will predict a rating for *all* movies and for *all* users. The result should be a text file of less than 1MB, obtained by calling `numpy.savetxt` on a user/movie matrix. We give in the `mainRBM.py` file an example of how to achieve this, though you will have to write the function `predictForUser` yourself.

When you produce the text file, name it in the following format: `<Group ID>_v<version number>.txt`. You will be given 4 different tries, so if your team ID is 2, you may send me 4 files, `Group2_v1.txt`, `Group2_v2.txt` etc. After receiving one of your files, we will compute the RMSE obtained on the test set and give you its value.

To encourage you to start early, we add the following restriction: you will only be able to submit one package of predictions per week. You will find the schedule of the four weeks of submissions below. At the end of each week, the current best RMSE (over all previous weeks) will be broadcasted to the class, for you to know which is the current goal to beat. Also, each week, the team with the best outstanding RMSE over the test set will get a bonus of 5 points.

Here is now the schedule:

Week	Dates
9	Monday, March 22 - Sunday, March 28 (11:59PM)
10	Monday, March 29 - Sunday, April 4 (11:59PM)
11	Monday, April 5 - Sunday, April 11 (11:59PM)
12	Monday, April 12 - Sunday, April 18 (11:59PM)

We will release the best RMSE (within each following week) after computing it for your different submissions. Finally, the team submitting the best RMSE of the project will obtain up to 10 points bonus.

### 3.2 Other requirements

You are also required to submit two things:

- The source code of your implementation. You are able to modify the signature of the provided functions as long as you properly document why. On the other hand, you are not allowed to use machine learning libraries such as Theano or Scikit, though you can (and should) use Numpy. We will also test your code on a few key functions, though you are free to experiment with the extensions proposed earlier.
- A project report figuring some details of your implementations and, e.g, plots showing the evolution of your RMSE as the training occurs or how the extensions have improved your results.

The grading will give equal weight to the three parts of the project as well as the report.

- (25%) Part 1: Linear regression (`linearRegression.py`)

- (25%) Part 2: Basic RBM (`rbm.py`, `mainRBM.py`)
- (25%) Part 3: Extensions to the RBM
- (25%) Part 4: Report

## References

- [1] G. Louppe. Collaborative filtering: Scalable approaches using restricted Boltzmann machines. PhD thesis, Université de Liège, Belgique, 2010.
- [2] R. Salakhutdinov, A. Mnih, and G. Hinton. Restricted boltzmann machines for collaborative filtering. In Proceedings of the 24th international conference on Machine learning, pages 791-798. ACM, 2007.
- [3] A. Fischer and C. Igel. Training Restricted Boltzmann Machines: An Introduction. Pattern Recognition 47:25-39, 2014.
- [4] G. Hinton. A Practical Guide to Training Restricted Boltzmann Machines. Technical Report.