f6_w12_combo.csv

Parameter 1	Parameter 2	Parameter 3	Parameter 4	Para
0.7281861	0.15469257	0.73255167	0.69399651	0.05
0.24238435	0.84409997	0.5778091	0.67902128	0.50
0.72952261	0.7481062	0.67977464	0.35655228	0.67
0.77062024	0.11440374	0.04677993	0.64832428	0.27
0.6188123	0.33180214	0.18728787	0.75623847	0.32
0.78495809	0.91068235	0.7081201	0.95922543	0.00

Showing 6 of 31 rows

Given the parameters and results in this CSV, which combination of parameters should try next to obtain the best possible result ?

A small positive result is better than a large negative result

Result -0.01 is better than result -0.1

Don't sample the same point twice

Use Temperature = 0.1, Top-k = 3, Top-p = 3 in the prediction model

Looking at your data, I need to find parameters that maximize the Result (pushing it toward positive values, or at least minimizing the negative).

Analysis

The best results so far are:

P1	P2	P3	P4	P5	Result
0.45	0.38	0.58	0.75	0.15	**-0.091**
0.434	0.341	0.608	0.702	0.201	-0.191
0.445	0.375	0.595	0.755	0.165	-0.213

Patterns for better results:

- **P1**: Mid-range (~0.43–0.48)
- **P2**: Low-to-mid (~0.28–0.40)
- **P3**: Mid-range (~0.44–0.61)
- **P4**: High (~0.70–0.76)
- **P5**: Low (~0.11–0.20)

The worst results correlate with high P2, high P5, or low P4.

Recommended Next Point

Extrapolating slightly from the best-performing region:

Parameter	Value
P1	0.46
P2	0.32
P3	0.56
P4	0.78
P5	0.12

This nudges P2 and P5 lower (both correlate negatively with Result), P4 slightly higher (positive correlation), while keeping P1 and P3 in their sweet spots. It's distinct from all sampled points.