

IS family	IS name	mechanism	Secondary structure	Gene(s) affected	Organism	Reference	Clinical/ Experimental
IS1	IS1	Cointegrate Copy-paste circles		<i>Em^R</i> <i>bla_{TEM-1}</i>	<i>Escherichia coli</i>	(Barany, <i>et al.</i> , 1982) (Prentki, <i>et al.</i> , 1986)	C? E
	IS1			<i>acrEF pump</i>	<i>Salmonella enterica</i>	(Olliver, <i>et al.</i> , 2005)	E
IS3	IS2	Copy-paste circles		<i>gal</i> <i>gal</i> <i>argE</i> <i>Em^R</i> <i>bla_{ampC}</i> <i>acrEF pump</i>	<i>Escherichia coli</i>	(Saedler, <i>et al.</i> , 1974) (Nevers & Saedler, 1977), (Glansdorff, <i>et al.</i> , 1981) (Barany, <i>et al.</i> , 1982) (Jaurin & Normark, 1983). (Jellen-Ritter & Kern, 2001)-	E E E C? E E
	IS3	Copy-paste circles		<i>argE</i> <i>argE</i> <i>citT</i>	<i>Escherichia coli</i>	(Glansdorff, <i>et al.</i> , 1981) (Charlier, <i>et al.</i> , 1982) (Blount, <i>et al.</i> , 2012)	E E E
	IS981	Copy-paste circles		<i>ldhB</i>	<i>Lactococcus lactis</i>	(Bongers, <i>et al.</i> , 2003)	E
	IS6110	Copy-paste circles		Rv2280 and PE-PGRS gene, Rv1468c,	<i>Mycobacterium tuberculosis</i>	(Safi, <i>et al.</i> , 2004)	E
	ISKpn8	Copy-paste circles		<i>blaKCP-2</i>	<i>Escherichia coli</i> , <i>Citrobacter freundii</i> , <i>Enterobacter cloacae</i> , <i>Enterobacter aerogenes</i> , and <i>Klebsiella oxytoca</i>	(Luo, <i>et al.</i> , 2014)	C
IS4	IS10	Cut-paste (hairpin)		<i>his</i>	<i>Salmonella typhimurium</i>	(Ciampi, <i>et al.</i> , 1982)	E
	IS10	Cut-paste		-	<i>Escherichia coli</i>	(Simons, <i>et al.</i> , 1983)	E
	IS10	Cut-paste		<i>acrEF pump</i>	<i>Salmonella enterica</i>	(Olliver, <i>et al.</i> , 2005)	E
	IS50	Cut-paste (hairpin)		<i>aph3'II</i>	<i>Escherichia coli</i>	(Rothstein & Reznikoff, 1981)	E
	IS1999			<i>bla_{VEB-1}</i> <i>bla_{VEB-1}/ bla_{OXA-48}</i>	<i>Pseudomonas aeruginosa</i> <i>Escherichia coli</i>	(Aubert, <i>et al.</i> , 2003) (Aubert, <i>et al.</i> , 2006)	C C

	ISPa12			<i>bla</i> _{PER-1}	<i>Salmonella enterica</i> <i>Pseudomonas aeruginosa</i> <i>Providencia stuartii</i> , <i>Acinetobacter baumannii</i>	(Poirel, <i>et al.</i> , 2003)	C
	ISAba1			<i>bla</i> _{ampC} <i>bla</i> _{ampC} <i>bla</i> _{ampC} <i>bla</i> _{OXA-51} / <i>bla</i> _{OXA-23}	<i>Acinetobacter baumannii</i>	(Corvec, <i>et al.</i> , 2003) (Segal, <i>et al.</i> , 2004) (Heritier, <i>et al.</i> , 2006) (Turton, <i>et al.</i> , 2006)	C C C C
IS5	IS5			<i>Em</i> ^R	<i>Escherichia coli</i>	(Barany, <i>et al.</i> , 1982)	C?
	ISFtu2			<i>general</i>	<i>Francisella tularensis</i>	(Carlson, <i>et al.</i> , 2009)	Natural isolate
	ISVa1			(<i>iron uptake</i>)	<i>Vibrio anguillarum</i>	(Tolmasky & Crosa, 1995)	Natural isolate
	IS1168 (IS1186)			<i>nimA nimB</i>	<i>Bacteroides</i>	(Haggoud, <i>et al.</i> , 1994)	C
	IS1186			<i>cfiA</i>	<i>Bacteroides fragilis</i>	(Podglajen, <i>et al.</i> , 1994) (Podglajen, <i>et al.</i> , 1995)	C C
	IS402			<i>bla</i>	<i>Pseudomonas cepacia</i>	(Scordilis, <i>et al.</i> , 1987)	E
IS6	IS257	Cointegrate		<i>dfrA</i>	<i>Staphylococcus aureus</i>	(Leelaporn, <i>et al.</i> , 1994)	C
	IS257	Cointegrate		<i>tet</i>	<i>Staphylococcus aureus</i>	(Simpson, <i>et al.</i> , 2000)	C
	IS1008			<i>bla</i> _{OXA-58}	<i>Acinetobacter baumannii</i>	(Chen, <i>et al.</i> , 2008)	C
	IS26			<i>aphA7</i> , <i>bla</i> _{S2A} <i>bla</i> _{SHV-2a}	<i>Klebsiella pneumoniae</i> <i>Pseudomonas aeruginosa</i>	(Lee, <i>et al.</i> , 1990) (Naas, <i>et al.</i> , 1999)	C C
	IS140			<i>aac(3)-III and -IV</i>		(Brau, <i>et al.</i> , 1984)	C
IS21	ISBf1 ISKpn7	Copy-paste circle		<i>cepA</i> <i>blaKPC</i>	<i>Bacteroides fragilis</i> <i>Klebsiella pneumoniae</i>	(Rogers, <i>et al.</i> , 1994) (Naas, <i>et al.</i> , 2008)	C C
IS30	IS30	Copy-paste circle		<i>galk</i>	<i>Escherichia coli</i>	(Dalrymple, 1987)	E
	IS18			<i>aac(6')-Ij</i> <i>blaOXA257</i>	<i>Acinetobacter</i> <i>Acinetobacter</i>	(Rudant, <i>et al.</i> , 1998) (Zander, <i>et al.</i> , 2013)	C
	IS4351			<i>ermF</i> <i>cfiA</i>	<i>Bacteroides fragilis</i>	(Rasmussen, <i>et al.</i> , 1987) (Soki, <i>et al.</i> , 2013)	C
	IS1086			<i>cnrCBAT</i> (Zn ^R)	<i>Cupriavidus metallidurans</i>	<i>Cupriavidus metallidurans</i>	E

IS256	IS256	Copy-paste circles		<i>mecA</i> <i>llm</i>	<i>Staphylococcus sciuri</i> <i>Staphylococcus aureus</i>	(Maki & Murakami, 1997) (Couto, <i>et al.</i> , 2003)	
	IS1490				<i>Burkholderia cepacia</i>	(Hubner & Hendrickson, 1997)	
	IS406				<i>Burkholderia cepacia</i>	(Scordilis, <i>et al.</i> , 1987)	E
IS481	IS481	Copy-paste circles		<i>katA</i>	<i>Bordetella pertussis</i>	(DeShazer, <i>et al.</i> , 1994)	
	ISRme5			<i>cnrCBAT</i> (Zn ^R)	<i>Cupriavidus metallidurans</i>	(Vandecraen, <i>et al.</i> , 2016)	E
IS630	ISFtu1	Tc-like		<i>general</i>	<i>Francisella tularensis</i>	(Carlson, <i>et al.</i> , 2009)	Natural isolate
IS982	IS1187			<i>cfiA</i> <i>cfiA</i> <i>cfiA</i> <i>cfiA</i>	<i>Bacteroides fragilis</i>	(Podglajen, <i>et al.</i> , 1994) (Podglajen, <i>et al.</i> , 2001) (Kato, <i>et al.</i> , 2003) (Soki, <i>et al.</i> , 2013)	E+C C C C
	IS982			<i>citQRP</i>	<i>Lactococcus lactis</i>	(Lopez de Felipe, <i>et al.</i> , 1996)	
IS1380	ISBf11			<i>cfiA</i>	<i>Bacteroides fragilis</i>	(Soki, <i>et al.</i> , 2013)	C
	IS612			<i>cfiA</i>	<i>Bacteroides fragilis</i>	(Kato, <i>et al.</i> , 2003)	C
	IS613			<i>cfiA</i>	<i>Bacteroides fragilis</i>	(Kato, <i>et al.</i> , 2003)	C
	IS614			<i>cfiA</i>	<i>Bacteroides fragilis</i>	(Kato, <i>et al.</i> , 2003) (Cascio, <i>et al.</i> , 2009) (Soki, <i>et al.</i> , 2013)	C C C
	IS1188			<i>cfiA</i>	<i>Bacteroides fragilis</i>	(Podglajen, <i>et al.</i> , 2001)	C
	IS942			<i>cfiA</i>	<i>Bacteroides fragilis</i>	(Podglajen, <i>et al.</i> , 2001)	C
	ISEcp1			<i>bla</i> _{CTX-M-15} <i>bla</i> _{CTX-M-17} <i>bla</i> _{CTX-M-19} <i>bla</i> _{CTX-M} <i>rmtC</i>	<i>Enterobacteriaceae</i> <i>Klebsiella pneumoniae</i> <i>Klebsiella pneumoniae</i> <i>Kluyvera ascorbata</i> <i>Escherichia coli</i>	(Karim, <i>et al.</i> , 2001) (Cao, <i>et al.</i> , 2002) (Poirel, <i>et al.</i> , 2003) (Lartigue, <i>et al.</i> , 2006) (Wachino, <i>et al.</i> , 2006)	C C C
	IS1187			<i>cfiA</i>	<i>Bacteroides fragilis</i>	(Podglajen, <i>et al.</i> , 2001)	C
ISL3	ISSg1	Copy-paste circles		<i>sspB</i> (surface antigen)	<i>Streptococcus gordonii</i>	(Demuth, <i>et al.</i> , 1997)	
	IS1411			<i>pheBA</i>	<i>Pseudomonas putida</i>	(Kallastu, <i>et al.</i> , 1998)	
ISAs1	IS1548			<i>lmb</i> (lamelin binding)	<i>Streptococcus agalactiae</i>	(Al Safadi, <i>et al.</i> , 2010)	
	nd				<i>Acinetobacter baumannii</i>	(Corvec, <i>et al.</i> , 2003)	C

ISNCY	IS403			<i>bla</i>	<i>Burkholderia cepacia</i>	(Scordilis, <i>et al.</i> , 1987)	E
ISNCY	IS404			<i>bla</i>	<i>Burkholderia cepacia</i>	(Scordilis, <i>et al.</i> , 1987)	E
ISNCY	IS405			<i>bla</i>	<i>Burkholderia cepacia</i>	(Scordilis, <i>et al.</i> , 1987)	E

IS = circles

IS = not circles

IS = not known

Al Safadi R, Amor S, Hery-Arnaud G, *et al.* (2010) Enhanced expression of *lmb* gene encoding laminin-binding protein in *Streptococcus agalactiae* strains harboring IS1548 in *scpB-lmb* intergenic region. *PLoS One* **5**: e10794.

Aubert D, Naas T & Nordmann P (2003) IS1999 increases expression of the extended-spectrum beta-lactamase VEB-1 in *Pseudomonas aeruginosa*. *J Bacteriol* **185**: 5314-5319.

Aubert D, Naas T, Heritier C, Poirel L & Nordmann P (2006) Functional characterization of IS1999, an IS4 family element involved in mobilization and expression of beta-lactam resistance genes. *J Bacteriol* **188**: 6506-6514.

Barany F, Boeke JD & Tomasz A (1982) Staphylococcal plasmids that replicate and express erythromycin resistance in both *Streptococcus pneumoniae* and *Escherichia coli*. *Proc.Natl.Acad.Sci.U.S.A.* **79**: 2991-2995.

Blount ZD, Barrick JE, Davidson CJ & Lenski RE (2012) Genomic analysis of a key innovation in an experimental *Escherichia coli* population. *Nature* **489**: 513-518.

Bongers RS, Hoefnagel MH, Starrenburg MJ, Siemerink MA, Arends JG, Hugenholtz J & Kleerebezem M (2003) IS981-mediated adaptive evolution recovers lactate production by *ldhB* transcription activation in a lactate dehydrogenase-deficient strain of *Lactococcus lactis*. *J Bacteriol* **185**: 4499-4507.

Brau B, Pilz U & Piepersberg W (1984) Genes for gentamicin-(3)-N-acetyltransferases III and IV: I. Nucleotide sequence of the AAC(3)-IV gene and possible involvement of an IS140 element in its expression. *Mol.Gen.Genet.* **193**: 179-187.

Cao V, Lambert T, Nhu DQ, Loan HK, Hoang NK, Arlet G & Courvalin P (2002) Distribution of extended-spectrum beta-lactamases in clinical isolates of Enterobacteriaceae in Vietnam. *Antimicrob Agents Chemother* **46**: 3739-3743.

Carlson PE, Jr., Horzempa J, O'Dee DM, Robinson CM, Neophytou P, Labrinidis A & Nau GJ (2009) Global transcriptional response to spermine, a component of the intramacrophage environment, reveals regulation of Francisella gene expression through insertion sequence elements. *J Bacteriol* **191**: 6855-6864.

Cascio GL, Macaccaro L, Centonze AR, Soki J, Fontana R & Mazzariol A (2009) A new insertion sequence element containing a *cfiA* gene in the first imipenem-resistant *Bacteroides fragilis* strain isolated in Italy. *Int J Antimicrob Agents* **34**: 610-611.

Charlier D, Piette J & Glansdorff N (1982) IS3 can function as a mobile promoter in *E. coli*. *Nucleic Acids Res.* **10**: 5935-5948.

Chen TL, Wu RC, Shaio MF, Fung CP & Cho WL (2008) Acquisition of a plasmid-borne *blaOXA-58* gene with an upstream IS1008 insertion conferring a high level of carbapenem resistance to *Acinetobacter baumannii*. *Antimicrob Agents Chemother* **52**: 2573-2580.

Ciampi MS, Schmid MB & Roth JR (1982) Transposon Tn10 provides a promoter for transcription of adjacent sequences. *Proc.Natl.Acad.Sci.U.S.A.* **79**: 5016-5020.

Corvec S, Caroff N, Espaze E, Giraudeau C, Drugeon H & Reynaud A (2003) AmpC cephalosporinase hyperproduction in *Acinetobacter baumannii* clinical strains. *J Antimicrob Chemother* **52**: 629-635.

Couto I, Wu SW, Tomasz A & de Lencastre H (2003) Development of methicillin resistance in clinical isolates of *Staphylococcus sciuri* by transcriptional activation of the *mecA* homologue native to *S. J Bacteriol* **185**: 645-653.

Dalrymple B (1987) Novel rearrangements of IS30 carrying plasmids leading to the reactivation of gene expression. *Mol.Gen.Genet.* **207**: 413-420.

Demuth DR, Duan Y, Jenkinson HF, McNab R, Gil S & Lamont RJ (1997) Interruption of the *Streptococcus gordonii* M5 *sspA/sspB* intergenic region by an insertion sequence related to IS1167 of *Streptococcus pneumoniae*. *Microbiology.* **143**: 2047-2055.

DeShazer D, Wood GE & Friedman RL (1994) Molecular characterization of catalase from *Bordetella pertussis*: identification of the *katA* promoter in an upstream insertion sequence. *Mol.Microbiol.* **14**: 123-130.

Glansdorff N, Charlier D & Zafarullah M (1981) Activation of gene expression by IS2 and IS3. *Cold Spring Harb.Symp.Quant.Biol.* **45 Pt 1**: 153-156.

Haggoud A, Reysset G, Azeddoug H & Sebald M (1994) Nucleotide sequence analysis of two 5-nitroimidazole resistance determinants from *Bacteroides* strains and of a new insertion sequence upstream of the two genes. *Antimicrob.Agents Chemother.* **38**: 1047-1051.

Heritier C, Poirel L & Nordmann P (2006) Cephalosporinase over-expression resulting from insertion of ISAbal in *Acinetobacter baumannii*. *Clin Microbiol Infect* **12**: 123-130.

Hubner A & Hendrickson W (1997) A fusion promoter created by a new insertion sequence, IS1490, activates transcription of 2,4,5-trichlorophenoxyacetic acid catabolic genes in *Burkholderia cepacia* AC1100. *J.Bacteriol.* **179**: 2717-2723.

Jaurin B & Normark S (1983) Insertion of IS2 creates a novel *ampC* promoter in *Escherichia coli*. *Cell* **32**: 809-816.

Jellen-Ritter AS & Kern WV (2001) Enhanced expression of the multidrug efflux pumps AcrAB and AcrEF associated with insertion element transposition in *Escherichia coli* mutants Selected with a fluoroquinolone. *Antimicrob Agents Chemother* **45**: 1467-1472.

Kallastu A, H rak R & Kivisaar M (1998) Identification and Characterization of IS1411, a New Insertion Sequence Which Causes Transcriptional Activation of the Phenol Degradation Genes in *Pseudomonas putida*. *J Bacteriol* **180**: 5306-5312.

Karim A, Poirel L, Nagarajan S & Nordmann P (2001) Plasmid-mediated extended-spectrum beta-lactamase (CTX-M-3 like) from India and gene association with insertion sequence ISEcp1. *FEMS Microbiol Lett* **201**: 237-241.

Kato N, Yamazoe K, Han CG & Ohtsubo E (2003) New insertion sequence elements in the upstream region of *cfiA* in imipenem-resistant *Bacteroides fragilis* strains. *Antimicrob Agents Chemother* **47**: 979-985.

Lartigue MF, Poirel L, Aubert D & Nordmann P (2006) In vitro analysis of ISEcp1B-mediated mobilization of naturally occurring beta-lactamase gene *bla*CTX-M of *Kluyvera ascorbata*. *Antimicrob Agents Chemother* **50**: 1282-1286.

Lee KY, Hopkins JD & Syvanen M (1990) Direct involvement of IS26 in an antibiotic resistance operon. *J Bacteriol.* **172**: 3229-3236.

Leelaporn A, Firth N, Byrne ME, Roper E & Skurray RA (1994) Possible role of insertion sequence IS257 in dissemination and expression of high- and low-level trimethoprim resistance in staphylococci. *Antimicrob.Agents Chemother.* **38**: 2238-2244.

Lopez de Felipe F, Magni C, de Mendoza D & Lopez P (1996) Transcriptional activation of the citrate permease *P* gene of *Lactococcus lactis* biovar *diacetylactis* by an insertion sequence- like element present in plasmid pCIT264. *Mol.Gen.Genet.* **250**: 428-436.

Luo Y, Yang J, Ye L, *et al.* (2014) Characterization of KPC-2-Producing *Escherichia coli*, *Citrobacter freundii*, *Enterobacter cloacae*, *Enterobacter aerogenes*, and *Klebsiella oxytoca* Isolates from a Chinese Hospital. *Microb Drug Resist.*

Maki H & Murakami K (1997) Formation of potent hybrid promoters of the mutant *lhm* gene by IS256 transposition in methicillin-resistant *Staphylococcus aureus*. *J Bacteriol* **179**: 6944-6948.

Naas T, Philippon L, Poirel L, Ronco E & Nordmann P (1999) An SHV-derived extended-spectrum beta-lactamase in *Pseudomonas aeruginosa*. *Antimicrob Agents Chemother* **43**: 1281-1284.

Naas T, Cuzon G, Villegas MV, Lartigue MF, Quinn JP & Nordmann P (2008) Genetic structures at the origin of acquisition of the beta-lactamase *bla* KPC gene. *Antimicrob Agents Chemother* **52**: 1257-1263.

Nevers P & Saedler H (1977) Transposable genetic elements as agents of gene instability and chromosomal rearrangements. *Nature* **268**: 109-115.

Olliver A, Valle M, Chaslus-Dancla E & Cloeckaert A (2005) Overexpression of the multidrug efflux operon *acrEF* by insertional activation with IS1 or IS10 elements in *Salmonella enterica* serovar typhimurium DT204 *acrB* mutants selected with fluoroquinolones. *Antimicrob Agents Chemother* **49**: 289-301.

Podglajen I, Breuil J & Collatz E (1994) Insertion of a novel DNA sequence, 1S1186, upstream of the silent carbapenemase gene *cfiA*, promotes expression of carbapenem resistance in clinical isolates of *Bacteroides fragilis*. *Mol. Microbiol.* **12**: 105-114.

Podglajen I, Breuil J, Casin I & Collatz E (1995) Genotypic identification of two groups within the species *Bacteroides fragilis* by ribotyping and by analysis of PCR-generated fragment patterns and insertion sequence content. *J Bacteriol.* **177**: 5270-5275.

Podglajen I, Breuil J, Rohaut A, Monsempes C & Collatz E (2001) Multiple mobile promoter regions for the rare carbapenem resistance gene of *Bacteroides fragilis*. *J Bacteriol* **183**: 3531-3535.

Poirel L, Decousser JW & Nordmann P (2003) Insertion sequence ISEcp1B is involved in expression and mobilization of a *bla*(CTX-M) beta-lactamase gene. *Antimicrob Agents Chemother* **47**: 2938-2945.

Prentki P, Teter B, Chandler M & Galas DJ (1986) Functional promoters created by the insertion of transposable element IS1. *J Mol Biol* **191**: 383-393.

Rasmussen JL, Odelson DA & Macrina FL (1987) Complete nucleotide sequence of insertion element IS4351 from *Bacteroides fragilis*. *J Bacteriol.* **169**: 3573-3580.

Rogers MB, Bennett TK, Payne CM & Smith CJ (1994) Insertional activation of *cepA* leads to high-level beta-lactamase expression in *Bacteroides fragilis* clinical isolates. *J Bacteriol* **176**: 4376-4384.

Rothstein SJ & Reznikoff WS (1981) The functional differences in the inverted repeats of Tn5 are caused by a single base pair nonhomology. *Cell* **23**: 191-199.

Rudant E, Courvalin P & Lambert T (1998) Characterization of IS18, an Element Capable of Activating the Silent *aac*(6')-I_j Gene of *Acinetobacter* sp. 13 Strain BM2716 by Transposition. *Antimicrob. Agents Chemother.* **42**: 2759-2761.

Saedler H, Reif HJ, Hu S & Davidson N (1974) IS2, a genetic element for turn-off and turn-on of gene activity in *E. coli*. *Mol Gen Genet* **132**: 265-289.

Safi H, Barnes PF, Lakey DL, Shams H, Samten B, Vankayalapati R & Howard ST (2004) IS6110 functions as a mobile, monocyte-activated promoter in *Mycobacterium tuberculosis*. *Mol Microbiol* **52**: 999-1012.

Scordilis GE, Ree H & Lessie TG (1987) Identification of transposable elements which activate gene expression in *Pseudomonas cepacia*. *J Bacteriol.* **169**: 8-13.

- Segal H, Nelson EC & Elisha BG (2004) Genetic environment and transcription of ampC in an *Acinetobacter baumannii* clinical isolate. *Antimicrob Agents Chemother* **48**: 612-614.
- Simons RW, Hoopes BC, McClure WR & Kleckner N (1983) Three promoters near the termini of IS10: pIN, pOUT, and pIII. *Cell* **34**: 673-682.
- Simpson AE, Skurray RA & Firth N (2000) An IS257-derived hybrid promoter directs transcription of a tetA(K) tetracycline resistance gene in the *Staphylococcus aureus* chromosomal mec region. *J. Bacteriol.* **182**: 3345-3352.
- Soki J, Eitel Z, Urban E & Nagy E (2013) Molecular analysis of the carbapenem and metronidazole resistance mechanisms of *Bacteroides* strains reported in a Europe-wide antibiotic resistance survey. *Int J Antimicrob Agents* **41**: 122-125.
- Tolmasky ME & Crosa JH (1995) Iron transport genes of the pJM1-mediated iron uptake system of *Vibrio anguillarum* are included in a transposonlike structure. *Plasmid* **33**: 180-190.
- Turton JF, Ward ME, Woodford N, Kaufmann ME, Pike R, Livermore DM & Pitt TL (2006) The role of ISAba1 in expression of OXA carbapenemase genes in *Acinetobacter baumannii*. *FEMS Microbiol Lett* **258**: 72-77.
- Vandecraen J, Monsieurs P, Mergeay M, Leys N, Aertsens A & Van Houdt R (2016) Zinc-Induced Transposition of Insertion Sequence Elements Contributes to Increased Adaptability of *Cupriavidus metallidurans*. *Front Microbiol* **7**: 359.
- Wachino J, Yamane K, Kimura K, Shibata N, Suzuki S, Ike Y & Arakawa Y (2006) Mode of transposition and expression of 16S rRNA methyltransferase gene rmtC accompanied by ISEcp1. *Antimicrob Agents Chemother* **50**: 3212-3215.
- Zander E, Chmielarczyk A, Heczko P, Seifert H & Higgins PG (2013) Conversion of OXA-66 into OXA-82 in clinical *Acinetobacter baumannii* isolates and association with altered carbapenem susceptibility. *J Antimicrob Chemother* **68**: 308-311.