

Best Results per Model and Method (Hidden States)

Model	Method	Layer	D	AUCROC	Spearman	Gap	Acc@1	Assign	tau
LaTa	Baseline (mean pool)	L0	-	0.9299	0.0491	0.202	0.806	0.676	0.920
LaTa	SIF only	L0	-	0.9473	0.0511	0.439	0.900	0.875	0.678
LaTa	SIF + ABTT (D=10)	L0	10	0.9688	0.0536	0.550	0.903	0.844	0.342
LaTa	SIF + ABTT (optimal D)	L4	2	0.9711	0.0538	0.627	0.894	0.850	0.543
LaTa	PCA Whitening	L12	-	0.5886	0.0101	0.218	0.150	0.501	0.000
PhilTa	Baseline (mean pool)	L0	-	0.9524	0.0517	0.336	0.881	0.851	0.804
PhilTa	SIF only	L1	-	0.9459	0.0510	0.335	0.884	0.826	0.824
PhilTa	SIF + ABTT (D=10)	L8	10	0.9724	0.0540	0.566	0.909	0.864	0.422
PhilTa	SIF + ABTT (optimal D)	L9	3	0.9798	0.0548	0.600	0.887	0.862	0.508
PhilTa	PCA Whitening	L8	-	0.5727	0.0083	0.146	0.141	0.501	0.000
LaBSE	Baseline (mean pool)	L11	-	0.9479	0.0512	0.059	0.866	0.858	0.975
LaBSE	SIF only	L11	-	0.9486	0.0513	0.057	0.853	0.823	0.975
LaBSE	SIF + ABTT (D=10)	L0	10	0.9725	0.0540	0.492	0.887	0.847	0.377
LaBSE	SIF + ABTT (optimal D)	L12	1	0.9782	0.0546	0.641	0.897	0.861	0.548
LaBSE	PCA Whitening	L6	-	0.5779	0.0089	0.205	0.156	0.501	0.000