

Nombre del Proyecto:

Tarea #3

Nombres de los Integrantes:

Ian Antonio Suazo Palao

22611345

Rafael Arturo Castillo Cano

22541188

Diego Jose Chavez Geraldo

22251085

Catedrático:

Ing. Erick Amaya

Asignatura:

Laboratorio Programacion 2

Sección de Clase:

46

Fecha:

8/29/2026

Ian Suazo

```
MINGW64/C:/Users/JuanSazo/Documents/NetBeansProjects/FileProgalLaboratorio
(main root-commit) 3ab8b0d Initializacion del proyecto para la creacion de un cmd/console
2 files changed, 208 insertions(+), 1 deletion(-)
create mode 100644 build.xml
create mode 100644 manifest.mf
create mode 100644 nbproject/build-impl.xml
create mode 100644 nbproject/genfiles.properties
create mode 100644 nbproject/private/private.properties
create mode 100644 nbproject/project.properties
create mode 100644 nbproject/src/org/javafx
create mode 100644 src/QMG.java

lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio (main)
$ git push --origin main
Enumerating objects 13, done.
Counting objects 100k (13/13), done.
Delta compression using up to 4 threads
Compressing objects 100k (13/13), done.
Writing objects 100k (13/13), 33.93 KiB | 4.34 MiB/s, done.
Total 13 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
to https://github.com/jansozo/FileProgalLaboratorio.git
[ new branch ]   main => main
branch 'main' set up to track 'origin/main'.

lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio (main)
$ git add QMGchivos.java
fatal: pathspec 'QMGchivos.java' did not match any files

lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio (main)
$ ls
build.xml  manifest.mf  nbproject/  src/  test/

lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio (main)
$ cd src
lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio/src (main)
$ ls
QMGchivos.java

lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio/src (main)
$ git add QMGchivos.java

lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio/src (main)
$ git commit -m "Se crean los primeros dos comandos, rd que funciona para leer el contenido de un archivo usando FileReader y wr que escribe texto con FileWriter, siempre permitiendo ingresar varias líneas"
[master c9c6e16] Se crean los primeros dos comandos, rd que funciona para leer el contenido de un archi
vivo usando FileReader y wr que escribe texto con FileWriter, siempre permitiendo ingresar varias l
ineas
2 files changed, 80 insertions(+), 11 deletions(-)

lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio/src (main)
$ %C
delete mode 100644 src/QMG.java
create mode 100644 src/QMGchivos.java

lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio/src (main)
$ git push
Enumerating objects 6, done.
Counting objects 100k (6/6), done.
Delta compression using up to 4 threads
Compressing objects 100k (6/6), 1.11 KiB | 1.11 MiB/s, done.
Total 4 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote resolving deltas: 100k (3/3), completed with 1 local object.
to https://github.com/jansozo/FileProgalLaboratorio.git
3ab8b0d..c9c6e16 main -> main

lan Sazon Palau@DESKTOP-BUEH7N WING64 ~/Documents/NetBeansProjects/FileProgalLaboratorio/src (main)
```

```

C:\MINGW64\bin>cd /u/Usuario/Suao Pazo Documents/NetBeansProjects/Files/Programalaboratorio/src
lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git pull
Already up to date.

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git add .

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git commit -m "Se crea el comando de copiar un archivo solo que no sobrescribe todo el texto y solo da un final para que pueda escribir texto sin eliminar un anterior"
[main e384bd] Se crea el comando de copiar un archivo solo que no sobrescribe todo el texto y solo da un final para que pueda escribir texto sin eliminar un anterior
1 file changed, 23 insertions(+)

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 519 bytes | 519.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/lansozo/Files/Programalaboratorio.git
e384bd..e384bd main -> main

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git add CMDArchivos.java

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git commit -m "Se crea el comando para copiar un archivo individual por medio del comando de copy lan"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
W

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git pull
Already up to date.

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git push
Everything up-to-date

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git commit -m "Se crea el comando para copiar un archivo individual por medio del comando de copy lan"
[main e384bd] Se crea el comando para copiar un archivo individual por medio del comando de copy lan
1 file changed, 36 insertions(+)

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git commit -m "Se crea el comando para copiar un archivo individual por medio del comando de copy lan"
[main e384bd] Se crea el comando para copiar un archivo individual por medio del comando de copy lan
1 file changed, 36 insertions(+)

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$ git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (4/4), 726 bytes | 726.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/lansozo/Files/Programalaboratorio.git
e384bd..e384bd main -> main

lan Suazo Palaridesktop-BUSIHN7N KENGA64 ~/Documents/NetBeansProjects/Files/Programalaboratorio/src (main)
$

```

```
MINGW64/C:/Users/Jan Suazo/OneDrive/Documents/NetBeansProjects/FileProgalaboratorio
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), 726 bytes | 726.00 KiB/s, done.
Writing objects: 100% (4/4), 726 bytes | 726.00 KiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 7 local objects.
To https://github.com/iansuazo/FileProgalaboratorio.git
cb843b..be6cd0 main -> main

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$ git pull
Already up to date.

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$ git pull
remote: Enumerating objects: 32, done.
remote: Counting objects: 100% (26/26), done.
remote: Compressing objects: 100% (10/10), done.
remote: Total 16 (delta 0), reused 16 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (16/16), 7.57 KiB | 89.00 KiB/s, done.
From https://github.com/iansuazo/FileProgalaboratorio
9b04bc..1b04948 main -> origin/main
Updating 9b04bc..1b04948
Fast-forward
  src/ComandoImpl.java | 682 +++++
  src/project/genfiles.properties | 6 +-
  src/project/private/private.properties | 2 +-
  src/project/private/private.xml | 31 +-
  src/project/project.properties | 12 +-
  src/Comando.java | 14 +-
  src/ComandoDir.java | 47 +-
  src/Comando.java | 127 +++++
  8 files changed, 732 insertions(+), 170 deletions(-)
 create mode 100444 src/project/private/private.xml
 create mode 100444 src/Comando.java
 create mode 100444 src/ComandoDir.java
 create mode 100444 src/Comando.java

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$ git add CHDArchivos.java

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$ git commit -m "Se crea el comando de info para poder enseñar toda la información correspondiente del archivo del cual se encuentra"
On branch main
Your branch is up to date with 'origin/main'.
nothing to commit, working tree clean

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$ git add CHDArchivos.java

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$ git commit -m "Se crea el comando de info para poder enseñar toda la información correspondiente del archivo del cual se encuentra"
Jan be6cd0f Se crea el comando de info para poder enseñar toda la información correspondiente del archivo del cual se encuentra
 1 file changed, 33 insertions(+)
```

```
MINGW64/C:/Users/Jan Suazo/OneDrive/Documents/NetBeansProjects/FileProgalaboratorio/src

remote: Enumerating objects: 48, done.
remote: Counting objects: 100% (48/48), done.
remote: Compressing objects: 100% (16/16), done.
remote: Total 36 (delta 20), reused 36 (delta 20), pack-reused 0 (from 0)
Unpacking objects: 100% (36/36), 453 KiB | 26.00 KiB/s, done.
From https://github.com/iansuazo/FileProgalaboratorio
cb843b..be6cd0 main -> origin/main
Enumerating objects: 93, done.
Counting objects: 100% (33/33), done.
Delta compression using up to 8 threads
Compressing objects: 100% (18/18), done.
Writing objects: 100% (33/33), done.
Total 93 (delta 43), reused 0 (delta 0), pack-reused 0 (from 0)
Merge made by the 'ort' strategy:
  src/Main.java | 5 +-
  src/NetBeansMD.java | 110 +
  3 files changed, 125 insertions(+), 5 deletions(-)
 create mode 100444 src/NetBeansMD.java
 create mode 100444 src/Main.java
 create mode 100444 src/VentanaMD.java

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$ git add CHDArchivos.java

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$ git commit -m "Se agregan los últimos comandos de mi parte de Jan usando todos los archivos que eran los comandos de tree que construye los archivos de manera de un árbol. También, se cambia un poco su estructura para poder implementarla con mi compañero de trabajo ya que los comandos fueron divididos. Jan"
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
(use 'git push' to publish your local commits)
nothing to commit, working tree clean

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$ git push
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (7/7), 1.98 KiB | 1.98 MiB/s, done.
Total 7 (delta 5), reused 3 (delta 2), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (5/5), completed with 1 local objects.
To https://github.com/iansuazo/FileProgalaboratorio.git
cb843b..f1fe0fc main -> main

Jan Suazo Palao@DESKTOP-BUEH7N7 MINGW64 ~/Documents/NetBeansProjects/FileProgalaboratorio/src (main)
$
```

Diego Chavez

```
MINGW64:/c/Users/diego/Documents/FileProgaLaboratorio
4 files changed, 254 insertions(+), 81 deletions(-)
create mode 100644 .gitignore
create mode 100644 src/Main.java
create mode 100644 src/VentanaCMD.java

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ git add .

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ git commit -m "lista de comandos completa"
[main 5a916c4] lista de comandos completa
1 file changed, 168 insertions(+), 6 deletions(-)

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ git push
Enumerating objects: 7, done.
Counting objects: 100% (7/7), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 1.89 KiB | 1.89 MiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/ianszoo/FileProgaLaboratorio.git
f2fe05c..5a916c4 main -> main

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$
```

```
MINGW64:/c/Users/diego/Documents/FileProgaLaboratorio
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (1/1), done.
remote: Total 4 (delta 2), reused 4 (delta 2), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 706 bytes | 88.00 KiB/s, done.
From https://github.com/ianszoo/FileProgaLaboratorio
e348a8d..9b64bce main -> origin/main
Merge made by the 'ort' strategy.
src/CMDArchivos.java | 36 ++++++
1 file changed, 36 insertions(+)

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ git add .

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ git commit -m "comandos iniciales"
On branch main
Your branch is ahead of 'origin/main' by 2 commits.
(use "git push" to publish your local commits)

nothing to commit, working tree clean

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$
```

```
MINGW64:/c/Users/diego/Documents/FileProgaLaboratorio
diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ git add .

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ git add .

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ git commit -m "central de comandos"
[main c8b433b] central de comandos
 2 files changed, 143 insertions(+), 47 deletions(-)
 delete mode 100644 src/ComandoMkdir.java
 create mode 100644 src/ComandosDiego.java

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ git push
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 1.11 KiB | 1.11 MiB/s, done.
Total 4 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/ianszoo/FileProgaLaboratorio.git
   ebc2222..c8b433b  main -> main

diego@Maipc MINGW64 ~/Documents/FileProgaLaboratorio (main)
$ .....
```

Rafael Castillo

```
Windows PowerShell
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git commit -m "Prueba de GUI"
[main 5952970] Prueba de GUI
2 files changed, 56 insertions(+)
create mode 100644 .gitignore
create mode 100644 src/VentanaCMD.java
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git pull
remote: Enumerating objects: 6, done.
remote: Counting objects: 100% (6/6), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 4 (delta 1), reused 4 (delta 1), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 1.09 KiB | 85.00 KiB/s, done.
From https://github.com/ianszoo/FileProgaLaboratorio
3a88b64..e7ca65e  main -> origin/main
Merge made by the 'ort' strategy.
src/CMD.java | 13 -----
src/CMDArchivos.java | 80 +++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
2 files changed, 80 insertions(+), 13 deletions(-)
delete mode 100644 src/CMD.java
create mode 100644 src/CMDArchivos.java
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git pull
Already up to date.
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git add .
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git commit -m "Commit para hacer pull"
[main af2b59d] Commit para hacer pull
1 file changed, 5 insertions(+)
create mode 100644 src/Main.java
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git pull
Already up to date.
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git add .
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git commit -m "Commit para hacer pull x2"
[main ac513c3] Commit para hacer pull x2
1 file changed, 15 insertions(+), 1 deletion(-)
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> |
```

```
Windows PowerShell
create mode 100644 src/Comando.java
create mode 100644 src/ComandoMkdir.java
create mode 100644 src/Consola.java
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git add .
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git commit -m "Subir GUI"
[main 0cda79b] Subir GUI
1 file changed, 36 insertions(+), 5 deletions(-)
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git pull
git: 'pull' is not a git command. See 'git --help'.

The most similar commands are
  pull
  push
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git pull
remote: Enumerating objects: 15, done.
remote: Counting objects: 100% (15/15), done.
remote: Compressing objects: 100% (9/9), done.
remote: Total 12 (delta 8), reused 7 (delta 3), pack-reused 0 (from 0)
Unpacking objects: 100% (12/12), 2.66 KiB | 60.00 KiB/s, done.
From https://github.com/ianszoo/FileProgaLaboratorio
1b84948..c8b433b  main -> origin/main
Merge made by the 'ort' strategy.
src/CMDArchivos.java | 62 +++++++++++++++++++++++++++++++++++++
src/ComandoMkdir.java | 47 -----
src/ComandosDiego.java | 143 +++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++++
3 files changed, 205 insertions(+), 47 deletions(-)
delete mode 100644 src/ComandoMkdir.java
create mode 100644 src/ComandosDiego.java
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git push
Enumerating objects: 48, done.
Counting objects: 100% (48/48), done.
Delta compression using up to 8 threads
Compressing objects: 100% (36/36), done.
```

```
Windows PowerShell
create mode 100644 CMD/notas.txt
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git pull
remote: Enumerating objects: 7, done.
remote: Counting objects: 100% (7/7), done.
remote: Compressing objects: 100% (1/1), done.
remote: Total 4 (delta 3), reused 4 (delta 3), pack-reused 0 (from 0)
Unpacking objects: 100% (4/4), 710 bytes | 37.00 KiB/s, done.
From https://github.com/ianszoo/FileProgaLaboratorio
  5a916c4..13bf03b  main    -> origin/main
Merge made by the 'ort' strategy.
 src/ComandosDiego.java | 47 ++++++
 1 file changed, 47 insertions(+)
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git add .
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git commit -m "Actualizaciones completas"
[main fbe9e38] Actualizaciones completas
 6 files changed, 47 insertions(+), 38 deletions(-)
 create mode 100644 CMD/carpetaprueba/prueba1
 create mode 100644 CMD/carpetaprueba/prueba2
 create mode 100644 CMD/carpetaprueba/prueba3
 delete mode 100644 CMD/notas.txt
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git pull
Already up to date.
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> git push
Enumerating objects: 36, done.
Counting objects: 100% (34/34), done.
Delta compression using up to 8 threads
Compressing objects: 100% (20/20), done.
Writing objects: 100% (24/24), 4.23 KiB | 618.00 KiB/s, done.
Total 24 (delta 13), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (13/13), completed with 5 local objects.
To https://github.com/ianszoo/FileProgaLaboratorio.git
  13bf03b..fbe9e38  main    -> main
PS C:\Users\rafic\OneDrive\Desktop\Lab_5_ProgramacionII\FileProgaLaboratorio> |
```

