

1. David Suazo

```
C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git add .

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git commit -m "clase tipo de pokemon"
[main 95e5873] clase tipo de pokemon
 2 files changed, 15 insertions(+), 1 deletion(-)
 create mode 100644 src/Pokemon/Tipo.java
```

```
C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git add .

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git commit -m "clase objeto"
[main a0a6af8] clase objeto
 1 file changed, 14 insertions(+)
 create mode 100644 src/Pokemon/Objeto.java

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git push
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 545 bytes | 545.00 KiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/ianszoo/JuegoPokemon.git
 9c3e1dd..a0a6af8  main -> main
```

```
C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git add .

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git commit -m"clase objeto arreglada"
[main 0cc26e8] clase objeto arreglada
 3 files changed, 179 insertions(+), 1 deletion(-)
 create mode 100644 src/Pokemon/Usuario.java

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git push
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (7/7), 2.28 KiB | 2.28 MiB/s, done.
Total 7 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/ianszoo/JuegoPokemon.git
 a0a6af8..0cc26e8  main -> main
```

```
C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git add .

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git commit -m"arreglo a clases pokemon, listas enlazadas y gestor de usuarios + clase PokemonFactory"
[main 862da74] arreglo a clases pokemon, listas enlazadas y gestor de usuarios + clase PokemonFactory
 8 files changed, 467 insertions(+), 110 deletions(-)
 create mode 100644 src/Pokemon/GestorUsuarios.java
 create mode 100644 src/Pokemon/ListaEnlazadaUsuarios.java
 create mode 100644 src/Pokemon/NodoUsuario.java
 create mode 100644 src/Pokemon/PokemonFactory.java
```

```
C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git add .

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git commit -m "clase combate"
[main d7b5554] clase combate
 1 file changed, 151 insertions(+)
 create mode 100644 src/Pokemon/Combate.java

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git push
Enumerating objects: 24, done.
Counting objects: 100% (24/24), done.
Delta compression using up to 8 threads
Compressing objects: 100% (15/15), done.
Writing objects: 100% (17/17), 7.79 KiB | 2.59 MiB/s, done.
Total 17 (delta 8), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (8/8), completed with 5 local objects.
To https://github.com/ianszoo/JuegoPokemon.git
 63a6793..d7b5554  main -> main
```

```
C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git add .

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git commit -m "clase usuarioexistenteexception"
[main 3a9213c] clase usuarioexistenteexception
1 file changed, 4 insertions(+), 2 deletions(-)

C:\Users\David Suazo Palao\Desktop\Programacion 2\JuegoPokemon>git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 475 bytes | 475.00 KiB/s, done.
Total 5 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
To https://github.com/ianszoo/JuegoPokemon.git
d7b5554..3a9213c main -> main
```

2. Ian Suazo

```
MINGW64 ~/Users/Ian Suazo Palao/Documents/NetBeansProjects/ProyectoPokemon
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (master)
$ cd "C:/Users/Ian Suazo Palao/Documents/NetBeansProjects/ProyectoPokemon"
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (master)
$ git init
Initialized empty Git repository in C:/Users/Ian Suazo Palao/Documents/NetBeansProjects/ProyectoPokemon/.git/
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (master)
$ git remote add origin https://github.com/iansuazo/JuegoPokemon.git
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (master)
$ git branch -M main
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (master)
$ git add .
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (master)
$ git commit -m "Primer commit laboratorio"
[main (root-commit) 778111f] Primer commit laboratorio
 8 files changed, 1609 insertions(+)
 create mode 100644 build.xml
 create mode 100644 manifest.mf
 create mode 100644 nbproject/build-impl.xml
 create mode 100644 nbproject/genfiles.properties
 create mode 100644 nbproject/private/private.properties
 create mode 100644 nbproject/project.properties
 create mode 100644 nbproject/project.xml
 create mode 100644 src/Pokemon/NodoPokemon.java
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (master)
$ git push -u origin main
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 8 threads
Compressing objects: 100% (11/11), done.
Writing objects: 100% (14/14), 11.05 KiB | 3.26 MiB/s, done.
Total 14 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/iansuazo/JuegoPokemon.git
 * [new branch] main -> main
branch 'main' set up to track 'origin/main'.
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (main)
$ git pull
Already up to date.
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (main)
$ git add .
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (main)
$ git commit -m "Se crea la clase de NodoPokemon para poder trabajar con la lista enlazada del pokemon"
[main 1090e6d] Se crea la clase de NodoPokemon para poder trabajar con la lista enlazada del pokemon
 2 files changed, 45 insertions(+)
 create mode 100644 src/Pokemon/Pokemon.java
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (main)
$ git push
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (6/6), 840 bytes | 840.00 KiB/s, done.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To https://github.com/iansuazo/JuegoPokemon.git
 778111f..1090e6d main -> main
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (main)
$ git pull
Already up to date.
```

```
MINGW64 ~/Users/Ian Suazo Palao/Documents/NetBeansProjects/ProyectoPokemon
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (main)
$ git add .
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (main)
$ git commit -m "Se Finaliza la clase de Pokemon, agregando todas las habilidades de un pokemon, se le da la habilidad para revivir, clonar, curar (por medio de pociones o otra fuentes) y recibir daño. Tambien asi mismo, se crea el tipo de pokemons."
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (main)
$ git commit -m "Se Finaliza la clase de Pokemon, agregando todas las habilidades de un pokemon, se le da la habilidad para revivir, clonar, curar (por medio de pociones o otra fuentes) y recibir daño. Tambien asi mismo, se crea el tipo de pokemons."
ian Suazo Palao@DESKTOP-BU65N7N MINGW64 ~ (main)
$ git push
git: 'pushgit' is not a git command. See 'git --help'.
```

```
MINGW64~/Users/lan Suazo Palao/Documents/NetBeansProjects/ProjectoPokemon
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git push
Enumerating objects: 22, done.
Counting objects: 100% (22/22), done.
Delta compression using up to 8 threads
Compressing objects: 100% (10/10), done.
Writing objects: 100% (21/21), 1.43 KiB | 1.43 MiB/s, done.
Total 13 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (0/0), completed with 4 local objects.
To https://github.com/ians200/zuegopokemon.git
 0cc268..9883c3c  main -> main

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git add -A
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git commit -m "C"
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git commit -m "Se finaliza la clase de Pokemon, agregando todas las habilidades de un pokemon, se le da la habilidad para revivir, clonar, curar (por medio de pociones o otra fuentes) y recibir daño. Tambien así mismo, se crea el enum de TipoPokemon para darles los tipos de pokemones."
[main 4eca7b6] Se finaliza la clase de Pokemon, agregando todas las habilidades de un pokemon, se le da la habilidad para revivir, clonar, curar (por medio de pociones o otra fuentes) y recibir daño. Tambien así mismo, se crea el enum de TipoPokemon para darles los tipos de pokemones.
 2 files changed, 111 insertions(+), 11 deletions(-)
 delete mode 100644 src/Pokemon/TipoPokemon.java

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 1.26 KiB | 1.26 MiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/ians200/zuegopokemon.git
 5883c3c..4eca7b6  main -> main

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git pull
remote: Enumerating objects: 27, done.
remote: Counting objects: 100% (27/27), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 20 (delta 2), reused 0 (delta 2), pack-reused 0 (from 0)
Unpacking objects: 100% (20/20), 10.26 KiB | 86.00 KiB/s, done.
From https://github.com/ians200/zuegopokemon
 4eca7b6..d56627  main -> origin/main
Updating 4eca7b6..d56627
Fast-forward
 .gitignore | 1 +-
 nbproject/build-impl.xml | 68 ++++++
 nbproject/genfiles.properties | 6 +-
 nbproject/project.properties | 14 +-
 src/Pokemon/CampoAccioException.java | 7 +-
 src/Pokemon/MenuException.java | 7 +-
 src/Pokemon/MenuPrincipal.java | 36 +-
 src/Pokemon/PantallaMarEquipos.java | 50 +-
 src/Pokemon/PantallaInicio.java | 32 +-
 src/Pokemon/PantallaLogin.java | 71 +-
 src/Pokemon/PantallaInicio.java | 91 +-
 src/Pokemon/PasswordInvalidaException.java | 7 +-
 src/Pokemon/PokemonShamans.java | 52 +-
 src/Pokemon/Utils.java | 34 +-
 src/Pokemon/UsuarioInexistenteException.java | 13 +-
 15 files changed, 334 insertions(+), 170 deletions(-)
 create mode 100644 .gitignore
 create mode 100644 src/Pokemon/CampoAccioException.java
 create mode 100644 src/Pokemon/MenuException.java
 create mode 100644 src/Pokemon/MenuPrincipal.java
 create mode 100644 src/Pokemon/PantallaMarEquipos.java
 create mode 100644 src/Pokemon/PantallaInicio.java
```

```
MINGW64~/Users/lan Suazo Palao/Documents/NetBeansProjects/ProjectoPokemon
create mode 100644 src/Pokemon/Utils.java
create mode 100644 src/Pokemon/UsuarioInexistenteException.java
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git add -A
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git commit -m "Se finaliza la clase de la lista enlazada de pokemones con todas sus características completas"
[main 34df6dd] Se finaliza la clase de la lista enlazada de pokemones con todas sus características completas.
 1 file changed, 188 insertions(+)
 create mode 100644 src/Pokemon/ListaEnlazadaPokemon.java

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git push
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 1.47 KiB | 1.47 MiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/ians200/zuegopokemon.git
 d56627..34df6dd  main -> main

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git add -A
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git commit -m "Se crea la clase de nodo de los objetos para su manejo en la lista enlazada"
[main 37e836d] Se crea la clase de nodo de los objetos para su manejo en la lista enlazada.
 1 file changed, 36 insertions(+)
 create mode 100644 src/Pokemon/NodoObjeto.java

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git push
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 761 bytes | 701.00 KiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/ians200/zuegopokemon.git
 34df6dd..37e836d  main -> main

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git add -A
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git commit -m "Se finaliza la lista enlazada por los objetos, se da la habilidad de insertar, contar objeto, y obtener el objeto por medio del índice y su búsqueda por el nombre"
[main 4e73260] Se finaliza la lista enlazada por los objetos, se da la habilidad de insertar, contar objeto, y obtener el objeto por medio del índice y su búsqueda por el nombre.
 1 file changed, 72 insertions(+)
 create mode 100644 src/Pokemon/ListaEnlazadaObjetos.java

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git push
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 961 bytes | 961.00 KiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/ians200/zuegopokemon.git
 37e836d..4e73260  main -> main

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git add -A
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git commit -m "Se finaliza la parte de nodos y las listas con el nodo y lista del historial"
```

```
MINGW64~/Users/lan Suazo Palao/Documents/NetBeansProjects/ProjectoPokemon
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git add -A
lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git commit -m "Se finaliza la parte de nodos y las listas con el nodo y lista del historial"
[main 63ab793] Se finaliza la parte de nodos y las listas con el nodo y lista del historial.
 2 files changed, 81 insertions(+)
 create mode 100644 src/Pokemon/ListaHistorial.java
 create mode 100644 src/Pokemon/NodoHistorial.java

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$ git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (6/6), 1.18 KiB | 1.18 MiB/s, done.
Total 6 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/ians200/zuegopokemon.git
 4e73260..63ab793  main -> main

lan Suazo Palao@DESKTOP-BU65N7N MINGW64 ~/Documents/NetBeansProjects/ProjectoPokemon (main)
$
```

3. Fernando Altamirano

```
remote: Total 5 (delta 3), reused 5 (delta 3), pack-reused 0 (from 0)
Unpacking objects: 100% (5/5), 718.71 KiB | 2.27 MiB/s, done.
From https://github.com/ianszoo/JuegoPokemon
   77e78a8..03a5041  main    -> origin/main
Updating 77e78a8..03a5041
Fast-forward
   src/imagenes/background.png | Bin 0 -> 735362 bytes
   1 file changed, 0 insertions(+), 0 deletions(-)
   create mode 100644 src/imagenes/background.png

C:\Users\User\Documents\NetBeansProjects\JuegoPokemon>git add .

C:\Users\User\Documents\NetBeansProjects\JuegoPokemon>git commit -m "agregar pantalla y mejora en los sprit
[main c69448f] agregar pantalla y mejora en los sprites
   9 files changed, 572 insertions(+), 77 deletions(-)
   create mode 100644 src/Pokemon/FondoImagen.java
   create mode 100644 src/Pokemon/PantallaCombate.java

C:\Users\User\Documents\NetBeansProjects\JuegoPokemon>git push
Enumerating objects: 23, done.
Counting objects: 100% (23/23), done.
Delta compression using up to 8 threads
Compressing objects: 100% (13/13), done.
Writing objects: 100% (13/13), 6.72 KiB | 1.34 MiB/s, done.
Total 13 (delta 8), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (8/8), completed with 8 local objects.
To https://github.com/ianszoo/JuegoPokemon.git
   03a5041..c69448f  main -> main

C:\Users\User\Documents\NetBeansProjects\JuegoPokemon>
```

```
Microsoft Windows [Version 10.0.26200.9445]
(c) Microsoft Corporation. Todos los derechos reservados.

C:\Users\User\Documents\NetBeansProjects\JuegoPokemon>git pull
remote: Enumerating objects: 8, done.
remote: Counting objects: 100% (8/8), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 5 (delta 3), reused 5 (delta 3), pack-reused 0 (from 0)
Unpacking objects: 100% (5/5), 718.71 KiB | 2.27 MiB/s, done.
From https://github.com/ianszoo/JuegoPokemon
   77e78a8..03a5041  main    -> origin/main
Updating 77e78a8..03a5041
Fast-forward
   src/imagenes/background.png | Bin 0 -> 735362 bytes
   1 file changed, 0 insertions(+), 0 deletions(-)
   create mode 100644 src/imagenes/background.png

C:\Users\User\Documents\NetBeansProjects\JuegoPokemon>git add .

C:\Users\User\Documents\NetBeansProjects\JuegoPokemon>git commit -m "agregar pantalla y mejora en los sprites"
[main c69448f] agregar pantalla y mejora en los sprites
   9 files changed, 572 insertions(+), 77 deletions(-)
   create mode 100644 src/Pokemon/FondoImagen.java
   create mode 100644 src/Pokemon/PantallaCombate.java

C:\Users\User\Documents\NetBeansProjects\JuegoPokemon>git push
Enumerating objects: 23, done.
Counting objects: 100% (23/23), done.
Delta compression using up to 8 threads
Compressing objects: 100% (13/13), done.
```