

**Nombre del Proyecto:**

Lab#6 - Binario

**Nombres de los Integrantes:**

Ian Antonio Suazo Palao

**22611345**

Leonardo Damian Romero Acosta

**22611318**

David Antonio Suazo Palao

**22611344**

Julio César Torres Molina

**22611351**

**Catedrático:**

Ing. Erick Amaya

**Asignatura:**

Laboratorio Programacion 2

**Sección de Clase:**

46

**Fecha:**

9/5/2026

# Ian Suazo

```
MINGW64/C:/Users/Ian Suazo Palao/Documents/NetBeansProjects/LaboratorioBinario
C:\Users\Ian Suazo Palao>cd C:/Users/Ian Suazo Palao/Documents/NetBeansProjects/LaboratorioBinario
C:\Users\Ian Suazo Palao>git init
Initialized empty Git repository in C:/Users/Ian Suazo Palao/Documents/NetBeansProjects/LaboratorioBinario/.git/
C:\Users\Ian Suazo Palao>git remote add origin https://github.com/iansuazo/LaboratorioBinario.git
C:\Users\Ian Suazo Palao>git branch -M main
git: 'branch' is not a git command. See 'git --help'.

The most similar command is
  branch

C:\Users\Ian Suazo Palao>git branch -M main
C:\Users\Ian Suazo Palao>git add .
C:\Users\Ian Suazo Palao>git commit -m "Primer commit para inicializar el laboratorio de Binario"
[main (root-commit) a93f6c] Primer commit para inicializar el laboratorio de Binario
 3 files changed, 169 insertions(+), 0 deletions(-)
 create mode 100644 build.xml
 create mode 100644 nbproject/build-impl.xml
 create mode 100644 nbproject/genfiles.properties
 create mode 100644 nbproject/private/private.properties
 create mode 100644 nbproject/project.properties
 create mode 100644 nbproject/project.xml
 create mode 100644 src/Binario/BinarioManager.java
C:\Users\Ian Suazo Palao>git push
fatal: The current branch main has no upstream branch.
To push the current branch and set the remote as upstream, use

  git push --set-upstream origin main

To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.
C:\Users\Ian Suazo Palao>git push --set-upstream origin main
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 8 threads
Compressing objects: 100% (11/11), done.
Writing objects: 100% (14/14), 13.08 KiB | 4.36 MiB/s, done.
Total 14 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/iansuazo/LaboratorioBinario.git
 * [new branch]    main -> main
branch 'main' set up to track 'origin/main'.
C:\Users\Ian Suazo Palao>git pull
Already up to date.
C:\Users\Ian Suazo Palao>git commit -m "Se crea la clase para el editor de texto dentro del word, da la habilidad de aplicar color, tipo de tamaño, los diferentes tipos de fonts, el italic, underline, strikethrough y bold directamente usando StyleConstants, AttributeSet y StyledDocument"
C:\Users\Ian Suazo Palao>git commit -m "Se crea la clase para el editor de texto dentro del word, da la habilidad de aplicar color, tipo de tamaño, los diferentes tipos de fonts, el italic, underline, strikethrough y bold directamente usando StyleConstants, AttributeSet y StyledDocument"
C:\Users\Ian Suazo Palao>git add
C:\Users\Ian Suazo Palao>git commit -m "Se crea la clase para el editor de texto dentro del word, da la habilidad de aplicar color, tipo de tamaño, los diferentes tipos de fonts, el italic, underline, strikethrough y bold directamente usando StyleConstants, AttributeSet y StyledDocument"
1 file changed, 78 insertions(+), 0 deletions(-)
 create mode 100644 src/Binario/TextEditor.java
C:\Users\Ian Suazo Palao>git push
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (8/8), 1.13 KiB | 1.13 MiB/s, done.
To https://github.com/iansuazo/LaboratorioBinario
 * [new branch]    main -> main
C:\Users\Ian Suazo Palao>git pull
remote: Enumerating objects: 14, done.
remote: Counting objects: 100% (14/14), done.
remote: Compressing objects: 100% (14/14), done.
remote: Total 8 (delta 2), reused 8 (delta 2), pack-reused 0 (from 0)
Unpacking objects: 100% (8/8), 1.35 KiB | 13.50 KiB/s, done.
From https://github.com/iansuazo/LaboratorioBinario
 80b05a..4ec346  main -> origin/main
Merge made by the 'ort' strategy.
 nbproject/private/private.properties | 2 ++
 src/Binario/Tablas.java               | 16 ++++++
 2 files changed, 17 insertions(+), 1 deletion(-)
 create mode 100644 src/Binario/Tablas.java
C:\Users\Ian Suazo Palao>git add
C:\Users\Ian Suazo Palao>git commit -m "Se crea el método extractar para recorrer el StyledDocument y extraer el texto con sus atributos de color, fuente, tamaño, bold, italic, underline y strikethrough usando StyleConstants y AttributeSet para guardarlos en la lista de TextRun para la persistencia Ian"
C:\Users\Ian Suazo Palao>git push
Your branch is ahead of 'origin/main' by 2 commits.
(use 'git push' to publish your local commits)

C:\Users\Ian Suazo Palao>git push
Enumerating objects: 17, done.
Counting objects: 100% (16/16), done.
Delta compression using up to 8 threads
Compressing objects: 100% (16/16), done.
Writing objects: 100% (17/17), 1.36 KiB | 464.00 KiB/s, done.
Total 9 (delta 5), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (5/5), completed with 4 local objects.
To https://github.com/iansuazo/LaboratorioBinario.git
```

```
MINGW64 ~/Users/len/Suazo Palao/Documents/NetBeansProjects/LaboratorioBinario
src/Binario/Tablas.java      16 ++++++
3 files changed, 57 insertions(+), 1 deletion(-)
create mode 100644 src/Binario/Tablas.java

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git add .

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git commit -m "Se crea el método extractRuns para recorrer el StyledDocument y extraer el texto con sus atributos de color, fuente, tamaño, bold, italic, underline y strikethrough usando StyleConstants y AttributeSet para guardarlos en la lista de TextRun"
[main 480e457]
Your branch is ahead of 'origin/main' by 2 commits.
(Use "git push" to publish your local commits)

Nothing to commit, working tree clean

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git push
Enumerating objects: 17, done.
Counting objects: 100% (16/16), done.
Delta compression using up to 8 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (9/9), 1.36 KiB | 464.00 KiB/s, done.
Total 5 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (5/5), completed with 4 local objects.
To https://github.com/lensozo/LaboratorioBinario.git
4ec2366..70e457 main -> main

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git pull
Already up-to-date.

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git add .

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git commit -m "Se crea el método Run para limpiar el StyledDocument y reconstruir el texto a partir de la lista de TextRun, aplicando la fuente, tamaño, color, bold, italic, underline y strikethrough a cada fragmento usando SimpleAttributeSet y StyleConstants"
[main 480e457]
Your branch is up to date with 'origin/main'.

Nothing to commit, working tree clean

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git push
Everything up-to-date

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git add .

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git commit -m "Se crea el método Run para limpiar el StyledDocument y reconstruir el texto a partir de la lista de TextRun, aplicando la fuente, tamaño, color, bold, italic, underline y strikethrough a cada fragmento usando SimpleAttributeSet y StyleConstants"
[main 480e457]
3 files changed, 16 insertions(+), 1 deletion(-)

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$ git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 808 bytes | 808.00 KiB/s, done.
Total 5 (delta 3), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (3/3), completed with 3 local objects.
To https://github.com/lensozo/LaboratorioBinario.git
70e457..180be15 main -> main

len@Suazo-PalaoDESKTOP-BU65H7N MINGW64 ~/Documents/NetBeansProjects/LaboratorioBinario (main)
$
```

# David Suazo

```
C:\Users\David Suazo Palao\Desktop\Programacion 2\LaboratorioBinario>git add .

C:\Users\David Suazo Palao\Desktop\Programacion 2\LaboratorioBinario>git commit -m "clase Tablas, metodo showInsertTable"
[main 4ec2366] clase Tablas, metodo showInsertTable
 2 files changed, 57 insertions(+), 1 deletion(-)
 create mode 100644 src/Binario/Tablas.java

C:\Users\David Suazo Palao\Desktop\Programacion 2\LaboratorioBinario>git push
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 8 threads
Compressing objects: 100% (6/6), done.
Writing objects: 100% (8/8), 1.41 KiB | 721.00 KiB/s, done.
Total 8 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/ianszoo/LaboratorioBinario.git
 92b05aa..4ec2366  main -> main
```

```
C:\Users\David Suazo Palao\Desktop\Programacion 2\LaboratorioBinario>git add .

C:\Users\David Suazo Palao\Desktop\Programacion 2\LaboratorioBinario>git commit -m "clase tablas"
[main 462fe4c] clase tablas
 1 file changed, 117 insertions(+), 25 deletions(-)

C:\Users\David Suazo Palao\Desktop\Programacion 2\LaboratorioBinario>git push
Enumerating objects: 9, done.
Counting objects: 100% (9/9), done.
Delta compression using up to 8 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 2.09 KiB | 2.09 MiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/ianszoo/LaboratorioBinario.git
 b80be15..462fe4c  main -> main
```

# Leonardo Romero

Already up to date.

```
C:\Proyectos\Programacion\LaboratorioBinario>git add .
```

```
C:\Proyectos\Programacion\LaboratorioBinario>git commit -m "Añado 4 excepciones necesarias y las clases de formatoedit CabeceraArchivo Escritorbinario Gestor archivo, todas necesarias para el nucleo de archivos binarios"
```

```
[main 675e0f5] Añado 4 excepciones necesarias y las clases de formatoedit CabeceraArchivo Escritorbinario y Gestor archivo, todas necesarias para el nucleo de archivos binarios
```

```
9 files changed, 307 insertions(+)
```

```
create mode 100644 src/Binario/ArchivoCorruptoException.java
create mode 100644 src/Binario/ArchivoNoEncontradoException.java
create mode 100644 src/Binario/ArchivoTruncadoException.java
create mode 100644 src/Binario/CabeceraArchivo.java
create mode 100644 src/Binario/EsritorBinario.java
create mode 100644 src/Binario/ExtensionInvalidaException.java
create mode 100644 src/Binario/FormatoEDT.java
create mode 100644 src/Binario/GestorArchivo.java
create mode 100644 src/Binario/LectorBinario.java
```

```
C:\Proyectos\Programacion\LaboratorioBinario>git push
```

```
Enumerating objects: 16, done.
```

```
Counting objects: 100% (16/16), done.
```

```
Delta compression using up to 12 threads
```

```
Compressing objects: 100% (12/12), done.
```

```
Writing objects: 100% (13/13), 3.69 KiB | 540.00 KiB/s, done.
```

```
Total 13 (delta 4), reused 0 (delta 0), pack-reused 0 (from 0)
```

```
remote: Resolving deltas: 100% (4/4), completed with 1 local object.
```

```
To https://github.com/ianszoo/LaboratorioBinario.git
```

```
462fe4c..675e0f5 main -> main
```

```
C:\Proyectos\Programacion\LaboratorioBinario>
```

nothing added to commit but untracked files present (use "git add" to track)

C:\Proyectos\Programacion\LaboratorioBinario>git pull

Updating a9b3fcc..70ea457

Fast-forward

|                                      |  |     |       |
|--------------------------------------|--|-----|-------|
| nbproject/private/private.properties |  | 2   | + -   |
| src/Binario/Tablas.java              |  | 56  | +++++ |
| src/Binario/TextEditor.java          |  | 111 | +++++ |

+++

3 files changed, 168 insertions(+), 1 deletion(-)  
create mode 100644 src/Binario/Tablas.java  
create mode 100644 src/Binario/TextEditor.java

C:\Proyectos\Programacion\LaboratorioBinario>git pull

Already up to date.

C:\Proyectos\Programacion\LaboratorioBinario>git pull

remote: Enumerating objects: 9, done.

remote: Counting objects: 100% (9/9), done.

remote: Compressing objects: 100% (1/1), done.

remote: Total 5 (delta 3), reused 5 (delta 3), pack-reused 0 (from 0)

Unpacking objects: 100% (5/5), 788 bytes | 29.00 KiB/s, done.

From https://github.com/ianszoo/LaboratorioBinario

70ea457..b80be15 main -> origin/main

Updating 70ea457..b80be15

Fast-forward

|                             |  |    |       |
|-----------------------------|--|----|-------|
| src/Binario/TextEditor.java |  | 16 | +++++ |
|-----------------------------|--|----|-------|

1 file changed, 16 insertions(+)

C:\Proyectos\Programacion\LaboratorioBinario>git pull

Already up to date.

C:\Proyectos\Programacion\LaboratorioBinario>git pull

remote: Enumerating objects: 9, done.

remote: Counting objects: 100% (9/9), done.

remote: Compressing objects: 100% (3/3), done.

remote: Total 5 (delta 1), reused 5 (delta 1), pack-reused 0 (from 0)

Unpacking objects: 100% (5/5), 2.07 KiB | 81.00 KiB/s, done.

From https://github.com/ianszoo/LaboratorioBinario

b80be15..462fe4c main -> origin/main

# Julio Torres

```
srjul@SrJulio MINGW64 ~ (julio)
$ cd Desktop

srjul@SrJulio MINGW64 ~/Desktop (julio)
$ git clone https://github.com/ianszoo/LaboratorioBinario
Cloning into 'LaboratorioBinario'...
remote: Enumerating objects: 19, done.
remote: Counting objects: 100% (19/19), done.
remote: Compressing objects: 100% (14/14), done.
remote: Total 19 (delta 2), reused 18 (delta 1), pack-reused 0 (from 0)
Receiving objects: 100% (19/19), 14.03 KiB | 350.00 KiB/s, done.
Resolving deltas: 100% (2/2), done.

srjul@SrJulio MINGW64 ~/Desktop (julio)
$ git pull
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

    git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

    git branch --set-upstream-to=<remote>/<branch> julio

srjul@SrJulio MINGW64 ~/Desktop (julio)
$ git pull main
fatal: 'main' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

srjul@SrJulio MINGW64 ~/Desktop (julio)
$ git branch -M main

srjul@SrJulio MINGW64 ~/Desktop (main)
$ git pull
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

    git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

    git branch --set-upstream-to=<remote>/<branch> main

srjul@SrJulio MINGW64 ~/Desktop (main)
$ git pull origin main
fatal: 'origin' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

srjul@SrJulio MINGW64 ~/Desktop (main)
$ git remove -v
git: 'remove' is not a git command. See 'git --help'.

The most similar command is
    remote

srjul@SrJulio MINGW64 ~/Desktop (main)
$ git remote add origin https://github.com/ianszoo/LaboratorioBinario

srjul@SrJulio MINGW64 ~/Desktop (main)
$ git pull
```

```

From https://github.com/ianszoo/LaboratorioBinario
* [new branch]      main      -> origin/main
There is no tracking information for the current branch.
Please specify which branch you want to merge with.
See git-pull(1) for details.

    git pull <remote> <branch>

If you wish to set tracking information for this branch you can do so with:

    git branch --set-upstream-to=origin/<branch> main

srjul@SrJulio MINGW64 ~/Desktop (main)
$ git branch --set-upstream-to=origin/main main
branch 'main' set up to track 'origin/main'.

srjul@SrJulio MINGW64 ~/Desktop (main)
$ git pull
fatal: refusing to merge unrelated histories

srjul@SrJulio MINGW64 ~/Desktop (main)
$ cd LaboratorioBinario

srjul@SrJulio MINGW64 ~/Desktop/LaboratorioBinario (main)
$ git pull
remote: Enumerating objects: 29, done.
remote: Counting objects: 100% (29/29), done.
remote: Compressing objects: 100% (8/8), done.
remote: Total 22 (delta 10), reused 21 (delta 9), pack-reused 0 (from 0)
Unpacking objects: 100% (22/22), 3.38 KiB | 58.00 KiB/s, done.
From https://github.com/ianszoo/LaboratorioBinario
   92b05aa..b80be15  main      -> origin/main
Updating 92b05aa..b80be15
Fast-forward
 nbproject/private/private.properties | 2 +-
 src/Binario/Tablas.java               | 56 +++++
 src/Binario/TextEditor.java          | 49 +++++
 3 files changed, 106 insertions(+), 1 deletion(-)
 create mode 100644 src/Binario/Tablas.java

srjul@SrJulio MINGW64 ~/Desktop/LaboratorioBinario (main)
$ git pull
remote: Enumerating objects: 22, done.
remote: Counting objects: 100% (22/22), done.
remote: Compressing objects: 100% (11/11), done.
remote: Total 18 (delta 6), reused 17 (delta 5), pack-reused 0 (from 0)
Unpacking objects: 100% (18/18), 5.61 KiB | 106.00 KiB/s, done.
From https://github.com/ianszoo/LaboratorioBinario
   b80be15..675e0f5  main      -> origin/main
Updating b80be15..675e0f5
Fast-forward
 src/Binario/ArchivoCorruptoException.java | 18 +++
 src/Binario/ArchivoNoEncontradoException.java | 14 +++
 src/Binario/ArchivoTruncadoException.java | 13 +++
 src/Binario/CabeceraArchivo.java          | 59 +++++
 src/Binario/EscritorBinario.java          | 11 ++
 src/Binario/ExtensionInvalidaException.java | 14 +++
 src/Binario/FormatoEDT.java               | 21 +++
 src/Binario/GestorArchivo.java            | 145 +++++
 src/Binario/LectorBinario.java            | 12 +++
 src/Binario/Tablas.java                   | 142 +++++
 10 files changed, 424 insertions(+), 25 deletions(-)
 create mode 100644 src/Binario/ArchivoCorruptoException.java
 create mode 100644 src/Binario/ArchivoNoEncontradoException.java
 create mode 100644 src/Binario/ArchivoTruncadoException.java
 create mode 100644 src/Binario/CabeceraArchivo.java
 create mode 100644 src/Binario/EscritorBinario.java
 create mode 100644 src/Binario/ExtensionInvalidaException.java
 create mode 100644 src/Binario/FormatoEDT.java

```



```
srjul@SrJulio MINGW64 ~/Desktop/LaboratorioBinario (main)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 14 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 219 bytes | 219.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/ianszoo/LaboratorioBinario
   3563336..103bf3b  main -> main
```