

Timah

Timah lets you create timers for different activities and track the time you spend on them.

It saves the timestamps in `~/.cache/timah/` in an editable format.



Figure 1: demo

Installation

First you need to have `curses` and `curses devel` installed, then you can run:

```
git clone https://github.com/iaquobe/timah
cd timah
cargo install --path .
```

Once installed you can start timah with `timah`

Usage

Timah has 3 modes:

- Nomal: move to other modes or start/pause timer
- Rename: rename current timer
- Open: show list to open saved timer

Normal

- `<space>`: starts/pauses timer: saves timestamps
- `o`: open list of timers
- `n`: rename the current timer

- q: quit the program

Rename

- <enter>: confirm new name
- <esc>: cancel new name

Open

- <enter>: confirm timer
- j/k: down/up
- q/<esc>: cancel open

TODO:

- ☒ timer toggle between (total, since reset, day, slice)
- ☒ timer reset(save reset in cache, which can be used for instance to reset every week to track the time in one week)
- ☐ group timers(in directory)
- ☐ legend showing keybindings (the ones in usage)

design changes

- toggle between showing all is not a separate timer
- for this upon startup read all timers
- when opening list, then read all files again, in case new timer was added
- when opening timer, then read time again, in case times have changed
- for this save list of timers, with times loaded