



7th May 2026

VULNERABILITY ASSESSMENT REPORT

Prepared For:

Flytehealth

Prepared By:

IARM Information Security

Table of Contents

1.0 Document Control	3
2.0 About Us	4
3.0 Engagement Summary	5
3.1 Project Overview	5
3.2 Goals	5
3.3 Approach	5
3.4 Framework	6
3.5 Technical Summary	6
3.5.1 Reassessment Guidelines	6
3.5.2 Out of Scope	7
3.5.3 Post Assessment Clean-up	7
3.5.4 Severity Rating Scale	7
3.5.5 Ease of Exploit Scale	8
4.0 Findings Dashboard	9
5.0 Findings Summary	10
6.0 Assessment Report	14
7.0 Conclusion	14
8.0 Appendix	14
8.1 Disclaimer	
8.2 Checklist Overview	

IARM

1.0 Document Control

Client Confidentiality

This document contains **Client Confidential information** and may not be copied without written permission.

Proprietary Information

The content of this document is considered **proprietary information** and should not be disclosed outside of the recipient organization's network.

IARM Security Team gives permission to copy this report for the purposes of disseminating information within your organization or any regulatory agency.

Document Version Control

Issue No	Issue Date	Issued By	Change Description
0.1	02-04-2026	Samruth Sriram D	Basic Document Outline
0.2	07-04-2026	Samruth Sriram D	Draft Document
0.3	07-04-2026	Arun Krishna	Peer Review
1.0	08-04-2026	Arun Krishna	Released to Client

Project Metadata

Field	Details
Client Name	Flytehealth
Document Title	Flytehealth Vulnerability Assessment Report – May 2026
Date of Version	08-04-2026
Created By	Samruth Sriram D
Approved By	Thanikainathan TS (ISMS Lead Auditor)
Confidentiality Level	High

2.0 About Us



IARM is a distinguished cyber security organization that provides an extensive array of cyber security assessment capabilities and services tailored to meet each client's specific needs. Whether it's developing a comprehensive cyber security strategy or implementing tailored solutions that align with an organization's size and requirements, IARM possesses the expertise, skills, and experience necessary to safeguard against potential threats and vulnerabilities effectively.

IARM holds **CREST accreditation** for penetration testing services, a prestigious recognition of our steadfast dedication to delivering the highest levels of security testing and consulting services. CREST is a globally respected authority known for its rigorous certification standards, and we are proud to have not only met but surpassed these stringent benchmarks.

Country: USA | India | Singapore

Website: <https://www.iarminfo.com>

Email: info@iarminfo.com

US: +1 5512422980 | **India:** 18001021532

IARM

3.0 Engagement Summary

3.1 Project Overview

The organization **FlyteHealth** enlisted **IARM Information Security** for a **Vulnerability Assessment** security assessment against their in-house developed **Health Care Application** application. This report comprehensively outlines the vulnerabilities identified throughout the engagement, which commenced from **1st April 2026** to **2nd April 2026**.

Scope Centre

Scope Details	
Project ID	IARM - 2026-2256-58
Assessment Type	Internal/External
Time Frame	4 th May 2026 – 5 th May 2026
Report Date	6 th May 2026
Scoped IPs Count	60 IPs

Asset Type (Device / Hostname / Region)	Hostname	IP/Range
Firewall	IARM-FRW-01	10.103.10.1
Laptop	IARM-LAP-02	10.103.10.2
Server	IARM-SRV-03	10.103.10.3

3.2 Goals

- **Identify and assess vulnerabilities:** Perform automated scans on in-scope assets such as firewalls, servers, desktops, laptops, and network devices to identify known vulnerabilities and security gaps.
- **Validate and Prioritize findings:** Analyze scan results to confirm relevant vulnerabilities and determine their potential impact on the infrastructure.
- **Provide recommendations for mitigation:** Suggest appropriate remediation measures to address identified vulnerabilities and improve the security posture of the assessed systems.
- **Ensure compliance and resilience:** Support the organization in strengthening its infrastructure security and aligning with applicable security standards and best practices

3.3 Approach

IARM Information Security Pvt. Ltd. conducted a Vulnerability Assessment covering selected in-scope assets, which may include firewalls, servers, desktops, laptops, and other network devices, as approved by the client.

The assessment was performed using automated scanning techniques to identify potential vulnerabilities, misconfigurations, and exposed services across the identified systems. The objective was to provide a high-level overview of the security posture of the environment by detecting known vulnerabilities affecting the underlying infrastructure.

The scanning activities were carried out in a controlled manner within the production environment, ensuring minimal impact on business operations.

The assessment approach broadly included:

- Identification of in-scope systems and devices
- Execution of automated vulnerability scans across selected assets
- Detection of known vulnerabilities and security gaps
- Consolidation of findings for reporting and risk visibility
- Recommendation of remediation measures to address identified issues

This approach provided a baseline understanding of the security risks associated with the assessed infrastructure components

3.4 Framework

IARM Information Security Pvt. Ltd.'s Vulnerability Assessment methodology is aligned with recognized industry standards and best practices. The approach is designed to ensure consistent, comprehensive, and systematic identification of known vulnerabilities across in-scope infrastructure components.

The methodology is based on the following industry standards:



3.5 Reassessment Guidelines

A one-time retest is optional. The retest shall be performed on all identified vulnerabilities as a single consolidated exercise. The customer must confirm the completion of remediation for all identified vulnerabilities as part of the initial engagement in order to avail of the optional retest.

Any retest not conducted within **60 Days** from the date of submission of the initial assessment report will be considered a **"Fresh Audit"**, for which additional commercial terms shall be provided upon request.

3.5.1 Out of Scope

- Assessment is limited to what is mentioned in the scope of work as defined in Project Scope.
- Fixing any vulnerability during the Vulnerability assessment is not part of the scope.
- Any other services or solutions not mentioned in the project scope are not covered as part of the audit exercise.
- External Web Application Penetration Testing is not part of the Assessment scope.
- Any post incident and log review Assessment is not part of the Assessment

3.5.2 Post Assessment Clean-up

Upon completion of the Vulnerability Assessment, any access provided for the purpose of the assessment should be reviewed and revoked as appropriate. Additionally, any tools or temporary components used during the assessment should be removed, ensuring the environment is restored to its original state..

3.5.3 Severity Rating Scale

The assessment team used defined criteria to evaluate and rate the findings identified during the engagement. Risk ratings are derived from the calculated IARM risk scoring methodology, which considers impact, exploitability, exposure, and overall business risk.

CRITICAL	System-level compromise can be readily achieved through exploitation of this vulnerability, posing a critical risk to the entire environment. Immediate remediation, including urgent patching and proactive mitigation measures, is strongly needed to prevent potential full system takeover and further impact.
HIGH	Exploitation of this vulnerability may present certain challenges; however, it still carries a considerable risk of enabling elevated privileges, potentially resulting in data loss or system disruption. It is strongly recommended to promptly implement a remediation plan and apply the necessary patches without delay to mitigate potential impact.
MEDIUM	The identified vulnerabilities present a moderate risk, as exploitation may be constrained or require more conditions such as user interaction or social engineering. A structured remediation plan should be developed to address these issues in a prioritized and prompt manner.
LOW	The identified vulnerabilities currently present a minimal risk, as they are not readily exploitable; however, they may contribute to a reduced security posture over time. It is recommended to define a remediation plan and address these issues during the next scheduled maintenance window to support a proactive security stance.
INFO	The identified findings do not pose an immediate threat; however, they may show information that could be useful to potential attackers. While these issues do not directly affect the confidentiality, integrity, or availability of the system, they may contribute to increased risk when combined with other vulnerabilities.

IARM

4.0 Executive Summary of Findings

4.1 Vulnerability Assessment Risk Score

For each identified finding, IARM Information Security applies a structured **IARM Risk Score** methodology. This risk score evaluates multiple factors including the severity of the vulnerability, application exposure, user population impact, technical complexity of exploitation, and overall business risk.

The objective of this scoring model is to provide a clear and consistent understanding of the risk posture associated with each vulnerability. For a detailed explanation of the IARM risk rating methodology and vulnerability categorization, please refer to the **Risk Rating Scale (Section 3.5.4)**.

Risk Rating Scale		
ID	Vulnerability Name	Severity
C1	Portable SDK for UPnP Devices (libupnp) < 1.6.18 Multiple Stackbased Buffer Overflows RCE	Critical
H1	OpenSSH < 10.3 Multiple Vulnerabilities	High
M1	SSH Terrapin Prefix Truncation Weakness (CVE-2023-48795)	Medium
L1	SSH Server CBC Mode Ciphers Enabled	Low
I1	ICMP Timestamp	Info

4.2 Risk Graph by Vulnerabilities




Figure 1 : Consolidated Graph of Vulnerabilities Present on the Devices of IARM Information Security

5.0 Assessment Report

The vulnerabilities below were identified and verified by IARM Information Security during the process of this Penetration Testing.

5.1 Portable SDK for UPnP Devices (libupnp) < 1.6.18 Multiple Stack based Buffer Overflow RCE

C1

ID	Port/Protocol	Risk Level
C1	7070 / tcp	Critical

Description:

According to its banner, the version of Portable SDK for UPnP Devices (libupnp) running on the remote host is prior to 1.6.18. It is, therefore, affected by multiple remote code execution vulnerabilities: - A stack-based buffer overflow condition exists in the unique_service_name() function within file ssdp/ssdp_server.c when handling Simple Service Discovery Protocol (SSDP) requests that is triggered while copying the DeviceType URN. An unauthenticated, remote attacker can exploit this, via a specially crafted SSDP request, to execute arbitrary code. (CVE-2012-5958) - A stack-based buffer overflow condition exists in the unique_service_name() function within file ssdp/ssdp_server.c when handling Simple Service Discovery Protocol (SSDP) requests that is triggered while copying the UDN prior to two colons. An unauthenticated, remote attacker can exploit this, via a specially crafted SSDP request, to execute arbitrary code. (CVE-2012-5959) - A stack-based buffer overflow condition exists in the unique_service_name() function within file ssdp/ssdp_server.c when handling Simple Service Discovery Protocol (SSDP) requests that is triggered while copying the UDN prior to the '::upnp:rootdevice' string. An unauthenticated, remote attacker can exploit this, via a specially crafted SSDP request, to execute arbitrary code. (CVE-2012-5960) - Multiple stack-based buffer overflow conditions exist in the unique_service_name() function within file ssdp/ssdp_server.c due to improper validation of the UDN, DeviceType, and ServiceType fields when parsing Simple Service Discovery Protocol (SSDP) requests. An unauthenticated, remote attacker can exploit these issues, via a specially crafted SSDP request, to execute arbitrary code. (CVE-2012-5961, CVE-2012-5962, CVE-2012-5963, CVE-2012-5964, CVE-2012-5965).

Affected Host:

Device Identifier (Type)	IP / MAC / Hostname
Firewall	10.103.50.24

Output:

Server banner: Linux/2.6.36, UPnP/1.0, Portable SDK for UPnP devices/1.3.1

Source: UDP

Installed version: 1.3.1

Fixed version: 1.6.18.

Recommendation:

Upgrade to libupnp version 1.6.18 or later. If libupnp is used as a third-party library by a different application, contact the vendor of that application for a fix.

6.0 Conclusion

Within the given time frame the Assessment exercise was conducted at the mentioned premises. IARM highly recommends fixing the identified vulnerabilities and plan for reassessment within 60 days. The remedial measures as suggested by the Vulnerability Assessment “as-is basis” of the current infrastructure.

Information Security is not just an on-time effort, but also an ongoing activity to identify risks and mitigate them. We highly recommend doing Vulnerability Assessment quarterly across the organization.

The effort to identify Information security threats and associated breach is an enormous exercise and it must be put into practice as a framework within the organization. Information Security is not only “Information Technology” responsibility, but rather everybody's contribution. Ultimate ownership of Information Security is with the Business.

7.0 Appendix

7.1 Checklist Overview

S.No	Checks	Status
1	Host Identification	Validated
2	Open Port (Tcp/Udp)	Validated
3	Service Detection	Validated
4	Malware Detection	Validated
5	Unpatched Software	Validated
6	Known Vulnerabilities	Validated
7	Security Misconfiguration	Validated
8	Operating System Authentication Weaknesses	Validated
9	Insecure Protocols	Validated
10	Network Share Weaknesses	Validated
11	Common Mistakes & Configuration Weaknesses	Validated
12	Information Leakage	Validated
13	Database Misconfiguration	Validated
14	SMB/SNMP/LDAP Misconfigurations	Validated
15	Active Directory/Iam Misconfigurations	Validated
16	User Enumeration	Validated
17	Windows Management Instrumentation (WMI) queries	Validated
18	Active Directory Service Interfaces (ADSI) queries	Validated
19	The Security Account Manager (SAM) registry	Validated