

FDE FIELD NOTES · ISSUE 02 OF 10

A constraint should delete a design.

If your architecture survived every customer sentence, you have not found the constraint yet.

02

AR

Akhilesh Ranjan Singh

Senior DevSecOps Engineer · github.com/iarsingh

Swipe →

Constraints that delete designs

01 Explainable at 2am

Deletes opaque ranking. Replaces it with written rules.

02 Data cannot leave the site

Deletes hosted APIs. Replaces them with local models or no model.

03 No write-back

Deletes automation. Replaces it with suggestions a human applies.

04 Offline for hours

Deletes live calls. Replaces them with batch and queues.

Write the trade down

CONSTRAINT	DELETED	REPLACEMENT
Audit retention	Storing note bodies	Store IDs + hashes
Legacy export	Real-time sync	Nightly file + diff
Union rules	Auto-assign shifts	Ranked suggestions
Security review	External LLM	On-prem or rules

THE RULE

**Boring and
recomputable beats
clever and opaque.**

Something the next shift can recompute, and an eval
file can lock.



Keep the old path

01 Run side by side

The manual process stays live until the new one earns trust.

02 One switch back

Operators can return to the old path without a ticket.

03 Retire on evidence

Remove it only after an agreed agreement rate.

Discovery brief must contain

- ☒ Constraints, each with a source

- ☒ Designs each constraint deleted

- ☒ The replacement and why

- ☒ Open unknowns with owners

- ☒ What we will not build

KEY TAKEAWAY

Deleted designs are the evidence that you listened.

- Hunt for the sentence that kills the design
- Write constraint → deleted → replacement
- Prefer rules people can recompute

YOUR TURN

Which customer sentence has actually killed a design you liked?

FOLLOW AKHILESH RANJAN SINGH

Next in the series: #03 When security says no to the [Save](#) · [Repost](#)
model

