

PLATFORM AI TRANSFORMATION PLAYBOOK · ISSUE 06 OF 06

What I would not put in production.

And what I would ship first instead.

06

AR

Akhilesh Ranjan Singh

Senior DevSecOps Engineer · github.com/iarsingh

Swipe →

Would not ship — access

01 Personal cloud credentials

Agent actions must not look like mine.

02 Apply without GitOps

No Terraform or kubectl outside the pipeline.

03 No tool trace

If I can't see what it called, it didn't happen safely.

Would not ship — behaviour

01 No written blast radius

Unknown scope is unlimited scope.

02 Retrieval treated as fact

Snippets without citations become confident errors.

03 Auto-paging on first incidents

A human confirms before waking someone up.

04 Data leaving its region

Residency rules apply to prompts too.

Would ship first

01 Read-only doc assistant

On content we already publish internally.

02 PR drafter

On repos with required reviews and CI.

03 Runbook copilot

Explains the runbook; never executes it.

The path from lab to service

1 Lab

2 Read-only

3 Propose

4 Owned service

My public GitHub work sits at the Lab step and is labelled that way.
That honesty is part of the playbook.

Agent production-readiness check

- ☒ Own workload identity
- ☒ Least-privilege tool scopes
- ☒ Named owner and on-call
- ☒ Written blast radius
- ☒ Tested rollback
- ☒ Eval suite in CI
- ☒ Changes ship via GitOps
- ☒ Full tool traces and audit
- ☒ Human gate for irreversible actions
- ☒ Kill switch

KEY TAKEAWAY

Treat agents like production software.

- Grant only the autonomy you could defend on a bridge call
- Start read-only, earn Propose, rarely Act
- Label labs as labs

YOUR TURN

What is the first production action you would still refuse to automate?

FOLLOW AKHILESH RANJAN SINGH

Series complete — save it for your next review

Save · Repost

