

FDE FIELD NOTES · ISSUE 10 OF 10

Rollout, rollback, and handoff.

Your pilot is only done when someone else can run it.

10

AR

Akhilesh Ranjan Singh

Senior DevSecOps Engineer · github.com/iarsingh

Swipe →

Staged rollout

1 One site, one shift

2 Full site

3 Second site

4 All sites

Each stage has an exit criterion and a named person who signs it off.



Rollback that actually works

01 Old path still live

Operators can switch back in one step.

02 Rehearsed

Run the rollback once before you need it.

03 No data migration

Suggest-only designs roll back cleanly.

Handoff pack

- ☒ Runbook with stop rules
- ☒ Owner and on-call named
- ☒ Dashboards and alerts
- ☒ Eval set and how to run it
- ☒ Rule change process
- ☒ Known gaps and leftovers
- ☒ Access list to revoke



Scope at handoff

DO

- ✓ Write what is in and out
- ✓ Route new asks to the owner
- ✓ Leave a backlog, not promises

AVOID

- ✗ Quick extra features in week 6
- ✗ Undocumented manual fixes
- ✗ Access that outlives you

TEST

Could they roll it back without calling you?

If not, the handoff is not finished.

KEY TAKEAWAY

Ship the rollback and the runbook, not just the feature.

- Stage the rollout with sign-offs
- Rehearse the rollback
- Hand off owner, evals and access

YOUR TURN

What is always missing from handoff packs you receive?

FOLLOW AKHILESH RANJAN SINGH

Series complete — save it for your next review

Save · Repost

