

DASI GAMES REDESIGN

VIBE CODING SPECIFICATION BLUEPRINT

TARGET AGENT

Google Antigravity

ARCHITECTURE

Next.js (App Router)

ANIMATION ENGINE

GSAP & ScrollTrigger

DESIGN LANGUAGE

Immersive Cinematic

1. Executive Project Overview

This document serves as the high-fidelity design, technical specification, and implementation instruction manual for the autonomous rebuild of [dasigames.com](#). The existing live site functions primarily as a standard static showcase for Dasi Games, a prominent game development studio based in Tbilisi, Georgia, specializing in mobile, hybrid arcade RPG, and tycoon titles (e.g., *Crown Quest*, *Lumber Chopper*).

The objective of this rebuild is to elevate the digital identity of the studio to a premium tier. By implementing a modern web application stack, the new platform will transform a standard flat grid layout into an immersive, highly interactive ecosystem characterized by smooth spatial depth, micro-interactions, and flawless motion design. This document bridges engineering requirements and visual design concepts to enable full autonomous generation by the AI developer agent.

2. Technical Architecture & Stack Definition

The system must be built entirely on a clean, modern, and high-performance stack optimized for immediate asset rendering, responsive layouts, and smooth motion curves:

Framework: Next.js 14+ (App Router)

Language: TypeScript

Styling: Tailwind CSS

Animation: GSAP (GreenSock)

Plugins: ScrollTrigger, Observer

Icons: Lucide React

3. UX/UI & Motion Design Requirements

The interface must shift away from standard layout patterns and instead act as a physical extension of a video game interface. Every page element must adapt to scroll hooks, hover dynamics, and seamless state shifts.

A. The Immersive Hero Section

- Multi-Layer Parallax:** Build an interactive visual container using layers of game art assets (Background environment, primary characters, foreground game UI). Layers must track mouse positions or scroll depth dynamically, moving at varying speeds to simulate a full 3D space on a 2D viewport.
- Kinetic Typography:** Use text masking or character splitting. The studio tagline ("*Crafting unique gaming experiences...*") must stagger into view letter-by-letter with subtle rotation and opacity steps when the page initializes.
- Magnetic CTA:** Apply a local magnet listener to the primary interaction button ("Let's Talk"). When the cursor moves near the button perimeter, smoothly offset its layout position toward the cursor coordinates.

B. Dynamic Game Archive Showcase

- **Horizontal Scroll Stream:** Instead of standard vertical cards, intercept vertical scrolling in the "Games" section using GSAP ScrollTrigger and Observer to pin the viewport and slide the game catalog horizontally across the screen.
- **3D Card Tilting:** Bind a continuous mouse-move matrix mapping to each game item card. Moving the cursor across a card must dynamically adjust rotateX and rotateY to provide real physical weight.
- **Motion States:** Keep card backgrounds clean, but instantly reveal looping high-definition gameplay videos or animated canvas layers on user hover states.

C. Interactive Studio Stat Blocks

- **Scroll Hook Counters:** Bind numerical metrics ("100+ Games", "Founded 2021") to execution hooks that interpolate values upward from zero with natural easing values the moment the section enters the active screen field.

D. Fluid Careers Accordion

- **Height Interpolations:** Implement custom career application slots ("Unity Developer", "3D Game Artist"). Selecting or hovering a tier must smoothly grow container dimensions using clear bounding updates, avoiding sudden jumps.

Crucial Architecture Directive: Page routing must minimize full reloads. Utilize Next.js layout patterns to implement continuous global states so that elements smoothly translate and resize between page route switches rather than flashing out of view.

4. Industry Reference Architecture

Reference Model	Core Concept Source	Implementation Directives
Firewatch Game Website	Multi-layered spatial parallax	Replicate layered tree/mountain logic inside the Next.js header banner using isolated overlapping divs.
Star Atlas Website	Cinematic interface layouts	Emulate dark styling, sleek typography reveals, and crisp border paths across primary elements.
King Studio Hub	Mobile gaming directory structure	Analyze asset management styles, crisp typography contrast, and high-conversion recruitment listings.
ChainZoku Web Design	Horizontal scroll layouts	Utilize continuous layout paths to lock scrolling while traversing complex showcase items.

5. Implementation Guidelines for the Agent

When generating project code, follow these structure rules strictly to avoid layout regressions:

```
// Example of a standard clean GSAP ScrollTrigger hook inside a Next.js client component
import { useEffect, useRef } from 'react';
import gsap from 'gsap';
import { ScrollTrigger } from 'gsap/ScrollTrigger';

gsap.registerPlugin(ScrollTrigger);

export default function GameShowcase() {
  const containerRef = useRef(null);

  useEffect(() => {
    const ctx = gsap.context(() => {
      gsap.to(".game-card", {
        xPercent: -100 * (cards.length - 1),
        ease: "none",
        scrollTrigger: {
          trigger: containerRef.current,
          pin: true,
          scrub: 1,
          end: () => "+=" + containerRef.current.offsetWidth
        }
      });
    }, containerRef);
    return () => ctx.revert();
  }, []);
}
```

- Ensure proper React useRef scoping is used for every GSAP timeline to guarantee full cleaning of active hooks during dynamic DOM unmount processes.
- Keep layouts tightly responsive. Ensure standard fallback grids are applied on small mobile touchscreens where hover interactions and cursor positioning are not present.