



ORACLE
NetSuite

Account Matching Report SuiteApp

2025.2

January 7, 2026



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

- Account Matching Report SuiteApp 1
 - Account Matching Report Terminology 1
 - Account Matching Report Prerequisites 1
 - Installing the Account Matching Report SuiteApp 2
 - Account Matching Report Roles and Permissions 2
 - Using the Account Matching Report SuiteApp 3
 - Generating the Account Matching Report 3
 - Account Matching Report Components 4
 - Matching Transactions Manually 6
 - Exporting the Account Matching Report 7
 - Account Matching Report Considerations 8

Account Matching Report SuiteApp

The Account Matching Report SuiteApp lets you visualize a transaction's General Ledger (GL) account data alongside matching transaction details. This SuiteApp integrates GL information with the built-in payment application data of NetSuite, enabling you to reconcile account balances and identify unapplied amounts. Additionally, you can export the data into a CSV-formatted report.

Each transaction line in the report has several columns (sourced from GL account data) that you can review, like debit or credit amounts. Moreover, you can see matching transaction details, such as the matched amounts and the date when the transactions were matched. A transaction can have multiple matches, and each match will appear as individual line items under the parent transaction line.

The SuiteApp supports both A/P (Accounts Payable) and A/R (Accounts Receivable) accounts.

Before you install the Account Matching Report SuiteApp, read the following topics:

- [Account Matching Report Prerequisites](#)
- [Installing the Account Matching Report SuiteApp](#)
- [Account Matching Report Considerations](#)

To learn more about terminologies and report components, see the following help topics:

- [Account Matching Report Terminology](#)
- [Account Matching Report Components](#)

After you install the Account Matching Report SuiteApp, you must create or customize a role to use the feature. For more information, see [Account Matching Report Roles and Permissions](#).

To learn how to use the SuiteApp, see [Using the Account Matching Report SuiteApp](#).

Account Matching Report Terminology

The following terms are used when referring to Account Matching Report:

- **General Ledger (GL) account information** – This information refers to the individual entries or records within the GL. Each transaction is categorized and recorded in specific accounts and may include details such as debit and credit amounts, accounting period, description, and document number.
- **Matching transaction data** – This involves linking two transactions together. Each pair is identified by the associated amount and the date of pairing.
- **Base currency** – This is the subsidiary's currency.

Account Matching Report Prerequisites

Before you install the Account Matching Report SuiteApp, you must enable the following features in your NetSuite account. To enable features, go to Setup > Company > Enable Features. For more information, see the help topic [Enabling Features](#).

Feature	Enable Features Subtab
Multi-Language	Company
Multiple Currencies	

Feature	Enable Features Subtab
Multiple Calendars	Accounting
Accounting	
A/R (Accounts Receivable)	
A/P (Accounts Payable)	
Server SuiteScript	SuiteCloud

Installing the Account Matching Report SuiteApp

The Account Matching Report SuiteApp is free and managed, and the SuiteApp automatically updates whenever new features or enhancements are added.

Before you install this SuiteApp, read [Account Matching Report Prerequisites](#).

You can install the SuiteApp from the SuiteApp marketplace. For more information, see the help topic [Installing from the SuiteApp Marketplace](#).

To install the Account Matching Report SuiteApp:

1. Go to SuiteApps.
2. In the **Search SuiteApps** field, enter **Account Matching Report**, then press enter.
3. Click the Account Matching Report SuiteApp tile.
4. On the top right corner of the page, click **Install**.

For more information about the installation status, see the help topic [Viewing SuiteApp Installation or Uninstallation Status](#).

Account Matching Report Roles and Permissions

By default, only the Administrator can access the Account Matching Report page. An Administrator can create or customize roles for the Account Matching Report SuiteApp. For more information, see the help topics [Assigning Roles to an Employee](#) and [Customizing or Creating NetSuite Roles](#).



Important: To avoid issues, the AMR Customized Model role of the SuiteApp should not be customized.

The following permissions are required to access the Account Matching Report page:

Subtab	Permission	Minimum Access Level
Transaction	Find Transaction	View
	 Note: To avoid issues with reconciling balances, make sure you grant permissions for the transaction types included in the Administrator role.	
Lists	Accounts	View
	Fiscal Calendars	View

Subtab	Permission	Minimum Access Level
	Perform Search	View
	Subsidiaries	View
	Currency	View
Setup	Accounting Book	View
	Manage Accounting Periods	View



Note: This permission is only available if the Multi-Book Accounting features are enabled. For more information, see the help topic [Enabling Multi-Book Accounting Features](#).

The Administrator must grant custom roles access to the Account Matching Report page using the Single Page Application (SPA) record.



Warning: The Administrator should only edit the **Release Audience** section in the SPA record. Editing other fields may cause issues within the application.

To grant access to the Account Matching Report page:

1. Go to Customization > Scripting > Single Page Applications.
2. Click the **Account Matching Report** link.
3. Click the **Configuration** tab.
4. In the Release Audience section, click **Set Up Audience**.
5. On the Audience Setup window, check the box next to the role that you want to grant access.
6. Click **Save**.

Using the Account Matching Report SuiteApp



Note: To avoid issues with the report, ensure that all accounting periods are assigned before you use the SuiteApp. For more information, see the help topic [Accounting Period Management](#).

After completing the prerequisites, installation, and role setup, you can use the Account Matching Report SuiteApp for matching transactions.

To understand how the SuiteApp works, read the following topics:

- [Generating the Account Matching Report](#)
- [Account Matching Report Components](#)
- [Matching Transactions Manually](#)
- [Exporting the Account Matching Report](#)

Generating the Account Matching Report

On the Account Matching Report page, you can generate a report using different filters to help you with account reconciliation.

To generate a report:

1. Go to Reports > Financial > Account Matching Report.
2. Select values for the following fields:
 - a. **Subsidiary** – Select the subsidiary where you want to source the transactions.
When you select a subsidiary, the **Base Currency** shows the subsidiary's currency.
 - b. **Accounting Book** – The Primary Accounting Book is automatically selected and this is the only accounting book available.
 - c. **Account** – Select an account. This field lists all Accounts Payable and Accounts Receivable accounts.
 - d. **Start Period** – Select the start period of when the report period starts. By default, this field is set to the current fiscal year.
 - e. **End Period** – Select an end period equal to or later than the start period. Make sure that the period is within the same fiscal year as the start period.
If you want to select an adjustment period, make sure the adjustment period includes the last day of the month.
If not selected, this field is set to the current fiscal year.
 - f. **Entity** – (Optional) Select an entity to filter the report. If you don't select an entity, the report is generated for the selected account.
 - g. **Status** – Select the transaction status you want to display in the report for the selected subsidiary. You can choose from the following statuses:
 - **All Transactions** (Fully Applied and Partially Applied transactions)
 - **Fully Applied**
 - **Partially Applied** (Unapplied and Open transactions)
3. Click **Search**.

Account Matching Report Components

This section lists all the SuiteApp's report components.

- [Report Headers](#)
- [Report Sections](#)
- [Report Columns](#)

Report Headers

The report header contains additional filter and pagination preferences to narrow down the report.

Header Item	Description
Export	Enables you to export the report. For more information, see Exporting the Account Matching Report .
As of End of End Period	Switch this filter on to display transactions applied to a transaction line after the selected end period as Unapplied. The report provides a snapshot of the financial state at the end of the selected end period. Switch this filter off to display transactions posted after the selected end period as Applied, like other matched transactions.

Header Item	Description
	 Note: The value in the Remaining Amount column may change when you switch this feature on and off.
Rows per Page	Sets the number of rows displayed on each page of the data grid. The maximum number of rows per page is 500.
Show Transaction	Select which set of transactions to display in the report. If the account has an opening balance, all transactions from previous accounting periods are grouped under Opening Balance with a line number of 1.
Paging Toolbar	Click the arrows to go to the next or previous page.
Total	Shows the total number of transactions. The Total is calculated as the sum of the opening balance and the number of transactions between the start and end periods. The opening balance is assigned a value of 1 if it includes any transactions, regardless of how many, and 0 if it includes none. For example, if an opening balance contains 10 transactions, it's assigned a value of 1.

Report Sections

The report contains sections that provide information about the debit and credit amounts.

Header Item	Description
Opening Balance	This header is displayed when transaction lines from previous periods are either unmatched or matched with transaction lines from the selected start period or later.
Balance	This section shows the opening balance amount of the report.
Total	This section shows the total amounts of the debit and credit column at the end of the selected end period.
Closing Balance	This section shows the closing balance amount of the report at the end of the selected end period.

Report Columns

The left side of the report, from the Period column to the Link column, is sourced from the GL account data. While the right side of the report, from the Applied Trans Type column to the Code column, is sourced from the payment application feature of NetSuite.

The following table lists the Account Matching Report columns and their descriptions:

Column Name	Description
Period	Shows the period of the transaction. The period format depends on the following conditions: ■ If a transaction is from the previous accounting period, the fiscal year (FY) is displayed. ■ If a transaction is within the selected start period and end period, the period is displayed in months.
Trans Date	Shows the date of the transaction.
Trans Type	Shows the type of the transaction.

Column Name	Description
Document Number	Shows the document or transaction number.
Entity	Shows the entity linked to the transaction line.
Line Memo	Shows the memo of the transaction line.
Memo	Shows the memo of the transaction.
Fx Amount	Shows the foreign currency amount of the transaction, along with a description when the transaction is recorded in a foreign currency.
	 Note: The Base Currency shows the selected subsidiary's currency.
Debit	Shows the debit amount of the transaction in the subsidiary's currency.
Credit	Shows the credit amount of the transaction in the subsidiary's currency.
Remaining Amount	Shows the amount that isn't applied to other transactions. A positive amount is highlighted in green, while a negative amount is highlighted in orange.
Links	Shows the number of child transactions that are applied to the parent transaction.
Applied Trans Type	Shows the transaction type of the applied transaction. If the column cell shows Unapplied Amount , you can click this link to apply the transaction to another open transaction. For more information, see Matching Transactions Manually . If the As of End of End Period filter is switched on, you can hover over the information icon to see the application date of the child transaction.
Applied Doc Number	Shows the document or transaction number of the applied transaction.
Applied Amount	Shows the amount applied to the parent transaction.
Applied Date	Shows the date when both transactions are applied.
Code	Shows the matching code that defines how the transactions are applied. The codes are a combination of the applied transaction's internal IDs.

Matching Transactions Manually

The SuiteApp lets you identify transactions with unmatched amounts and redirect to the bill payment or payment page where transactions can be applied.

To match transactions manually:

1. Click the **Unapplied Amount** link next to the transaction.

 **Note:** If the transaction does not have an associated entity, the **Unapplied Amount** link won't appear.

2. If you're on the Bill Payment page, do the following:

- a. In the **A/P Account** field, select an A/P account.
- b. In the **Currency** field, select a currency.
- c. On the **Apply** subtab, select all the transactions you want to match together.

The system automatically selects the Subsidiary and Entity.

3. If you're on the Payment page, do the following:
 - a. In the **Currency** field, select a currency.
 - b. In the **A/R Account** field, select an A/R account.
 - c. On the **Apply** subtab, select all the transactions you want to match together under the **Invoices** and **Credits** subtab.

The system automatically selects the Subsidiary and Entity.

4. After selecting the transactions, enter the correct amount to match each transaction.



Important: Make sure the value in the **Payment** and **Credit** column is equal to zero. Otherwise, the system will create an additional payment record.

5. Click **Save** to let the system match the selected transactions.

You can generate a new Account Matching Report to see the updated data. For more information, see [Generating the Account Matching Report](#).

Exporting the Account Matching Report

After generating a report, you can export the report in CSV format.

To export the Account Matching Report

1. Generate an Account Matching Report. For more information, see [Generating the Account Matching Report](#).
2. Click **Export** to generate a CSV file of the report.



Note: If the **Export** button remains dimmed, in the **Show Transactions** field, select **Load more data** so the system can load the rest of the transactions. You can only click **Export** when the report has finished loading all the transactions.

3. On the CSV Report Dashboard window, you can either click **Download All Files**, or choose which CSV file you want to download.

If you want to open the CSV file, you can use a text editor.

The following table lists the columns unique to the exported CSV file and their descriptions:

Column Name	Description
Is Opening Balance	The column cell shows True for one of the following reasons: ■ The transaction with an unapplied amount is from an accounting period before the start period. ■ The amount is applied to transactions after the start period. The column cell shows False if the transaction falls within the start and end period.
GL Number	The general ledger number of the transaction.

Column Name	Description
	 Note: This column is only available if the GL Audit Numbering feature is enabled. For more information, see the help topic Enabling GL Audit Numbering and Setting Preferences .
Applied Debit Amount	The debit amount of the transaction that's applied to another transaction.
Applied Credit Amount	The credit amount of the transaction that's applied to another transaction.

Important Things to Note

- Each exported CSV file can have up to 1,000,000 rows, and the file size is approximately 200 megabytes.
- A group of CSV files can have up to 4 files, with index numbers starting at 1. When you download a group of files, each file is named in order, like AMReport1.csv, AMReport2.csv, and so on.
With 4 exported CSV files, you can have up to 3,400,000 transaction lines, including all child transactions.
To download a single file, click the name of the file. Alternatively, if you want to download all files at the same time, click **Download All Files**.
- The **Applied Debit Amount** and **Applied Credit Amount** columns are only in the CSV file. These columns don't show up on the Account Matching Report page.
- The total Debit and Credit amounts in NetSuite may not match the Applied Debit Amount and Applied Credit Amount totals in the CSV file.
This behavior is expected because a parent transaction amount can be applied to several child transactions, and the applied amount can be either a debit or a credit. However, the total applied amounts will always match the parent transaction's original amount.

 **Tip:** You can use the **SUM (n:m × 100) ÷ 100** function in your exported CSV file to match the total Debit and Credit amounts in NetSuite. Here, **n** is the first row number and **m** is the last row number in the CSV file.

Account Matching Report Considerations

Take note of the following considerations when using the Account Matching Report SuiteApp:

- To avoid issues with the report, ensure that all accounting periods are assigned before you use the SuiteApp. For more information, see the help topic [Accounting Period Management](#).
- Each exported CSV file can have up to 1,000,000 rows, and the file size is approximately 200 megabytes.
With 4 exported CSV files, you can have up to 3,400,000 transaction lines, including all child transactions.
- The **Applied Debit Amount** and **Applied Credit Amount** columns are only included in the CSV file, and do not appear on the Account Matching Report page user interface.
- The total Debit and Credit amounts in NetSuite may not match the Applied Debit Amount and Applied Credit Amount totals in the CSV file.

This behavior is expected because a parent transaction amount can be applied to several child transactions, and the applied amount can be either a debit or a credit. However, the total applied amounts will always match the parent transaction's original amount.



Tip: You can use the **SUM (n:m × 100) ÷ 100** function in your exported CSV file to match the total Debit and Credit amounts in NetSuite. Here, **n** is the first row number and **m** is the last row number in the CSV file.

- The maximum number of parent transaction lines, in the NetSuite user interface, for the selected start period and end period is 100,000.
- To avoid issues, the **AMR Customized Model** role of the SuiteApp should not be customized.