



ORACLE
NetSuite

Account Setup Guide

2025.2

January 7, 2026



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Centers Overview	1
NetSuite Standard Centers	1
Standard Accounting Center	2
Standard Classic Center	2
Standard E-Commerce Management Center	3
Standard Engineering Center	3
Standard Executive Center	4
Standard Marketing Center	4
Standard Project Center	4
Standard Sales Center	5
Standard Shipping Center	5
Standard Support Center	6
Standard System Administrator Center	6
NetSuite Specialized Centers	6
Customer Center	7
Employee Center	7
Partner Center	8
Advanced Partner Center	8
Vendor Center	8
NetSuite 360	8
Assigning NetSuite 360 Access	9
Accessing NetSuite 360	10
Checking the Status of Support Cases	11
Classic Center	12
E-Commerce Management Center	13
Support Center	13
Sales Center	13
Sales Center Opportunities Page	13
Sales Center Prospects Page	13
Sales Center Leads Page	14
Sales Center Forecast Page	14
Enabling Features	15
General Company Features	15
Enable General Company Classifications Features	16
Enable General Company Projects Features	16
Enable General Company ERP General Features	16
Enable General Company Resource Management Features	17
Enable General Company International Features	17
Enable General Company Data Management Features	19
Enable General Company Access Features	19
Enable General Company Mobile Features	19
Accounting Features	20
Enable Accounting Basic Features	20
Enable Advanced Accounting Features	21
Enable Revenue Accounting Features	24
Enable Multi-Book Accounting Features	24
Tax Features	25
Transaction Features	26
Enabling Basic Transaction Features	26
Enabling Sales Transaction Features	27
Enabling Shipping and Receiving Transaction Features	28
Enabling Billing Transaction Features	29
Enabling Payment Processing Transaction Features	29

Items and Inventory Features	30
Enabling Item Features	30
Enabling Inventory Features	31
Employee and Payroll Features	34
Enabling SuitePeople HR Information System Features	34
Enabling SuitePeople HR Performance Management Features	35
Enabling SuitePeople U.S. Payroll Features	35
Enabling Time and Expenses Features	36
Enabling Commissions Features	37
Enabling Employee Permissions Features	37
CRM and SFA Features	38
Enabling CRM and SFA Basic Features	38
Enabling CRM and SFA Sales Features	38
Enabling CRM and SFA Support Features	39
Enabling CRM and SFA Marketing Features	39
Enabling CRM and SFA Partner Features	40
Analytics Features	40
Enabling Analytics Dashboard Features	40
Enabling Analytics Connectivity Features	41
Enabling Third-party Analytics Integration Features	41
Enabling SuiteAnalytics Workbook Features	41
Enabling Analytics Intelligent Suite Features	41
Enabling Analytics Saved Search Features	41
Commerce Features	42
Enabling Commerce Web Site Features	42
Enabling Commerce Publishing Features	43
Enabling Commerce Access Features	44
Enabling SuiteCommerce Real User Monitoring Features	44
SuiteCloud Features	44
Enabling SuiteBuilder Features	45
Enabling SuiteScript Features	45
Enabling SuiteFlow Features	45
Enabling SuiteGL Features	46
Enabling SuiteBundler Features	46
Enabling SuiteTalk Web Services Features	46
Enabling Authentication Features	46
Enabling Integration Add-on Features	47
Enabling SuiteCloud Development Framework Features	47
NetSuite Company Settings	48
Configuring Company Information	48
Enter Basic Company Information	49
Enter Company Address Information	53
View Company URLs for Services in This NetSuite Account	54
Set Company Preferences	54
NetSuite Preference Levels Overview	55
Setting General Account Preferences	56
Overriding Company Preferences	65
Configuring Multiple Languages	66
Center Logout Pages	68
Custom Preferences	68
Accounting Contexts	68
Formatting for Dates, Numbers, Phone Numbers, and Time	71
Change Record and Transaction Names	72
Renaming Records and Transactions	73
Sections of the Rename Records/Transactions Page	74

Set Auto-Generated Numbers	75
Setting Up Auto-Generated Numbering	76
Overwrite Entity and CRM Record Type Numbers	79
Auto-Generated Document Numbers	79
Auto-Generated Transaction Numbers	80
Reset Initial Transaction and Document Numbering Sequences	81
Reporting	81
Records and Transactions Available for Auto-Numbering	82
Transaction Numbering Audit Log	86
Advanced Numbering	87
Setting Up States, Provinces, and Counties	98
Supported Countries	99
Setting Printing and Fax Preferences	99
General Printing Preferences	100
Transaction Printing Preferences	100
Advanced PDF/HTML Printing Preferences	101
Check Printing Preferences	102
PDF Printing Preferences	102
Message Printing Preferences	102
Fax Preferences	103
Setting Email Preferences	103
General Email Preferences	104
Transaction Email Preferences	105
Email Template Preferences	106
Email Domains (DKIM) Preferences	106
Sandbox and Release Preview Email Preferences	107
Email Spam Guidelines	108
Manage AI in NetSuite	109
Manage AI Preferences	109
Prompt Studio	124
Setting Up Duplicate Detection	132
Duplicate Detection Preferences	133
Duplicate Detection Excluded Domains Preferences	134
Duplicate Detection Other Preferences	134
Duplicate Entity Management Permission	135
Duplicate Record Notification	135
NetSuite Account Information	135
Antivirus Scanning on File Cabinet Files	136
Activating System Alert Reminders	136
Viewing the System Alert Page	137
Searching Bulk Processing Jobs	137
Administrative Notification Setup	138
Setting Administrative Notification Options	139
Review Notification Confirmations	140
Review Pending Confirmations	140
Managing Plug-ins	140
Viewing Plug-in Implementation System Notes	141
NetSuite Service Tiers	142
NetSuite Service Tier Structure	142
Service Tier Dashboard	143
Service Tier Upgrade Process Overview	144
NetSuite Service Tiers Frequently Asked Questions	144
Transaction Types Included in Monthly Transaction Lines Metric	148
SuiteSuccess Transaction Types Analysis Workbook SuiteApp	152
SuiteCloud Plus Settings	152

Determining How Many SuiteCloud Plus Licenses You Need	154
Setting Up Transactions for NetSuite CRM+	154
The Setup Page for NetSuite CRM+ Users	158
Using Telephony Integration	158
Setting Up TAPI Telephony Integration	159
Setting Up CTI Telephony Integration	160
Classifications in NetSuite	161
Classifications Overview	161
Departments and Classes Overview	161
Creating Classes	162
Modifying and Deleting Classes	163
Restricting Access to Records by Class	163
Creating Departments	164
Modifying and Deleting Departments	165
Restricting Access to Records by Department	165
Converting Classes to Departments	166
Converting Classes to Locations	167
Custom Segments Overview	167
Locations Overview	167
Creating Locations	168
Modifying and Deleting Locations	170
Making a Location Inactive	171
Associating a Transaction with a Location	171
Searching for a Transaction by Location	172
Restricting Access to Records by Location	173
Using Per-Line Classifications	174
Customizing Forms for Per-Line and Header Classifications	175
Approval Routing	176
Using the Approval Routing Feature	177
Using Standard SuiteFlow Workflows (SuiteApps) for Approval Routing	178
Using Custom SuiteFlow Workflows for Approval Routing	178
Supervisors, Approvers, and Approval Limits	179

Centers Overview

The flexible NetSuite user interface adjusts automatically to different users' business needs. For each user, NetSuite displays a variable set of tabbed pages, called a **center**, based on the user's assigned role. Each NetSuite center provides, for users with related roles, the pages and links they need to do their jobs.

Each tabbed page of each center displays a collection of real-time data called a **dashboard**. Dashboard data is displayed in a variety of dynamic data display windows called **portlets**. NetSuite lets users personalize their own dashboards, and lets administrators to publish personalized dashboards to others.

When a user logs in to NetSuite, the system determines the last used role and account, or the user's default role if indicated, and displays the associated center. If a user has more than one role assigned, their roles are displayed under the Change Roles list in the upper right corner of the page. For more information, see the help topic [Roles and Accounts](#). When a user changes roles, the interface refreshes to show a different center if needed.

NetSuite includes several standard centers. Each standard center is designed to make the most-used links available for the roles that use that center. For example, the Accounting Center's tabbed pages have data and links that are relevant for Accountants, Bookkeepers, Payroll Managers, and Clerks.

- To review a list of standard centers and their related roles, see [NetSuite Standard Centers](#).
- To review a list of specialized centers and their related roles, see [NetSuite Specialized Centers](#).
- To understand NetSuite 360 and the special roles that can access it, see [NetSuite 360](#).
- To learn more about the following standard centers, see:
 - [Classic Center](#)
 - [Sales Center](#)

 **Note:** If the standard Sales Center does not meet your needs, see the help topic [The Enhanced Sales Center SuiteApp](#).

- [E-Commerce Management Center](#)
- [Pages Common to all Centers](#)

If the standard centers don't meet all of your business needs, you can customize the user interface in the following ways:

- Create custom centers with custom tabs and links. See the help topic [Creating and Editing Custom Centers](#).
- Add custom tabs to standard or custom centers. See the help topic [Creating Center Tabs](#).
- Add custom links to standard or custom centers. See the help topic [Creating Center Links](#).
- Create custom roles that use custom centers. See the help topic [Customizing or Creating NetSuite Roles](#).

NetSuite Standard Centers

When you open NetSuite for the first time, you'll see a default set of tabbed pages called a center. The tabbed pages in the center are based on your default role.

The following topics list the NetSuite standard centers and the roles they support.

- [Standard Accounting Center](#)

- [Standard Classic Center](#)
- [Standard E-Commerce Management Center](#)
- [Standard Engineering Center](#)
- [Standard Executive Center](#)
- [Standard Marketing Center](#)
- [Standard Project Center](#)
- [Standard Sales Center](#)
- [Standard Shipping Center](#)
- [Standard Support Center](#)
- [Standard System Administrator Center](#)

Also, see the help topic [Pages Common to all Centers](#) for more information about tabs that are included in all centers and are accessible for all roles.

Note: If these centers don't meet your needs, you can add custom tabs and links. For more information, see the help topics [Creating Center Tabs](#) and [Creating Center Links](#).
You can also create custom centers. For information, see the help topic [Custom Centers](#).

Standard Accounting Center

The pages available and roles supported in the Accounting Center are listed in the following table.

Note: The revenue roles and tab are available only when Advanced Revenue Management (essentials) is enabled.

Standard Roles in this Center	Pages (Tabs) Displayed
A/P Clerk	Activities
A/R Clerk	Customers
Accountant	Revenue
Accountant (Reviewer)	Vendors
Bookkeeper	Payroll and HR (Except for A/P Clerk role)
CFO	Financial
Payroll Manager	Reports
Revenue Accountant	Documents
Revenue Manager	Setup
	Payments (Payroll Manager role only)
	Support
	SuiteApps

Standard Classic Center

The pages available and roles supported in the Classic Center are listed in the following table. For more information, see [Classic Center](#).

Standard Roles in this Center	Pages (Tabs) Displayed
Administrator	Activities
Payroll Setup	Payments (Payroll Setup role only)
	Transactions
	Lists
	Reports
	Documents
	Setup
	Customization
	Support
	SuiteApps

Standard E-Commerce Management Center

The pages available and roles supported in the E-Commerce Management Center are listed in the following table. For more information, see [E-Commerce Management Center](#).

Standard Roles in this Center	Pages (Tabs) Displayed
Store Manager	Activities
Intranet Manager	Web Site
	Sales
	Contacts (Store Manager role only)
	Reports
	Documents
	Setup
	Support
	SuiteApps

Standard Engineering Center

 **Note:** The standard Engineering center is available only with the Issue Management feature.

The pages available and roles supported in the Engineering Center are listed in the following table.

Standard Roles in this Center	Pages (Tabs) Displayed
Engineer	Activities
Engineering Manager	Issues
Issue Administrator	Reports
QA Engineer	Documents

Standard Roles in this Center	Pages (Tabs) Displayed
QA Manager	Support SuiteApps

Standard Executive Center

The pages available and roles supported in the Executive Center are listed in the following table.

Standard Roles in this Center	Pages (Tabs) Displayed
CEO CEO (Hands Off)	Activities Sales Contacts Reports Documents Setup Customization Support SuiteApps

Standard Marketing Center

The pages available and roles supported in the Marketing Center are listed in the following table.

Standard Roles in this Center	Pages (Tabs) Displayed
Marketing Administrator Marketing Manager Marketing Assistant	Activities Leads Campaigns Reports Documents Setup Support SuiteApps

Standard Project Center

The pages available and roles supported in the Project Center are listed in the following table.

Standard Roles in this Center	Pages (Tabs) Displayed
Consultant	Activities

Standard Roles in this Center	Pages (Tabs) Displayed
	- Projects - Time & Expenses - Resources - Reports - Documents - Support - SuiteApps

Standard Sales Center

The pages available and roles supported in the Sales Center are listed in the following table. For more information, see [Sales Center](#).

Note: If the standard Sales Center does not meet your needs, see the help topic [The Enhanced Sales Center SuiteApp](#).

Standard Roles in this Center	Pages (Tabs) Displayed
Sales Administrator	Activities
Sales Manager	Leads
Sales Person	- Opportunities - Customers - Forecast - Reports - Documents - Setup - Support - SuiteApps

Standard Shipping Center

The pages available and roles supported in the Shipping Center are listed in the following table.

Standard Roles in this Center	Pages (Tabs) Displayed
Warehouse Manager	- Activities - Shipping - Receiving - Inventory - Reports - Documents

Standard Roles in this Center	Pages (Tabs) Displayed
	Setup Support SuiteApps

Standard Support Center

The pages available and roles supported in the Support Center are listed in the following table. For more information, see [Support Center](#).

Standard Roles in this Center	Pages (Tabs) Displayed
PM Manager	Activities
Product Manager	Cases
Support Administrator	Customers
Support Manager	Issues
Support Person	Reports
	Documents
	Setup
	Support

Standard System Administrator Center

The pages available and roles supported in the System Administrator Center are listed in the following table.

Standard Roles in this Center	Pages (Tabs) Displayed
System Administrator	Activities Setup Support SuiteApps

NetSuite Specialized Centers

NetSuite has specialized centers that provide limited access to employees, customers, partners, and vendors based on their roles.

With a specialized center role, a user can access:

- Limited features for their role
- Data that pertains only to the person or to their company
- Files related to transactions and cases that the person created, or that were shared with them

- Settings for the person's NetSuite preferences, profile, email marketing campaign subscriptions, and authentication
- Online help that shows only the topics specific to the center

Note: Users with NetSuite specialized center roles can see only files on records they have access to, plus files with the Company-Wide Usage, or the Available Without Login boxes checked. For more information, see the help topic [Preferences on File Records](#).

The following topics summarize the centers and roles, and they describe the features those roles can access. Available features may vary based on what's enabled in your account.

- [Customer Center](#)
- [Employee Center](#)
- [Partner Center](#)
- [Advanced Partner Center](#)
- [Vendor Center](#)

Customer Center

The following table summarizes the Customer Center and standard role for the center. The table also describes the features the role can access. Available features may vary based on what's enabled in your account.

Standard Role for this Center	Description	Notes
Customer Center	Lets customers access their own estimates, orders, invoices, and payments online. They can also see support information, such as the knowledge base and their own cases and issues.	■ Customer records can be for either a company or an individual. ■ To let customers access NetSuite, a user with the Administrator role must first enable the Customer Access feature.

Employee Center

The following table summarizes the Employee Center and standard role for the center. The table also describes the features the role can access. For more information, see the help topic [About the Employee Center Role](#). Available features may vary based on what's enabled in your account.

Standard Role for this Center	Description	Notes
Employee Center	Lets employees access their own expense reports, purchase orders, time tracking, business contacts, and personal information online. Employee Center users also have access to NetSuite for Mobile. Employee Center users with direct reports also have a Manager dashboard, where they can see their team and handle their purchase orders, expense reports, and time off requests.	■ Payroll and banking information is available only if your account uses SuitePeople U.S. Payroll. ■ Performance management features, such as Performance Reviews and Goals, are available only if those features are enabled in your account. ■ The Org Browser is available only if the feature is enabled in your account.

Partner Center

The following table summarizes the Partner Center and standard role for the center. The table also describes the features the role can access. For more information, see the help topic [The Partner Center Role](#). Available features may vary based on what's enabled in your account.

Standard Role for this Center	Description	Notes
Partner Center	Lets partners access their own reports, promotion codes, and customer and partner records online.	- Partner records can be for a company or an individual. - Partners can give their customers access to the Customer Center.

Advanced Partner Center

The following table summarizes the Advanced Partner Center and standard role for the center. The table also describes the features the role can access. For more information, see the help topic [The Advanced Partner Center](#). Available features may vary based on what's enabled in your account.

Standard Role for this Center	Description	Notes
Advanced Partner Center	Lets partners access the Partner Center and additional Sales Center and Support Center features online.	Administrators must enable both the Partner Access and the Advanced Partner Access features.

Vendor Center

The following table summarizes the Vendor Center and standard role for the center. The table also describes the features the role can access. For more information, see the help topic [The Vendor Center Role](#). Available features may vary based on what's enabled in your account.

Standard Role for this Center	Description	Notes
Advanced Partner Center	Lets vendors access their own transaction history and purchase orders online.	Vendor records can be for a company or an individual.

NetSuite 360



Important: Your billing address determines the version of NetSuite 360 available to you. If your billing address is in the United States, the NetSuite 360 version available in your account is the U.S. version of NetSuite 360. For information about the U.S. version of NetSuite 360, refer to the  [NetSuite 360 User Guide](#).

The NetSuite 360 portlet (on the Support tab) is where you access NetSuite 360. NetSuite enables certain employees at your company to access the customer center for your NetSuite account.

Only employees with either the NetSuite 360 - Plus Financials role or the NetSuite 360 role can access NetSuite 360.

- The **NetSuite 360** role doesn't have permission for financial transactions. Users with this role see links for cases, issues, contacting Support, or updating the Support Dashboard. Users with this role can also set up Authorized Contacts.
- The **NetSuite 360 - Plus Financials** role has financial transaction and other permissions. Users with this role can see links to make payments, review support cases and issues, edit their profile, and to contact Support. Users with this role can also set up Authorized Contacts.

For instructions on how to give an employee access to the NetSuite 360 portlet, see [Assigning NetSuite 360 Access](#).

NetSuite 360 displays the following portlets and tabs:

- The **Customer Center - Home Links** portlet includes the following capabilities:
 - Users with the **NetSuite 360 - Plus Financials** role may make payments, review support cases and issues, contact Support, and add or update Authorized Contacts.
 - Users with the **NetSuite 360** role can view support cases and issues, contact Support, and add or update Authorized Contacts.

 **Note:** If you don't have permission to view cases (even a case that you may have submitted) contact your NetSuite account administrator. The administrator can check the status of the case for you.

- The **Privacy Compliance** tab provides access to key compliance documentation using the following options:
 - **Privacy Compliance Request** – You can view the Oracle NetSuite Subprocessor List and the Oracle Cloud Services Subcontractor List. You can also subscribe to receive notifications whenever updates are made to these lists. For more information, see [Oracle NetSuite Customer General Data Protection Regulation \(GDPR\) Resource Center - NetSuite Subprocessor Lists](#) and [Oracle Cloud Services Strategic Subcontractor List](#).
 - **Audit Report Request** – You can request available audit reports across multiple reporting periods and coverage scopes.
- On the **Multi Language Support** tab, NetSuite offers online case support in English, Chinese (Simplified), French, German, Japanese, Latin American Spanish, and Portuguese (Brazil). To submit a case in one of these languages, click **Cases** and select the preferred language from the list or click the country logo.
- On the **SuiteIdeas** tab, you can vote for NetSuite enhancements. Click the link to launch the SuiteIdeas site and review and vote for NetSuite product enhancements. For information, see the help topic [Voting for Enhancements](#).

For information about accessing NetSuite 360, see [Accessing NetSuite 360](#).

Assigning NetSuite 360 Access

 **Important:** Your billing address determines the version of NetSuite 360 available to you. If your billing address is in the United States, the NetSuite 360 version available in your account is the U.S. version of NetSuite 360. For information about the U.S. version of NetSuite 360, refer to the  [NetSuite 360 User Guide](#).

To access the NetSuite 360 portlet, you must be assigned either the NetSuite 360 or the NetSuite 360 - Plus Financials role.

These roles don't appear in standard role searches (Setup > Users/Roles > Manage Roles > Search), and they're also not listed in the [Standard Roles Permissions Table](#). However, you can see these roles in the dropdown list when assigning roles to a user.

Note: Use good judgment when deciding which users should be assigned either of these roles. Only give access to users who need to perform specific tasks related to your NetSuite account.

To give an employee access to NetSuite 360:

1. Go to Lists > Employees > Employees.
2. Click **Edit** next to the employee you want to give access.
3. On the **Access** subtab, in the **Role** field, select **NetSuite 360** or **NetSuite 360 - Plus Financials**.

Important: Carefully review the permissions given to each role and decide which role is most appropriate for the user.

4. Click **Add**.
5. Click **Save**.

The employee may need to log out and log back in to see the NetSuite 360 link.

Accessing NetSuite 360

Important: Your billing address determines the version of NetSuite 360 available to you. If your billing address is in the United States, the NetSuite 360 version available in your account is the U.S. version of NetSuite 360. For information about the U.S. version of NetSuite 360, refer to the [NetSuite 360 User Guide](#).


The NetSuite 360 portlet is located on the Support tab. What you see in the portlet depends on your assigned role, either the NetSuite 360 role or the NetSuite 360 - Plus Financials role. Usually, only a few employees in a company have access to these roles.

For more information about these roles, and how to assign a role to a user, see [NetSuite 360](#).


To access NetSuite 360:

1. Click the **Support** tab to view the NetSuite 360 portlet.

For most users, the portlet displays a message indicating you don't have permission. If you think that you should have access to this portlet and NetSuite 360, contact your account administrator.



2. If the portlet displays a link, click the link to access NetSuite 360.



Note: When you get access, you might need to log out and back in to see the NetSuite 360 link.

Employees with either role, NetSuite 360 or NetSuite 360 - Plus Financials, access NetSuite 360 from the same portlet. The difference is in the functions they can do after they enter the center. For more information about these roles, and how to assign a role to a user, see [NetSuite 360](#) and [Assigning NetSuite 360 Access](#).

Exiting NetSuite 360 is slightly different than the usual procedure for switching to another role.

To exit NetSuite 360:

1. Locate and hover over your name and role at the top right of the NetSuite page.
2. Select **View My Roles**.
3. On the My Roles page, under **Switch to Another Account**, click the account you want to return to.

Note: In some instances, you will also see the **Return to Previous Role** option in the Change Roles list. You should select **View My Roles**.

Checking the Status of Support Cases

Important: Your billing address determines the version of NetSuite 360 available to you. If your billing address is in the United States, the NetSuite 360 version available in your account is the U.S. version of NetSuite 360. For information about the U.S. version of NetSuite 360, refer to the [NetSuite 360 User Guide](#).

If you have the right permissions, you can log in to NetSuite 360 to see the status of support cases you have submitted. When you check the status of your support cases, you can learn details about the actions being taken to solve your issue.

To check the status of support cases, go to the Support tab and click the link in the NetSuite 360 portlet. If you do not see the NetSuite 360 link in the portlet, contact your account administrator to see if you can be given access. See [Accessing NetSuite 360](#).

You can click **Open Cases** in the Quick View portlet for quick access to your open cases, or you can click See Support Cases in the Home Links portlet to view a list of cases entered for your company. The Cases

list shows a list of the support cases submitted for your company. Use the Quick Sort dropdown list to sort by Incident Date or Last Message Date, or to select a subset of cases: Recently Created, Recently Modified, Recently Closed, Recently Reopened, or Recently Viewed.

For example, if you want to see a list of all the cases currently entered for your company, select -All-. The list refreshes automatically to show you all the cases entered for your company.

Classic Center

The Classic Center is the set of pages you see if you have the Administrator or Payroll Setup role assigned.

The Lists Page

If you log in with the Administrator role or if you use the classic interface, you'll find all lists on the Lists page.

A list is a group of records of a specific type, such as customers, vendors, items, employees, partners, and more.

NetSuite requires you to enter records before you can fill out transactions. After you enter a record, it appears in lists. For example, if you want to pay a bill for a new vendor, first you create a new vendor record. Then, when you go to the Enter Bills page, you can choose the vendor from the list.

The Search link at the upper right of most list pages takes you to a search page for that record type, where you can enter filters to find a specific record or group of records.

To view a list:

1. Click **Lists Overview**.
2. On the Lists page, click the link for the type of list you want to see.

Here are some procedures you can use with most lists:

- To sort the list by a column, click the column heading.
- To open the record detail, click the View link or a name.
- To see inactive records, check the **Show Inactives** box.
If the **Show Inactives** box is checked, you can inactivate records on many lists by checking the boxes in the Inactive column and clicking **Save**.
- Select a different View to show only specific information.
- Select a different alphabetical group if you have a long list and want to see records that aren't showing.
If you view the list in report format, all records are included without breaking long lists into smaller lists.
- Click **Refresh** after you select new list options.
- Click **Print** to print the list.
- Click **New** to create a new record.
- Click **Export** to save this list as a CSV file you can open in a spreadsheet program.
- Click **Customize View** to create a custom view for the list.

E-Commerce Management Center

The Store Manager and Intranet Manager roles are part of the E-Commerce Management Center. Users assigned these roles can set up your website, configure your domain, and preview the site on the Setup tab.

For more information about the different options available for setting up and building a website, see the help topic [Commerce](#).

The Web Site page also appears in this center. It has portlets you can set up to display various statistics to help you see how well your website is doing. The E-Commerce Management Center - Links portlet provides another way to access the same items listed in the menu on the Web Site page.

Support Center

Set up the Support Center by specifying how you want to use the Customer Service feature and creating case issues, types, origins, rules, and territories.

For more information, see the help topic [Setting Up Case Management](#). In particular, see the help topic [Setting Up Support Checklist](#).

Sales Center

Sales representatives, managers, and administrators use the Sales Center to monitor leads, prospects, and customers, and view predicted sales.

See the following topics to learn about the pages you can find in the Sales Center:

- [Sales Center Opportunities Page](#)
- [Sales Center Prospects Page](#)
- [Sales Center Leads Page](#)
- [Sales Center Forecast Page](#)

Sales Center Opportunities Page

Use the Opportunities tab to access your important lead, prospect, and customer records. You can then create opportunities, estimates, and sales orders for your customers to drive up sales.

View items and promotion codes that can help you create opportunities, and track your success with reports like Open Opportunities by Sales Rep, Open Estimates, and Prospect Analysis Summary.

Click a record or transaction name to open the corresponding list. Click New next to a link to create a new record or transaction, or click Search to set search criteria for that type.

You can personalize the Opportunities page by adding customized portlets. Click Personalize Dashboard, and in the Add Content panel, choose snapshots for your opportunities and estimates, add reminders, and set up saved searches, among other options.

Sales Center Prospects Page

On the Prospects page, you can access your calendar, view and create prospect and contact records, see reports on prospects, and create estimates or sales orders for them.

View your prospect and contact records under the Relationships heading. These records have important communication information and CRM information such as events, tasks, and related documents.

Under Transactions, you can create new Promotion Codes, prepare estimates, and enter sales orders.

Under Other, you can run searches or perform mass updates. Click CRM Lists to create new lead sources.

See reports on prospects under Prospect Reports. You can print, email, export, or open them in other applications like Microsoft® Excel.

You can personalize the Prospects page by adding customized portlets. Click Personalize Dashboard, and in the Add Content panel, choose snapshots for your prospects, add reminders, and set up saved searches, among other options.

Sales Center Leads Page

On the Leads page, you can access your calendar, view and create lead and contact records, view reports on leads, and create estimates or sales orders for leads.

View your lead and contact records under the Relationships heading. These records have important communication information and CRM information such as events, tasks, and related documents.

Under Transactions, you can create new Promotion Codes, prepare estimates, and enter sales orders.

Under Other, you can run searches or perform mass updates. Click CRM Lists to create new lead sources.

View reports on leads under Lead Reports. You can print, email, export, or open them in other applications like Microsoft® Excel.

You can personalize the Leads page by adding customized portlets. Click Personalize Dashboard, and in the Add Content panel, choose snapshots relevant for your leads, add reminders, and set up saved searches, among other options.

Sales Center Forecast Page

You can set up the Forecast page to show snapshots and portlets for at-a-glance information about predicted sales. In the Settings portlet, click Customize Page. Choose snapshots for your sales probability, set up reminders, and set up saved searches, among other options.

In the Sales Center-Forecast portlet, you can prepare estimates, enter sales orders, and enter cash sales under Transactions. Under the Reports heading, view your Sales Forecast Summary Report, open estimates and sales orders, and see which promotion codes and lead sources are bringing in the most business.

Enabling Features

Users with the Administrator role can enable NetSuite features on the Enable Features page.

 **Note:** Changes to feature settings are recorded in system notes. For more information, see the help topic [Searching System Notes](#).

To enable features:

1. Go to Setup > Company > Setup Tasks > Enable Features.
 2. Check the boxes next to features you want to use.
 3. Assign any permissions related to the newly enabled features to custom roles as necessary.
- When you enable a new feature in your account, you must consider the associated permissions. You may need to update customized roles that you have already assigned to users to reflect the new feature's permissions. See the help topic [Customizing or Creating NetSuite Roles](#).

 **Note:** Depending on your subscription, some features aren't available for use. If you have questions about the availability of the features mentioned below, contact your account representative.

The following topics describe the features available on each subtab of the Enable Features page.

- [General Company Features](#)
- [Accounting Features](#)
- [Tax Features](#)
- [Transaction Features](#)
- [Items and Inventory Features](#)
- [Employee and Payroll Features](#)
- [CRM and SFA Features](#)
- [Analytics Features](#)
- [Commerce Features](#)
- [SuiteCloud Features](#)

 **Important:** You can click **Audit Trail** in this page header to review a list of changes to enabled features, including the users who made the changes, dates of the changes, and whether the feature was enabled or disabled. See the help topic [Auditing Account Preferences](#).

General Company Features

Administrators can enable the following features on the **Company** subtab of the Enable Features page at Setup > Company > Enable Features.

- [Enable General Company Classifications Features](#)
- [Enable General Company Projects Features](#)
- [Enable General Company ERP General Features](#)
- [Enable General Company Resource Management Features](#)
- [Enable General Company International Features](#)
- [Enable General Company Data Management Features](#)
- [Enable General Company Access Features](#)

■ Enable General Company Mobile Features

Enable General Company Classifications Features

Enable the following features on the **Company** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Departments	Track and classify your transactions by category. This adds a link to Departments on your Lists page.
Locations	Track activity by location. This adds a link to Locations on your Lists page.
Classes	Sort transactions in any way you find helpful. This adds a link to Classes on your Lists page.

Enable General Company Projects Features

Enable the following features on the **Company** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Projects	Track projects for customers. A project is a subrecord of a customer record that shows costs and revenues for a particular project.
Project Management	Track additional information about projects and keep them separate from customers.
Planned Work	Track projects by creating a fixed project plan. Project plans are not adjusted when work is tracked outside the original fixed plan.
Job Costing and Project Budgeting	Calculate costs for project labor and account for those costs in your general ledger, and create project specific cost and billing budgets.
Advanced Project Profitability	Create a customized project profitability report based on accounts and items instead of transactions.
Activity Codes	Use activity codes to classify transactions across projects and customers when using Advanced Project Budgets.
Advanced Project Budgets	Advanced Project Budgets enables businesses to create a custom hierarchical structure for tracking project expenses and costs.
Related SuiteApps ■ Project Task Manager	Manage and edit project task assignments using a graphical interface that displays project resources and assigned tasks. For more information about installing the Project Task Manager SuiteApp, see the help topic Project Task Manager .

Enable General Company ERP General Features

Enable the following features on the **Company** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Multiple Units of Measure	Define various units used to stock, purchase, and sell inventory items, and track non-monetary accounts. The Statistical Accounts feature must be enabled. (Go to Setup > Company > Enable Features. On the Accounting subtab, Statistical Accounts is listed under Advanced Features.)

Feature	Description
Use Deletion Reason	Make it required for users to provide a reason for deleting transaction records. All transactions listed at Setup > Company > Auto-Generated Numbers on the Transaction Numbers subtab are affected by this feature. This feature can be disabled after use.
Multi-Subsidiary Customer	In NetSuite OneWorld, assign one primary subsidiary and multiple secondary subsidiaries to a customer or subcustomer record. (Go to Lists > Relationships > Customers > New.) When you select a multi-subsidiary customer on a transaction, you can associate the transaction with any assigned subsidiary.
Advanced Numbering	Advanced Numbering lets you set up flexible document and transaction numbering that meets your countries requirements. With this feature, you can create multiple complex numbering sequences per transaction type, fiscal year, and other selected criteria. Advanced Numbering automatically updates your document or transaction number sequence, for example, when a new fiscal year begins, or you create different types of transactions. The generated numbers use prefixes and suffixes that you set in each rule. You can also prioritize advanced numbering rules to run under different circumstances. NetSuite generates the number when you save the transaction. For more information, see Advanced Numbering.

Enable General Company Resource Management Features

Enable the following features on the **Company** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Resource Allocations	Allocate resources to projects, view and manage resource allocations, and monitor utilization rates.
Related SuiteApps ■ Resource Allocation Chart ■ Resource Skill Sets ■ Resource Allocation Approval Workflow	For more information about installing the resource allocation SuiteApps, see: ■ Resource Allocation Chart/Grid SuiteApp ■ Resource Skill Sets ■ Resource Allocations Custom Approval Workflow

Enable General Company International Features

Enable the following features on the **Company** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Multi-Language	Check this box to do the following: ■ Allow users to choose the language of the NetSuite user interface. See the help topic Choosing a Language for Your NetSuite User Interface. ■ Allow customers to see item names, descriptions, and expense categories in the language selected on the customer's record on printed transaction forms. ■ Allow translation of website elements to display in each visitor's language. These elements include website items, saved searches, tabs, categories, email forms, text, and images, and formatted website text. See the help topic Setting Up a Site for Multiple Languages.

Feature	Description
	Only the system-supported languages available as user preferences are available for printed transaction forms. Additional languages are supported for website translations. At Setup > Company > General Preferences, you need to specify the languages for which you want to provide translation strings for items on printed transaction forms or your website or both. See Configuring Multiple Languages. After specifying a language in General Preferences, you can translate item names and descriptions on item records or at Lists > Mass Update > Bulk Update Translation. See the help topic Working With Multi-Language Names and Descriptions.
Multiple Currencies	 Important: In a past release, the Multiple Currencies, Multi-Currency Customers, and Multi-Currency Vendors features were combined in the Multiple Currencies feature. If you're already using Multiple Currencies and Multi-Currency Customers or Multi-Currency Vendors but not all three features, you see three boxes on the Company subtab. If you're new to NetSuite, already using all three features, or not using all three features, only the Multiple Currencies box is available. When you enable the Multiple Currencies feature, you gain access to support for multiple currency customers and vendors. Regardless of the number of boxes on the Company subtab, the functionality associated with these three features remains the same. Use foreign currencies for sales and purchase transactions and account for the fluctuations in exchange rates. This feature enables the creation of sales transactions in multiple currencies for individual customers and to track open balances in each transaction currency. This feature also enables you to enter purchase transactions in multiple currencies for individual vendors, and keep track of open balances in each transaction currency. When you create a vendor record, you set a primary currency and additional currencies available for transactions with that vendor. See the help topic Currency Management. When you enable Foreign Currency Management in Multi-Book Accounting, this feature is also required and can't be disabled.  Note: After qualifying revaluation transactions, the system generates the Realized Gain/Loss, Unrealized Gain/Loss, Unrealized Matching Gain/Loss, and Rounding Gain/Loss accounts. Depending on the year when your NetSuite account was established, you may also have the Exchange Rate Variance account.
Currency Exchange Rate Integration	Automatically update currency exchange rates by the specified provider one time each day. Agree to the Notice, as required. NetSuite stores the user ID and time and date stamp of account changes in system notes. Click Forex Data provider to go to its website.  Note: To choose an exchange rate provider, method for obtaining exchange rates, and anchor currencies, go to Setup > Accounting > Preferences > Accounting Preferences. On the General subtab, under Exchange Rate Integration, select a Rate Provider. For more information, see the help topic Exchange Rate Integration.
Currency Exchange Rate Types	Store multiple currency exchange rates for a currency pair and date. Unless you enable this feature, you can have only one exchange rate for each currency pair and date combination. You can't disable the Currency Exchange Rate Types feature after you enable it. For help with this feature, see the help topic Currency Exchange Rate Types.
Worldwide Support for Phone Number Formatting	Enable international and national phone number formatting for this role.

Enable General Company Data Management Features

Enable the following features on the **Company** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Inline Editing	Edit records directly from their corresponding lists and from search results.  Note: When this feature is enabled, inline editing is available by default for all search results in dashboard portlets. However, each Custom Search portlet has an Allow Inline Editing setup option that you can use to enable or disable inline editing for specific portlets. For more information, see the help topic Displaying Saved Search Results in Dashboard Portlets.
File Cabinet	Enable the ability to upload or link to documents and images, and then associate them with records your customers, vendors, and employees can view.
Enhanced File Security	Check this box to have expense file attachments automatically submit to a dedicated employee expenses folder, predefined by the system. If you're an Administrator, you can see the folders contents, but employees can't access them from the File Cabinet. Employees access their attachments from the expense report record instead.
Duplicate Detection & Merge	With this feature, NetSuite compares customer and contact records and notifies you of possible duplicates.
Related SuiteApps  Box Document Management	Click this link to install the Box.NET SuiteApp. This SuiteApp enables you to upload documents to your Box.NET account and associate those documents with your NetSuite account. To install the SuiteApp, you must first have a Box.NET account.  Note: This SuiteApp is maintained and supported directly by Box.

Enable General Company Access Features

Enable the following feature on the **Company** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
IP Address Rules	Create access rules for employees based on the IP address of the computer used to log in. For more information, see the help topic Enabling and Creating IP Address Rules.

Enable General Company Mobile Features

Enable the following feature on the **Company** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Mobile Push Notification	Enable users to receive push notifications on mobile devices.

Accounting Features

Many of the accounting features create system-generated accounts when enabled. The accounts created are included in the descriptions. For a complete list of system-generated accounts, see the help topic [Feature-Specific, System-Generated Accounts](#).

Administrators can enable the following features on the **Accounting** subtab of the Enable Features page at Setup > Company > Enable Features.

- [Enable Accounting Basic Features](#)
- [Enable Advanced Accounting Features](#)
- [Enable Revenue Accounting Features](#)
- [Enable Multi-Book Accounting Features](#)

Enable Accounting Basic Features

Administrators can enable the following features on the **Accounting** subtab of the Enable Features page at Setup > Company > Enable Features.

If the feature creates system-generated accounts when enabled, the accounts created are included in the descriptions. For a complete list of system-generated accounts, see the help topic [Feature-Specific, System-Generated Accounts](#).

Feature	Description
Accounting	Use NetSuite for your business's accounting.  Note: Enabling this feature creates the system-generated Undeposited Funds and Refunds Payable accounts. If you're using NetSuite Canadian Edition, you will also have Payable and Expenses accounts. If you're using NetSuite (U.S.), you will have the additional Sales Tax Payable account.
A/R (Accounts Receivable)	Maintain accounts receivables records and track invoices, receipts, cash sales, payments, and customer records.  Note: Enabling this feature creates the system-generated Accounts Receivable account.
A/P (Accounts Payable)	Maintain accounts payable records and track purchases, bills, vendors, and payee records.  Note: Enabling this feature creates the system-generated Accounts Payable account.
Accounting Periods	Group transactions as they occur during periods of time, and to allow management of financials by these defined time periods.
GL Audit Numbering	Apply gapless numbering sequences to all general ledger posting transactions. Gapless numbering sequences enables companies to meet international auditing requirements. When this feature is enabled, GL Audit Numbering is listed as a required task when you close the last month in an accounting period. You can set up and run numbering sequences as part of the required task. You can also perform a variety of GL Audit Numbering tasks on demand at Transactions > Management > GL Audit Numbering Sequences. The Accounting Periods feature is a requirement for using the GL Audit Numbering feature.

Feature	Description
	GL Audit Numbering is independent of other transaction numbering you have set up at Setup > Company > Auto-Generated Numbers.
Bill Capture	Create NetSuite vendor bills from uploaded or emailed bills. This feature scans the files and populates NetSuite fields, minimizing the data entry effort and reducing manual errors and inconsistencies that occur when entering vendor bills.

Enable Advanced Accounting Features

Administrators can enable the following features on the **Accounting** subtab of the Enable Features page at Setup > Company > Enable Features.

If the feature creates system-generated accounts when enabled, the accounts created are included in the descriptions. For a complete list of system-generated accounts, see the help topic [Feature-Specific, System-Generated Accounts](#).

Feature	Description
Expense Allocation	Account for fixed expenses without splitting them among individual departments, classes or locations in advance of incurring the expenses.
Dynamic Allocation	Dynamically calculate the weight of any statistical allocation, based on the balance of the statistical account through statistical journals, at the time the allocation journal is generated. This feature also enables you to run multiple dynamic allocation schedules in a specific sequence, or batch. This is an enhancement to the current fixed rate allocation where you must specify the fixed allocation weight for the entire life cycle of the allocation schedule. This feature can't be disabled after it has been used.
Advanced Revenue Management (Essentials)	This feature supports the use of revenue arrangements and plans to automate revenue deferral, recognition, reclassification, forecasting, and auditing. It is compliant with the ASC 606 revenue standard. When you enable this feature, you can't disable it. You must enable Accounting Periods before using ARM (Essentials). The Advanced Revenue Management in Configuration Mode feature is automatically enabled when you enable this feature. Enabling this feature creates the system-generated Deferred Revenue, Unbilled Receivables, and Revenue Arrangement (non-posting) accounts. When ARM (Essentials) is enabled and ARM in Configuration Mode is disabled, you can't disable ARM (Essentials). If you're using the classic Revenue Recognition features, reach out to your sales or account representative to learn more about Advanced Revenue Management (Essentials). The assistance of NetSuite Professional Services or a qualified NetSuite partner is required to move from classic Revenue Recognition to Advanced Revenue Management (Essentials).
Advanced Revenue Management (Revenue Allocation)	This feature is an add-on to Advanced Revenue Management (Essentials). This feature supports the use of fair value pricing, range checking, and fair value formulas to allocate revenue across several performance obligations. This feature can only be enabled if the Advanced Revenue Management (Essentials) feature is enabled. When you enable this feature, it can't be disabled.

Feature	Description
	When ARM (Revenue Allocation) is enabled and ARM in Configuration Mode is disabled, you can't disable ARM (Revenue Allocation).
Advanced Revenue Management in Configuration Mode	This feature lets you configure ARM (Essentials) and ARM (Revenue Allocation) without affecting your current revenue recognition process. When ARM in Configuration Mode is enabled, you can't use ARM for revenue recognition. Your revenue recognition process remains the same as it was before enabling ARM (Essentials). ARM in Configuration Mode is automatically enabled when you enable the ARM (Essentials) feature. After setting up ARM features, you can disable ARM in Configuration Mode.
Rule-Based Recognition Treatment	This feature adds flexibility to Advanced Revenue Management (Essentials) by enabling you to define recognition attributes for revenue elements based on specified criteria. Consequently, the same item can have different attribute values in different revenue elements. You can't enable this feature without enabling Advanced Revenue Management (Essentials). You can't disable this feature when your account has recognition treatment rules or recognition treatment records and the ARM in Configuration Mode feature is disabled.
Multiple Budgets	Create multiple budgets for the same combination of customer, item, class, location or department criteria.
Intercompany Time and Expense	Allow intercompany time entries and expense transactions, and the transfer of time or expense or both charges from one subsidiary to another in a OneWorld account.  Warning: If this feature is disabled, users can't enter intercompany time or expenses, meaning records that have different subsidiaries for employee and customer. When this feature is enabled, by default users can enter intercompany time and expenses. You can change related preferences to disallow either intercompany time or expenses, or to enable the creation of automated intercompany adjustments for expenses. These preferences are available at Setup > Accounting > Accounting Preferences, on the General subtab.  Note: If you enabled this feature after April 2014, the system created a single Intercompany Clearing Account of the Type: Other Current Asset when you made a qualifying journal entry. The account was set to the Root Subsidiary and included all child subsidiaries. Adjustment journal entries correctly posted to this new account, and no other currency-locked Intercompany Clearing Accounts were created. If you enabled this feature prior to April 2014, when you created a new adjustment journal entry the system created a new Intercompany Clearing Account (no currency), which became the parent of all other existing clearing accounts. New adjustment journal entries use this parent account, and the existing currency-locked Intercompany Clearing Account remained intact. If you edit a transaction that originally posted to the existing currency-locked Intercompany Clearing Account, the GL Impact of that transaction affects that account.
Automated Intercompany Management	Create intercompany sales orders from intercompany purchase orders, reconcile intercompany transactions, and generate intercompany elimination journal entries automatically using the Period Close Checklist.

Feature	Description
	 Note: Enabling this feature creates the system-generated CTA Elimination account after a qualifying transaction. For example, a user must first run the Elimination process so that an Elimination Journal Entry is created that uses this account.
Automated Intercompany Drop Ship	Enable the cross-subsidiary order and fulfillment process for external orders.
Intercompany Framework	Enable this feature to define criteria for intercompany business workflows. For more information, see the help topic Intercompany Framework .
Consolidated Payments	Enable this feature to apply payments, credits, and deposits either through the top-level customer or through individual subcustomers and to print consolidated customer statements. For more information, see the help topic Consolidated Payments.
In-Transit Payments	Use the In-Transit Payments feature to match and clear in-transit vendor payments. Match and submit transactions for reconciliation on the Match Bank Data page. When you submit the matched in-transit transactions for reconciliation, NetSuite automatically generates the final-stage (confirmed) payments for the match and clears them. Reconcile the payments on the Reconcile Account Statement page. For more information, see the help topics Matching Bank Data, Submitting Matched or User-Cleared Transactions, and Reconciling Transactions.
Vendor Prepayments	Enable this feature to record and track deposit amounts paid to vendors before they accept a purchase order for a good or service. You can apply these prepayment amounts to pay off open vendor bills. You can record and track multiple prepayments and prepayment applications for your vendors. For more information, see the help topic Vendor Prepayments.
Multiple Calendars	Use the Multiple Calendars feature to create different accounting period and tax period rollups for your subsidiaries. Create fiscal calendars to define accounting and tax period rollups.
Statistical Accounts	Track non-monetary data and then use this information in reports and on income statements to view its relationship with the financial activity of your organization. If you check the Dynamic Allocation box, located under Advanced Features, you can run any allocation schedule weighted by the balance of a statistical account. Multiple Units of Measure must be enabled to use this feature. This feature can't be disabled after it has been used.
Foreign Currency Variance Mapping	Enable this feature to define posting rules that specify the accounts to which foreign currency variances post. For more information, see the help topic Foreign Currency Variance Mapping.
Balancing Segments	Enable this feature to balance transactions by segment through a process that creates balancing journals. For more information, see the help topic Balancing Segments and Journals.
Installments	Enable this feature to create installments for customers who pay for items over time using installment-based payments. For more information, see the help topic Creating Installments.

Feature	Description
Period End Journal Entries	Enable this feature to process and post subsidiary consolidation and income statement closing using a transaction type called Period End Journal. Period end journals are generated automatically when you complete the Create Period End Journals task on the Period Close Checklist. When you enable this feature, you must also enable it for specific subsidiaries. For more information, see the help topic Period End Journal Entries

Enable Revenue Accounting Features

Administrators can enable the following features on the **Accounting** subtab of the Enable Features page at Setup > Company > Enable Features.

If the feature creates system-generated accounts when enabled, the accounts created are included in the descriptions. For a complete list of system-generated accounts, see the help topic [Feature-Specific, System-Generated Accounts](#).

Feature	Description
Revenue Recognition	Amortize revenue from your sales.
Revenue Commitments	Enable recognition of revenue prior to billing customers. Revenue commitments appear and behave like invoices; both cause revenue recognition, based on sales orders and returns. However, an invoice creates a customer liability, whereas a revenue commitment does not trigger an invoice and customer liability. Enabling this feature creates the system-generated Unbilled Receivables account.
VSOE	Defer revenue on products with multiple elements using Vendor Specific Objective Evidence (VSOE) capabilities. VSOE revenue recognition includes support for the residual method, SOP 98-9, as well as SOP 97-2.
Sales Order Revenue Forecasting	Forecast revenue based on sales order amounts and return authorization amounts. A revenue forecast gives a more complete picture using sales orders because it includes all orders whether they are billed, unbilled, or use multiple invoices.
Amortization	Allocate an expense across a range of time and then recognize the expense in increments, only as goods or services are used. For example, defer a prepaid expense such as insurance and amortize the proper amount over the period the insurance is in effect. Enabling this feature creates the system-generated Deferred Expense and Accumulated Depreciation accounts.

Enable Multi-Book Accounting Features



Important: Multi-Book Accounting is only available in NetSuite OneWorld. Contact your sales or account representative to learn more about Multi-Book Accounting. You need help from NetSuite Professional Services to set up this feature.

Administrators can enable the following features on the **Accounting** subtab of the Enable Features page at Setup > Company > Enable Features.

If the feature creates system-generated accounts when enabled, the accounts created are included in the descriptions. For a complete list of system-generated accounts, see the help topic [Feature-Specific, System-Generated Accounts](#).

Feature	Description
Adjustment Only Books	Check this box to enable adjustment-only accounting books. Adjustment-only books let you post book-specific adjustments to a secondary, adjustment-only book at closing. They're a simplified version of multi-book accounting, and you don't need the full Multi-Book Accounting feature to use them.
Full Multi-Book Accounting	Check this box to use multiple accounting books to manage your business. For more information, see the help topic Multi-Book Accounting Overview .
Chart of Accounts Mapping	Check this box to allow different account values to be used across accounting books. You must also check Multi-Book Accounting. For more information, see the help topic Chart of Accounts Mapping .
Foreign Currency Management	Check this box to manage foreign currency transactions automatically across accounting books. You must also check Multi-Book Accounting. Enable this feature on the Company subtab. For more information, see the help topic Foreign Currency Management .
Revenue and Expense Management	Check this box to recognize revenue and amortize expenses per accounting book. You must also check Multi-Book Accounting. For more information, see the help topic Revenue and Expense Management .
Extended Accounting Period Close Process	Check this box to use independent closure of accounting periods by accounting book. You must also check Multi-Book Accounting. For more information, see the help topic Accounting Book Period Close Management .

Tax Features

Administrators can enable these tax features and install related SuiteApps on the **Tax** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Advanced Taxes	Use the Advanced Taxes feature. This feature enables you to use tax schedules to track taxes for each nexus in which your company is required to pay taxes.  Warning: If you enable Advanced Taxes, then you can't disable later. For more information, see the help topic Advanced Taxes .
EU One Stop Shop	Check this box if you're registered for the EU One Stop Shop (OSS) VAT scheme. The OSS feature lets you charge the right tax on B2C digital services sales based on the customer's EU country VAT rate. For more information, see the help topic EU One Stop Shop (OSS) .
SuiteTax	Check this box to define different tax engines for different tax jurisdictions and see tax details on each transaction. For more information, see the help topic General SuiteTax Topics .
Related SuiteApps	For more information about installing the tax SuiteApps, see the help topic Taxation Features Provided by SuiteApps from NetSuite .
- International Tax Reports - Tax Audit Files - Withholding Tax	

Feature	Description
- Supplementary Tax Calculation - SuiteTax Engine	

Transaction Features

Some transaction features create system-generated accounts when enabled. These accounts are included in the descriptions.

Processed lines for certain transaction types contribute to the Monthly Transaction Lines metric that counts toward maximum limits for your NetSuite service tier. For more information, see Transaction Types Included in [Transaction Types Included in Monthly Transaction Lines Metric](#).

Administrators can enable the following features on the **Transactions** subtab of the Enable Features page at Setup > Company > Enable Features.

- Enabling Basic Transaction Features
- Enabling Sales Transaction Features
- Enabling Shipping and Receiving Transaction Features
- Enabling Billing Transaction Features
- Enabling Payment Processing Transaction Features

Enabling Basic Transaction Features

Some transaction features create system-generated accounts when enabled. These accounts are included in the descriptions.

Processed lines for certain transaction types contribute to the Monthly Transaction Lines metric that counts toward maximum limits for your NetSuite service tier. For more information, see Transaction Types Included in [Transaction Types Included in Monthly Transaction Lines Metric](#).

Administrators can enable the following features on the **Transactions** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Estimates	Provide estimates to your customers, then convert them into invoices.  Note: This feature creates a system-generated Estimates account when enabled.
Sales Orders	Track customer orders, then convert them into invoices.  Note: This feature creates a system-generated Sales Orders account when enabled.
Return Authorizations	Track approved returns with return authorization numbers.  Note: This feature creates a system-generated Return Authorizations account when enabled.
Purchase Orders	Create purchase orders, receive items, and generate bills from receipts.

Feature	Description
	 Note: This feature creates a system-generated Purchase Orders account when you enable it.
Vendor Return Authorizations	Track items you return to vendors with this feature.  Note: When enabled, this feature creates the system-generated Vendor Return Authorizations and Purchases Returned Not Credited accounts.
Request for Quote	Send a request to one or more vendors asking them to provide specifics about their pricing, terms and conditions concerning a purchase contract for a product they sell.
Requisitions	Use Requisition transactions to initiate the purchasing process when an employee or company representative needs something that must be purchased using company funds. The person requesting the purchase (requestor) specifies which items, services or expenses they need a buyer to purchase. Buyers can then use requisitions to create the purchase orders necessary to fulfill the requisition requests.  Note: This feature creates the system-generated Requisitions account when enabled.
Purchase Contracts	Purchasing managers and buyers can use contracted terms, pricing, and delivery schedules when purchasing materials for a company. For example, instead of basing terms and pricing only on a specific purchase order, buyers can automatically use quantity-based terms and discounts derived from an annual volume of goods or services purchased.
Blanket Purchase Orders	Improve buyer efficiency and accuracy and potentially reduce procurement spending. Blanket purchase orders define a predetermined price for a set quantity of items you buy from a vendor during a time period. The blanket purchase order specifies the item, price, quantity, terms, and effective time period.
Related SuiteApps	For more information, see the following: ■ Using Standard SuiteFlow Workflows (SuiteApps) for Approval Routing ■ Warranty and Repairs Management SuiteApp

Enabling Sales Transaction Features

Processed lines for certain transaction types contribute to the Monthly Transaction Lines metric that counts toward maximum limits for your NetSuite service tier. For more information, see [Transaction Types Included in Monthly Transaction Lines Metric](#).

Administrators can enable the following features on the **Transactions** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Multiple Prices	Set at least four different price levels per item.

Feature	Description
Quantity Pricing	Enable quantity pricing to automatically apply different sales prices to items based on the quantity sold. This lets you offer discounts to customers who buy in bulk.
Gross Profit	Enable Gross Profit estimates and track gross profits at the item and transaction level. (Gross Profit = Sales – Costs) Gross profit estimates consider prices, discounts, costs, and gross profits at multiple levels. Gross profit estimates provide valuable insights for sales teams and executives throughout the sales process, from the opportunity stage early in the sales cycle on through to the issuance of an invoice.
Alternate Sales Amount	Calculate alternate sales amounts on sales orders, estimates, opportunities, and return authorizations. Alternate sales amounts can be used to calculate commission and sales forecasts, and to measure quotas.
Promotion Codes	Create codes that can be used to associate customers and sales with partners and track campaign return on investment. If you associate a discount item with a promotion code, the code can be used as a coupon code for any item or for specific items that you select when creating the code.
SuitePromotions	Leverage some of NetSuite's multiple (stacked) promotions capabilities on your SuiteCommerce Advanced Site. You must also enable Promotion Codes and Auto-Apply Promotions. For more information, see the help topic Promotions in Commerce Web Stores.
Auto-Apply Promotions	Apply multiple promotions to a transaction automatically. For more information, see the help topic Promotions Overview .
Required Deposit Workflow	Require a customer deposit on sales orders. You can specify a percentage or amount.
Related SuiteApps	For more information, see the help topic Promotions .
 Advanced Promotions	

Enabling Shipping and Receiving Transaction Features

Some transaction features create system-generated accounts when enabled. These accounts are included in the descriptions.

Processed lines for certain transaction types contribute to the Monthly Transaction Lines metric that counts toward maximum limits for your NetSuite service tier. For more information, see Transaction Types Included in [Transaction Types Included in Monthly Transaction Lines Metric](#).

Administrators can enable the following features on the **Transactions** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Automatic Location Assignment	Let your fulfillment manager automatically set fulfillment locations on sales order lines.
Advanced Shipping	Fulfill and bill your sales orders in separate steps.

Feature	Description
Pick, Pack and Ship	Process orders with more flexibility by using separate transactions for picking, packing, and shipping items separately.
Fulfillment Request	Use fulfillment requests in your item or store pickup fulfillment workflows.
Store Pickup	Give your Fulfillment Manager the tools to set up Store Pickup.
Shipping Label Integration	Connect your UPS or FedEx account to NetSuite to receive tracking numbers and print bar code shipping labels.
Advanced Receiving	Receive orders separately from bills.  Note: This feature creates a system-generated Accrued Purchases account when enabled.
Multiple Shipping Routes	Enable shipping to multiple addresses with different shipping methods on the same transaction.
Inbound Shipment Management	Track and manage incoming shipments with this feature.

Enabling Billing Transaction Features

Processed lines for certain transaction types contribute to the Monthly Transaction Lines metric that counts toward maximum limits for your NetSuite service tier. For more information, see [Transaction Types Included in Monthly Transaction Lines Metric](#).

Administrators can enable the following features on the **Transactions** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Bill Costs to Customers	Buy goods and services and resell them to customers.
Advanced Billing	Create billing schedules to invoice sales over time or a contract term, like a one-year membership billed monthly. Billing schedules manage the billing process to track when to invoice customers and how much to bill. You must also enable Sales Orders to use Advanced Billing.
Charged-based Billing	Enable Charge-Based Billing to create billable project charges. Charges are calculated based on the charge rules that can be set up using fixed dates, project progress, milestones, or time entries. This feature adds the Charge-Based billing type for projects and a Create Charges page to your account.
Billing Operations	Create and manage bill runs, schedules, and billing groups. After saving, you can see new menu options under Transactions > Billing.
Invoice Groups	Combine multiple invoices into one group to give customers more flexibility in how and when they receive invoices.

Enabling Payment Processing Transaction Features

Some transaction features create system-generated accounts when enabled. These accounts are included in the descriptions.

Processed lines for certain transaction types contribute to the Monthly Transaction Lines metric that counts toward maximum limits for your NetSuite service tier. For more information, see Transaction Types Included in [Transaction Types Included in Monthly Transaction Lines Metric](#).

Administrators can enable the following features on the **Transactions** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Credit Card Payments	Accept credit card payments. Note: When you enable this feature and Customer Access, it creates a system-generated Unapproved Customer Payments account.
Credit Card Soft Descriptors	Check this box to list the brand or company names you sell under and associate them with your products. The descriptors appear on customers' credit card statements.
Send Purchase Card Data	The Purchase Card Data module identifies purchase card payments, helping you save on processing fees. Purchase cards (Level II and III) can help you, the merchant, and your customers save money. NetSuite checks the card's bank identification number (BIN) to see if it's a purchase card when you enter a payment for a customer. It then passes the extended transaction data along with the payment authorization request for processing.
PayPal Integration	Let customers pay with PayPal which you can set up as a payment method. Customers check out on the PayPal site and the payment goes into your PayPal account.
Payment Instruments	Manage payment instruments like cards and tokens more efficiently.
Vendor Payment Instruments	Manage vendor bank information directly on their profile.
Payment Link	Create invoices with a payment link for online checkout. Configure this feature at Commerce > Payment Link after you enable it.

Items and Inventory Features

Administrators can enable the following features on the **Items & Inventory** subtab of the Enable Features page at Setup > Company > Enable Features.

- [Enabling Item Features](#)
- [Enabling Inventory Features](#)

Enabling Item Features

Administrators can enable the following features on the **Items & Inventory** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Drop Shipments & Special Orders	Ship items directly from your vendor to your customer.

Feature	Description
Matrix Items	Track inventory and pricing separately based on item options, like tracking shirts by color and size.
Multiple Vendors	Manage procurement from multiple vendors and track vendor details like vendor name, item code, and purchase price.
Gift Certificates	Sell gift certificates to customers in set or variable amounts. When they buy a gift certificate, they'll enter recipient information, and the message, amount, and code are emailed to the recipient. Gift certificates apply to the total order amount and you can reuse them if there's a remaining balance.
Sell Downloadable Files	Enable download item records and online forms with downloads. Attach files to item records for customers to buy and download from your web store. Online forms with downloads let you offer free downloads to leads when they give you their contact information. You can also use this feature to share files with customers for free. For example, you can attach terms of service to their record for access from the Customer Center.
Bar Coding and Item Labels	Create bar codes to track transactions and items, then print labels with the item's bar code.
Advanced Item Location Configuration	Check this box to manage item attributes by location and view only the data you need for each one.
Merchandise Hierarchy	Create custom merchandise hierarchies to help you analyze sales, purchases, and inventory data.
Personalized Catalog Views	Group web store customers and give each group a customized catalog selection.

Enabling Inventory Features

Administrators can enable the following features on the **Items & Inventory** subtab of the Enable Features page at Setup > Company > Enable Features.

Inventory	Manage your inventory quantities and profits from buying and selling.  Note: When you enable this feature, it creates system-generated Inventory Asset and Cost Of Goods Sold accounts.
Multi-Location Inventory	Track inventory across multiple locations. You'll also need to enable Locations, Inventory, Advanced Shipping, and Advanced Receiving.  Note: After you enable Multi-Location Inventory and distribute items, you can't turn it off without contacting Customer Support.  Note: When you enable this feature, it creates system-generated Transfer Orders and Inventory In Transit accounts.
Advanced Bill of Materials	Check this box to enable Advanced Bill of Materials.

	Note: Enabling this feature can change assemblies, item revisions, manufacturing routing, work orders, assembly builds, and unbuids, which can affect related customizations and integrations. For more information, see the help topic Advanced Bill of Materials.
Assembly Items	Build assembly items using raw materials (inventory items) in NetSuite.
Work Orders	Use assembly work orders to track the production of items for stock or to fill orders — they'll track quantities of needed assemblies and components. Note: When you enable this feature, it creates a system-generated Work Orders account.
Serialized Inventory	Assign serial numbers to each item to track inventory. Note: After you've enabled Serialized Inventory and created serialized items, you can't turn it off.
Lot Tracking	Use lot numbers to track groups of items. Note: After you've enabled Lot Tracking and created tracking items, you can't turn it off.
Bin Management	Create bin records to track inventory storage in your warehouse and on-hand quantities. Bins help warehouse staff quickly find items when picking and fulfilling orders, and show where to place items when receiving stock.
Advanced Bin/Numbered Inventory Management	Use bins with serial and lot numbered inventory for efficient management.
Inventory Status	Check this box to assign inventory statuses and manage your processes. You can also choose to make items unavailable for allocation based on their status. For more information, see the help topic Inventory Status .
Advanced Inventory Management	Let NetSuite predict item demand and adjust ordering suggestions. New stock purchases are based on past purchases and sales.
Warehouse Management	Use mobile devices to manage tasks from receiving to shipping. Use wave transactions to send orders to the warehouse, fulfill items, and track picking and staging as pickers process orders on their devices. Note: You'll need the SCM Mobile and Oracle NetSuite WMS SuiteApps to use Warehouse Management. See the help topic Installing the NetSuite WMS SuiteApps. For more information, see the help topic NetSuite WMS Overview.
Landed Cost	Track extra costs like duty fees, insurance, and shipping when you buy items.
Supply Allocation	Use Supply Allocation to consider future and current inventory when making commitments.
Sales Channel Allocation	Use Sales Channel Allocation to track order-to-cash processes by sales channel.

Demand Planning	Predict future demand for items and use demand and supply plans to manage inventory replenishment. You'll need to enable Advanced Inventory Management to use this feature. For more details, read the help topic Demand Planning.
Distribution Resource Planning	Use Distribution Resource Planning to optimize inventory across locations and, for OneWorld accounts, subsidiaries. Transfer items between locations to meet supply needs within a preset distribution network.
Material Requirements Planning	Check the box to activate Supply Planning.
Available to Promise	Check item availability based on open transfers, purchase orders, work orders, and sales orders. For more information, read the help topic Available to Promise.
Standard Costing	Identify costing opportunities by tracking standard costs and analyzing variances. For more information, read the help topic Standard Costing.
Group Average Costing	Group average costing lets you track one average cost for an item across multiple locations in a group. Group average costing is only available when you've enabled Multi-Location Inventory, and it works for both inventory and assembly items.
Manufacturing Work In Process	Track work-in-progress with work order issue and completion. For more information, read the help topic Manufacturing Work In Process (WIP).
Outsourced Manufacturing	Track outsourced manufacturing for components you own, and automate workflows for work orders, purchase orders, item receipts, and assembly builds.
Intercompany Cross-Subsidiary Fulfillment	In NetSuite OneWorld, check this box to use Intercompany Cross-Subsidiary Fulfillment for order fulfillment and returns across subsidiaries. For more information, see the help topic Intercompany Cross-Subsidiary Fulfillment.
Centralized Purchasing and Billing	Use Centralized Purchasing and Billing in your OneWorld account to manage orders and vendor returns across subsidiaries.
Inventory Count	This helps you track inventory better and control assets more tightly. With this feature, you can do regular inventory counts to stay accurate, reduce safety stock, and lower overhead costs.
Manufacturing Routing and Work Center	Record quantity completions, resource costs, and overheads for each work order operation.
Supply Chain Control Tower	Check this box to simulate inventory supply and demand across your supply chain. For more information, see the help topic Supply Chain Control Tower.
Related SuiteApps	For more information, see the following. ■ Supply Chain Management ■ Supply Chain Management SuiteApp ■ Grid Order Management ■ Grid Order Management

Employee and Payroll Features



Important: To use some of the employee and payroll features, you need SuitePeople HR or SuitePeople U.S. Payroll set up on your account. For more information, see the help topic [SuitePeople Overview](#).

If you're an Administrator, you can enable the following features on the **Employees** subtab of the Enable Features page at Setup > Company > Enable Features.

- [Enabling SuitePeople HR Information System Features](#)
- [Enabling SuitePeople HR Performance Management Features](#)
- [Enabling SuitePeople U.S. Payroll Features](#)
- [Enabling Time and Expenses Features](#)
- [Enabling Commissions Features](#)
- [Enabling Employee Permissions Features](#)

Enabling SuitePeople HR Information System Features



Important: To use some of the employee and payroll features, you need SuitePeople HR or SuitePeople U.S. Payroll set up on your account. For more information, see the help topic [SuitePeople Overview](#).

If you're an Administrator, you can enable the following features on the **Employees** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Compensation Tracking	Track basic wage and salary information for employees directly from their records.
Job Management	Create jobs with job descriptions and assign them to employees.
Job Requisitions	Create job requisitions for recruiting, link them to jobs, and track their status through the hiring process.
Effective Dating	Make changes to an employee record with back-dated or future dates. View an employee's timeline to see key milestones and career changes. For details, see the help topic Viewing an Employee's Timeline .
Time-Off Management	Define and manage time-off plans according to company policies and assign them to employees by location, department, class, or subsidiary.
Employee Change Requests	Manage change approvals for the employee record. Managers can create employee change requests for their direct reports and send them through approval in the Employee Center.
Termination Reason Tracking	Specify various termination details on the employee record. If Workforce Analytics is enabled, you can get a snapshot and synopsis of employees leaving your company and why they on the Turnover Analysis page (Reports > Employees/HR).

Feature	Description
Basic Government-Issued ID Tracking	Track various government-issued IDs for your employees. You can enable either Basic or Advanced Government-Issued ID Tracking, but not both.
Advanced Government-Issued ID Tracking	Create, edit, and delete custom types of government-issued IDs to match your company's employee identification policies. You can enable either Basic or Advanced Government-Issued ID Tracking features, but not both.
Workforce Analytics	Measure and analyze your company's headcount, hiring, and turnover trends. To open the Turnover Analysis page (Reports > Employees/HR), make sure the Termination Reason Tracking box is checked.
Employee Center Dashboard Publishing	Set up default dashboard portlets and layout for the Employee Center, including a manager dashboard, and publish them to users. Create news items for Employee Center dashboards, and limit who sees them by location or manager.

Enabling SuitePeople HR Performance Management Features



Important: To use some of the employee and payroll features, you need SuitePeople HR or SuitePeople U.S. Payroll set up on your account. For more information, see the help topic [SuitePeople Overview](#).

If you're an Administrator, you can enable the following features on the **Employees** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Kudos	Let your employees give each other recognition for accomplishments, achievements, and milestones.
Performance Management	Manage performance with goals and reviews. Use NetSuite data to track progress, and assign reviews to individual employees or groups.

Enabling SuitePeople U.S. Payroll Features



Important: To use some of the employee and payroll features, you need SuitePeople HR or SuitePeople U.S. Payroll set up on your account. For more information, see the help topic [SuitePeople Overview](#).

If you're an Administrator, you can enable the following features on the **Employees** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Payroll	Pay your employees through SuitePeople U.S. Payroll, calculate wages, deductions, and liabilities, and always have the latest tax data. This feature only supports U.S. payroll.

Feature	Description
	 Note: Enabling this feature creates a system-generated Payroll Adjustments account.
Service Printed Check and Stubs	Use your payroll service provider to print check stubs.
Paycheck Journal	Let SOAP web services integrate with external payroll systems or build custom payroll solutions with SuiteScript. This works for payroll in any country and for non-U.S. subsidiaries in OneWorld accounts.

Enabling Time and Expenses Features



Important: To use some of the employee and payroll features, you need SuitePeople HR or SuitePeople U.S. Payroll set up on your account. For more information, see the help topic [SuitePeople Overview](#).

If you're an Administrator, you can enable the following features on the **Employees** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Expense Reports	Track employee expenses and turn them into bills.  Note: Enabling this feature creates system-generated Unapproved Expense Reports, Advances Paid, and Accounts Payable accounts.
Approval Routing	Set up an approval hierarchy required to process expense reports and purchase requests. If you don't enable this feature, each expense report or purchase request automatically goes to the employee's supervisor and then to accounting. When you enable this feature, extra steps after an employee enters an expense report or purchase request depend on their expense or purchase limit. Some other criteria include who their supervisor or approver is, and the approval limit of that supervisor or approver.
Per-Employee Billing Rates	Check this box to set up billing classes that set billable time rates when employees charge different rates for the same service. If you link a billing class to an employee and set rates on a service item, the right rate will default when billing customers for time tracking.
Billing Rate Cards	Set different rates for groups of billing classes.
Purchase Requests	Let employees enter purchase requests online.
Time Tracking	Let employees record their work hours. If you're using products other than NetSuite CRM+, you can: - Record billable hours and invoice customers for these hours. - Record time for payroll items.  Warning: NetSuite CRM+ users can't record billable time, invoice customers for it, or record time for payroll items.
Weekly Timesheets	Track employee time with weekly timesheets.

Feature	Description
	 Important: You need Time Tracking to use Weekly Timesheets.
New Weekly Timesheets Interface	Enable a new interface for your weekly timesheets with column headings, fixed time entry columns, and a memo popup for each entry.  Important: You need both Time Tracking and Weekly Timesheets to use the new interface.
Time Tracking for CRM	Track time for cases, tasks, and events. When you enable this, a Time subtab appears on case, task, and event records.

Enabling Commissions Features

 **Important:** To use some of the employee and payroll features, you need SuitePeople HR or SuitePeople U.S. Payroll set up on your account. For more information, see the help topic [SuitePeople Overview](#).

If you're an Administrator, you can enable the following features on the **Employees** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Employee Commissions	Create schedules to calculate commissions for sales representatives and their managers, and pay commissions when they're earned.  Note: Enabling this feature creates a system-generated Commissions Payable account.
Commission on Custom Fields	Create custom transaction column fields as the basis for commission schedules. They must be currency type and can use any standard or custom currency amount field.

Enabling Employee Permissions Features

 **Important:** To use some of the employee and payroll features, you need SuitePeople HR or SuitePeople U.S. Payroll set up on your account. For more information, see the help topic [SuitePeople Overview](#).

If you're an Administrator, you can enable the following features on the **Employees** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Global Permissions	Enable direct permission assignments to employees and roles. When this box is checked, you'll see a Global Permissions subtab on the Access subtab of each employee record.
Advanced Employee Permissions	Check this box to use extra employee permissions. These let administrators control which fields and sublists are available to each role, and these changes apply to most parts of NetSuite. Before enabling this feature, review Before Enabling the Advanced Employee Permissions Feature .

CRM and SFA Features

If you're an Administrator, you can enable the following features on the **CRM** subtab of the Enable Features page at Setup > Company > Enable Features.

- [Enabling CRM and SFA Basic Features](#)
- [Enabling CRM and SFA Sales Features](#)
- [Enabling CRM and SFA Support Features](#)
- [Enabling CRM and SFA Marketing Features](#)
- [Enabling CRM and SFA Partner Features](#)

Enabling CRM and SFA Basic Features

If you're an Administrator, you can enable the following features on the **CRM** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Customer Relationship Management	Manage all your business relationships with lists of contacts, companies, events, and tasks.
Sales Force Automation	Use SFA to manage your sales process.
Customer Support and Service	Track, route, and manage customer support request.
Marketing Automation	Create targeted marketing campaigns and customize your email communications. You must agree to the NetSuite Marketing Application Terms of Service before you can enable this feature. To agree to the terms, click Terms of Service. Read the terms, check the box at the bottom of the page and click Close Window.
Related SuiteApp Campaign Assistant	For more information, see the help topic Email Marketing Campaigns .

Enabling CRM and SFA Sales Features

If you're an Administrator, you can enable the following features on the **CRM** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Opportunities	Create opportunity records you can use to track sales opportunities. Note: Enabling this feature creates the system-generated Opportunities account.
Lead Conversion	Convert leads to prospects, contacts, opportunities, and tasks. Before you begin using the Lead Conversion feature, you should do the following: ■ Set the Default Lead Type preference to Individual at Setup > Company > General Preferences.

Feature	Description
	Set the Preferred Lead Form preference to Standard Lead Form at Setup > Sales > Sales Preferences.
Advanced Forecasting	Manage your sales forecast as three different amounts—worst case, most likely, and upside.
Team Selling	Assign sales teams to transactions and customers. Team Selling lets you calculate split commission for multiple sales representatives on a transaction.
Historical Metrics	Track historical pipeline and forecast KPIs for the company and for each representative. Historical forecast and pipeline amounts can be used for comparison KPIs.

Enabling CRM and SFA Support Features

If you're an Administrator, you can enable the following features on the **CRM** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Email Case Capture	Forward your support email to NetSuite. Then, when a message is received by NetSuite, a case is automatically created using information from the email message.
Automated Case Escalation	Set up rules and assignments that determine when a case is escalated
Issue Management	Use issue records to track problems with products that need resolution outside of the support team.
Knowledge Base	Create a searchable database for FAQs, support cases and more.
Help Desk	Track internal support cases submitted by employees separately from support cases submitted by customers.

Enabling CRM and SFA Marketing Features

If you're an Administrator, you can enable the following features on the **CRM** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Online Forms	Add forms to your existing Web store or site to provide new leads and customer service.
Mail Merge	Create and manage fax, email, letter, and PDF documents you create for those you do business with. You must agree to the NetSuite Marketing Application Terms of Service before you can enable this feature. To agree to the terms, click Terms of Service. Read the terms, check the box at the bottom of the page and click Close Window.
CRM Template Categories	Categorize your email and campaign templates. You can create new categories at Documents > Templates > Template Categories > New.
Capture Email Replies	Track all replies to email that was originally sent from NetSuite. For example, if a support representative responds to a case record by email and the customer replies to the email, the response is automatically saved on the case record as well.

Feature	Description
Subscription Categories	Categorize campaigns into different subscriptions. This allows message recipients to subscribe to some kinds of campaigns and unsubscribe from others.
Upsell Manager	Use the search capabilities to match customers with items they are likely to buy.
Sales Campaigns	Sales campaigns allow sales representatives to send email campaigns to their customers and track their responses.

Enabling CRM and SFA Partner Features

If you're an Administrator, you can enable the following features on the **CRM** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Partner Relationship Management	Use records to manage your partners. Track the sales your partners bring in by associating partners with promotion codes or including partner codes in links to online forms. You must enable this feature to enable the Partner Access and Advanced Partner Access features.
Partner Commissions/Royalties	Create schedules that calculate commission for partners and pay commission when it is earned. Note: Enabling this feature creates the system-generated Commissions Payable account.
Multi-Partner Management	Associate more than one partner with each sales transaction.

Analytics Features

If you're an Administrator, you can enable the following features on the **Analytics** subtab of the Enable Features page at Setup > Company > Enable Features.

- [Enabling Analytics Dashboard Features](#)
- [Enabling Analytics Connectivity Features](#)
- [Enabling Third-party Analytics Integration Features](#)
- [Enabling SuiteAnalytics Workbook Features](#)
- [Enabling Analytics Intelligent Suite Features](#)
- [Enabling Analytics Saved Search Features](#)

Enabling Analytics Dashboard Features

If you're an Administrator, you can enable the following features on the **Analytics** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
KPI Scorecards	Add the ability to display a portlet on your dashboard that shows the results of multiple KPIs for multiple date or period ranges. For more information, see the help topic KPI Scorecards

Enabling Analytics Connectivity Features

If you're an Administrator, you can enable the following features on the **Analytics** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
SuiteAnalytics Connect	Enable the SuiteAnalytics Connect feature to access and query your NetSuite data using SQL through database standards such as ODBC, JDBC, and ADO.NET. For more information, see the help topic SuiteAnalytics Connect .
NetSuite Analytics Warehouse	Configure and transfer data to the NetSuite Analytics Warehouse. You can use any data transferred with Oracle Analytics for applications.

Enabling Third-party Analytics Integration Features

If you're an Administrator, you can enable the following features on the **Analytics** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Tableau® Workbook Export	Enable users to export saved search and report results as Tableau® workbooks. For more information, see the help topic Exporting Reports, Searches, and Lists .

Enabling SuiteAnalytics Workbook Features

If you're an Administrator, you can enable the following features on the **Analytics** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
SuiteAnalytics Workbook	Enable SuiteAnalytics Workbook in your account. After it is enabled, click the Analytics tab in the NetSuite navigation menu to begin using the tool. For more information, see the help topic SuiteAnalytics Workbook Overview .
Cached Data in Datasets	Select this option to enable using cached data to load your datasets.

Enabling Analytics Intelligent Suite Features

If you're an Administrator, you can enable the following features on the **Analytics** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Supply Chain Predicted Risks	Receive warnings about potential purchase order risks using the predicted risks portlet with the supply chain control tower.

Enabling Analytics Saved Search Features

If you're an Administrator, you can enable the following features on the **Analytics** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
HTML Formulas in Search	Add HTML to search formulas using Formula (HTML) fields. For more information, see the help topic Evaluating Code in Saved Searches Using Formula(HTML) Fields .

Commerce Features

If you're an Administrator, you can enable the following features on the **Web Presence** subtab of the Enable Features page at Setup > Company > Enable Features.

- [Enabling Commerce Web Site Features](#)
- [Enabling Commerce Publishing Features](#)
- [Enabling Commerce Access Features](#)
- [Enabling SuiteCommerce Real User Monitoring Features](#)

Enabling Commerce Web Site Features

If you're an Administrator, you can enable the following features on the **Web Presence** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Website	Enable initial website functionality, for example, creation of domains. Also enable activation of other Commerce features, such as SuiteCommerce and SuiteCommerce Advanced.
Site Builder (Website)	Create a Site Builder website to give customers information about your company and enable them to browse your product catalog. For more information, see the help topic Site Builder Overview .
Site Builder (Web Store)	Add web store capabilities, such as shopping cart and checkout, to Site Builder websites. For more information, see the help topic Site Builder Overview .
Advanced Site Customization	Use HTML templates to customize the appearance of your website.
Advanced Web Reports	Gain access to detailed page hits and hosted page reports, customer page reports, keyword, referrer, and new visitor reports.
Advanced Web Search	Use an advanced search form in your website.
Descriptive URLs	Allow tab, category and item pages of your website to use descriptive URL components of your choosing for search process optimization.  Note: You can only enable the Descriptive URLs feature if you have set up a domain. Go to Commerce > Websites > Website List, click Edit next to a website, then click Domains.
URL Component Aliases	Manage URL components used for facets in your SuiteCommerce or SuiteCommerce Advanced website. Also, track multiple URL component aliases on item and category records. For more information, read the help topic Enable URL Components Alias .
Customizable Checkout Subdomains	Create a checkout subdomain for your site.

Feature	Description
SuiteCommerce	Create shopping sites that include the full shopping, checkout, and My Account experiences for B2C and B2B businesses. Use themes and extensions to create a unique stylistic look or provide additional functionality for any domains associated with your site. For more information, see the help topic Store Front .
SuiteCommerce Advanced	Create shopping sites that have all of the functionality of a SuiteCommerce implementation but also have complete control for advanced customization using configurable templates (HTML/CSS/JS), product search API (REST/JSON), and cart and checkout services. For more information, see the help topic Store Front .
SuiteCommerce In-Store	Operate a web-based point-of-sale application that has an intuitive user interface designed for touch tablet screens. For more information, see the help topic SuiteCommerce InStore (SCIS) .
Site Management Tools	When this feature is enabled, the Site Management Tools administrator interface is enabled on your SuiteCommerce or SuiteCommerce Advanced site. This feature lets you manage content, add landing pages, and enhance existing pages on your SCA site. To enable this feature, either the SuiteCommerce or SuiteCommerce Advanced feature must also be enabled. For more information about Site Management Tools, see the help topic Site Management Tools Overview.
Asynchronous afterSubmit Sales Order Processing	When this feature is enabled, afterSubmit user events are triggered asynchronously when a sales order is created during web store checkout. When an afterSubmit user event runs in asynchronous mode, the next page is loaded during the period of time the afterSubmit user event is still processing. Web store Sales Orders process afterSubmit scripts in the background. This is a global setting. This setting causes all afterSubmit user events and workflows triggered by web store checkout to run asynchronously.
Asynchronous afterSubmit Customer Processing	Check this box if you want afterSubmit user events to be triggered asynchronously when a sales order is created during web store checkout.
Web Site Duplicate Email Management	Check this box if you want to prevent shoppers from creating new customer accounts when they have already signed up for an account on your website.
Commerce Categories	Enable commerce categories. Commerce categories let you create a hierarchical structure of categories and subcategories for organizing your items. For more information about commerce categories, see the help topic Commerce Categories .
Commerce Search Analytics	When this feature is enabled, Commerce Search Analytics generates two standard workbooks to show the top searches in your website and top searches that returned zero items in the search results. For more information, see the help topic Search Analytics .

Enabling Commerce Publishing Features

If you're an Administrator, you can enable the following features on the **Web Presence** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Host HTML Files	Upload your HTML website to your NetSuite File Cabinet. You can then publish your website as a tab as your Home page or in conjunction with the NetSuite Shopping cart and Checkout tabs. Use NetSuite smart tags in the HTML of your website to pull information directly from your account to display in your website.

Feature	Description
External Catalog Site (WSDK)	Use the shopping cart and checkout pages with your Web catalog or Web store. If you check this, you must also check Allow Online Ordering, Use Sales Orders, Operate a Web Site and Operate a Web Store.
Document Publishing	Publish links to your Microsoft® Word, PowerPoint, and other document files in your File Cabinet to your intranet or website. When you click this link from your site, the document opens in a separate window for viewing. Enabling Document Publishing adds a Publishing subtab to the records of all files in your File Cabinet. If you don't check this box, you can only publish images from your File Cabinet to your intranet or website.
Intranet	Create an internal website to publish information for your company.

Enabling Commerce Access Features

If you're an Administrator, you can enable the following features on the **Web Presence** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Customer Access	Give customers online access to their invoice and payment information.
Online Ordering	Give customers limited access to your account so they can place orders online. If you check this, you must also check Allow Customer Access.
Vendor Access	Give vendors online access to their transaction history and purchase orders.
Partner Access	Give partners online access to view reports, promotions codes and their partner records.
Advanced Partner Access	Assign an Advanced Partner Center role to partners that gives access to more records and transactions than the Standard Partner Center.

Enabling SuiteCommerce Real User Monitoring Features

If you're an Administrator, you can enable the following features on the **Web Presence** subtab of the Enable Features page at Setup > Company > Enable Features.

SuiteCommerce Real User Monitoring	Enable real user monitoring data collection.
------------------------------------	--

SuiteCloud Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

- [Enabling SuiteBuilder Features](#)
- [Enabling SuiteScript Features](#)
- [Enabling SuiteFlow Features](#)

- [Enabling SuiteGL Features](#)
- [Enabling SuiteBundler Features](#)
- [Enabling SuiteTalk Web Services Features](#)
- [Enabling Authentication Features](#)
- [Enabling Integration Add-on Features](#)
- [Enabling SuiteCloud Development Framework Features](#)

Enabling SuiteBuilder Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Item Options	Create and use item-specific options on purchase and sales transactions.
Custom Records	Use custom records to create a database of information specific to your business. This feature is also required for center and tab customization.
Advanced PDF/HTML Templates	Enable powerful, template-based rendering of selected transactions. The Advanced PDF/HTML Templates feature provides a template-based model for print customization of transaction and entry forms. These HTML-based templates provide greatly expanded customization capabilities over the previously supported transaction form layouts, now known as basic layouts.
Remove Personal Information	Remove personal information from NetSuite fields, records, and audit logs to comply with General Data Protection Regulations (GDPR) and keep personal information private.

Enabling SuiteScript Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Client SuiteScript	Add advanced functionality to your account with industry-standard JavaScript.
Server SuiteScript	Use server-side scripting to customize your business workflows and processes.
SuiteScript Server Pages	Support the creation of SSP applications to use website and other customizations. You can use both SuiteScript 1.0 and SuiteScript 2.0 in web applications.

Enabling SuiteFlow Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
SuiteFlow	Enable automation of business processes without custom code.

Enabling SuiteGL Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Custom GL Lines	Support plug-ins that allow for GL impact customization.
Custom Transactions	Allow creation of custom transaction types for your business.

Enabling SuiteBundler Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

 **Note:** SuiteBundler is still supported, but it is not being updated with new features. Use SuiteCloud Development Framework to create SuiteApps from an integrated development environment (IDE) on your local computer. For more information, see .

Feature	Description
Create Bundles with SuiteBundler	Check this box to enable the packaging together of groups of customization objects so they can be shared between NetSuite accounts

Enabling SuiteTalk Web Services Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
SOAP Web Services	Enable the NetSuite SOAP web services API. This feature lets you integrate external systems and to migrate data using a standards-based interface.
REST Web Services	Enable the NetSuite REST web services API. This feature lets you integrate external systems and to migrate data using a standards-based interface.

Enabling Authentication Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
OpenID Connect (OIDC) Single Sign-on	Enable single sign-on access from external applications to NetSuite. User credentials and policies are managed by an OIDC provider (OP). This feature allows users to access NetSuite from their OP, without logging in to NetSuite separately. For more information, see the help topic OpenID Connect (OIDC) Single Sign-on
SAML Single Sign-on	Enable single sign-on access from external applications to NetSuite, using authentication from a third-party identity provider compliant with SAML v2.0.

Feature	Description
	For more information, see the help topic SAML Single Sign-on .
Token-based Authentication	Enable NetSuite's token-based authentication feature. For more information, see the help topic Token-based Authentication (TBA).  Note: The features Client SuiteScript and Server SuiteScript must also be enabled to use token-based authentication with RESTlets.
OAuth 2.0	Enable OAuth 2.0 authentication feature. For more information, see the help topic OAuth 2.0.  Note: The features Client SuiteScript and Server SuiteScript must also be enabled to use token-based authentication with RESTlets.
NetSuite as OIDC Provider	Enable the NetSuite as OIDC Provider feature. For more information, see the help topic NetSuite as OIDC Provider .

Enabling Integration Add-on Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
Telephony Integration	Dial using any TAPI-enabled telephone hardware from any phone number field in the application.

Enabling SuiteCloud Development Framework Features

If you're an Administrator, you can enable the following features on the **SuiteCloud** subtab of the Enable Features page at Setup > Company > Enable Features.

Feature	Description
SuiteCloud Development Framework	Enable SuiteCloud Development Framework (SDF). For more information, see the help topic SuiteCloud Development Framework.
Copy to Account	Copy customizations from other accounts into your account. For more information, see the help topic Copy to Account.  Note: The features SuiteCloud Framework(SDF) and SuiteTalk (Web Services) must also be enabled to use Copy to Account.
SuiteApp Control Center	Enable distribution of SDF SuiteApps to customers. For more information, see the help topic SuiteApp Control Center.

NetSuite Company Settings

For information about the various company settings you need to define to set up your NetSuite account, see the following:

- [Configuring Company Information](#)
- [Set Company Preferences](#)
- [Configuring Multiple Languages](#)
- [Enabling and Creating IP Address Rules](#)
- [Change Record and Transaction Names](#)
- [Set Auto-Generated Numbers](#)
- [Setting Up States, Provinces, and Counties](#)
- [Supported Countries](#)
- [Setting Printing and Fax Preferences](#)
- [Setting Email Preferences](#)
- [Manage Text Enhance Preferences](#)
- [Manage AI in NetSuite](#)
- [Setting Up Duplicate Detection](#)
- [Activating System Alert Reminders](#)
- [Searching Bulk Processing Jobs](#)
- [Administrative Notification Setup](#)
- [Managing Plug-ins](#)
- [NetSuite Service Tiers](#)
- [SuiteCloud Plus Settings](#)

If you are using NetSuite CRM+, see the following:

- [Setting Up Transactions for NetSuite CRM+](#)
- [The Setup Page for NetSuite CRM+ Users](#)
- [Using Telephony Integration](#)

Configuring Company Information

The Company Information page is where users with the Administrator role, or the Set Up Company permission, can enter basic information for an account. See the following topics for more information:

- [Enter Basic Company Information](#)
- [Enter Company Address Information](#)
- [View Company URLs for Services in This NetSuite Account](#)

You need the View permissions to set up company information, and any changes are captured in system notes. For more information, see the help topic [Searching System Notes](#).

 **Important:** If you plan to set up a OneWorld account with multiple subsidiaries, the information that you enter on the Company Information page is what NetSuite uses to create your root (top-level) subsidiary. After you define your root subsidiary, you can create child subsidiaries at lower levels in your organization. For more information about configuring subsidiaries, see the help topic [Set up NetSuite OneWorld](#).

 **Note:** You can add custom fields and user event scripts to the Company record in both single instance and OneWorld accounts. Customizing the company record lets you add fields and business logic specific to the country or region where your business operates. Go to Customization > Lists, Records, & Fields > Other Custom Fields. In single instance accounts, select Company as the Record Type. In OneWorld accounts, select Subsidiary as the Record Type. Complete the fields as required and save the custom field. For more information, see the help topic [Creating a Custom Field](#).

Enter Basic Company Information

Enter information about your company for this NetSuite account.

 **Important:** If you plan to set up a OneWorld account with multiple subsidiaries, the information that you enter on the Company Information page is what NetSuite uses to create your root (top-level) subsidiary. After you define your root subsidiary, you can create child subsidiaries at lower levels in your organization. For more information about configuring subsidiaries, see the help topic [Set up NetSuite OneWorld](#).

To enter basic company information:

1. Go to Setup > Company > Company Information.
2. Enter your company information, referring to the following topics as needed.
3. [Company General Information Settings](#)
4. [Company Currency Settings](#)
5. [Company Electronic Invoicing Settings](#)
6. [Company Third Party Settings](#)
7. [Company Identification Number Settings](#)
8. [Enter Company Address Information](#).

Company General Information Settings

On the Company Information page, enter general settings for your company in this NetSuite account.

To enter company general information:

1. Go to Setup > Company > Company Information.
2. In the **Company Name** field, enter your company name as you want it to appear in on all forms except checks.

3. In the **Legal Name** field, enter the legal name of your company.
4. In the **Taxonomy Reference** field, select the taxonomy reference your company uses. This is used for Portugal Standard Audit File for Tax (SAF-T) and identifies the use of the relative tax reporting type on the legal entity tax registration. For more information, see the help topic [Setting Up for a Compliant PT SAF-T](#).
5. In the **Recipient of E-Document Notifications** field, enter the email address for notifications when bulk processes finish or have errors. If you don't enter an email address, notifications go to account administrators.
6. In the **Company Logo (Forms)** field, select your company logo to show on printed and emailed transaction forms.
For more information, see the following topics.
 - [Uploading and Setting Your Logo](#)
 - [Uploading Your Logo to the File Cabinet](#)
 - [Setting Your Logo to Appear on Forms and Centers Associated with your NetSuite Account](#)
 - [Logos in OneWorld](#)
7. In the **Company Logo (Pages)** field, select a company logo to show on your Customer, Partner, and Vendor Centers pages.
8. Check the **Display Logo Internally** box to show your company logo on all NetSuite pages next to the Oracle NetSuite logo.
9. Enter company location information:
 - In the **Web Site** field, enter your website URL.
 - In the **County/State/Province** field, set up counties, states, and provinces. For information, see [Setting Up States, Provinces, and Counties](#).
 - The **Country** field shows the country set for the company. For information, see [Supported Countries](#).
 - In the **Return Email Address** field, enter the return email address used to send forms and reports from NetSuite.
 - In the **Fax** field, enter a fax number for your company.
10. In the **First Fiscal Month** field, select the first month of your fiscal year.
11. In the **Time Zone** field, select your company's time zone. Individuals can set their own time zone at Home > Set Preferences.
12. The **Allowed IP Addresses** field, is available when IP Address Rules is enabled. Enter the IP addresses you want to allow for NetSuite access. For more information, see the help topic [Enabling and Creating IP Address Rules](#).
13. Check the **GL Impact Locking** box to let NetSuite automatically generate journal entries (copy and adjustment) when changes are made to a transaction that posted to the general ledger.
When this box is checked, transactions that post to the general ledger display the GL Impact subtab. The GL Impact subtab records the general ledger impact of a transaction and any modifications.

 **Note:** This option is visible in implementations that are not OneWorld and only when GL Audit Numbering is enabled. For more information, see the help topics [GL Audit Numbering](#) and [GL Impact Locking](#).

The **Account ID** field shows your NetSuite account ID, which is required for support cases.

The **Data Center** field shows the data center where your account is.

Next, enter [Company Currency Settings](#).


Company Currency Settings

After you enter general information settings, set the currency preferences for your company.

To set company currency settings:

1. Enter general information settings. For more information, see [Company General Information Settings](#).
2. The **Currency** field is available when Multiple Currencies **is** enabled. Choose a base currency for your company. After transactions have been entered with this currency, you can't edit this field.
For information about working with multiple currencies, see the help topic [Currency Management](#). You can format the currency on the currency record.
3. The **Currency fields** field is available when Multiple Currencies **is not** enabled. Use these fields to select a currency and format how amounts appear on reports and printed transactions.
 - a. **Currency Locale** – Select a country to set the currency for your account. The currency locale specifies the symbol, placement, and thousands separator for currency values.
 - b. **Name** – Enter a unique name for the currency.
 - c. **ISO Code** – Enter the three-letter International Standards Organization (ISO) code for the currency.
 - d. **Default Exchange Rate** – Enter the exchange rate for this currency against your company's base currency. If you use OneWorld, enter the exchange rate for this currency against the base currency of the root parent subsidiary.
 - e. **Automatic Update** – Check the box to update currency exchange rates daily.
 - f. **Currency Precision** – Shows how many digits are used after the decimal point used in currency transaction. Precision can be zero or two.
 - g. **Inactive** – Check the box to make the currency inactive.
 - h. **Format Sample** – This field displays the default currency format, including the symbol, thousands separator, and decimal precision for amounts on transactions.
 - i. **Override Currency Format** – Check this box to override the default format for this currency. If you check this box, the Currency Locale field disappears, and you can set the Currency Symbol and Symbol Placement. For more information about currency formats, see the help topic [Customizing Currency Formats](#).

Customized currency formats appear on the screen when viewing, editing, and creating new forms, list pages, search results, and printed documents. Customized currency formats are **not** shown in reports, or in CSV imports and exports.



- j. **Symbol** – Enter the currency symbol and text to use for the currency. Include spaces if you want to separate the symbol from the value, for example, \$ USD or \$USD.
- k. **Symbol Placement** – Choose whether the currency symbol goes before or after the number.

The **Format Sample** field shows how amounts will display with your custom format.

Enter electronic invoicing settings for your company. For more information, see [Company Electronic Invoicing Settings](#).

Company Electronic Invoicing Settings

After you enter currency settings for your company, enter electronic invoicing settings.

To enter company electronic invoicing settings:

1. Enter currency settings. For more information, see [Company Currency Settings](#).
2. In the **E-Document Country for Free Use** field, select the country you want to send e-documents to. If you have the Electronic Invoicing SuiteApp installed, you can send e-documents to one country for free. To send e-documents to more countries, you'll need to purchase a license for Electronic Invoicing. After you send an e-document, you can't edit this field.
3. In the **E-Document Sender** field, select the employee whose name and email address you want to show as the sender of e-documents from your company. If you don't select an employee, the sender will be the user who sent the e-document.
4. In the **E-Document Email Customization Template** field, select an e-document email template. This template adds predefined text to the email subject and body when you select the Default option in the E-Document Sending Method Plugin Implementation field. For more information, see the help topic [E-Document Email Custom Templates](#).

Enter third-part settings for your company. For more information, see [Company Third Party Settings](#).

Company Third Party Settings

After you enter electronic invoicing settings for your company, enter third party settings.

Note: The fields described in this topic are available only when Third Party Billing is enabled on the Preferences subtab at Setup > Accounting > Shipping.

To enter company third party settings:

1. Enter electronic invoicing settings for your company. For more information, see [Company Electronic Invoicing Settings](#).
2. In the **Ship to Attention** field, enter the name of the contact person for your company listed on your UPS account.

Note: This field is required for UPS Integration.

3. In the **UPS 3rd Party Billing Account Number** field, enter the UPS account number to use by default when Third Party Billing is selected on a UPS-integrated item fulfillment. This can be your company account number for all locations. You can override this account number on item fulfillments to enter a different 3rd party account.
To set a default for customers when billing recipients, enter the customer's UPS or FedEx account number on their record.
4. In the **FedEx 3rd Party Billing Account Number** field, enter the FedEx account number to use by default when Bill Third Party is selected on FedEx-integrated item fulfillments.
5. In the **3rd Party Billing Zip** field, enter the zip code or postal code associated with the 3rd party accounts.
6. In the **3rd Party Billing Country** field, select the country associated with the 3rd party account numbers.

Enter identification numbers for your company. For more information, see [Company Identification Number Settings](#).

Company Identification Number Settings

After you enter third party settings for your company, enter the identification number settings. The field that you see depends on your country.

Enter third party settings. For more information, see [Company Third Party Settings](#).

Enter the national business identification number for your company. The field name shown varies from country to country and is usually assigned by a national tax agency.

- **Australia - ABN:** The Australian Business Number is required if your company needs to register for the goods and services tax (GST). If you don't have an ABN, go to the Australian Taxation Office website at <http://www.ato.gov.au>.
- **ACN (Australia only):** Australian Company Number. For information, go to <http://www.asic.gov.au>.
- **Canada - Business Number:** Enter your 15-digit registration number for the Canada Revenue Agency (CRA). If you don't have a Business Number, go to the CRA website at <http://www.canada.ca/en/revenue-agency.html>.
- **European Union (EU):** If your account has the EU One Stop Shop feature enabled:
 - **OSS Applies:** Check this box if the One Stop Shop (OSS) VAT scheme applies to this company.
 - **OSS Nexus:** Select the EU member state (tax nexus) where you're registered for OSS VAT returns.
- **U.K. - VAT Registration No.:** VAT registration number. If you don't have a VAT registration number, go to the HMRC website at <http://www.hmrc.gov.uk>.
- **U.S. - Employer Identification Number:** Federal employer identification number (EIN). If you don't have an EIN, go to the IRS website at <http://www.irs.treas.gov>.
- **U.S. - SSN or TIN (Social Security Number or Tax ID Number):** If your business is a proprietorship or you don't have an EIN, enter your SSN or TIN.

Enter company address information. For more information, see [Enter Company Address Information](#).

Enter Company Address Information

You can define separate shipping and return addresses, in addition to your main company address. If you don't define a separate shipping or return address, it defaults to the main address. You don't need to define a billing address at the company level because they can be added on transactions as needed.

 **Note:** The following steps list the fields in the default address form. The address form you see may vary based on your company location and any custom address forms in your account. For more information, see the help topic [Customizing Address Forms](#).

To set up address information:

1. Go to Setup > Company > Company Information.
2. Click the **Addresses** subtab.
3. You can enter address information for your main business, shipping (for receiving shipments), or returns (for return forms). To enter address information, click **Edit** next to the **Address** field and complete the following:
 - **Country:** Select your company's country.
 - **Attention:** Enter the person at this address to notify of receipt of documents or goods.
 - **Addressee:** Enter the company name that will appear on the shipping label.

- **Phone:** Enter your company's phone number.
 - **Address 1:** Enter your company's address as you want it to appear in on all forms except checks.
 - (Optional) **Address 2:** Enter a second address line as you want it to appear on all forms except checks.
 - **City** – Enter your company's city as you want it to appear in on all forms except checks.
 - **State:** Enter your company's state as you want it to appear in on all forms except checks.
 - **Zip:** Enter your company's postal code as you want it to appear in on all forms except checks.
 - **Address:** The address information that you enter appears in this field so you can see how your address will appear on all forms except checks. You can check the **Override** box to edit the formatting.
 - **Override:** Check the box to enable the free-form Address text field. When this box is checked, text entered in the other address fields doesn't display in the Address field.
4. To see the address location in Google Maps, click **Map** next to the **Address** field.
 5. Click **Save**.

View Company URLs for Services in This NetSuite Account

You can see the URLs for all NetSuite services for this account on the Company URLs subtab. This information is not editable but is provided for your convenience. Developers and other users in your account may need the account-specific URLs for a certain services. The URLs are unique to each account, so your sandbox and Release Preview URLs are different from your production account URLs. Log in to a specific account to see its unique URLs.

For more information about the **Company URLs** subtab, see the help topic [URLs for Account-Specific Domains](#).

To view the URLs for services in this account:

Click the **Company URLs** subtab to view your company URLs for the following services:

- Customer Center Login
- NetSuite UI
- SuiteTalk (SOAP and REST) web services
- RESTlets
- External Forms
- External Catalog Site (WSDK)
- SuiteAnalytics Connect

Share these URLs with users who don't have access to view the Company Information page.

Set Company Preferences

The General Preferences page is where users with the Administrator role, or with the Set Up Company permission, can set how information is entered and handled in NetSuite.

This page is available at Setup > Company > General Preferences. These preferences apply to everyone in the account.

Some of the preferences here also can be set at the subsidiary (OneWorld only), role, or user level. See [NetSuite Preference Levels Overview](#). You can stop these overrides on the Overriding Preferences subtab. See [Overriding Company Preferences](#).

For information about the General Preferences page, see:

- [Setting General Account Preferences](#)
- [Overriding Company Preferences](#)
- [NetSuite Password Requirements](#)
- [Configuring Multiple Languages](#)
- [Center Logout Pages](#)
- [Custom Preferences](#)
- [Accounting Contexts](#)
- [Formatting for Dates, Numbers, Phone Numbers, and Time](#)



Important: You can click **Audit Trail** in the page header to see a list of changes to general company preferences, including who made the changes, when, and what changed. This list shows preferences that have been reset by scripts. See the help topic [Auditing Account Preferences](#).

Other company preferences pages are available from the Setup > Accounting, Setup > Sales, and Setup > Marketing menus.

NetSuite Preference Levels Overview

NetSuite offers a variety of preferences that you can set to meet your needs. These preferences are available at the levels shown in the following table:

Preference Type	Applies To	Set By	Set On	For details, see
User	Current user only	User	Home > Set Preferences page	Setting Personal Preferences
Role	Users logging in with the role	Account Administrator	Role record, Preferences subtab	Setting Role-Based Preferences
Subsidiary (OneWorld only)	Users assigned to the subsidiary	Account Administrator	Subsidiary record, Preferences subtab	Editing Subsidiary Records
Company	All users in the account	Account Administrator	Setup > Company > Preferences > General Preferences (Administrator) page	Set Company Preferences

- The preferences you can set at each level depend on your NetSuite edition and which features are enabled.
- The same preferences are available at the user and role levels, and some are also available at the company and subsidiary levels.
- If a company-level preference doesn't allow overrides, you can't set it at the subsidiary, role, or user levels. See [Overriding Company Preferences](#).
- If the same preference is set at more than one level, NetSuite uses the following order:
 - A user preference overrides role, subsidiary, and company preferences.
 - A role-based preference overrides subsidiary and company preferences.
 - A subsidiary-based preference overrides company preference.
 - A company preference overrides the system default.

Setting General Account Preferences

Users with the Administrator role can set up general preferences for the account at Setup > Company > General Preferences.

- [Setting General Display Preferences](#)
- [Setting General Password and Login Preferences](#)
- [Setting General List and System Notes Preferences](#)
- [Setting General Transaction Preferences](#)

Note: Any changes you make to general preferences are saved in system notes. For more information, see the help topic [Searching System Notes](#).

Setting General Display Preferences

Users with the Administrator role can set up general preferences for the account at Setup > Company > General Preferences.

Note: Any changes you make to general preferences are saved in system notes. For more information, see the help topic [Searching System Notes](#).

For many preferences you set at the company level, users can override this preference at Home > Set Preferences. If you don't want users to override particular preferences, on the Overriding Preferences subtab, clear the Allow Override box for each preference.

Preference	Description
Date Format	Select the format for abbreviated dates. For more information, see Formatting for Dates, Numbers, Phone Numbers, and Time .
Long Date Format	Select the format for formal dates. For more information, see Formatting for Dates, Numbers, Phone Numbers, and Time .
Time Format	Select the format for time entries to display online and in printed forms. For more information, see Formatting for Dates, Numbers, Phone Numbers, and Time .
Number Format	Select the format to display numbers entered on transaction forms and entity forms online. For more information, see Formatting for Dates, Numbers, Phone Numbers, and Time .
Negative Number Format	Select the format to display negative numbers entered on transaction forms and entity forms online. For more information, see Formatting for Dates, Numbers, Phone Numbers, and Time .
Phone Number Format	Select a default phone number format. This format is used in all online forms. When users enter phone numbers, they change to this format automatically. For more information, see Formatting for Dates, Numbers, Phone Numbers, and Time .
Use Phone Numbers Without the +1 International Country Calling Code	Check this box to display phone numbers without the +1 area code. This option can be selected for the purposes of improved backward compatibility.
First Day of Week	Select the day to begin each calendar week.

Preference	Description
	 Note: If you use Weekly Timesheets, changing the first day affects only new timesheets. Existing timesheets won't change, so you may see shorter timesheets to fit the new setting.  Note: Some NetSuite reports use Sunday as the first day of the week, no matter what you set for this preference.
Search Sorting	Select the alphabetical order to use when displaying search results. Select Language Specific to use the alphabetical order specific to your NetSuite language settings. Select English (U.S.) to use the U.S. English alphabetical order.
Add Primary Contact to Bill To Address	Check this box to add the primary contact for each entity to its Bill To address.
Use Last Name First for Employees	Check this box to list employees by last name first for tax and payroll purposes.
Use Last Name First for Entities	Check this box to list all entities (including contacts, customers, partners, and vendors) by last name first for tax and payroll purposes.  Note: This preference applies only to new individual entity records. You'll need to do a mass update for existing records.
Pre-Populate Contact Address	Check this box to automatically fill address fields with customer addresses for contacts created from a customer record.
Show Employees as Contacts	Check this box to create a contact record for each employee record.  Warning: If you check this box, users with access to contact records can see changes to employee records in the audit trail.
Show Display Name with Item Codes	Check this box to display both item name and display code when an item is selected on transactions and records.

Setting General Password and Login Preferences

Users with the Administrator role can set up general password and login preferences for the account at Setup > Company > General Preferences.

 **Note:** Any changes you make to general preferences are saved in system notes. For more information, see the help topic [Searching System Notes](#).

For many preferences you set at the company level, users can override this preference at Home > Set Preferences. If you don't want users to override particular preferences, on the Overriding Preferences subtab, clear the Allow Override box for each preference.

Preference	Description
Password Policy	NetSuite has three built-in password policies for password validation. These policies set the requirements for password length and content:

Preference	Description
	- Strong: minimum length of 10 characters, at least 3 of these four character types — uppercase letters, lowercase letters, numbers, non-alphanumeric ASCII characters - Medium: minimum length of 8 characters, at least 2 of these four character types — uppercase letters, lowercase letters, numbers, non-alphanumeric ASCII characters - Weak (You shouldn't choose this): minimum length of 6 characters  Note: The password policy sets the minimum for the Minimum Password Length field. It doesn't affect the Password Expiration in Days value. All NetSuite accounts use the Strong policy by default. For more information, see the help topic NetSuite Password Requirements.
Minimum Password Length	Minimum Password Length is the minimum number of characters required for user passwords. The default for this field is set by the password policy. Since the default policy is Strong, the default length is 10 characters. You can make the minimum password length value longer than the minimum required by the policy, but you can't make it shorter. If anyone in your account has the View Unencrypted Credit Cards permission, you must use the Strong policy and can't change it.  Note: Users with the View Unencrypted Credit Cards permission have a special 12 character Minimum Password Length requirement. For new users logging in with the Customer Center role, and for website shoppers, the password require at least 6 characters. For more information, see the help topic NetSuite Password Requirements.
Password Expiration in Days	Enter the number of days that users can log in to NetSuite before they're prompted to change their password.  Note: As of 2015, valid values are 1-365. Values entered before 2015 aren't affected by this limit. However, if you change anything on the General Preferences page, only values in this range are accepted. For new accounts, the default is 180 days. Days are counted from when each user last changed their password, not when the company preference changed. Users can see the dates of the previous password change and current password expiration in the My login audit portal.  Important: Set a value for Password Expiration in Days to make sure the Password Policy applies to existing users. - Employees with the View Unencrypted Credit Card permission have to change their passwords at least every 90 days, unless you set a lower value here. - You can check the Require Password Change on Next Login box on employee records; or you can use CSV import to update many employee records at one time.  Note: The Password Expiration in Days value doesn't apply to passwords for Customer Center users. For more information, see the help topic NetSuite Password Requirements.
User Registration Link Expiration In Hours	Number of hours before the URL for new user access expires. The default is 24 hours, and you can set it from one (1) hour to 72 hours.

Preference	Description
	The default value, 24 hours, is hard-coded in the in the following standard user access email templates: - Customer Center Access Email - Partner Center Access Email - Vendor Center Access Email - User Access Email If you change the default value in General Preferences, be sure to update the value in the user access email templates.
Idle Session Timeout In Minutes	Number of minutes that a NetSuite user's browser session can be idle before it locks. The default is 180 minutes (3 hours). You can set this from 15 minutes to 720 minutes (12 hours).
Internal Web Site	Select the site from which you want to publish tabs to the internal centers.
Allow Free-Form States in Addresses	This preference affects the State/Province field on entity records, location records and transactions. It also affects the search fields on entity, location, and transaction searches. This preference doesn't affect Web store address entries or UPS and FedEx shipping. UPS and FedEx use only zip code and country to determine shipping rates. Check this box to let users enter free-form text in State/Province fields. - When the box is checked, any text you enter in the State/Province field is not converted to standard state or province codes. The text is saved as you enter it.  Note: If you set this preference, you must enter the two-letter abbreviation for the state or province so NetSuite can find the correct transaction nexus. If you use the full name of the state or province, the system can't determine the correct transaction nexus. - When this preference is not set, the State/Province field is a list of standard U.S. states and Canadian provinces. Any text you enter is converted to standard state or province codes.
Use State Abbreviations in Addresses	Check this box to use the standard state abbreviations in address fields and labels. If you clear this box, the full state name is used.
Company Logo Folder	Select the File Cabinet folder where your company (and for OneWorld accounts, subsidiary) logo is stored. This selection determines which files are listed in Company Logo (Forms) and Company Logo (Pages) on the General Preferences page at Setup > Company > General Preferences. In OneWorld accounts, these files are also listed in Subsidiary Logo (Forms) on the Subsidiary page at Setup > Company > Subsidiaries > Subsidiary. The logo selected on the Setup Company Information page is used for the main subsidiary. Logos for other subsidiaries can be set on each Subsidiary page.
Customer Center Login Page	If you have a custom login page for users with Customer Center roles, select the HTML file for the page here. For more information, see the help topic Creating Custom Pages for Login to Your NetSuite Account.
Default Role for New Customers	Select the default role assigned to customers who get NetSuite access. This role displays on the Access subtab when you edit customer records.

Preference	Description
Customer Center Welcome Message	Enter the message to display to Customer Center users. When a customer logs in, this message is followed by their name. If no one is logged in, it uses "Guest".
Show Help Link in Customer Center	Clear this box to hide the online help link from Customer Center users. By default, this box is checked and the help link is visible. This preference doesn't affect any other centers.
Horizontal Labels	To display labels to the left of fields on record pages, check this box. By default labels are above fields.
Enable Redwood Theme	Check this box to enable the Redwood Experience theme, which gives NetSuite a different look and feel, including different colors, icons, and fonts.

Setting General List and System Notes Preferences

Users with the Administrator role can set up general list and system notes preferences for the account at Setup > Company > General Preferences.



Note: Any changes you make to general preferences are saved in system notes. For more information, see the help topic [Searching System Notes](#).

For many preferences you set at the company level, users can override this preference at Home > Set Preferences. If you don't want users to override particular preferences, on the Overriding Preferences subtab, clear the Allow Override box for each preference.

Preference	Description
Delay Loading of Sublists	Check this box to delay loading subtab information until the user clicks them. Setting this preference can make pages load faster.
Screen Font	By default, the font is Open Sans. Select the default font for text displayed on online pages.
Landing Page	Select a tab created by a custom Suitelet deployment to be the first page users see when they log in. This overrides any user-defined landing page preference for a standard or custom center tab on the Set Preferences page. If neither this preference nor the user landing page preference are set, users see their Home page first. The list of available landing pages includes all deployed Suitelets by their deployment IDs. Suitelets without at least one deployment aren't listed. This preference is for when you want to show an account setup assistant at first login for account setup and configuration.
Number of Rows in List Segments	When users view a long list in NetSuite, it's split into segments. Enter the maximum number of records per segment. For example, if you have 200 customers and you want to show 25 per page, then set the segment size to 25. Users can click Next or Previous to move through the list.
Maximum Entries in Dropdowns	Enter the maximum number of records to show in lists. If a list reaches this limit, it will open in a popup list. The highest number you can enter is 500. If you want to see lists in popup lists every time, set the maximum to zero. If you want them to stay as lists, set it to 500.

Preference	Description
	 Note: The Case/Task/Event field for time transactions is a list only if the total number of company-wide case, task, and event records is under 5000 and under your set limit. Roles that can enter time transactions for other employees always see a popup list.
Log System Notes on Update Only	This preference stops NetSuite from logging system notes when records are created. When this preference is set, system notes are generated only when records are updated. Creation notes aren't needed because data is available in the new record.  Note: When this preference is set, only essential data about how the record was created is logged in system notes. This preference was added in 2012.2. By default, it's enabled in all accounts from that release or later, and disabled in older accounts. You should enable this option in all accounts to save storage and improve performance. Before you enable this option, review any saved searches that use system notes fields because they may use data from record creation system notes. You can either update the searches or leave this option disabled. For custom transaction body fields, if the Log System Notes on Update Only isn't set and you have View access to a field, the default value of your custom transaction body field shows in system notes fields when you create a transaction search. For more information, see the help topic Searching System Notes.
Include System Notes for Non-Field Actions in Analytics Data Source	With this preference, you can include actions that aren't linked to any field into your system notes query results in the analytics data source. When this preference isn't set, actions such as duplicate resolution, emailing reports, acknowledging administrator messages, and account provisioning are excluded from system notes. For more information about system notes in the analytics data source, see the help topic Viewing System Notes.
Show Quick Add Row on Lists	Check this box to allow quick add on direct editable lists with only basic information. Users can turn this preference off on individual lists.
Show List When Only One Result	Check this box to show search results as a list even if there's only one record. By default, NetSuite opens the record.  Note: When this preference is set, NetSuite doesn't select a single result from the suggestion list automatically.
Default Customer Type	Choose whether new customers are set as individuals or companies by default. For companies, company names are used. For individuals, first and last names are used.
Default Lead Type	Choose whether new Leads are set as individuals or companies by default. For companies, company names are used. For individuals, first and last names are used.
Default Vendor Type	Choose whether new vendors are set as individuals or companies by default. For companies, company names are used. For individuals, first and last names are used.
Default Partner Type	Choose whether new partners are set as individuals or companies by default. For companies, company names are used. For individuals, first and last names are used.

Preference	Description
Auto Inactivate Contacts with Customers	When a customer is made inactive, automatically inactive their contacts.
Show Individuals as Contacts	Check this box to create a contact record for every individual-type customer record.
Hide Attachment Folders	Check this box if you want the default attachment folders to show in the File Cabinet only for administrators. All roles can still access files attached to records. The following folders are affected: ■ Attachments Received ■ Attachments Sent ■ Mail Merge For more information, read the help topic Hiding Attachment Folders.
Hide File Cabinet Hierarchical Info	Check this box to turn off the calculation and display of folder sizes in the File Cabinet. Checking this box can improve performance.

Setting General Transaction Preferences

Users with the Administrator role can set up general transaction preferences for the account at Setup > Company > General Preferences.

Note: Any changes you make to general preferences are saved in system notes. For more information, see the help topic [Searching System Notes](#).

For many preferences you set at the company level, users can override this preference at Home > Set Preferences. If you don't want users to override particular preferences, on the Overriding Preferences subtab, clear the Allow Override box for each preference.

Preference	Description
Assign Tasks to Partners	Check this box to let you assign tasks to partners.
	Note: Before a task can be assigned to a partner, make sure the Assign Tasks box on the partner record is checked.
Email Employee on Approvals	Check this box to automatically send email messages to employees when their supervisors approve purchase requests, expense reports, and time transactions.
Maintenance Complete Email Notification	Check this box to automatically send email messages to all active account administrators when scheduled account maintenance is completed.
Show Reports in Grid	Check this box to display reports in a grid format by default.
Collapse VSOE Column by Default on Sales Transactions	Check this box to collapse the VSOE column for sales transactions such as sales orders, invoices, and cash sales.
Time Selectors Use Fiscal Calendars Based on First Month	When this box is checked, date range selectors for fiscal elements (for example, this fiscal year) use the First Fiscal Month setting in Setup > Company > Company Information.

Preference	Description
	When this box is not checked, time selectors use the custom Fiscal Calendar for accounting years, quarters, and periods. For example, a company has a custom Fiscal Calendar for 2014 aligned with business weeks. The calendar starts on the first Monday of March, which falls on March 3, 2014 and ends on March 1, 2015. The First Fiscal Month is set to March. If the Time Selectors Use Calendars Based on First Month box is checked, the this fiscal year selector returns a date range from March 1, 2014 to February 28, 2015. If the box is not checked, this selector returns a date range of March 3, 2014 to March 1, 2015.
Web Site Hosting Files Always Available	This box is checked by default. It controls how files in the Web Site Hosting Files Folder are available online. This is a global setting that can override the Available Without Login setting on individual file records. - When this box is checked, the Available Without Login settings on individual files is ignored. Files stored in the Web Site Hosting Files Folder are accessible for any URL listed on the file. - When the box is cleared, your Available Without Login settings on individual files are use. You can clear the box on files stored in the Web Site Hosting Files folder to make them unavailable on a shopping domain. For more information, see the help topic Making Web Site Hosting Files Always Available.
SuiteBundle Files Always Available	This box is checked by default. It affects how files in the SuiteBundles folder are available online. This is a global setting that can override the Available Without Login setting on individual file records. - When the box is checked, the Available Without Login setting on individual files is ignored. Files stored in the SuiteBundles folder are accessible for any URL listed on the file. - When the box is cleared, your Available Without Login setting on individual files are used. For more information, see the help topic Making Web Site Hosting Files Always Available.
Show Transaction Numbering Setup	Check this box to display the Transaction Numbers subtab at Setup > Company > Auto-Generated Numbers. Auto-generated numbers for transaction records are internal numbers that cannot be overwritten. These are unique, gapless numbers that are generated when transaction records are created. This box also affects Global search results. When checked, searching for a number returns both document number and transaction number. When cleared, if searches only document numbers. To set up internal transaction numbers, this box must be checked. By default, it's not checked. For more information about transaction numbers, see Auto-Generated Transaction Numbers. For details about auto-generated numbering, see Set Auto-Generated Numbers.
Create Automatic Memorized Transactions as -System-	Check this box to list the user who created a memorized transaction as -System- when NetSuite creates it. Clear this box to list the last user who edited the memorized transaction definition when NetSuite creates it.  Note: The last user to update the memorized transaction definition is shown in the memorized transaction definition. This box isn't checked by default on new accounts.

Preference	Description
	 Note: When set, this preference doesn't support server-side scripting. If you want to use server-side scripting and SuiteFlow on transactions, clear this box. Changes to this preference take effect when you create or edit and save a memorized transaction definition For more information about memorized transactions and definitions, see the help topic Memorized Transactions.
Show Product Recommendations	Users can see suggestions for NetSuite features directly in the product, at the top of the page. Product messages are enabled by default. Users can disable the messages by checking the Don't show again box in the message.
Web Site Duplicate Email Management	Choose if you want to enable website duplicate email detection. Website Duplicate Email Detection prevents web store shoppers from creating duplicate customer accounts on your website. For details, see the help topic Detect Duplicate Customer Email.
Asynchronous Project Plan Recalculation	Check this box to let your project plans to recalculate in the background when time is tracked against that project. When project plans recalculate in the background, you can still use NetSuite and your project plans.  Note: Because recalculations are asynchronous, project plan data may be out of date until the recalculations are done. When the recalculation is done, you'll see the updated project plan the next time you open it. If the recalculation fails, you'll see a warning at the top of the project when you open it.
Show Project in New UI	Check this box if you want Project Management to show in the new user interface from NetSuite 2021.1. The new UI includes the following enhancements: ■ Customized Tasks and Task Hierarchy ■ Streamlined Record Creation and Editing ■ Improved Record Viewing Clear this box to go back to the original UI.  Note: This preference may not be compatible with some customizations and scripts. Test the behavior of the UI to ensure it doesn't affect your scripts and integrations. When this preference is enabled and you're editing a record in the new UI, you can't use SuiteScript 1.0 code in the developer console of your browser to load records or access detailed record information. If you want to use this approach (for example, for debugging purposes), use SuiteScript 2.1 code instead.
Allow Subsidiary Hierarchy To Be Modified [Max: 30 Days]	Set how long authorized users can modify the subsidiary hierarchy. The maximum is 30 days.

Preference	Description
Do not Display Customer Satisfaction Surveys	Check this box to opt your organization out of in-page satisfaction surveys.
Enable NetSuite Guided Learning	Check this box to enable the NetSuite Guided Learning tool for everyone who uses the account. The NetSuite Guided Learning tool provides people with interactive step-by-step instructions to help them complete tasks within NetSuite.
Set NetSuite Guided Learning Application ID	Do not change this field because it is for Oracle use only and specifies the instance of the NetSuite Guided Learning that appears in your account. If you change this field, NetSuite Guided Learning may stop working correctly.
Set NetSuite Guided Learning Environment	Do not change this field because it is for Oracle use only and specifies the environment where NetSuite Guided Learning is running. If you change this field, NetSuite Guided Learning may stop working correctly.
Execute SuiteScript 2.x Server Scripts As	Select the version of SuiteScript to use for SuiteScript 2.x scripts. Use this preference to run all SuiteScript 2.x scripts as SuiteScript 2.1 scripts without changing the version specified in the script file. Use this preference to test your existing SuiteScript 2.x scripts and make sure they work as expected with SuiteScript 2.1. This preference applies to all scripts with an @NApiVersion value of 2.x. For more information, see the help topic SuiteScript 2.1.
Remove Client Script Deployment Limit per Record	Check this box to remove the limit of deploying more than 10 client scripts on a record.
SFTP: Use LIST to Test That a File Exists	Check this box only if transfers to an SFTP server fail because it doesn't support the default STAT command. If checked, the N/sftp module uses the LIST command. If you leave the box clear, the module keeps using STAT.
Enable Legacy Subsidiary Restrictions (OneWorld Only)	Check this box to revert the role behavior of active and inactive subsidiaries to the 2018.2 state. Only users with the Administrator role or the Set Up Company permission can check this box.
 Note: The Enable Legacy Subsidiary Restrictions is a temporary preference that will be removed in a future release. Only use it as a temporary solution. For more information, see the help topic Customizing or Creating NetSuite Roles.	
Preferred Subcustomer Form	Select the default form to use for new subcustomers.

Overriding Company Preferences

A company preference may have been set on the preferences pages by a user with the Administrator role, someone with setup permissions, or by the system itself.

Some company preferences can be overridden by subsidiary (OneWorld only), role, and user preferences. You can stop individual overrides of company preferences on the Overriding Preferences subtab of the General Preferences page.

To stop individual overrides of company preferences:

1. Go to Setup > Company > General Preferences.

2. On the **Overriding Preferences** subtab, clear the **Allow Override** box next to any preferences you don't want users to override.
3. Click **Save**.

After you block an override, users can't set their own preferences. You can't block overrides of company preferences from subsidiary-level or role-level preferences.

Configuring Multiple Languages

If the Multi-Language feature has been enabled in your account, the following language features are available.

- [System-Supported Languages](#)
- [Enabling the Entry of Translation Strings for a Specific Language](#)
- [Translation Management Using Translation Collections](#)

System-Supported Languages

When the Multi-Language feature is enabled, users can select their language preference in NetSuite.

- Users can choose from the following system-supported languages for their NetSuite user interface:

☐ Chinese (Simplified)	☐ Indonesian
☐ Chinese (Traditional)	☐ Italian
☐ Czech	☐ Japanese
☐ Danish	☐ Korean
☐ Dutch	☐ Norwegian
☐ English (AU)	☐ Portuguese (BR)
☐ English (CA)	☐ Russian
☐ English (International)	☐ Spanish (ES)
☐ English (UK)	☐ Spanish (Latin America)
☐ English (US)	☐ Swedish
☐ Finnish	☐ Thai
☐ French	☐ Turkish
☐ French (CA)	☐ Vietnamese
☐ German	

These choices are available in user preferences. For more information, see the help topic [Choosing a Language for Your NetSuite User Interface](#).

- On printed transaction forms, customers can see item names, descriptions, and expense categories in the language specified on their customer record.
 - ☐ Only system-supported languages are supported on printed transaction forms, because NetSuite provides translated strings for general terms.
 - ☐ To enter item translation strings in a specific language, add that language on the Languages subtab on the General Preferences page, as described in [Enabling the Entry of Translation Strings for a Specific Language](#).
- You can translate website elements so visitors see them in their own language. These elements include items, saved searches, tabs, categories, email forms, text, and images, and formatted website text.

- The system-supported languages are supported for website translations, and the following additional languages are also supported:

– Afrikaans – Albanian – Arabic – Armenian – Bahasa Malay – Bengali – Bosnian – Bulgarian – Chinese (Simplified) – Chinese (Traditional) – Croatian – Czech – Danish – Dutch – English (AU)	– English (CA) – English (International) – English (UK) – Estonian – Filipino – Finnish – French (Canada) – German – Greek – Gujarati – Hebrew – Hindi – Hungarian – Icelandic – Indonesian	– Italian – Japanese – Kannada – Korean – Latin American Spanish – Latvian – Lithuanian – Luxembourgish – Marathi – Norwegian – Persian (Iran) – Polish – Portuguese (Brazil) – Portuguese (Portugal) – Punjabi	– Romanian – Russian – Serbian (Cyrillic) – Serbian (Latin) – Slovak – Slovenian – Spanish – Swedish – Tamil – Telugu – Thai – Turkish – Ukrainian – Vietnamese
---	---	---	--

- To add website translation strings in a specific language, add that language on the Languages subtab of the General Preferences page, as described in [Enabling the Entry of Translation Strings for a Specific Language](#).

Enabling the Entry of Translation Strings for a Specific Language

The following procedure describes how to let users enter website translation strings in a specific language.

To enable the entry of translation strings for a specific language:

1. Go to Setup > Company > General Preferences.
2. Click the **Languages** subtab.
3. Select a language you want to make available for translation.

Note: Your “base language” doesn't appear in the list. That is, the language determined by your country when your account was created is not available as a translation language. For example, if your base language is Spanish, then you won't see it in the list, but you can see Spanish (Latin America).

4. Click **Add**.
5. Repeat steps 3 and 4 for each language you want to add.
6. Click **Save**.

Now you can go to Lists > Mass Update > Bulk Update Translation to enter item translations for each language. For more information, see the help topics [Working With Multi-Language Names and Descriptions](#) and [Setting Up a Site for Multiple Languages](#).

Translation Management Using Translation Collections

If you have the Multi-Language feature enabled, you can edit translations with a translation collection. Manage your translation collections using the Manage Translation feature. For more information, see the help topic [Manage Translations](#).

A Translation Collection is a customization object that stores translation strings with their translations. One Translation Collection can contain many translation strings.

If available, you can edit a translation on the Translation subtab, but editing in the UI has limitations. You can, for example, override a field label on the Translation subtab of a custom form definition. When you translate a field label on the Translation subtab of a custom field, the translated label overrides the language set up in Home > Set Preferences. Language changes are visible only to users with the same language preference. For example, if you change the language from English (US) to English (International), only users with the English (International) language preference see the changes. For more information about translations, see [Configuring Multiple Languages](#).

If you use SDF, make translation changes in SDF XML with a translation collection. If you enter translation strings directly on a form, they're not connected to terms or translation collections. The translations are visible only to users with the same language preference. If you change your language preference, you'll need to add translations for that language too.

For more information, see the help topics [Translation Collections Overview](#) and [Translation Collections as XML Definitions](#).

Center Logout Pages

The Centers subtab on the General Preferences page, available at Setup > Company > General Preferences, lists all custom and standard centers available in your account. Each center can have its own logout landing page instead of the default.

Enter the URL you want to use as the **Log Out Landing Page** for each center.

Custom Preferences

The Custom Preferences subtab on the General Preferences page, available at Setup > Company > Preferences > General Preferences, includes preferences you can use as parameters for SuiteScript. If you're not using these features, you may not see this subtab.

For information about setting up and using these preferences, see the help topic [Creating Script Parameters](#).

Accounting Contexts

The Accounting Contexts subtab on the General Preferences page at Setup > Company > General Preferences **is visible by default in OneWorld accounts**. If you don't have a OneWorld account, you won't see this subtab.

An accounting context can be a one-to-one relationship between a country's local GAAP (Generally Accepted Accounting Principles) reporting requirements and a statutory chart of accounts (COA). It can also be a unique relationship that meets your company's unique needs. Accounting contexts are useful when users want to work in a local GAAP context instead of a consolidated context with one centralized COA. Accounting contexts are also useful if you have Multi-Book Accounting. You can set an accounting context specific for your secondary book and use it for your secondary book reports.

When you have at least one accounting context exists, users can select their preferred accounting context at Home > Set Preferences. When users select an accounting context, all transactions, including system-generated ones, post to the defined COA account name and number for that context. For information about user preferences, see the help topic [General Personal Preferences](#).

A user with the Administrator role or the Set Up Company permission can set up accounting contexts. To define an accounting context, enter the name and select the language if you want to translate the account name and number. Click Add and then click Save.



Note: The available languages are based on the values you set on the Languages subtab. For information, see [Configuring Multiple Languages](#).

When you have an accounting context, the Localization subtab on the account record lets you enter different names, languages, and numbers for a one account.

The account name you see depends on the following conditions, in order:

1. If any line on the Localization subtab matches both the accounting context language **and** the user's preferred language, the account name displays in that language.
2. If there is a line only for the user's preferred language, the account name displays in that language.
3. If there is a line only for the accounting context language, the account name displays in that language.
4. If none of these conditions exist, the account name displays as defined on the account record.

The account number displayed is based on the order of the following conditions:

1. If any line on the Localization subtab matches both the accounting context language **and** the user's preferred language, the account number displays in that language.
2. If this condition does not exist, the account number displays as defined on the account record.

When you view a detail report associated with a specific summary report, the accounting context defaults to the selection on the summary report and can't be changed.

On transactions that display the account field, users see the name and number defined in their chosen accounting context.

For information about creating an account, see the help topic [Creating Accounts](#). For information about entering account names, languages, and numbers for a single account, see the help topic [Editing an Account](#).

If accounting contexts are defined in your system, you can them in account saved searches. For more information, see [Use Accounting Contexts in Account Saved Searches](#).

Use Accounting Contexts in Account Saved Searches

If you've set up accounting contexts, you can use the following five columns in account saved searches, and any saved search where the Account field (Account Fields list) is joined:

- Accounting Context
- Language
- Localized Name
- Localized Number

■ Localized Legal Name

It is important to note that these five columns show values for **all** combinations of accounting context and language. This includes localized name and localized number combinations that are the same for different accounting context and language combinations. Therefore, if the Multi-Language feature is enabled, it's best to always specify both accounting context and language in your search criteria to avoid duplicate results.

Example of Accounting Contexts in Account Saved Searches

You have the following accounting contexts and languages set up:

- Accounting Contexts: Czechia, Germany, and None (None represents the header account name and number.)
- Languages: Czech, German, and the system language (The system language is the same as None, meaning the header account name.)

A user with permission to modify the 1110 Advances Paid account record defines the following rules on the Localization subtab:

- Header Account Name and Number: 1110 Advances Paid
- Legal Name: Legal Name for Advances Paid account
- Accounting Context: Czechia, Number: 314, Name: Zalohy
- Language: German, Name: German Name

The following table displays examples of searchable data combinations based on the rules for this account:

Accounting Context	Language	Localized Number	Localized Name	Localized Legal Name
null	null	1110	Advances Paid	Legal Name for Advances Paid account
null	Czech	1110	Advances Paid	Legal Name for Advances Paid account
null	German	1110	German Name	Legal Name for Advances Paid account
Czech Republic	null	314	Zalohy	Legal Name for Advances Paid account
Czech Republic	Czech	314	Zalohy	Legal Name for Advances Paid account
Czech Republic	German	314	German Name	Legal Name for Advances Paid account
Germany	null	1110	Advances Paid	Legal Name for Advances Paid account
Germany	Czech	1110	Advances Paid	Legal Name for Advances Paid account
Germany	German	1110	German Name	Legal Name for Advances Paid account

Search Criteria 1

Search criteria is Number = 1110 and you want to retrieve Localized Number and Localized Name. This saved search returns several lines, some of them duplicated, because the Accounting Context and Language were not specified.

Search Criteria 2

Search criteria is Accounting Context is Czechia, Language is null, and Localized Number = 314. You want to retrieve Localized Name and Localized Number. This saved search returns one line with Localized Name and Localized Number because the Accounting Context and Language is clearly specified.

Note: Users can create saved searches that don't depend on User Preferences. For example, if you search for Name is Advances Paid, the search returns the Advances Paid account **if** your user preferences are Language is English and Accounting Context is null. If your Accounting Context is Czechia, you won't get any results because the account Name is Zalohy.

But if you create a saved search with criteria of Accounting Context is null, Language is null, and Localized Name is Advances Paid, you'll get the Advances Paid account even if your Accounting Context is Czechia. This is helpful when you want to create a saved search that works for all accountants in local subsidiaries, no matter their localization.

Formatting for Dates, Numbers, Phone Numbers, and Time

You can use the default formatting for dates, numbers, phone numbers and time, or override them at the company, subsidiary, or user level.

To change the default settings at each level, go to:

- **Company** – Setup > Company > General Preferences.
- **Subsidiary** – Setup > Company > Classifications > Subsidiaries. When you edit the subsidiary, you can find the date format in the Preferences > General subtab.
- **User** – Home > Set Preferences. The date format is in the formatting section.

Formatting Dates

The default date format is M/D/YYYY. You can also select the format of abbreviated and full dates. The abbreviated date format appears on reports, forms, and data entry pages.

Note: By default, users can override the date formats you select. If you don't want that, go to Setup > Company > General Preferences. On the **Overriding Preferences** subtab, clear the **Allow Override** box next to **Date Format** or **Long Date Format**.

The following table shows some date formats and how March 5, 2025 would look in each one.

Date Format	Example
M/D/YYYY	3/5/2025
D/M/YYYY	5/3/2025
D-Mon-YYYY	5-Mar-2025
D.M.YYYY	5.3.2025
DD/MM/YYYY	05/03/2025
DD-MONTH-YYYY	05-March-2025

Note: Not all date formats are available in every locale.

Formatting Numbers

Set the Number Format and Negative Number Format to specify how numbers display on the screen.

The Number Format provides the following format options for thousands separators and decimal places:

- **Thousands separator** – Comma, period, space, and reverse comma.
- **Decimal places** – Comma and period.

You can show negative numbers with a minus sign or in parentheses.

- **Minus sign** – -100
- **Parentheses** – (100)

Note: The following guidelines apply to number formatting:

- Number format preferences don't apply to exports, SOAP web services, SuiteScript, or CSV imports.
- Currency format settings apply to amounts on reports and printed transactions.
- Values with a currency symbol, such as €123,45 or \$123.45, use the currency format, not the number format.
- On the screen, foreign currency amounts use the currency format. Base currency amounts in columns on transactions forms and subtabs follow the number format preferences.

Formatting Time

NetSuite supports both the 12-hour and 24-hour clocks. The following time format options are available:

Date Format	Example
hh:mm AM/PM	08:00 PM
hh:mm (24 hours)	20:00
hh-mm AM/PM	08-00 PM
hh-mm (24 hours)	20:00

Change Record and Transaction Names

Users with the Administrator role can change record and transaction names from the NetSuite defaults to terms that fit your company. On the Rename Records/Transactions page, you can also change account type names. For examples of the different areas of this page, see [Sections of the Rename Records/Transactions Page](#).

By changing records and transaction names, your employees don't have to adjust to NetSuite terms. Instead, NetSuite adapts to the terms they're used to using.

When you rename records or transactions, those names update in most places in NetSuite. You can go back to the Rename Records/Transactions page to switch them back or enter a new term.

- [Renaming Records and Transactions](#)
- [Sections of the Rename Records/Transactions Page](#)

Notes and Tips for Renaming Records and Transactions

Keep the following details in mind when renaming records or transactions.

- You may see internal tags in translated record and transaction names in the user interface. For example, instead of Record you may see {#Record#}. If you find these, please contact NetSuite Customer Support so that we can make a correction in a future release.
- In the Help Center, if you search for a renamed record or transaction, the search results offer to search for the default name too. For example, you rename "estimate" to "quote" and search for "quote." If there are fewer than 10 search results, you're prompted to search for "estimate." Click the link to search for "estimate" instead.
- Don't rename records to standard NetSuite record type names or reuse the same name for more than one type. For example, don't rename Customer to Partner or use Client for two different record types.
- Name changes on the Rename Records/Transactions page apply to the Language preference you currently have set at Home > Set Preferences only, not to every language. You need to switch your Language preference to each language your account uses and repeat the renaming. If you miss a language, users see the original names when they select that language.
- Field labels on existing custom forms don't update when you rename records or transactions. You need to edit the labels manually on the custom forms.
- Name changes apply to standard NetSuite elements (standard records, transactions, and page names), but not to elements you've customized. For example, if you rename "Customer" to "Client", a custom center tab called "Customer" doesn't change.

Explore the following topics to learn more about renaming in NetSuite:

- [Record Type Overview](#)
- [Configuration Bundles](#)
- [Global Search Prefixes](#)
- [Customizing Tax Fields on Transaction Forms](#)
- [Renaming SuiteBilling Records](#)
- [Order Management Accounting Preferences](#)
- [Forecasting Preferences](#)
- [Quotes for Commerce Websites](#)
- [Generating China Voucher Printing Report](#)

To find out more about naming custom objects, see the following topics:

- [Renaming Custom Fields](#)
- [Renaming a Custom Financial Statement Layout](#)
- [Limitations for Custom Transaction Forms](#)
- [Resolving Conflicting Objects](#)

Renaming Records and Transactions

Change records and transaction names so your employees don't have to adjust to NetSuite terms. When you rename records or transactions, the names are updated in most places in NetSuite. For more information, see [Change Record and Transaction Names](#).

To change the names of records or transactions:

1. Go to Setup > Company > Rename Records/Transactions.
2. On the Rename Records/Transactions page, the default record name appears in the fields.

3. In the top section of the page, edit the names of relationship records to better suit your company. For example, in the **Name for Customer** field, you can change **Customer** to **Client**.
4. Click the **Transaction Names** subtab.
 - In the **Name** column, rename your transactions as needed. For example, change **Cash Sale** to **Sales Receipt**.
 - In the **Abbreviation** column, update the abbreviation to match the new name. For example, change **RCPT** to **SALERCPT** for Cash Sale.

Transaction abbreviations often appear in transaction lists, such as the **Transactions** subtab on relationship records, in the audit trail, and on registers.
5. Click the **Account Type Names** subtab.

In the **Name** column, you can change your account names.
6. When you're done renaming records, transactions, and accounts, click **Save**.
7. If your account uses different languages, go to Home > Set Preferences, change your **Language** preference, and repeat steps 1-6.
8. Continue this process until you've renamed everything in every language your account uses.

Your record, transaction, and account names are now renamed everywhere in NetSuite to your new name.

Sections of the Rename Records/Transactions Page

The Setup > Company > Rename Records/Transactions page includes the following sections:

- [Rename Records/Transactions Page Body \(Record Names\)](#)
- [Rename Records/Transactions Transaction Names Subtab](#)
- [Rename Records/Transactions Account Type Names Subtab](#)

Rename Records/Transactions Page Body (Record Names)

In the main section of the Rename Records/Transactions page, you can change the names of standard NetSuite non-transactional record types.

The screenshot shows the 'Rename Records/Transactions' page with a title bar and a 'More' link. Below the title bar are 'Save' and 'Cancel' buttons. The main content area is a grid of input fields for renaming various record types. Each field has a label with an asterisk indicating it is required.

Record Type	Current Name
Name for Customer *	Customer
Name for Vendor *	Vendor
Name for Class *	Class
Name for Other Name *	Other Name
Name for Company *	Company
Name for Lead *	Lead
Name for Prospect *	Prospect
Name for Partner *	Partner
Name for Event *	Event
Name for Task *	Task
Name for Phone Call *	Phone Call
Name for Project *	Project

Rename Records/Transactions Transaction Names Subtab

On the Transaction Names subtab of the Rename Records/Transactions page, you can change the names and abbreviations of standard NetSuite transaction types.

Transaction Names • Account Type Names •		
Type ↑	Name	Abbreviation
Bill	Bill	BILL
Bill Credit	Bill Credit	BILLCRED
Bill Payment	Bill Payment	BILLPMT
CCard Refund	CCard Refund	CC CRED
Cash Refund	Cash Refund	RETURN
Cash Sale	Cash Sale	RCPT
Check	Check	CHK
Credit Card	Credit Card	CC
Credit Memo	Credit Memo	CREDMEM
Currency Revaluation	Currency Revaluation	REVAL

Rename Records/Transactions Account Type Names Subtab

On the Account Type Names subtab of the Rename Records/Transactions page, you can change the names of standard NetSuite account types.

Transaction Names • Account Type Names •		
Move To Top Move To Bottom		
Type	Name	
Bank	Bank	
Accounts Receivable	Accounts Receivable	
Other Current Asset	Other Current Asset	
Fixed Asset	Fixed Asset	
Other Asset	Other Asset	
Accounts Payable	Accounts Payable	
Credit Card	Credit Card	
Other Current Liability	Other Current Liability	
Long Term Liability	Long Term Liability	
Equity	Equity	
Income	Income	

To manage the list, you can move account type names up or down by selecting a line and clicking Move To Top or Move To Bottom. However, the order of the list on this subtab doesn't affect how users see account type lists.

Set Auto-Generated Numbers

The Set Up Auto-Generated Numbers page lets users with the Administrator role choose which record types that are automatically numbered as they're created. On this page you can also add prefixes and

suffixes to auto-generated numbers. Prefixes and suffixes help you determine a record, transaction, or document's type and how old it is.

For example, you may enable auto-generated numbering for customer records and add the prefix CUST. Every time you add a new customer, the record number goes up by one. When you look at your customer list, you can quickly see that CUST0025 is newer than CUST0004.

When you set up auto-generated numbers for a record type, the number replaces the name in the Company Name field. You can't switch record numbers back to names after you turn on auto-generated numbering and update the records.

 **Note:** Auto-generated numbers are always enabled for transaction and document types.

 **Important:** Internal IDs help with parallel processing, so the internal ID of a new record can be much higher than the second highest number. Internal IDs do not indicate when a record was created, even though they're assigned in order.

- [Overwrite Entity and CRM Record Type Numbers](#)
- [Auto-Generated Document Numbers](#)
- [Auto-Generated Transaction Numbers](#)
- [Reset Initial Transaction and Document Numbering Sequences](#)
- [Reporting](#)
- [Setting Up Auto-Generated Numbering](#)
- [Auto-Generated Numbering Settings](#)
- [Auto-Numbering for Document and Transaction Numbers](#)

 **Note:** To work with auto-generated numbers, you need a View level of the Auto-Generated Numbers permission.

Setting Up Auto-Generated Numbering

The Set Up Auto-Generated Numbers page enables users with the Administrator role to choose the record types that should be automatically numbered in the order in which they are created. For information about field settings, see [Auto-Generated Numbering Settings](#) and [Auto-Numbering for Document and Transaction Numbers](#).

To set up auto-generated numbering:

1. Go to Setup > Company > General Preferences
2. Check the **Show Transaction Numbering Setup** box and click **Save**.
3. Go to Setup > Company > Auto-Generated Numbers.
4. Customize your auto-generated numbering settings as required. Select **Within Parent Group** if you want to attach the subrecord number to the parent record number.

For example, you may want customer records to always have the prefix CUST and at least 6 digits. Click the **Entities** subtab and check the **Enable** box next to the customer record type. In the **Prefix** column, enter **CUST**, and in the **Minimum Digits** column, enter **6**. The first number will be CUST000001.

Entities • Document Numbers • Transaction Numbers • CRM • Other • Schedules •									
Enable	Within Parent Group	Type	Prefix	Suffix	Minimum Digits	Initial Number	Current Number	Allow Override	Update
☒		Customer	CUST		6		125	☐	☐
☒	☐	Subcustomer	CUST						☐
☐		Project					26	☐	☐
☐		Employee						☐	☐
☐		Partner						☐	☐
☐	☐	Subpartner							☐
☒		Vendor	JLZ				3	☐	☐

Or, you want assembly build document numbers to end with DN, have at least 5 digits, and let you enter your own name or number. Click the **Document Numbers** subtab and in the **Suffix** column, enter **DN** next to the document numbers record type. In the **Minimum Digits** column, enter **5**. The first number will be 00001DN. Check the **Allow Override** box to enter your own name or number on records.

Entities • Document Numbers • Transaction Numbers • CRM • Other • Schedules •										
Type ↑	advanced numbering	Prefix	Suffix	Minimum Digits	Update Initial Number	Initial Number	Use Location	Current Number	Allow Override	Update
Assembly Build			DN	5	☐		☐	8	☒	☐
Assembly Unbuild					☐		☐		☐	☐
Bad Debt Accrual	☐	Setup	BDA		☐		☐		☐	☐
Balancing Journal					☐		☐		☐	☐

5. Click **Save**.

To reset auto-generated transaction numbers, go to the Set Up Auto-Generated Numbers page and click **Reset**.

Auto-Generated Numbering Settings

Refer to the following auto-generated numbering settings when setting up auto-generated numbers for your company at Setup > Company > Auto-Generated Numbers. For more information, see [Set Auto-Generated Numbers](#)

For each record type, set the following preferences for auto-generated numbering.

- **Enable** – Check to apply auto-generated settings to this record type.
- **Within Parent Group** – Check to attach the subrecord number to the parent record number.
- **Type** – Shows the type of record you are configuring.
- **Prefix** – Enter any letters or numbers you want to show before every record number of this type.
- **Suffix** – Enter any letters or numbers you want to show after every record number of that type.

Note: You shouldn't use prefixes or suffixes that contain only numbers. Also, use a separator, such as a dash (-) or underscore (_), at the end of prefixes or beginning of suffixes.

- **Minimum Digits** – Enter the minimum number of digits for your auto-generated numbers, from 0-20. For example, if you enter **4**, your first record is 0001.
- **Initial Number** – Enter the number you want for your first record. Changing the initial number for an entity, CRM, or schedule record type sets the next number in the series of auto-generated numbered records. It doesn't change the numbering scheme.

 **Warning:** Resetting the initial number may cause duplicate numbers in your account. Also, if you reset the initial document number while updating an existing transaction type, the document number on that transaction record isn't updated.

- **Current Number** – Shows the latest number in the sequence for this record.
- **Allow Override** – Check this box to enter your own name or number on records.

The following document number types cannot be overwritten.

- ☐ Bill (Vendor Bill), Externally referenced
 - ☐ Bill Credit (Vendor Credit), Externally referenced
 - ☐ Bill Payment (Vendor Payment), Account-based
 - ☐ Check, Account-based
 - ☐ Credit Card Charge (Customer Credit Card), Externally referenced
 - ☐ Credit Card Refund (CCard Refund), Externally referenced
 - ☐ Customer Refund, Account-based
 - ☐ Paycheck, Account-based
 - ☐ Payroll Liability Check, Account-based
 - ☐ Sales Tax Payment (Tax Payment), Account-based
 - ☐ Tax Liability Cheque (Tax Liability), Account-based
- **Update** – Check this box to assign a number to all existing records of that type, starting with the next available number or the one you enter in the **Initial Number** column, whichever is higher.

When your existing records are numbered, the old name moves to the **Company Name** field. If the **Company Name** field is already filled, the old name shows next to the new number.

 **Warning:** Updating document numbers irreversibly changes all document numbers on historical transactions.

 **Important:** The **Update** column is used to auto-generate numbers for records that haven't been numbered yet. If you change the initial number for a record type and check **Update**, the new number is assigned to the next record you create but existing records aren't renumbered.

 **Note:** On existing employee records that are numbered, the old name moves to the **First Name**, **Middle Initial**, and **Last Name** fields.

 **Note:** On document and transaction type numbers, the **Update** box is disabled if you've checked the **Use Location** or **Use Subsidiary** box.

Auto-Numbering for Document and Transaction Numbers

The following options are available when using auto-numbering for documents and transactions:

- **Advanced Numbering** – The Advanced Numbering feature lets you set up flexible document and transaction numbering to meet the requirements of the countries you do business in. With this feature, you can create multiple complex numbering sequences for each transaction type, fiscal year, and other criteria. Advanced Numbering automatically updates your document or transaction number sequence, for example, a new fiscal year begins, or you create different types of transactions. For more information, see [Advanced Numbering](#).

- **Update Initial Number** – For document and transaction type numbers, users with the Administrator role can reset the initial number. Check the **Update Initial Number** box to edit the **Initial Number** field, then enter the new number.

 **Warning:** Resetting the initial number may cause duplicate numbers in your account. Also, if you reset the initial document number while updating an existing transaction type, the document number on that transaction record isn't updated.

- **Use Subsidiary** – For document type numbers, check this box to use the document numbering prefix specified on the subsidiary record.

For transaction type numbers, check this box to use the transaction prefix specified on the subsidiary record.

Edit or create prefixes for each subsidiary at Setup > Company > Subsidiaries > New > List or Setup > Company > Subsidiaries > New.

 **Note:** NetSuite uses the document or transaction prefix for numbering **only** if it's specified on the subsidiary record.

 **Note:** The **Use Subsidiary** column appears only in NetSuite OneWorld accounts.

- **Use Location** – For document type numbers, check this box to use the document prefix specified on the location record. For transaction type numbers, check this box to use the transaction prefix specified on the location record.

 **Note:** NetSuite uses the document or transaction prefix for numbering **only** if it's specified on the location record.

Overwrite Entity and CRM Record Type Numbers

For some entity and CRM record types, you can check the Allow Override box to let users enter numbers manually instead of using the auto-generated numbers. Be aware that letting users overwrite these numbers can create duplicates or gaps in the numbering. Use this feature with caution.

After someone manually changes a number, the next auto-generated number follows the higher number in the series.

- For example, the latest record has auto-generated number 53 and someone manually assign 05 to a new record. The number of the next record created is 54.
- For example, if you change customer record number 101 to 1001, auto-generated numbers begin at 1002.

Also, if you manually set a record number to a higher value, auto-generated numbers begin at the next number. Use this feature with caution.

Auto-Generated Document Numbers

Auto-generated document numbers are external numbers such as a vendor bill number, or account-based, such as a check number. You can also use type-based document numbers, which appear as custom columns in searches and lists.

If the Allow Override box is checked for a document type, users can accidentally create duplicate document numbers or numbering gaps in your account. To prevent duplicated document type numbers and numbering gaps, you can customize transaction type records to display the Generate Document Number on Save box. When you check this box, NetSuite saves the document number when you saves

the transaction, not when you open it. This ensures the document number is unique for that type, as if the Allow Override box wasn't checked. To display the Generate Document Number on Save box on transaction type records and on standard reports, go to Customization > Forms > Transaction Forms. Find transaction type, click Customize, and click the Screen Fields subtab. In the Label column, find Generate Document Number on Save, check the Show box, and save the record.

If the Allow Override box is checked for a specific document type and you don't see the Generate Document Number on Save box, NetSuite saves the document number when you open the transaction. This can result in more than one transaction record having the same TranID. For example, User One opens a transaction with TranID 100. Before User One saves the transaction, User Two opens another instance of the same record, which is also assigned TranID 100.

 **Note:** If you try to save a record with a duplicate TranID, NetSuite shows an error. You can cancel the message and save the duplicated number.

 **Important:** For external numbering sequences such as vendor bill, each vendor has a unique document number, so the same document number can be assigned to more than one vendor. NetSuite won't let a vendor have duplicated document numbers on the same transaction type. This applies to all four external transaction types, whether they were entered in the UI or through a CSV import: Bill (Vendor Bill), Bill Credit (Vendor Credit), Credit Card Charge (Customer Credit Card), and Credit Card Refund (CCard Refund).

 **Warning:** Updating document numbers permanently changes all document numbers on historical transactions.

Auto-Generated Transaction Numbers

Auto-generated transaction numbers are internal, gapless, and can't be changed. They're generated for each standard and custom transaction type when you save the record.

The Transaction Numbers subtab (previously called Transactions subtab), at Setup > Company > Auto-Generated Numbers isn't visible by default. If you need to set up transaction type options, go to Setup > Company > General Preferences and check the Show Transaction Numbering Setup box.

 **Important:** If you started using NetSuite in 2016.1 or later, each transaction type is automatically assigned a default prefix, the internal system name. For example, Bill uses VENDBILL. You can change or delete the default prefix if you want.

Some settings from the old Transactions subtab now appear on the new Transaction Numbers subtab. This occurs for account-based and externally generated transactions because these settings affect both document and transaction numbers. Account-based and externally generated transactions include the following:

- Bill (Vendor Bill), Externally generated
- Bill Credit (Vendor Credit), Externally generated
- Bill Payment (Vendor Payment), Account-based
- Check, Account-based
- Credit Card Charge (Customer Credit Card), Externally generated
- Credit Card Refund (CCard Refund), Externally generated
- Customer Refund, Account-based
- Paycheck, Account-based
- Paycheck Journal, Regular
- Payroll Liability Check, Account-based

- Sales Tax Payment (Tax Payment), Account-based
- Tax Liability Cheque (Tax Liability), Account-based

Settings for transaction types other than account-based or externally generated numbers were moved to the Document Numbers subtab. You can change those options on the Document Numbers subtab as needed.

If you don't have auto-generated numbering set up, document type numbers start at 1.

By default, internal transaction numbers don't appear on transaction type records or standard reports, but you can customize any transaction type record to make them visible. To display internal transaction numbers on transaction records, go to Customization > Forms > Transaction Forms. Find the transaction type, click Customize, and click the Screen Fields subtab. In the Label column, find Transaction Number, check the Show box, and then save. For information about customizing transaction forms, see the help topic [Custom Forms](#).

You can search for internal transaction numbers when the number is hidden or visible in the UI.

Successful CSV transaction imports are numbered based on the internal sequence at the time of the import.

When you copy transactions, they're numbered based on the internal sequence at that time.



Important: In the old Transactions subtab, you could overwrite the internal number of transactions if the Allow Override box was checked for the transaction type. That could cause duplicate internal numbering in these historical transactions. In the new Transaction Numbers subtab, you can't overwrite transaction numbers, only document numbers. NetSuite doesn't renumber historical internal transaction numbers.

Reset Initial Transaction and Document Numbering Sequences

In some countries, it is a legal requirement to reset an initial transaction number each fiscal year. Users with the Administrator role can reset the initial record number for both transaction and document types.

Be aware that resetting the initial number can cause duplicate numbers in your account. In addition, if you reset the initial document number while updating an existing transaction record, the document number on that transaction doesn't change. Use this feature with caution and make sure you understand the risks.

For instructions on resetting auto-generated transaction numbers, see [Setting Up Auto-Generated Numbering](#).

Reporting

The Transaction Numbering Audit Log tracks auto-generated numbering. For more information, see [Transaction Numbering Audit Log](#).

By default, transaction lists display only the **Document Number** field in searches and reports. If you include the **Transaction Number** field, be aware that it's different from the **Document Number** field for the following transaction types.

- Bill (Vendor Bill), Externally generated
- Bill Credit (Vendor Credit), Externally generated
- Bill Payment (Vendor Payment), Account-based
- Check, Account-based

- Credit Card Charge (Customer Credit Card), Externally generated
- Credit Card Refund (CCard Refund), Externally generated
- Customer Refund, Account-based
- Paycheck, Account-based
- Paycheck Journal, Regular
- Payroll Liability Check, Account-based
- Sales Tax Payment (Tax Payment), Account-based
- Tax Liability Cheque (Tax Liability), Account-based

For all other transaction types the document number and transaction number values are the same.

Records and Transactions Available for Auto-Numbering

The Transaction Numbering Audit Log tracks record, document type, and transaction type numbers.

 **Note:** Multi-Book Accounting doesn't affect transaction numbering.

See the following sections for more information:

- [Entity Records Available for Auto-Numbering](#)
- [Document Numbers Available for Auto-Numbering](#)
- [Transaction Numbers Available for Auto-Numbering](#)
- [CRM Records Available for Auto-Numbering](#)
- [Schedule Records Available for Auto-Numbering](#)

Entity Records Available for Auto-Numbering

On the Entities subtab of the Set Up Auto-Generated Numbers page, you can replace the names of the following record types with numbers:

Customer	Subcustomer
Project	Employee
Partner	Subpartner
Vendor	—

Document Numbers Available for Auto-Numbering

 **Important:** If you were using NetSuite before 2015.2, your settings from the old Transaction subtab were copied to the new Document Numbers subtab. You can update settings as needed on the Document Numbers subtab, or on the Transaction Numbers subtab, if it's visible. To show the Transaction Numbers subtab, go to Setup > Company > General Preferences, check Show Transaction Numbering Setup, and save.

For new customers, document type numbers aren't set up, except for the starting number, which is 1.

Some document types on the Document Numbers subtab of the Set Up Auto-Generated Numbers page may not be available if the related features aren't enabled in your account.

Auto-generated document numbers are external numbers such as a vendor bill number, or account based, such as a check number. You can also use type-based document numbers, appear as custom columns in searches and lists.

For more information, see [Auto-Generated Document Numbers](#).

Important: For external numbering sequences such as vendor bill, each vendor has a unique document number, so the same document number can be assigned to more than one vendor. NetSuite won't let a vendor have duplicated document numbers on the same transaction type. This applies to all four external transaction types whether they were entered in the UI or through a CSV import: Bill (Vendor Bill), Bill Credit (Vendor Credit), Credit Card Charge (Customer Credit Card), and Credit Card Refund (CCard Refund).

Warning: Updating document numbers permanently changes all document numbers on historical transactions.

You can place letters before or after the numbers of the following document types:

Assembly Build	Assembly Unbuild
Bin Putaway Worksheet	Bin Transfer
Blanket Purchase Order	Cash Refund
Cash Sale	Commission
Credit Memo	Currency Revaluation
Custom	Customer Deposit
Deposit	Deposit Application
Estimate	Expense Report
Finance Charge	Inventory Adjustment
Note: This numbering sequence is shared with Invoice.	
Inventory Cost Revaluation	Inventory Count
Inventory Distribution	Inventory Transfer
Inventory Worksheet	Invoice
Note: This numbering sequence is shared with Finance Charge.	
Item Fulfillment	Item Receipt
Journal	Opportunity
Paycheck Journal	Payment (Customer)
Payroll Adjustment (Year-to-Date)	Purchase Contract
Purchase Order	Request For Quote

Requisition	Return Authorization
Revenue Commitment	Revenue Commitment Reversal
Revenue Contract	Sales Order
Statement Charge	Store Pickup Fulfillment
Tegata Payable	Tegata Receivable
Transfer	Transfer Order
Vendor Request For Quote	Vendor Return Authorization
Work Order	Work Order Close
Work Order Completion	Work Order Issue

Transaction Numbers Available for Auto-Numbering

Some transaction types listed on the Transaction Numbers subtab of the Set Up Auto-Generated Numbers page may not be available if the related features aren't enabled in your account.

Auto-generated transaction numbers are internal, gapless, and can't be changed. They're generated for each standard and custom transaction type when you save the record.

For more information, see [Auto-Generated Transaction Numbers](#).



Important: In the old Transactions subtab, you could overwrite the internal number of transactions if the Allow Override box was checked for the transaction type. That could cause duplicate internal numbering in these historical transactions. In the new Transaction Numbers subtab, you can't overwrite transaction numbers, only document numbers. NetSuite doesn't renumber historical internal transaction numbers.

If the Use Deletion Reason feature is enabled in your account, users must provide a reason when deleting transaction type records. For more information, see the help topic [Recording a Reason for Deleting a Transaction](#).

You can place letters before or after the numbers of the following transaction types:

Assembly Build	Assembly Unbuild
Bill (Vendor Bill)	Bill Credit (Vendor Credit)
Bill Payment (Vendor Payment)	Bin Putaway Worksheet
Bin Transfer	Blanket Purchase Order
CCard Refund (Credit Card Refund)	Cash Refund
Cash Sale	Check
Commission	Credit Card (Customer Credit Card Charge)
Credit Memo	Currency Revaluation
Custom	Customer Deposit
Customer Refund	Deposit
Deposit Application	Estimate

Expense Report	Finance Charge
	 Note: This numbering sequence is shared with Invoice.
Fixed Asset Accrual	Inventory Adjustment
Inventory Cost Revaluation	Inventory Count
Inventory Distribution	Inventory Transfer
Inventory Worksheet	Invoice
	 Note: This numbering sequence is shared with Finance Charge.
Item Fulfillment	Item Receipt
Journal	Opportunity
Paycheck	Paycheck Journal
Payment (Customer)	Payroll Adjustment (Year-to-Date)
Payroll Liability Check	Purchase Contract
Purchase Order	Request For Quote
Requisition	Return Authorization
Revenue Commitment	Revenue Commitment Reversal
Revenue Contract	Sales Order
Sales Tax Payment (Tax Payment)	Statement Charge
Store Pickup Fulfillment	Tax Liability Cheque (Tax Liability)
Tegata Payable	Tegata Receivable
Transfer	Transfer Order
Vendor Request For Quote	Vendor Return Authorization
Work Order	Work Order Close
Work Order Completion	Work Order Issue

Account-based transaction types display an additional read-only, auto-generated number in the Transaction Number field. You'll see this additional number on Check transactions, where the numbering sequence depends on a particular account. You'll also see these numbers on transactions where the numbers are used for external reference, such as Vendor Bill.

Here are the transaction types where the numbering sequences are either account-based or externally referenced:

- Bill (Vendor Bill), Externally referenced
- Bill Credit (Vendor Credit), Externally referenced
- Bill Payment (Vendor Payment), Account-based
- Check, Account-based

- Credit Card Charge (Customer Credit Card), Externally referenced
- Credit Card Refund (CCard Refund), Externally referenced
- Customer Refund, Account-based
- Paycheck, Account-based
- Payroll Liability Check, Account-based
- Sales Tax Payment (Tax Payment), Account-based
- Tax Liability Cheque (Tax Liability), Account-based

Note: The **Transaction Number** field is visible by default on standard NetSuite forms, but not on custom forms. You can customize a form to show this field if you want.

By default, transaction lists show only the **Number** field in searches and reports. If you plan to add the **Transaction Number** field, be aware that this value is different from the **Number** field for the account-based and externally referenced transaction types listed previously. For all other transaction types, the two values are the same.

Important: If you copy an externally referenced transaction such as Vendor Bill, the reference number isn't copied to avoid duplicates.

Warning: You can't auto-generate numbers for journals if you set the Always Allow Per-line Classifications on Journals preference.

CRM Records Available for Auto-Numbering

On the CRM subtab of the Set Up Auto-Generated Numbers page, you can replace the names of the following records with numbers:

Campaign	Issue
Solution	Support Case

Schedule Records Available for Auto-Numbering

On the Schedules subtab of the Set Up Auto-Generated Numbers page, you can replace the names of the following records with numbers:

Amortization Schedule	Revenue Recognition Schedule
-----------------------	------------------------------

Transaction Numbering Audit Log

The Transaction Numbering Audit Log lists every internal transaction number, even for standard and custom transactions that were deleted or didn't get created. Transactions that didn't get created include cash sales that fail due to problems with credit card processing. For more information about internal transaction numbers, see [Auto-Generated Transaction Numbers](#).

Users with the Administrator role or the **Access to transaction numbering audit log** permission can view this audit log at Transactions > Management > Transaction Numbering Audit Log.

This audit log shows the transaction type, number, date and time the number was assigned, and who created the transaction. Subsidiary and location also display if your auto-generated numbering is based on those.

If a transaction is deleted, you'll see the date and time it was deleted and the person who deleted it. If a transaction didn't get created, the reason displays in the Message column.

If the Use Deletion Reason feature is enabled in your account, the log also provides the reason why a user deleted a transaction and any related memo. For more information, see the help topic [Recording a Reason for Deleting a Transaction](#).

Advanced Numbering

The Advanced Numbering feature lets you set up flexible document and transaction numbering to match the requirements of the countries you do business in. With this feature, you can create multiple complex numbering sequences for each transaction type, fiscal year, and other criteria. Advanced Numbering automatically updates your document or transaction number sequence, for example, when a new fiscal year begins, or you create different types of transactions.

The generated numbers use prefixes and suffixes that you set in each rule. You can also set which advanced numbering rules run first in different situations. NetSuite generates the number when you save the transaction.

Advanced Numbering supports the following transaction types:

Document Number Only	Transaction Number Only
■ Cash refund ■ Cash sale ■ Credit memo ■ Currency revaluation ■ Custom transactions ■ Customer deposit ■ Deposit ■ Deposit application ■ Estimate ■ Expense report ■ Invoice ■ Item fulfillment ■ Item receipt ■ Journal ■ Opportunity ■ Payment ■ Purchase order ■ Return authorization ■ Sales order ■ System journal	■ Bill ■ Bill credit ■ Credit card ■ Credit card refund ■ Custom transactions

Definitions

Advanced Numbering uses two parts to generate numbers: a rule set and rules.

Advanced numbering rule set – A collection of advanced numbering rules for one transaction type. Every rule set has at least one rule, and you can set the order that they run in. Each rule set has of Default rule that assigns the number if no other rule applies. You can't edit or delete this rule.

Advanced numbering rule – This defines a numbering scheme. You can use fiscal year expressions that match your company's fiscal year setup at Setup > Accounting > Manage G/L > Manage Accounting Periods, and other expressions that use only the transaction date.

Each rule has the following attributes:

- Numbering format (prefixes, suffixes, and minimum digits)
- Automated sequences by segment – A rule can use any combination of fiscal year, location, or subsidiary, and NetSuite will generate a unique number for every combination you select. For example:
 - If you select fiscal year, NetSuite will generate a unique numbering sequence for every fiscal year (1 sequence for each fiscal year).
 - If you select fiscal year and subsidiary, NetSuite will generate a unique sequence for each subsidiary every fiscal year.
- Application criteria, including date range, country, and more. For example, you can apply a numbering rule to transactions in a certain date range, whether they're posting or not, or they're in a certain posting period.



Important: If you use a custom field in a numbering rule, you can't change the field settings because any change will break the rule.

You also can't change the field ID.

For examples of advanced numbering rules, see [Advanced Numbering Examples](#).

Enabling the Advanced Numbering Feature

To enable the Advanced Numbering feature:

1. Go to Setup > Company > Enable Features (Administrator). In the Company subtab, scroll to ERP General and check the **Advanced Numbering** box.
2. Click **Save**.

Next, enable Advanced Numbering for document or transaction numbers by supported transaction type:

- To enable Advanced Numbering for document numbers, see [Enabling Advanced Numbering for Document Numbers](#).
- To enable Advanced Numbering for transaction numbers, see [Enabling Advanced Numbering for Transaction Numbers](#).

Managing Access to Advanced Numbering

Use the Auto-Generated Numbers permission to control who can use this feature. This permission lets you decide who can access the Set Up Auto-Generated Numbers page and other Advanced Numbering forms. This permission has three levels:

- **View** – Users can see all pages where advanced numbering is defined. Examples include the Auto-Generated Numbers page, the Advanced Numbering Rule Set page, and the Advanced Numbering Rule page.
- **Edit** – Users can add and edit advanced numbering rules.

- **Full** – Users can add and edit advanced numbering rules and enable or disable the Advanced Numbering feature.

When you use Advanced Numbering, every transaction has an Applied Rules subtab that displays the following information:

- The date NetSuite applied the rule
- A Rule Type field that shows which feature applied the rule
- An action log link to additional feature-specific information

Enabling Advanced Numbering for Document Numbers

The following procedure describes how to enable Advanced Numbering for document numbers.

To enable Advanced Numbering for document numbers:

1. Go to Setup > Company > Auto-Generated Numbers (Administrator).
2. Click the **Document Numbers** subtab.
3. Check the **Advanced Numbering** box next to each transaction type you want advanced numbering for.
4. Click **Save**.

NetSuite now displays a **Setup** link next to each transaction type you selected and creates a rule set for them. It also moves your existing numbering settings for each transaction type to the standard rule in the rule set. For more information, see [Migrating Existing Numbering Rules to Advanced Numbering Rules](#).

Enabling Advanced Numbering for Transaction Numbers

The following procedure describes how to enable Advanced Numbering for transaction numbers.

To enable Advanced Numbering for transaction numbers:

1. Go to Setup > Company > Preferences > General Preferences (Administrator).
2. Check the **Show Transaction Numbering Setup** box.
3. Click **Save**.
4. Go to Setup > Company > Auto-Generated Numbers (Administrator).
5. Click the **Transaction Numbers** subtab.
6. Check the **Advanced Numbering** box next to each transaction type you want advanced numbering for.
7. Click **Save**.

NetSuite now displays a **Setup** link next to each transaction type you selected and creates a rule set for them. It also moves your existing numbering settings for each transaction type to the standard rule in the rule set. For more information, see [Migrating Existing Numbering Rules to Advanced Numbering Rules](#).

Migrating Existing Numbering Rules to Advanced Numbering Rules

When you enable Advanced Numbering for a transaction type, NetSuite moves your existing numbering settings into a standard advanced numbering rule for that transaction type. When NetSuite moves your numbering settings:

- The prefix, suffix, minimum digits, and initial number from your old settings go into the same fields in the standard rule.
- The subsidiary or location is added to the prefix field in the standard rule.
- The advanced numbering rule uses your existing document or transaction number prefixes for subsidiaries or locations. For more information, see the help topics [Creating Subsidiary Records](#) and [Creating Locations](#).

Creating Advanced Numbering Rules by Transaction Type

Advanced numbering sequences combine a rule set and its rules. You can add as many rules as you need for any standard or custom transaction type. You create an advanced numbering rule in three steps:

1. Enter the number format, including prefix and suffix, for your numbering sequence. For more information, see [Entering the Number Format](#).
2. Use the **Sequences by Segment** subtab to select a segment (fiscal year, subsidiary, or location) for the sequence. Advanced Numbering creates a unique sequence for each combination you select. For more information, see [Selecting the Sequences by Segment](#).
3. Use the **Criteria** subtab to set when to apply the sequence. You must have at least one criterion. You should use Date to limit Advanced Numbering to the following:
 - Transactions that happen after you enabled the feature
 - Transactions that happen after the date you want to start using Advanced Numbering.

For more information, see [Selecting the Advanced Numbering Criteria](#).

For detailed instructions to create an advanced numbering rule, see [Creating an Advanced Numbering Rule](#).

Entering the Number Format

Advanced Numbering lets you use expressions in your numbering rules to add fiscal year, subsidiary, location, and transaction date information to your transaction and document numbers. Some of these expressions are linked to the segment you select on the Sequences by Segment subtab, and must be used in a prefix or suffix if you want new sequences for each segment. For more information, see [Selecting the Sequences by Segment](#).

If you use Fiscal Year as a segment in your numbering and want to create a new sequence for each fiscal year, you must add one of the following fiscal year expressions in the prefix or suffix. Advanced numbering checks transaction dates against these expressions to determine which fiscal year to use.

- **\${YYYY_START}** or **\${YY_START}**: If your fiscal year covers two years, this uses the four- or two-digit year from the first part of the calendar year. For example, if your fiscal year is July 2020 to June 2021, a transaction dated September 16, 2020 would be in FY 2020.
- **\${YYYY_END}** or **\${YY_END}**: If your fiscal year covers two years, this uses the four- or two-digit year from the second portion of the calendar year. For example, if your fiscal year is July 2020 to June 2021, a transaction dated of September 16, 2020 would be in FY 2021.

For more information, see [Using Fiscal Year Expressions with Advanced Numbering Rules](#).

If you want to generate numbers based only on the transaction date with no connection to a fiscal or calendar year, use the following expressions:

- **\${YYYY}** or **\${YY}**: Adds the four- digit or two-digit year from the transaction date
- **\${MM}**: Adds the numerical month from the transaction date

- **\${DD}**: Adds the numerical day from the transaction date

If you use location or subsidiary to sequence by segment, you must include an expression for location or subsidiary in the rule prefix or suffix:

- **\${location}**: Adds a location prefix from a Location record
- **\${subsidiary}**: Adds a subsidiary prefix from a Subsidiary record

For the next step in the Advanced Numbering workflow, see [Selecting the Sequences by Segment](#).

Selecting the Sequences by Segment

In the Sequences by Segment subtab, select any combination of the following segments to use in your advanced numbering rules:

- Fiscal Year
- Subsidiary
- Location

Advanced Numbering creates a unique sequence for each combination you select. For example:

- If you select fiscal year, NetSuite will generate a unique numbering sequence for every fiscal year (1 sequence for each fiscal year).
- If you select fiscal year and subsidiary, NetSuite will automatically generate a unique sequence for each subsidiary every fiscal year.

The following expressions in the number format generate additional numbering sequences by segment value:

- **\${YYYY_START}** or **\${YY_START}**
- **\${YYYY_END}** or **\${YY_END}**
- **\${location}**
- **\${subsidiary}**

Expressions tied to calendar year, including **\${YYYY}** or **\${MM}**, aren't connected to the fiscal year segment.

For more information about using expressions with Sequences by Segment, see [Entering the Number Format](#) and [Using Fiscal Year Expressions with Advanced Numbering Rules](#).

For the next step in the Advanced Numbering workflow, see [Selecting the Advanced Numbering Criteria](#).

Using Fiscal Year Expressions with Advanced Numbering Rules

You can define your company's fiscal year at Setup > Accounting > Manage G/L > Manage Accounting Periods. Fiscal years don't have to align with calendar years. For more information, see the help topic [Fiscal Calendars](#).

You can use the following fiscal year expressions to show the fiscal year in your advanced numbering rules. You can use any of these expressions if your fiscal year matches the calendar year.

- **\${YYYY_START}**: When your fiscal year covers two years, this uses the four-digit year from the first part as the fiscal year.
- **\${YY_START}**: When your fiscal year covers two years, this uses the two-digit year from the first part as the fiscal year.

- **\${YYYY_END}**: When your fiscal year covers two years, this uses the four-digit year from the second part as the fiscal year.
- **\${YY_END}**: When your fiscal year covers two years, this uses the two-digit year from the second part as the fiscal year.

The following table shows examples of fiscal year expressions in advanced numbering rules.

Your Company's Fiscal Year	Transaction Date	Expression in Advanced Numbering Rule	Year Used in Document or Transaction Number
From July 2020 to June 2021	September 16, 2020	\${YYYY_START}	2020
From July 2020 to June 2021	September 16, 2020	\${YYYY_END}	2021
From July 2020 to June 2021	September 16, 2020	\${YYYY}	2020
From July 2020 to June 2021	September 16, 2020	\${MM}	09
From July 2020 to June 2021	September 16, 2020	\${DD}	16
From July 2020 to June 2021	January 5, 2021	\${YYYY_START}	2020
From July 2020 to June 2021	January 5, 2021	\${YYYY_END}	2021
From January 2020 to December 2020	September 16, 2020	\${YYYY_START}	2020
From January 2020 to December 2020	September 16, 2020	\${YYYY_END}	2020
From January 2021 to December 2021	January 5, 2021	\${YYYY_START}	2021
From January 2021 to December 2021	January 5, 2021	\${YYYY_END}	2021
Any defined fiscal year	January 5, 2021	\${YYYY}	2021
Any defined fiscal year	January 5, 2021	\${MM}	01
Any defined fiscal year	January 5, 2021	\${DD}	05

Selecting the Advanced Numbering Criteria

Selecting the criteria for your advanced numbering rule is the last step when you set up the rule, as described in [Creating an Advanced Numbering Rule](#). In the **Criteria** subtab, select the fields NetSuite will use to determine when to number transactions. For example, you can apply a numbering rule to transactions in a certain date range, whether they're posting or not, or if they're in a specified posting period.

Tips for Selecting Criteria

You must have at least one criterion. You should use Date to limit Advanced Numbering to:

- Transactions that happen after you turned on the feature
- Transactions that happen after the date you want to start using Advanced Numbering



Important: If you use a custom field in a numbering rule, you can't change the field settings because any change will break the rule.

You also can't change the field ID.

Available Criteria

You can select any combination of the following fields to use as criteria for your advanced numbering rule:

- Subsidiary
- Posting Period
- Posting (Y/N)
- Memo
- Location
- Date
- Currency
- (Subsidiary) Country
- The following types of custom fields:
 - Checkbox
 - Currency
 - Date
 - Decimal Number
 - Email Address
 - Free-Form Text
 - Integer
 - List/Record
 - Rich Text
 - Text Area

Creating an Advanced Numbering Rule

See the following detailed instructions to create an advanced numbering rule.

To create an advanced numbering rule:

1. Go to Setup > Company > Auto-Generated Numbers (Administrator) and click the Document Numbers or Transaction Numbers subtab.
2. Click the **Setup** link next to the transaction type you want to create the rule for.
3. In the Advanced Numbering Rule Set, click **New Rule**.
4. Type a name for the rule, using up to 32 characters.
5. (Optional) Check the **Inactive** box if you want to create the rule as inactive.
6. Enter the following in the Numbering section:

- Prefix
- Suffix
- Minimum Digits
- Initial Number

The **Number Preview** field displays what the next number will look like whenever you finish editing a Numbering Format field.

For more information, see [Entering the Number Format](#).

7. In the **Sequences by Segment** subtab, select the segment to create unique sequences for. You can create unique sequences for each fiscal year, location, subsidiary, or any combination of the three. NetSuite will create a unique numbering sequence for every combination.
For more information, see [Selecting the Sequences by Segment](#).
8. On the **Criteria** subtab, select the fields NetSuite will use to determine when to number transactions. For example, you can apply a numbering rule to transactions in a certain date range, whether they're posting or not, or if they're in a specified posting period. For more information, see [Selecting the Advanced Numbering Criteria](#).
9. Click **Save**.
10. The Advanced Numbering Rules page displays a list of all rules in the rule set. Click **Edit**.
11. Set the order of your rules in the rule set. Rules run in ascending numerical order. To change the order, click a rule and click Move Up, Move Down, Move To Top, or Move to Bottom. For each transaction, NetSuite uses the first rule in the rule set that matches all criteria.
12. Click **Save**.

Copying Advanced Numbering Rules

The following procedure describes how to copy an advanced numbering rule.

To copy an advanced numbering rule:

1. Go to Setup > Company > Auto-Generated Numbers (Administrator) and click the Document Numbers or Transaction Numbers subtab.
2. Click the **Setup** link next to the transaction type with the rule set that includes the rule you want to copy.
3. On the **Rules** subtab, click the rule you want to copy.
4. In the Actions menu, select **Make Copy**.
5. Enter a new name for the rule.
6. Update the prefix, suffix, minimum digits, initial number, Sequences by Segment, and Criteria as needed.
7. Click **Save**.
8. The Advanced Numbering Rules page displays a list of all rules in the rule set. Click **Edit**.
9. Set the order of your rules in the rule set. Click a rule and click Move Up, Move Down, Move To Top, or Move to Bottom.
10. Click **Save**.

Deleting Advanced Numbering Rules

The following instructions describe how to delete an advanced numbering rule.

To delete an advanced numbering rule:

1. Go to Setup > Company > Auto-Generated Numbers (Administrator) and click the Document Numbers or Transaction Numbers subtab.
2. Click the **Setup** link next to the transaction type with the rule set that includes the rule you want to delete.
3. On the **Rules** subtab, click the rule you want to delete.
4. Click **Edit**.
5. In the Actions menu, select **Delete**.
6. Click **OK**.

NetSuite deletes the rule and takes you back to the Advanced Numbering Rules page.

Disabling Advanced Numbering

You can disable Advanced Numbering for a transaction type after you delete or inactivate all custom advanced numbering rules. You can also disable Advanced Numbering for the account.

Disabling Advanced Numbering for a Transaction Type

To disable Advanced Numbering for a transaction type, you delete or inactivate all custom advanced numbering rules.

To disable Advanced Numbering for a transaction type:

1. Go to Setup > Company > Auto-Generated Numbers (Administrator) and click the **Document Numbers** or **Transaction Numbers** subtab.
2. Delete or inactivate all custom advanced numbering rules for that transaction type. You don't need to delete the standard rule. For more information, see [Deleting Advanced Numbering Rules](#).

Note: If you inactivate the custom rules, NetSuite keeps them even if you disable Advanced Numbering. If you enable it again in the future, NetSuite will create a new custom rule for that transaction type and show the inactive rules.

3. Clear the **Advanced Numbering** box next to the transaction type you don't want to use Advanced Numbering for and save.

Note: If you disable the Advanced Numbering feature, the subsequent transaction numbering sequences may not generate correctly.

Disabling Advanced Numbering for the Account

To disable the Advanced Numbering feature for your account, first you need to disable advanced numbering for all transaction types.

To disable the Advanced Numbering feature for your account:

1. Disable the Advanced Numbering feature for all transaction types.

2. Go to Setup > Company > Enable Features (Administrator). On the Company subtab, scroll to ERP General and clear the **Advanced Numbering** box.
3. Click **Save**.

Importing Transactions When Using Advanced Numbering

When you import transactions from another application, Advanced Numbering determines which numbers to use based on the following rules:

- If external document numbers are included, Advanced Numbering uses them.
- If external document numbers are missing, Advanced Numbering generates them using your rules.
- Advanced Numbering always generates new transaction numbers. You can't import transaction numbers from external applications or overwrite the NetSuite transaction numbers with external ones.

These rules apply to transactions you import using the following methods:

- SuiteScript
- CSV import
- REST
- JSON

Advanced Numbering Examples

See the following use cases for Advanced Numbering:

- [Invoice Advanced Numbering Rules Example](#)
- [Vendor Bill Advanced Numbering Rule Example](#)

Invoice Advanced Numbering Rules Example

You want to create two invoice advanced numbering rules. For Rule A, customer invoices use the format INV-year-number, starting from January 1, 2021, and only for a Canadian subsidiary. For Rule B, customer invoices use the format INV-year-number-subsidiary, starting from January 1, 2021, for all non-Canadian subsidiaries.

Creating Invoice Advanced Numbering Rule A

For Rule A, you want each customer invoice to use the format INV-year-number, starting from January 1, 2021, and only for a Canadian subsidiary. Numbers should start at 1 and have at least 5 digits, with a new sequence starting each fiscal year. The first invoice number should be INV-2021-00001.

To create invoice advanced numbering rule A:

1. In the **Prefix** field, enter **INV-`{YYYY_START}`-**.
2. On the **Sequences by Segment** subtab, select **Fiscal Year**.
3. On the **Criteria** subtab:
 - a. Add the **Date** field and set it to **is on or after 1/1/2021**.
 - b. Add the **Subsidiary** field and set it to **is CAN subsid**.

Creating Invoice Advanced Numbering Rule B

For Rule B, you want each customer invoice to use the format INV-year-number-subsidiary, starting from January 1, 2021, for all non-Canadian subsidiaries. Numbers should start at 1 and have at least 5 digits. For example, the first for Singapore should be INV-2021-00001-SING, and for Philippines, INV-2021-00001-PHIL.

To create invoice advanced numbering rule B:

1. In the **Prefix** field, enter **INV- $\{YYYY_START\}$ -**.
2. In the **Suffix** field, enter **- $\{subsidiary\}$** .
3. On the **Sequences by Segment** subtab, add **Fiscal Year** and **Subsidiary**.
4. On the **Criteria** subtab:
 - a. Add the **Date** field and set it to **is on or after 1/1/2021**.
 - b. Add the **Subsidiary** field and set it to **is not CAN subsid.**

Now you have three invoice numbering rules, including the Invoice Standard Rule.

When you set the rule order, set Rule B first, Rule A second, and the Invoice Standard rule last. NetSuite checks if the transaction date is on or after 1/1/2021 and if the subsidiary is not Canadian, and if this criteria is met, it uses Rule B. If the transaction does not meet this criteria, NetSuite checks if the transaction date is on or after 1/1/2021 and the subsidiary is Canadian, and if this criteria is met, it uses Rule A. If neither of the first two rules match, NetSuite uses the Invoice Standard Rule.

Vendor Bill Advanced Numbering Rule Example

You want to create two vendor bill advanced numbering rules. For Rule A, you want each vendor bill to use the format FYyear-BILL-number-location, starting from January 1, 2021, only for an Australian subsidiary. For Rule B, you want each vendor bill to use the format year-AP-domestic-number, starting from January 1, 2021, only for a Japanese subsidiary.

Creating Vendor Bill Advanced Numbering Rule A

For Rule A, you want each vendor bill to use the format FYyear-BILL-number-location, starting from January 1, 2021, only for an Australian subsidiary. Numbers should start at 1 and have at least 5 digits, with a new sequence for each fiscal year and location. The first vendor bill should be FY21-BILL-00001-AULOC1.

To create vendor bill advanced numbering rule A:

1. In the **Prefix** field, enter **FY $\{YY_START\}$ -BILL-**.
2. In the **Suffix** field, enter **- $\{location\}$** .
3. On the **Sequences by Segment** subtab, add **Fiscal Year** and **Location**.
4. On the **Criteria** subtab:
 - a. Add the **Date** field and set it to **is on or after 1/1/2021**.
 - b. Add the **Subsidiary** field and set it to **is Australia subsidiary**.

Creating Vendor Bill Advanced Numbering Rule B

For Rule B, you want each vendor bill to use the format year-AP-domestic-number, starting from January 1, 2021, only for a Japanese subsidiary. Numbers should start at 1 and have a minimum of 5 digits. The first vendor bill should be 21-AP-domestic-00001.

To create vendor bill advanced numbering rule B:

1. In the **Prefix** field, enter **\$(YY_START)-AP-domestic-**.
2. On the **Sequences by Segment** subtab, add **Fiscal Year**.
3. On the **Criteria** subtab:
 - a. Add the **Subsidiary** field and set it to **is Japan subsidiary**.
 - b. Add the **Date** field and set it to **is on or after 1/1/2021**.

Now you have three vendor bill numbering rules, including the Vendor Bill Standard Rule.

When you set the rule order, set Rule B first, Rule A second, and the Vendor Bill Standard rule last. NetSuite checks if the transaction date is on or after 1/1/2021 and if the subsidiary is Japanese, and if this criteria is met, it uses Rule B. If the transaction does not meet this criteria, NetSuite checks if the transaction date is on or after 1/1/2021 and the subsidiary is Australian, and if this criteria is met, it uses Rule A. If neither of the first two rules match, NetSuite uses the Vendor Bill Standard Rule.

Setting Up States, Provinces, and Counties

On the States/Provinces/Counties page at Setup > Company > States/Provinces/Counties, you can:

- See lists of system-provided states and provinces for supported countries
- Add and edit your own custom states, provinces, and counties
- Set up custom lists of states, provinces, and counties for supported countries
- Print lists of states, provinces, and counties you can use in NetSuite records

To see available states, provinces, and counties, expand Filters and select a country from the list. You'll see only countries that have system-provided or custom states, provinces, or counties.

States/Provinces/Counties

New

Filters

Country

United States
Japan
Mexico
United Kingdom
United States
Zimbabwe

State	Short Name
Alabama	AL
Alaska	AK
Arizona	AZ
Arkansas	AR
Armed Forces Europe	AE
Armed Forces Pacific	AP

System names don't have an **Edit** link because you can't change system states and provinces. Custom states, provinces, and counties that you've added do have an Edit link, so you can click **Edit** to make changes.

To add a state, province, or county to used on NetSuite records, click **New**. On the New State/Province/County page, select a country, enter the full name and abbreviation for the state, province, or county you want to add, and click **Save**.

To print a list of states, provinces, and counties for a country, select the country and click **Print**.

You can set up lists for supported countries that don't have system-provided states, provinces, or counties.

 **Note:** For information about working with state values in SOAP web services, see the help topic [Setting State Values in SOAP web services](#).

To set up a list of states, provinces, and counties for a supported country:

1. Go to Setup > Company > States/Provinces/Counties > New.
2. On the New State/Province/County page, select the country and enter a full name and abbreviation for the state, province, or county you want to add.
3. Click **Save**. The States/Provinces/Counties refreshes with your new list.
You can now select the country and see its list. Click **Edit** next to any state, province, or county to make changes.
4. Repeat Steps 2 and 3 to add more custom states, provinces, or counties.

Supported Countries

On the Countries page at Setup > Company > Countries, you can:

- See the list of countries you can use in NetSuite records
- Click **Print** to print the list of supported countries
- Click a **country name** to see its address template and the script that runs when users click Map links next to addresses in NetSuite.
- Click **Edit** next to a country to change its address template or mapping program script (if you have permission).

If you're using countries in your customizations and integrations on the SuiteCloud Platform, be aware of the following:

- SOAP web services integrations use their own country enumerations. For a list of these enumerations, see the help topic [Country Enumerations](#).
- CSV imports use country names or labels, as listed in [Country Names for CSV Import](#).
- SuiteScript scripts generally use ISO country codes, which Oracle doesn't maintain. Some SuiteScript APIs may also use country names.
- SuiteAnalytics Connect integrations use ISO country codes.

Setting Printing and Fax Preferences

On the Printing & Fax Preferences page, users with the Administrator role can set up printing and fax preferences. These preferences affect everyone in your NetSuite account.

Note: Use the Web Site Setup page to set preferences for sending email from your website. For more information, see the help topic [Set Website Email Preferences](#).

To set your printing and faxing preferences, go to Setup > Company > Printing & Fax Preferences. See the following topics for preference descriptions.

- [General Printing Preferences](#)
- [Transaction Printing Preferences](#)
- [Advanced PDF/HTML Printing Preferences](#)
- [Check Printing Preferences](#)
- [PDF Printing Preferences](#)
- [Message Printing Preferences](#)
- [Fax Preferences](#)

General Printing Preferences

Administrators can set printing preferences on the **Printing** subtab of the Printing & Fax Preferences page at Setup > Company > Printing & Fax Preferences.

Field	Description
Save Toner When Printing	Check the Save Toner When Printing box to choose a form style that saves ink or toner.

Transaction Printing Preferences

Administrators can set printing preferences on the **Printing** subtab of the Printing & Fax Preferences page at Setup > Company > Printing & Fax Preferences.

Field	Description
Customers Default to Print Transactions	To print customer transactions by default, check the Customers Default to Transactions box on the Print subtab. Because customers can have preferences for how to receive transactions, you can set preferred default transaction delivery methods on customer records. Default to deliver customer transactions by printing, by email, by fax, or by a combination of the three. The delivery preferences you define will be set for all new customer records. You can change the settings for each customer as needed by checking or clearing the appropriate boxes.
Vendors Default to Print Transactions	To print vendor transactions by default, check the Vendors Default to Transactions box on the Print subtab. Default to deliver vendor transactions by printing, by email, by fax, or by a combination of the three. The delivery preferences you define will be set on all new vendor records. You can change the settings for each vendor record as needed by checking or clearing the appropriate boxes.
Print Return Form with Packing Slip	To print a return form whenever you print a packing slip, check the Print Return Form with Packing Slip box.
Print Remittance Form With Invoices & Statements	To include a remittance form on invoices and statements, check the Print Remittance Form With Invoices & Statements box. The remittance form details payment information the customer needs, including the invoice number, amount due, who to make checks out to, and where to send the payment.

Field	Description
Print Transaction Forms Landscape	To print transaction forms in landscape format, check the Print Transaction Forms Landscape box.
	 Note: To use this preference, you must use a standard transaction PDF layout. Use either a standard transaction form with a standard transaction PDF layout or use a custom transaction form associated with a standard PDF layout.
Print Separate Voucher for Bill Payments	If you have a lot of bills, the remittance information may not fit on one check voucher. You can print a separate voucher page with all of the remittance advice and send to the vendor with the check. When you print a separate voucher, no bills are listed on the voucher part of the check. The check voucher indicates that the remittance advice is on another page.
Print Accounts on Vouchers	To print the name of the account used on checks, check the Print Accounts on Vouchers box.
Print Discount and Shipping Lines in Columns	To show discount and shipping items as line items in transaction columns, check the Print Discount and Shipping Lines in Columns box. If you clear this box, the footer shows only the shipping item name and the total shipping and handling cost.
Print Business Number on Forms	If you want your Federal ID or EIN in the header of your transaction forms, check the Print Business Number on Forms box.
Use Location Address on Forms	Check the Use Location Address on Forms box if you want to print the address and logo of the location shown in the body of the transaction.
	 Note: This doesn't apply to locations identified by line items on transactions.
	The address and logo for each location comes from the location record. This preference doesn't affect printing statements.

Advanced PDF/HTML Printing Preferences

Administrators can set printing preferences on the **Printing** subtab of the Printing & Fax Preferences page at Setup > Company > Printing & Fax Preferences.

By default, to format transactions for printing, NetSuite uses the preferred transaction PDF basic layout or transaction HTML basic layout. These layouts are used to format printed item detail statements, item labels, and mailing labels. If Advanced PDF/HTML Templates is enabled, you can use an advanced template instead. For information about advanced printing, see the help topic [Advanced PDF/HTML Templates](#). For information about transaction layouts, see the help topic [Customizing Transaction Form PDF Layouts](#).

Field	Description
Use for Item Detail Statements	Check this box to use the preferred advanced template to format printed item detail statements.
Use for Item Labels	Check this box to use the preferred advanced template to format printed item labels.
Use for Mailing Labels	Check this box to use the preferred advanced template to format printed mailing labels.

Check Printing Preferences

Administrators can set printing preferences on the **Printing** subtab of the Printing & Fax Preferences page at Setup > Company > Printing & Fax Preferences.

 **Note:** These preferences don't affect the position of layout elements on the check form.

Field	Description
Default Check Type	In the Default Check Type field, select the type of checks you use: ■ Select Standard for checks printed without a voucher, three checks per 8.5 by 11-inch sheet. ■ Select Voucher for checks printed at the top of an 8.5 by 11-inch sheet, with voucher information printed on the bottom stub. One check prints per sheet.
Font	In the Font field, select the type font you want to use for printing checks. Print checks at Transactions > Management > Print Checks and Forms.
Font Size	In the Font Size field, enter the font size you want to use for printing checks.

PDF Printing Preferences

Administrators can set printing preferences on the **Printing** subtab of the Printing & Fax Preferences page at Setup > Company > Printing & Fax Preferences.

Field	Description
Letter	In the Letter field, select the File Cabinet folder where you want to store your letter templates by default. This field appears only if you've enabled the Mail Merge feature.
PDF	In the PDF field, select the File Cabinet folder where you want to store your PDF templates by default. This field appears only if you've enabled the Mail Merge feature.

Message Printing Preferences

Administrators can set printing preferences on the **Printing** subtab of the Printing & Fax Preferences page at Setup > Company > Printing & Fax Preferences.

Field	Description
Sales Form Disclaimer	Enter a disclaimer to appear at the bottom of your sales forms, such as invoices, sales orders and credit memos.
Purchase Form Disclaimer	Enter a disclaimer to appear at the bottom of your purchase orders.
Statement Disclaimer	Enter a disclaimer to appear at the bottom of your customer statements.
Payment Receipt Disclaimer	Enter a disclaimer to appear at the bottom of payment receipts.
Packing Slip Message	Enter a message to appear at the bottom of your packing slips.

Field	Description
Return Policy	Enter your return policy to appear on return forms.
Remittance Slip Message	Enter a message to appear at the bottom of your remittance slips.

Fax Preferences

To fax from NetSuite, you must register with eFax®. Go to www.efax.com to register before setting your fax preferences.

Note: When you send faxes from NetSuite, eFax validates your Sender Policy Framework (SPF) records in DNS. For more information, see the [Sender Policy Framework \(SPF\)](#) section in [Email Best Practices](#).

Free eFax accounts don't work with NetSuite. You must set up a paid eFax account to fax from NetSuite.

Administrators can set faxing preferences on the **Fax** subtab of the Printing & Fax Preferences page at Setup > Company > Printing & Fax Preferences.

Field	Description
Customers Default to Fax Transactions	Check the Customers Default to Transactions box on the Fax subtab as needed. Default to deliver customer transactions by printing, by email, by fax, or by a combination of the three. The delivery preferences you define will be set for all new customer records. You can change the settings for each customer as needed by checking or clearing the appropriate boxes.
Vendors Default to Fax Transactions	Check the Vendors Default to Transactions box on the Fax subtab as needed. Default to deliver vendor transactions by printing, by email, by fax, or by a combination of the three. The delivery preferences you define will be set for all new vendor records. You can change the settings for each vendor as needed by checking or clearing the appropriate boxes.
Send Faxes Using	After you've registered with eFax, ensure eFax is selected in the dropdown.
Registered Email Address	Enter the email address you used to register with eFax.
Mode	Select standard or fine for your fax quality.
Send Cover Page	Check this box to send a cover page with your fax.
Send Confirmation Email	Check this box to receive an email message with a copy of the fax you sent.
Fax Template Folder	Select the File Cabinet folder where you want to store your fax templates in by default.
Prepend a '1' to Number When Sending a Fax	Check this box to add a 1 to the beginning of a fax number when dialing.

Setting Email Preferences

Users with the Administrator role can set email preferences on the Email Preferences page. These company-wide email settings apply to everyone in your NetSuite account.

Note: Use the Set Up Web Site page to set email preferences for your website. For more information, see the help topic [Set Website Email Preferences](#).

To set your email preferences:

1. Go to Setup > Company > Email > Email Preferences.
2. Complete the required fields as described in the following topics.
3. Click **Save**.

The following topics describe the settings available on each subtab of the Email Preferences page.

- [General Email Preferences](#)
- [Transaction Email Preferences](#)
- [Email Template Preferences](#)
- [Email Domains \(DKIM\) Preferences](#)
- [Sandbox and Release Preview Email Preferences](#)

There are several best practices to help make sure your email doesn't get marked as spam. For more information, see [Email Spam Guidelines](#).

General Email Preferences

Administrators can set the following general email preferences in the General section of the Email Preferences page at Setup > Company > Email > Email Preferences.

Field	Description
Global BCC List (Separate Addresses with Commas)	In this field, list the email addresses you want to send blind copies of outbound email messages, including transaction forms, individually email messages, email merges, campaign email, and system response email. Separate multiple addresses with commas. To enter BCC email addresses for Web store email messages, see the help topic Set Website Email Preferences.
Global Footer	In this field, enter text you want at the bottom of every outbound email message, including transaction forms, individual email messages, email merges, campaign email, and system response email. You can use this text for legal requirements and as a disclaimer. Note: This email uses HTML based on your setting in the Email Using HTML field at Home > Set Preferences on the Transactions subtab under Printing. To enter content for Web store emails, see the help topic Set Website Email Preferences.
Default Mail Merge Domain	Select the campaign email domain you want to use by default for your email and templates. You'll need a campaign domain if you send more than 10,000 bulk email per month. To create a new campaign email domain, go to Commerce > Websites > Website List, click Edit next to your website, and then click the Domains subtab.
Enable Email Alerts for WS and CSV Imports	By default, saved search email alerts aren't sent for updates from CSV imports or SOAP web services integrations. This can improve performance and avoid unnecessary email.

Field	Description
	Check this box if you want alerts for updates from CSV imports and SOAP web services integrations. For more details, see the help topic Enabling Saved Search Email Alerts.
Remove Email Addresses From Bounced Email Address list After	Specify how many days before bounced email addresses are removed from the Bounced Email Address list. NetSuite won't send any email messages to these addresses during that time, including individual and bulk email messages sent through mail merge or marketing campaigns.

Transaction Email Preferences

Administrators can set the following transaction email preferences on the **Transactions** subtab of the Email Preferences page at Setup > Company > Email > Email Preferences.

Field	Description
Customers Default to Email Transactions	Check this box to deliver customer transactions by print, by email, by fax, or by a combination of the three. The delivery preferences you define will be set for all new customer records. You can change the settings for each customer as needed by checking or clearing the appropriate boxes.
Vendors Default to Email Transactions	Check this box to deliver vendor transactions by print, by email, by fax, or by a combination of the three. The delivery preferences you define will be set for all new vendor records. You can change the settings for each vendor as needed by checking or clearing the appropriate boxes.
Send to all Administrators	Check this box to send every employee with the Administrator role a copy of each transaction form emailed to customers or vendors. Security-sensitive email is always sent to the email address owner. For example, password reset email messages don't follow preferences that override routing rules, such as Send to all Administrators. Examples of security-sensitive email include: ■ Reset Password ■ Change Password ■ Change Email Address ■ Security Questions (Setup or Update) ■ Two-Factor Authentication Setup (one-time password)
CC (Separate Addresses with Commas)	In this field, enter the email addresses you want to send copies of emailed transaction forms. Separate multiple addresses with commas or semicolons. You can email copies of forms to all administrators, all administrators plus the CC list, or only the CC list.
From Address for Emailed Forms	In this field, select the email address you want to show in the From field for email you send with NetSuite: ■ Company Return Email Address – Email is sent from the address you enter in the Return Email Address field at Setup > Company > Company Information ■ Subsidiary Return Email Address – Email forms generated in NetSuite are sent using the company email address: Setup > Company > Classifications > Subsidiaries > New.

Field	Description
	■ User Email Address – Email is sent from the address you enter in the From Email Address field at Home > Set Preferences. If you don't enter an email address here, email is sent from your login email address.
Use Popup for Main Transaction Email Button	Check this box if you want to view and edit the email you send when you click the Email button on a transaction. With this preference enabled, clicking the Email button on a transaction opens an email form so you can change the recipients and email text. If this preference is disabled, clicking the Email button on a transaction sends the transaction email immediately.
CC Customer on All Emails Related to Orders Placed by Contacts	Check this box if you want to send all web store order email messages to both the contact who placed the order and the customer's email address. If you don't check this box, all web store order email messages go only to the contact who placed the order. No email is sent to the main customer email address.
Default Email Template	Select an email template to use as the default for standard transactions. The Standard Transaction Email Template provided with NetSuite is selected by default.

Email Template Preferences

Administrators can set the following transaction email preferences on the **Templates** subtab of the Email Preferences page at Setup > Company > Email > Email Preferences.

Field	Description
Template Folder	In this field, select the File Cabinet folder where you want to store your email templates by default.
User Access Email Template	In this field, select the template to use when notifying an employee that they've been given access to your account. To add more templates to this dropdown list, go to Setup > Company > Email > Email System Templates, then click New Template.
Customer Center Email Template	In this field, select the template to use when notifying customers that they've been given access to the Customer Center. To add more templates to this dropdown list, go to Setup > Company > Email > System Email Templates and click New Template.
Partner Center Email Template	In this field, select the template to use when notifying partners that they've been given access to the Partner Center or Advanced Partner Center. To add more templates to this dropdown list, go to Setup > Company > Email > System Email Templates, then click New Template.
Webstore Template Folder	Select the File Cabinet folder where you want to store templates used by the Web store for outbound email messages.

Email Domains (DKIM) Preferences

Users with the Administrator role can set up DomainKeys Identified Mail (DKIM) for the domains you want to send email from in NetSuite. Go to Setup > Company > Email > Email Preferences and click the **Email Domains (DKIM)** subtab.

When you set up domain keys for your email domains, your DKIM headers are applied to outgoing email messages from your NetSuite account. This code header contains information to authenticate the email with the receiving server but doesn't add any text to your messages.

Note: The procedure for setting up DKIM changed in the 2024.1 release.

Column	Description
Domain Name	Enter the domain name you want to send email from, one domain per row.
Status	After you save the domain name, NetSuite displays its status: Pending Verification, Ready, or Requires Action.
Details	Review the messages displayed for informational or if you need to take more action.

Enter your email domains in NetSuite and use the information generated in NetSuite to add DNS records at your domain provider's website to finish your DKIM setup.

For more information, see the help topics [DomainKeys Identified Mail \(DKIM\)](#) and [Procedures to Set Up DKIM in Your Production Account](#).

Sandbox and Release Preview Email Preferences

Users with the Administrator role can set how email messages are routed from your sandbox and release preview accounts. Go to Setup > Company > Email > Email Preferences and click the **Sandbox and Release Preview Email Preferences** subtab.

Important: You should choose the **Send Email To** option for both Sandbox and Release Preview accounts.

There are exceptions to your email routing rules. Security-sensitive email messages always go to the email address owner. For example, password reset email doesn't obey preferences that override routing rules.

Examples of security-sensitive email include:

- Reset Password
- Change Password
- Change Email Address
- Security Questions (Setup or Update)
- Two-Factor Authentication Setup (one-time password)

Transactions	Templates	Email Domains (DKIM)	Sandbox and Release Preview
Sandbox Options ☒ Send Email To (Separate Addresses With Commas) ☐ Send Email to Logged in User ☐ Do Not Send Emails jjones@example.com, cjlee@example.com Release Preview Options ☒ Send Email To (Separate Addresses With Commas) ☐ Send Email to Logged in User ☐ Do Not Send Emails rwhite@example.com, twelles@example.com			

Option	Description
Send Email To (You should choose this option.)	Choose this option to ensure email messages go to specific addresses. - Enter the email address or addresses you want to send email messages to. Separate each email address with a comma. - Choose this option when testing your web store in Sandbox or Release Preview. This option ensures web store email messages go to the correct recipient.
Send Email to Logged In User	Choose this option to send email messages to the user logged in to the NetSuite UI. If you select this option, be aware of the following: - Email messages initiated by an error in a scheduled script follow the notification settings in the script record. - Email messages generated from web stores aren't sent to the user logged in to the NetSuite UI. For example, an order notification email message is sent to the shopper's email address, not the logged in user's email address. To prevent this, choose the Send Email To option instead.
Do Not Send Emails	Choose this option if you don't want any email messages sent.

Email Spam Guidelines

Email campaigns are only successful if your recipients receive the email message. There are several best practices to help make sure your email doesn't get marked as spam. For more information, see the following:

- [Email Best Practices](#)
- [Optimizing Email Campaigns](#)
- [DomainKeys Identified Mail \(DKIM\)](#)

You can also improve your domain's reputation as a non-spammer by preventing spam on both incoming and outgoing mail. Sometimes, outgoing spam happens because spam messages came in first. Therefore, preventing bad email from coming in helps keep you from sending out spam.

Consider the case capture address you've set up. If you use a dedicated custom case capture address, you can filter spam with an external spam filter service. Bots can find these email addresses and send spam messages to them.

These spam messages can get your domain added to a blocklist by major mail providers because of the volume of sent email. For more information about case capture email addresses, see the help topic [Using Email Case Capture](#).

For example, set up a branded case capture address such as support@cases.example.com. Change your MX DNS record for cases.example.com to send all email traffic for this domain to your spam filter service provider. After filtering, clean traffic goes to your SMTP server as configured on the spam filter side. Your server then redirects the branded capture case email address to the NetSuite case capture address.

Another best practice to prevent receiving spam is to keep your group email addresses private as much as possible (for example, the email addresses for email case capture and case profiles). Minimize the number of users, and include only those who should be involved in the communication. If a spammer gets group email addresses, it can open a spam distribution channel.

Note: For spam distribution channel attacks, NetSuite protects the reply-to-case scenario only. For more information, see the help topic [Customer Responses to Cases](#). Other communications (transactions and messages) can't be protected the same way, so it's essential to keep email addresses private.

Email Sent from NetSuite

Email messages sent from NetSuite are different, depending on where they're sent from, because of the templates and how they're sent. For example, campaign emails and a saved search email alerts use different footers and the sending domains, so they might behave differently with spam filters.

To help your emails get delivered, ensure DMARC compliance by using DKIM keys for every email domain your organization uses.

Manage AI in NetSuite

If you're a user with the Administrator role, you can manage company-level generative AI settings. Company-level generative AI settings affect everyone using the company's NetSuite account.

- Use the AI Preferences page to manage settings and view monthly free usage for Text Enhance, Text Enhance Translations, Prompt Studio, and SuiteScript modules that use AI. You can also use this page to configure common generative AI settings, such as OCI configuration parameters. For more information, see [Manage AI Preferences](#).
- Use Prompt Studio to manage Text Enhance actions, set up prompts for those actions, and manage prompts used by SuiteScript code with the N/Ilm module. For more information, see [Prompt Studio](#).

Note: You can manage these settings only if your NetSuite account supports generative AI. For more details, see the help topic [Generative AI Availability in NetSuite](#).

Manage AI Preferences

If you're a user with the Administrator role, you can use the AI Preferences page to set up your company's AI preferences. The AI Preferences page lets you manage Text Enhance, Text Enhance Translations, Prompt Studio, and SuiteScript modules that use AI. You can also use AI Preferences to see how much free usage you get each month for applicable features, and how much you've used so far.

Note: The AI Preferences page is only available for accounts where NetSuite supports generative AI. For more details, see the help topic [Generative AI Availability in NetSuite](#).

See the following for more information:

- [Configure OCI Credentials for AI](#)
- [Manage Text Enhance Preferences](#)
- [View Text Enhance Usage Limit and Usage](#)
- [Manage Text Enhance Translations Preferences](#)

- [Manage Prompt Studio Preferences](#)
- [View Prompt Studio Usage Limit and Usage](#)
- [Manage SuiteScript AI Preferences](#)
- [View SuiteScript AI Usage Limit and Usage](#)

Configure OCI Credentials for AI

If your company needs more than the free monthly usage for AI features in NetSuite, you can set up NetSuite to access Oracle Cloud Infrastructure (OCI) services with your own Oracle Cloud account. After you set up your account-level OCI credentials, you can enable Text Enhance, Prompt Studio, and SuiteScript modules with AI (N/llm and N/documentCapture) to use them.

If you set up the unlimited use model with your company's Oracle Cloud account, your company pays for the OCI services it uses. These services include OCI Generative AI and, if you use the N/documentCapture module in SuiteScript, OCI Document Understanding. For more information, refer to the [Calculating Cost in Generative AI](#) section and the [Billing and Cost Management](#) section of the *Oracle Cloud Infrastructure Documentation*.

See these sections to manage your company's OCI configuration for AI features:

- [Before You Begin](#)
- [Enable and Configure OCI Credentials for AI in NetSuite](#)
- [Disable OCI Credentials for AI in NetSuite](#)

Before You Begin

 **Note:** Refer to the *Oracle Cloud Infrastructure Documentation* for the linked topics in this section.

If your company wants to set up unlimited usage but doesn't have an Oracle Cloud account yet, refer to [Get an Oracle Cloud Account](#).

After you have an Oracle Cloud account, add the following services:

- **OCI Generative AI:** For instructions, refer to [Getting Access to Generative AI](#) and see the "Access to Generative AI Playground, Custom Models, Dedicated AI Clusters, and Endpoints" section for the policy you need.
- **OCI Document Understanding:** For instructions, refer to [About Document Understanding Policies](#) for the policies you need.

After you add the OCI services you need, get the OCI configuration details from your Oracle Cloud account.

The configuration details you'll need are:

- **User OCID:** For more information, refer to [Managing Users](#).
- **Compartment OCID:** For more information, refer to [Managing Compartments](#).
- **Tenancy OCID:** For more information, refer to [Viewing Tenancy Details](#).
- **Fingerprint:** The OCI fingerprint of the public key. For more information about the OCI fingerprint, refer to [Required Keys and OCIDs](#).

- **Private Key:** The OCI user's private key, which will be in a PEM file (for example, `oci_api_key.pem`). For more information about the OCI user's private key, refer to [Required Keys and OCIDs](#).
- **Endpoint ID:** Only needed if you've set up a dedicated AI cluster through Oracle Cloud. For more information, refer to [Managing Endpoints](#).

If you plan to use your Oracle Cloud account for asynchronous document capture requests with the N/ documentCapture module, you'll also need the following details. These details help the service find the documents you want to process and the place to store the output when your request is completed.

- **OCI Object Storage Namespace:** This is the top-level container in your Oracle Cloud account that holds buckets and objects for other OCI services. A bucket inside an Object Storage namespace stores objects, such as files and documents. For more information, refer to [Object Storage Namespaces](#)
- **OCI Input Bucket:** Name of the bucket where the service can find the inputs to be processed. For more information, refer to [Object Storage Buckets](#)
- **OCI Output Bucket:** Name of the bucket where the service will store the outputs from processing. For more information, refer to [Object Storage Buckets](#)

Enable and Configure OCI Credentials for AI in NetSuite

Use the OCI configuration details from your Oracle Cloud account, described in the [Before You Begin](#) section, to complete the steps below.

To enable and configure OCI credentials:

1. Go to Setup > Company > AI > AI Preferences.
2. On the **Settings** subtab of the AI Preferences page, check the **Use OCI Configuration to Get Unlimited Usage** box.
After you check the box, you'll see the OCI configuration fields.
3. Fill in these fields with values from your Oracle Cloud account:
 - **User OCID**
 - **Compartment OCID**
 - **Tenancy OCID**
4. Next, you'll need to create NetSuite API secrets for the OCI fingerprint and OCI private key. Storing the OCI fingerprint and OCI private key as API secrets enhances security of these OCI credentials in NetSuite.
 - a. Click **Create your API secrets here**. The API Secrets page opens in a new browser tab.
 - b. Click **Create New**. The Create New Secret dialog opens. Create the API secret for the OCI fingerprint as described below, then click **Save**.
 - On the **Details** tab:
 - Make sure the **ID** starts with an underscore, because the system adds a prefix **custsecret** when you save. For example, if you enter `_oci_config_fingerprint`, the ID will be `custsecret_oci_config_fingerprint` after you save.
 - Enter the OCI public key fingerprint value in both the **Password** and **Confirm Password** fields.

Create New Secret

Details

Restrictions

NAME *

OCI Config Fingerprint

ID *

_oci_config_fingerprint

Either type the secret into the password field or load it from a file. Multi-line secrets must be loaded from a file.

PASSWORD

.....

CONFIRM PASSWORD

.....

File

Choose a file

Or drop files here

EXPIRATION WARNING

2/11/2025

DESCRIPTION

Save

Cancel

- On the **Restrictions** tab, use the following settings so that any of the AI features managed from the AI Preferences page can use the API secret:
 - Check the **Allow for All Scripts** box.
 - Enter **_none_** in the **Restrict to Domains** field.

The screenshot shows the 'Create New Secret' dialog box with the 'Restrictions' tab selected. The dialog has a dark blue header with the title 'Create New Secret' and a close button (X). Below the header are two tabs: 'Details' and 'Restrictions', with 'Restrictions' being the active tab. The 'Restrictions' tab contains the following fields and options:

- ☐ AVAILABLE TO SUITEAPP
- Owners: A dropdown menu showing 'J P Nowak' with a close button (X) and a downward arrow.
- Restrict to Employees: A dropdown menu.
- ☒ ALLOW FOR ALL SCRIPTS
- RESTRICT TO SCRIPTS *: An empty text input field.
- ☐ ALLOW FOR ALL DOMAINS
- RESTRICT TO DOMAINS *: A text input field containing the value '_none_'.

At the bottom of the dialog are two buttons: 'Save' (in a dark blue box) and 'Cancel' (in a light gray box).

- c. To create the API secret for the OCI private key, click **Create New** again. The Create New Secret dialog opens. Complete the fields as described below, then click **Save**.
 - On the **Details** tab, complete **Name** and **ID** similarly to how you did for the fingerprint, but upload the private key file instead of entering values in the Password and Confirm Password fields.
 - Use the same settings on the **Restrictions** tab.

After you create the API secrets, they are shown on the API Secrets page.

Name	Description	ID	Owner	Installed by SuiteApp	Available to SuiteApp	Expiration Date
OCI Config Fingerprint		custsecret_oci_config_fingerprint	J P Novak			-
OCI Config Private Key		custsecret_oci_config_privatekey	J P Novak			-

5. Go back to the AI Preferences page and enter the IDs of the API secrets in the **API Secret for Fingerprint** and **API Secret for Private Key** fields.
6. Fill in the **Optional configuration for Asynchronous Document Capture** fields if you plan to use asynchronous options for N/documentCapture. Use these values from your Oracle Cloud account:
 - **OCI Object Storage Namespace**
 - **OCI Input Bucket**
 - **OCI Output Bucket**

Note: Storing OCI configuration for asynchronous document capture is useful, but optional if:

- You only want to provide credentials for other AI services on this page (such as Text Enhance or the SuiteScript N/Ilm module).
- You only plan to use synchronous options for the N/documentCapture module.
- You prefer to provide OCI details directly in your script as part of an ociConfig object. If you do, your script overrides the configuration stored here.

7. Click **Validate credentials** to test the OCI credentials you entered.
 - If everything's set up correctly, a confirmation message ("Credentials were successfully validated") is displayed.
 - If there are errors in the setup, an error message is displayed. Errors are displayed one at a time. Correct the error and click **Validate credentials** to test again. Repeat until the confirmation message is displayed.

Note: Each successful validation counts as one use of the OCI Generative AI service.

8. Click **Save**.
9. Next, set up the AI features to use the OCI credentials. Go to the subtab on the AI Preferences page to enable the feature to use the OCI credentials. You can choose to have some, all, or none of the AI features use OCI credentials.

For example, to use OCI credentials for Text Enhance, click the **Text Enhance** subtab on the AI Preferences page, check the **Use OCI Credentials for Text Enhance** box, and click **Save**.

For each feature you set up to use OCI credentials, NetSuite stops using the limited, free usage mode. NetSuite switches to the paid, unlimited usage mode through your Oracle Cloud account with OCI services.

For more information, see the following topics:

- [Enable or Disable OCI Credentials for Text Enhance](#)
- [Enable or Disable OCI Credentials for Prompt Studio](#)
- [Enable or Disable OCI Credentials for SuiteScript](#)

10. For each feature you set up to use OCI credentials, test the new setup.

For example, if you've set up Text Enhance to use OCI credentials: Go to a page that has a field with Text Enhance and try a valid action. For more information, see the help topic [Text Enhance](#).

- If everything's set up correctly, the Text Enhance action works, and your current month's free usage count should remain the same.
- If there's a problem with the setup, you'll see a Task Unavailable error. Go back to the AI Preferences page, **Settings** tab. Click **Validate credentials**. Fix the error shown and repeat until you receive a successful confirmation message.

Common errors and how to resolve them:

- On the AI Preferences page, **Settings** tab, verify that the OCI configuration parameters have the correct values for your Oracle Cloud account.

- On the AI Preferences page, **Settings** tab, verify that NetSuite API Secret IDs entered correctly. Also verify that they match the secret IDs (not the secret names) shown on the API Secrets page.
- On the API Secrets page, verify that the OCI fingerprint and OCI private key secrets were created correctly.

Disable OCI Credentials for AI in NetSuite

You can disable OCI use by all NetSuite AI features managed from the AI Preferences page. This overrides all **Use OCI credentials** settings on the features' subtabs.

To disable OCI credentials:

1. Go to Setup > Company > AI > AI Preferences.
2. From the **Settings** subtab on the AI Preferences page, clear the **Use OCI Configuration to Get Unlimited Usage** box.

 **Note:** The OCI configuration fields are hidden on the **Settings** subtab, but they're not deleted. If you check the **Use OCI Configuration to Get Unlimited Usage** box again, the fields are shown with your last saved values still there. If you want to remove the OCI credentials completely, clear each field one by one, then disable the OCI credentials.

3. Click **Save**.
 - After you disable OCI use on the **Settings** subtab, NetSuite goes back to the free, limited usage mode for *all* AI features managed from the AI Preferences page, no matter what each feature's setting is. You'll see the monthly free usage limits and used quantities in the usage tables on each feature's subtab.
 - When the OCI credentials are disabled, you can't change the **Use OCI credentials** settings for individual features. The settings on the feature subtabs are still shown, but they're overridden when OCI use is disabled on the **Settings** subtab.

Manage Text Enhance Preferences

If you're a user with the Administrator role, you can use the **Text Enhance** subtab of the AI Preferences page to manage your account's Text Enhance preferences. You can also view your account's monthly Text Enhance usage or set up NetSuite to use your company's Oracle Cloud account for Text Enhance.

Text Enhance is a NetSuite feature that uses generative AI to help you write business content. For more information about using this feature, see the help topic [Text Enhance](#).

See the following sections and topic for more information:

- [Enable or Disable Text Enhance](#)
- [Enable or Disable Text Enhance for External Roles](#)
- [Enable or Disable OCI Credentials for Text Enhance](#)
- [View Text Enhance Usage Limit and Usage](#)

Enable or Disable Text Enhance

 **Note:** Text Enhance is enabled by default.

To disable or enable Text Enhance for an account:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **Text Enhance** subtab.
3. On the **Text Enhance** subtab:
 - Clear the **Enable Text Enhance** box to disable Text Enhance.
 - Check the **Enable Text Enhance** box to enable Text Enhance.
4. Click **Save**.

Enable or Disable Text Enhance for External Roles

The **Enable Text Enhance for External Roles** setting lets you control whether users with external roles can use Text Enhance. To enhance security, this setting is disabled by default. Only users with internal roles have access to Text Enhance unless you enable this setting.

The following is a list of standard external roles that can use Text Enhance when this setting is enabled:

- Customer Center
- Employee Center
- NetSuite Support Center
- NetSuite Support Center (Basic)
- Online Form User
- Partner Center
- Shopper
- Vendor Center

To enable or disable Text Enhance for external roles:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **Text Enhance** subtab.
3. On the **Text Enhance** subtab:
 - Check the **Enable Text Enhance for External Roles** box to enable Text Enhance for users with external roles.
 - Clear the **Enable Text Enhance for External Roles** box to disable Text Enhance for users with external roles.
4. Click **Save**.

Enable or Disable OCI Credentials for Text Enhance

Note: Before you can enable Text Enhance to use OCI credentials, you must complete the OCI configuration on the **Settings** tab of the AI Preferences page. For more information, see [Configure OCI Credentials for AI](#).

To enable or disable OCI credentials for Text Enhance:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **Text Enhance** subtab.
3. On the **Text Enhance** subtab:

- Check the **Use OCI Credentials for Text Enhance** box to let Text Enhance use OCI credentials for paid, unlimited usage through your company's Oracle Cloud account.
- Clear the **Use OCI Credentials for Text Enhance** box to stop Text Enhance from using OCI credentials. Text Enhance usage will draw from your monthly pool of free, limited uses. For more information, see [View Text Enhance Usage Limit and Usage](#).

4. Click **Save**.

View Text Enhance Usage Limit and Usage

Text Enhance includes a pool of limited, free usage. The free usage pool is renewed each month. The usage table on the **Text Enhance** subtab of the AI Preferences page shows how much is available for the account.

If your company wants unlimited usage, you'll need to set up an Oracle Cloud account with Oracle Generative AI service. For more information about setting up the unlimited usage option, see [Configure OCI Credentials for AI](#) and [Manage Text Enhance Preferences](#).

To view Text Enhance usage limit and usage for an account:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **Text Enhance** subtab.
3. Find the usage table. It shows the following information:
 - **Month:** Usage month and year.
 - **Usage Limit:** Number of Text Enhance uses available for the account each month.
 - **Used Quantity:** Number of times that NetSuite users have used Text Enhance actions during the month. NetSuite only counts actions that use the generative AI service successfully. All completed actions count, even if the user doesn't save the result. Undo and Redo actions aren't counted, and neither are unsuccessful attempts to access Text Enhance.

Examples of how NetSuite updates Used Quantity:

- A user selects Generate and gets a result, edits the result, selects Clean Up and gets a result, and then clicks Save to save the changes: Two uses are added to Used Quantity (two completed actions).
- A user selects Generate and gets a result, then Make Shorter and gets a result, but then clicks Cancel without saving changes: Two uses are added to Used Quantity (all completed actions are counted, even if the user doesn't save the results).
- A user types some text into a field, selects Clean Up and gets a result, clicks Undo, but then clicks Redo: One use is added to Used Quantity (Undo and Redo are not counted).
- A user selects Generate, gets a result, and then selects Make Longer but gets an error message: One use is added to Used Quantity (actions that result in an error message are not counted).
- A user selects "Translate to" and then Spanish, and gets a result: One use is added to Used Quantity (The "Translate to" action uses generative AI, so its completed actions are counted).

 **Note:** The usage table won't show any data until Text Enhance is used at least one time successfully. Before Text Enhance is used, the usage table shows the message "No records to show." If Text Enhance isn't used during a month, that month won't be shown in the table.

Manage Text Enhance Translations Preferences

If you're a user with the Administrator role, you can use the **Text Enhance Translations** subtab of the AI Preferences page to manage your account's Text Enhance Translations preferences.

With Text Enhance Translations, you can use the **Translate to** action of Text Enhance to translate content into any supported language. Text Enhance Translations uses generative AI through NetSuite, which provides context awareness when translating content. Users with a NetSuite Administrator role use Prompt Studio to customize translation prompts and Text Enhance actions. For more information about using Text Enhance Translations, see the help topic [Text Enhance](#).



Note: Text Enhance Translations is part of Text Enhance, so the following apply:

- To use the **Translate to** action, you also need Text Enhance enabled.
- The **Translate to** action counts toward your Text Enhance usage. You can view usage information by going to the Text Enhance subtab.
- Text Enhance Translations uses OCI credentials only if you have configured them for Text Enhance. You don't need to set up separate OCI credentials for it.

See the following sections and topic for more information:

- [Enable or Disable Text Enhance Translations](#)
- [Enable or Disable Text Enhance Translations for External Roles](#)
- [Enable or Disable Translation Languages](#)
- [Supported Languages for Text Enhance Translation](#)

Enable or Disable Text Enhance Translations



Note: The Text Enhance Translations setting is enabled by default. To use Text Enhance Translations, Text Enhance must also be enabled for your account. For more information, see [Enable or Disable Text Enhance](#).

To disable or enable Text Enhance Translations for an account:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **Text Enhance Translations** subtab.
3. On the **Text Enhance Translations** subtab:
 - Clear the **Enable Translations** box to disable Text Enhance Translations.
 - Check the **Enable Translations** box to enable Text Enhance Translations.
4. Click **Save**.

Enable or Disable Text Enhance Translations for External Roles

The **Enable Translations for External Roles** setting lets you control whether users with external roles can use Text Enhance to translate content. To enhance security, this setting is disabled by default. Only users with internal roles have access to Text Enhance unless you enable this setting.

The following is a list of standard external roles that can use Text Enhance Translations when this setting is enabled:

- Customer Center
- Employee Center
- NetSuite Support Center
- NetSuite Support Center (Basic)
- Online Form User
- Partner Center
- Shopper
- Vendor Center

To enable or disable Text Enhance Translations for external roles:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **Text Enhance Translations** subtab.
3. On the **Text Enhance Translations** subtab:
 - Check the **Enable Translations for External Roles** box to enable Text Enhance Translations for users with external roles.
 - Clear the **Enable Translations for External Roles** box to disable Text Enhance Translations for users with external roles.
4. Click **Save**.

Enable or Disable Translation Languages

Use the **Translation Languages** list to set which languages Text Enhance users can access.

 **Note:** Translation languages are the *target* languages. You don't have to set up source languages, because Text Enhance Translations figures it out from the text you enter or select.

To enable or disable translation languages:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **Text Enhance Translations** subtab.
3. On the **Text Enhance Translations** subtab, find the **Translation Languages** list. (See [Supported Languages for Text Enhance Translation](#) for details.)
 - To enable a language, select it in the list.
 - To disable a language, clear its selection in the list.
4. Click **Save**.

Supported Languages for Text Enhance Translation

The **Translation Languages** list depends on your company settings:

- If your company doesn't have the Multi-Language feature enabled, the default list shows these languages:
 - English
 - French

- German
 - Italian
 - Japanese
 - Portuguese (Brazilian)
 - Spanish
- If your company has the Multi-Language feature enabled, the default list of available languages is based on your company's enabled languages. Text Enhance Translations supports these languages:
 - Chinese (Simplified)
 - Chinese (Traditional)
 - Czech
 - Danish
 - Dutch
 - English
 - Finnish
 - French
 - French (Canada)
 - German
 - Indonesian
 - Italian
 - Japanese
 - Korean
 - Norwegian
 - Portuguese (Brazilian)
 - Russian
 - Spanish
 - Swedish
 - Thai
 - Turkish
 - Vietnamese

Manage Prompt Studio Preferences

If you're a user with the Administrator role, you can use the **Prompt Studio** subtab on the AI Preferences page to manage your account's Prompt Studio preferences. You can view your account's monthly Prompt Studio generative AI usage or set up NetSuite to use your company's Oracle Cloud account for Prompt Studio.

Prompt Studio is a NetSuite feature that lets you create and customize prompts and Text Enhance actions. For more information about using this feature, see [Prompt Studio](#).

See the following sections and topic for more information:

- [Enable or Disable OCI Credentials for Prompt Studio](#)
- [View Prompt Studio Usage Limit and Usage](#)

Enable or Disable OCI Credentials for Prompt Studio

Note: Before you can enable Prompt Studio to use OCI credentials, you must complete the OCI configuration on the **Settings** tab of the AI Preferences page. For more information, see [Configure OCI Credentials for AI](#)

To enable or disable OCI credentials for Prompt Studio:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **Prompt Studio** subtab.
3. On the **Prompt Studio** subtab:
 - Check the **Use OCI Credentials for Prompt Studio** box to let Prompt Studio use OCI credentials for paid, unlimited usage mode through your company's Oracle Cloud account.
 - Clear the **Use OCI Credentials for Prompt Studio** box to stop Prompt Studio from using OCI credentials. Prompt Studio usage will draw from your monthly pool of free, limited uses. For more information, see [View Prompt Studio Usage Limit and Usage](#)
4. Click **Save**.

View Prompt Studio Usage Limit and Usage

To accommodate prompt testing, Prompt Studio includes a pool of limited, free usage. The free usage pool is renewed each month. The usage table on the **Prompt Studio** subtab of the AI Preferences page shows how much is available for the account.

If your company wants unlimited usage, you'll need to set up an Oracle Cloud account with Oracle Generative AI service. For more information about setting up the unlimited usage option, see [Configure OCI Credentials for AI](#) and [Manage Prompt Studio Preferences](#).

To view Prompt Studio usage limit and usage for an account:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **Prompt Studio** subtab.
3. Find the usage table. It shows the following information:
 - **Month:** Usage month and year.
 - **Usage Limit:** Number of Prompt Studio **Generate Preview** uses available for the account each month.
 - **Used Quantity:** Number of times Prompt Studio users have used the **Generate Preview** action during the month. NetSuite only counts actions that use the generative AI service successfully. All completed actions count, but unsuccessful attempts don't.

Note: The usage table won't show any data until the Prompt Studio **Generate Preview** action is used at least one time successfully. Before **Generate Preview** is used, the usage table shows the message "No records to show." If the action isn't used during a month, that month won't be shown in the table.

Manage SuiteScript AI Preferences

If you're a user with the Administrator role, you can use the **SuiteScript** subtab on the AI Preferences page to manage your account's preferences for SuiteScript modules that use AI. You can view your

account's monthly usage or set up NetSuite to use your company's Oracle Cloud account for SuiteScript modules that use AI.

SuiteScript modules that use AI are:

- **N/Ilm (SuiteScript Generative AI APIs):** This module lets you work with generative artificial intelligence (AI) in NetSuite using SuiteScript. You can use these APIs to send requests to large language models (LLMs) and get responses from them. This module uses the Oracle Cloud Infrastructure (OCI) Generative AI service. For more information about using this feature, see the help topic [SuiteScript 2.x Generative AI APIs](#).
- **N/documentCapture:** This module lets you programmatically extract structured content and key information from a variety of document types (such as invoices, receipts, contracts, and so on) directly within NetSuite. This module uses the AI-driven capabilities of the OCI Document Understanding service. For more information about using this feature, see the help topic [N/documentCapture Module](#).

See the following sections and topic for more information:

- [Enable or Disable OCI Credentials for SuiteScript](#)
- [View SuiteScript AI Usage Limit and Usage](#)

Enable or Disable OCI Credentials for SuiteScript

 **Note:** Before you can enable OCI credentials for SuiteScript modules that use AI, you must complete the OCI configuration on the **Settings** tab of the AI Preferences page. For more information, see [Configure OCI Credentials for AI](#)

To enable or disable OCI credentials for SuiteScript:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **SuiteScript** subtab.
3. On the **SuiteScript** subtab:
 - Check the **Use OCI Credentials for SuiteScript** box to let SuiteScript use OCI credentials for paid, unlimited usage mode through your company's Oracle Cloud account.
When you enable OCI credentials through the AI Preferences page, SuiteScript code that uses AI defaults to the OCI configuration set in AI Preferences. You can override the OCI configuration in AI Preferences by adding the `ociConfig` object to your SuiteScript code.
 - Clear the **Use OCI Credentials for SuiteScript** box to stop SuiteScript from using OCI credentials. SuiteScript usage will draw from your monthly pool of free, limited uses. For more information, see [View SuiteScript AI Usage Limit and Usage](#).
4. Click **Save**.

View SuiteScript AI Usage Limit and Usage

SuiteScript modules that use AI include a pool of limited, free usage. The free usage pool is renewed each month. The usage table on the **SuiteScript** subtab of the AI Preferences page shows how much is available for the account. If you want to verify the amount of free usage available when running SuiteScript code, your code can use these methods:

- `Ilm.getRemainingFreeUsage()`
- `Ilm.getRemainingFreeUsage.promise()`
- `Ilm.getRemainingFreeEmbedUsage()`

- `llm.getRemainingFreeEmbedUsage.promise()`
- `documentCapture.getRemainingFreeUsage()`
- `documentCapture.getRemainingFreeUsage.promise()`

If your company wants unlimited usage, you'll need to set up an Oracle Cloud account with Oracle Generative AI service (for N/llm) or Oracle Cloud Infrastructure Document Understanding service (for N/documentCapture) or both. For more information about setting up the unlimited usage option, see [Configure OCI Credentials for AI](#) and [Manage SuiteScript AI Preferences](#).

To view SuiteScript AI usage limit and usage for an account:

1. Go to Setup > Company > AI > AI Preferences.
2. From the AI Preferences page, click the **SuiteScript** subtab.
3. Find the usage table. It shows the following information:
 - **Month:** Usage month and year.
 - **Usage Limit:** Number of free uses of the SuiteScript modules that use AI that are available for the account each month.
 - **Used Quantity:** Number of successful uses by SuiteScript modules that use AI during the month. All successfully completed actions count, but unsuccessful attempts don't.
 - **Type:** Represents the type of SuiteScript usage. Each type is counted separately and has its own free usage quota. If you use more than one type during the month, each one is shown as a separate row in the table.

Usage types are:

- **Embed:** Conversion of text to vector embeddings (N/llm module, embedding support methods).
- **Generate:** Text generation by large language models (N/llm module, generative AI methods).
- **Document Capture:** Extraction of structured content and key information from a variety of document types (N/documentCapture module methods).

 **Note:** The usage table won't show any data until your SuiteScript code successfully uses AI. A successful use is when your code sends a request using one of the SuiteScript modules that support AI and receives a successful response. (Error responses don't count.) Before your SuiteScript code uses AI successfully, the usage table shows the message "No records to show." If your code doesn't consume any usage during a month, that month won't be shown in the table.

Prompt Studio

Prompt Studio lets you manage generative artificial intelligence (AI) prompts and Text Enhance actions in NetSuite. Generative AI prompts are the instructions given to a large language model (LLM). For Text Enhance, prompts give the LLM detailed instructions for completing a Text Enhance action. In SuiteScript code, the SuiteScript Generative AI APIs (N/llm module) methods send prompts to the LLM and get its responses.

Watch the following help video for a general overview of Prompt Studio.

 [Prompt Studio General Overview](#)

With Prompt Studio, you can:

- Create custom Text Enhance actions and their prompts for your company's account. See [Create Custom Text Enhance Actions and Prompts](#) for more details.
- Override standard Text Enhance actions for your company's account. See [Customize System Text Enhance Actions and Prompts](#) for more details.
- Create and manage generic prompts for your SuiteScript code. Instead of hard coding prompts in your SuiteScript code, you can reference a prompt by its internal ID or script ID. For more information about the N/Ilm module methods that use Prompt Studio prompts, see the help topics [llm.evaluatePrompt\(options\)](#) and [llm.evaluatePrompt.promise\(options\)](#).
- Create and manage AI-related SuiteCloud Development Framework (SDF) custom objects. Prompt Studio supports two SDF custom objects: prompt (an object that represents a prompt) and textenhanceaction (an object that represents a Text Enhance action). You can download these SDF custom objects as XML definitions and use them in your SDF projects. For more information, see the help topics [Prompts as XML Definitions](#) and [Text Enhance Actions as XML Definitions](#).

For more information about using Prompt Studio, see [Manage Prompts](#) and [Manage Text Enhance Actions](#).

Note: You can use Prompt Studio only if your NetSuite account supports generative AI. For more details, see the help topic [Generative AI Availability in NetSuite](#).

Manage Prompts

This topic describes how to manage prompts in Prompt Studio.

- [Access Prompt Studio](#)
- [View Prompts](#)
- [Prompt List Filters](#)
- [Customize Prompts](#)
- [Copy Prompts](#)
- [Create New Prompts](#)
- [Edit Prompts](#)
- [Enter Prompt Details for a Prompt](#)
- [Test a Prompt](#)

Access Prompt Studio

You can access Prompt Studio if you're a NetSuite user with an Administrator role or with another role that has the Setup Prompts (ADMI_PROMPTS) permission.

To access Prompt Studio:

1. Go to Setup > Company > AI > Prompt Studio. The **Prompts** subtab of the Prompt Studio page is displayed.

View Prompts

You can view prompts and filter the prompts list by different properties.

To view prompts:

1. Go to the **Prompts** tab of the Prompt Studio page. Before you filter the list, it shows all system prompts for Text Enhance actions.
2. Find the prompt you want to view. You can search by name or use filters.
 - **To search for prompts by name:** Type part or all of the prompt name in the search box.
 - **To filter the prompts list:** Click **Filters** and then select one or more options to narrow the list. For more information, see [Prompt List Filters](#).



Note: Your filter selections are saved. You can reset the filters by clicking **Clear All Filters**.

3. Click the prompt name to open its record.

Prompt List Filters

You can filter the prompts list with one or more of these options:

- **Type:** Limits the search results to either System or Custom prompts.
 - **System** prompts are provided by NetSuite. They can't be changed or deleted, but you can copy them to create a custom prompt. System prompts have a negative ID number.
 - **Custom** prompts are created by account users or installed with SuiteApps. Custom prompts have a positive ID number.
Custom prompts installed with SuiteApps have a status of "Locked" (shown when you view the prompt). You can't change or delete them using Prompt Studio, but you can create copies of them.
- **Prompt Type:** Limits the search results to either Text Enhance or Generic prompts.
 - **Text Enhance** prompts match a Text Enhance action.
 - **Generic** prompts are standalone and can be used in SuiteScript code.
- **Record:** Search by the prompt's associated record type.
- **Field:** Search by the prompt's associated field. You'll need to select a record before you can select a field.
- **Language:** Search by the prompt's associated language.
- **Language Variant:** If a language has more than one variant, you can narrow the list to a specific variant. For example, select English (UK) to view only UK English prompts. You'll need to select a language before you can select a language variant.
- **Action:** Select a Text Enhance action to view its associated prompts. You'll need to select a language before you can select an action.

Customize Prompts

When you customize a system prompt, you're making a copy that you can edit. Customize a prompt when:

- You want to override a system prompt with a custom prompt.
- You want to use the same prompt for a different language.
- You want to reuse a full Text Enhance action's prompt for a partial Text Enhance action.

To customize a prompt:

1. Go to Setup > Company > AI > Prompt Studio. The **Prompts** tab of the Prompt Studio page is displayed.
2. Find the prompt you want to customize. For more information, see [View Prompts](#).

3. Click the prompt's **Customize** link to open a copy of its details.
4. Edit the prompt details. For more information, see [Enter Prompt Details for a Prompt](#).
5. Click **Save**.

Copy Prompts

You can copy any prompt to create a new one. Copy a prompt when:

- You want to use the same prompt for a different language.
- You want to reuse a full Text Enhance action's prompt for a partial Text Enhance action.
- You want to create a custom prompt based on a system prompt, and you don't want to override the system prompt.
- You want to create a new custom prompt based on another custom prompt.

To copy a prompt:

1. Go to Setup > Company > AI > Prompt Studio. The **Prompts** tab of the Prompt Studio page is displayed.
2. Find the prompt you want to copy. For more information, see [View Prompts](#).
3. Click the prompt's name to view its details.
4. Edit the prompt details. For more information, see [Enter Prompt Details for a Prompt](#).



Note: If you've made a copy of a custom Text Enhance prompt, you need to change one or more target settings (record, field, language, language variant, or action) before you can save it.

5. Click **Save**.

Create New Prompts

There are two ways to create a new prompt.

To create a new prompt from outside Prompt Studio:

1. Go to Setup > Company > AI > Prompt Studio.
2. On the Prompt page, fill in the prompt details. For more information, see [Enter Prompt Details for a Prompt](#).
3. Click **Save**.

To create a new prompt within Prompt Studio:

1. Click the **Prompts** tab.
2. Click **Create Prompt**.
3. On the Prompt page, fill in the prompt details. For more details, see [Enter Prompt Details for a Prompt](#).
4. Click **Save**.

Edit Prompts

You can edit custom prompts. You can't edit system prompts or custom prompts installed with SuiteApps, but you can edit copies of them.

To edit a prompt:

1. Go to Setup > Company > AI > Prompt Studio. The **Prompts** tab of the Prompt Studio page is displayed.
2. Find the prompt you want to edit. For more information, see [View Prompts](#).
3. Click **Edit** to open the prompt on the Prompt page.
4. Edit the prompt details. For more information, see [Enter Prompt Details for a Prompt](#).
5. Click **Save**.

Enter Prompt Details for a Prompt

If you're creating a new prompt, enter the details as described below. If you're editing or customizing a prompt, only update the details you want to change.

To enter prompt details on the Prompt page:

1. Fill in the **Basic Prompt Settings**:
 - **Inactive**: Only select this setting if you want to disable a Text Enhance action.
For new prompts, use it if you aren't ready to release the prompt yet.
If you're customizing a system prompt with the same "signature" (record, field, language, and action), marking the copy "Inactive" creates an override with a stronger match. In that case, neither the system prompt nor its copy will be available, so the Text Enhance action won't display in the menu.
 - **Name**: Enter a prompt name. This name is displayed in the prompts list, so pick a name that is different from the others.
 - **Script ID**: Enter a unique ID to reference the prompt in scripts. When you save, the prefix **custprompt** is added to the script ID you entered. If you don't enter a value, the system assigns an ID number to the prompt (for example, custprompt2). The ID number is the same number that you'll see in the list view.
 - **Description**: Optionally, add a short description of your prompt.
2. Fill in the **Select Target** section:
 - **Prompt Type**: Select **Text Enhance** if the prompt is for a Text Enhance action. Select **Generic** if the prompt is for other uses, such as SuiteScript code.
 - **Record**: Select the record where the prompt can be used. If you select **All**, the prompt is available to all records, but you won't be able to narrow it by field.
 - **Field**: Select the field where the prompt can be used. If you select **All**, the prompt is available to all fields in the record you selected.
 - **Language**: Select the language for the prompt. For Text Enhance prompts, the language needs to match the Text Enhance action's language setting.
 - **Language Variant**: If needed, select the language variant for the prompt.
 - **Action**: For Text Enhance prompts, select the Text Enhance action you want to use.
You can choose a custom Text Enhance action or you can override a system action with your custom prompt. For example, if you want "Make Shorter" (a system action) to mean 120 characters or fewer, select the Make Shorter action and then add your requirements to the prompt template.

If you want to create a new custom Text Enhance action, click the **Create New** button instead of selecting an action from the list. In the Create Text Enhance Action dialog, fill in the fields and click **Save**.

Only Text Enhance actions with the same language setting as the prompt are shown in this list.

Note: If you've made a copy of a custom Text Enhance prompt, you need to change one or more target settings (record, field, language, language variant, or action) before you can save it.

3. Optionally, adjust the **Model Settings**.
4. Fill in the **Template** section. This is where you enter the prompt itself.
 - **Preamble:** Only available for Cohere models. Optionally, enter a description of the role or persona, context, and response tone. For example: You're a sales professional with a deep understanding of your customers and of your company's products. Answer in a friendly and professional tone.
 - **Template:** Enter the prompt that you want to use.

If your prompt type is **Text Enhance**, you can select variables to insert.

If your prompt type is **Generic**, you'll need to enter variables manually, based on what you plan to use in your code. For example, your SuiteScript code should set the value for `${purchaseDescription}` if your prompt is "Please clean up typos in the following text: `${purchaseDescription}` and return only the corrected text. Return the text as is if there's no typo or you don't understand the text."
5. Click **Save** when you're finished entering or updating the prompt details.

Test a Prompt

For best results, test your prompt before you activate it in your account.

To test a prompt:

1. Go to Setup > Company > AI > Prompt Studio. The **Prompts** tab of the Prompt Studio page is displayed.
2. Find the prompt you want to test and click its name to open it. For more information, see [View Prompts](#).
3. On the Prompt page, find the table below the Template field with columns called **Variables in Template** and **Replace Variable with Value**. For each variable, enter the values you want to test in the **Replace Variable with Value** column.
4. Place your cursor in another field on the page, then verify that the **Prompt to Preview** field shows the prompt with the values you want to test.
5. Click **Generate Preview**. You'll see the response from the large language model in the **Prompt Result Preview** field.

Note: The first time you click **Generate Preview**, Prompt Studio displays a confirmation message to inform you that you're using an artificial intelligence (AI) feature. The message is as follows: "Prompt Studio is an AI feature that generates content for your use. Your data may be processed globally according to the [Oracle Services Privacy Policy](#)." Click the link if you want to view the policy. It'll open in a new web browser tab or window. Click **OK** to close the message and continue.

You can run multiple tests and make changes until the prompt meets your needs.



Important: If your account has not enabled Prompt Studio to use an OCI configuration, each successful preview counts as one free use from your monthly quota. For more information, see [View Prompt Studio Usage Limit and Usage](#)

Manage Text Enhance Actions

This topic describes how to manage Text Enhance actions in Prompt Studio.

- [Access Text Enhance Actions in Prompt Studio](#)
- [View Text Enhance Actions](#)
- [Create New Text Enhance Actions](#)
- [Edit Text Enhance Actions](#)
- [Test a Text Enhance Action](#)

Access Text Enhance Actions in Prompt Studio

You can access Prompt Studio if you're a NetSuite user with an Administrator role or another role with the Setup Prompts (ADMI_PROMPTS) permission.

To access Text Enhance Actions in Prompt Studio:

1. Go to Setup > Company > AI > Prompt Studio.
2. Click the **Text Enhance Actions** subtab.

The list of Text Enhance actions is displayed.

View Text Enhance Actions

You can view Text Enhance actions and filter the list by different properties.

To view Text Enhance actions:

1. Go to the **Text Enhance Actions** tab of the Prompt Studio page. Before you filter the list, it shows all system Text Enhance action records.
2. Find the Text Enhance action you want to view. You can search by name or use filters.
 - **To search for a Text Enhance action by name:** Type part of or all of the Text Enhance action name in the search box.
 - **To filter the Text Enhance actions list:** Click **Filters** and select one or more options to narrow it down:
 - **Type:** System or Custom
System Text Enhance actions, which have a negative ID number, are provided by NetSuite. You can't change or delete them.
Custom Text Enhance actions, which have a positive ID number, are Text Enhance actions created by account users or installed with SuiteApps.
 - **Language:** Search by the Text Enhance action's language.



Note: Your filter selections are saved. You can reset the filters by clicking **Clear All Filters**.

3. Click the Text Enhance action name to view its record.

Create New Text Enhance Actions

There are two ways to create a new Text Enhance action.

To create a new Text Enhance action from outside Prompt Studio:

1. Go to Setup > Company > AI > Prompt Studio and click the **Text Enhance Actions** tab.
2. Click **Create Text Enhance Action**.
3. On the Text Enhance Action page, fill in the details. For more information, see [Edit Text Enhance Actions](#).
4. Click **Save**.

To create a new Text Enhance action within Prompt Studio:

1. Click the **Text Enhance Actions** tab.
2. Click **Create Text Enhance Action**.
3. On the Text Enhance Action page, fill in the details. For more details, see [Edit Text Enhance Actions](#).
4. Click **Save**.

Edit Text Enhance Actions

You can only edit custom Text Enhance actions.

To edit a Text Enhance action:

1. Go to Setup > Company > AI > Prompt Studio and click the **Text Enhance Actions** tab.
2. Find the Text Enhance action you want to edit. For more information, see [View Text Enhance Actions](#).
3. Click the Text Enhance action's **Edit** link. The Text Enhance Action page displays the action's details.
4. Complete the Text Enhance action's details:
 - a. Fill in the **Basic Fields**:
 - **Name**: Give the Text Enhance action a descriptive name. The name is what NetSuite users will see in Text Enhance menus. If you're making Text Enhance actions for full and partial Text Enhance that will do the same thing, you can use the same name for both.
 - **Script ID**: Enter a unique ID to reference the Text Enhance action in scripts. When you save, the prefix **custteaction** is added to the script ID.
 - b. Fill in the **Target Fields**:
 - **Language**: Select the language for the Text Enhance action. This setting determines which Text Enhance actions are available to select for the prompt. For example, if the prompt language is Japanese, only Text Enhance actions with Language set to Japanese are displayed in the prompt's Action menu.
 - **Is Partial**: Optionally, select this option to create a partial Text Enhance action. Partial Text Enhance actions display in a popup menu when you select text in a field with Text Enhance.
5. Click **Save**.

Test a Text Enhance Action

For best results, test the Text Enhance action and its prompt before you activate it in your account.

To test a Text Enhance action:

1. In Prompt Studio, test the prompt that uses the action. For more information, see [Test a Prompt](#).
2. Go to the record and field where the Text Enhance action is set up, then test the action there. To test Text Enhance actions in other languages, you'll first need to change your language in user preferences to match the action's language. For more information, see the help topic [Choosing a Language for Your NetSuite User Interface](#).

Create Custom Text Enhance Actions and Prompts

You can use Prompt Studio to create new, custom Text Enhance actions and their prompts for your company's account. After you save new Text Enhance actions and prompts, NetSuite users will see them in the applicable Text Enhance menus.

 **Note:** You can access Prompt Studio if you're a NetSuite user with an Administrator role or with a customized role that has the Setup Prompts (ADMI_PROMPTS) permission.

Watch the following video to learn how to create a custom Text Enhance action and prompt.

 [Prompt Studio Create New Text Enhance Action](#)

Customize System Text Enhance Actions and Prompts

You can use Prompt Studio to customize system Text Enhance actions for your company's account. When you customize a system Text Enhance prompt, your version overrides the system prompt for the Text Enhance action. After you save customized Text Enhance prompts, the new behavior will apply to system actions in the applicable Text Enhance menus.

 **Note:** You can access Prompt Studio if you're a NetSuite user with an Administrator role or with a customized role that has the Setup Prompts (ADMI_PROMPTS) permission.

Watch the following video to learn how to override a system Text Enhance action by customizing its prompt.

 [Prompt Studio Modify System Text Enhance Action](#)

Setting Up Duplicate Detection

After you enable the Duplicate Detection feature at Setup > Company > Enable Features, you need to set the criteria for finding duplicates before records can be flagged. By default, NetSuite looks for duplicates by email address.

You can change how NetSuite searches for duplicates on the Duplicate Detection page. You can have NetSuite search for duplicates among customer, contact, partner, or vendor records and look for matches in certain fields.

Go to Setup > Company > Duplicate Detection.

 **Note:** You may have to scroll down the Company menu to see Duplicate Detection in the Company Management section.

The following topics describe the duplicate preferences on each subtab of the Set Up Duplicate Detection page.

- [Duplicate Detection Preferences](#)
- [Duplicate Detection Excluded Domains Preferences](#)
- [Duplicate Detection Other Preferences](#)

Use the Duplicate Entity Management permission to specify which users can access the Manage Record Duplicates page. For more information, see [Duplicate Entity Management Permission](#).

After you set the duplicate detection preferences, NetSuite starts searching for duplicate records based on your criteria.

 **Note:** The initial search can take a while, depending on how many customer and contact records you have in your account. You won't see duplicate alerts or be able to merge records until this first search is done.

After the search is complete, possible duplicate records are flagged with a notice and a link to a page where you can decide how to handle them. For more information, see [Duplicate Record Notification](#) and [Merging or Deleting Duplicate Records](#).

You can only merge records if they have the same tax registration number or if neither record has a tax registration numbers entered. This restriction prevents you from merging records that aren't duplicates. If you use NetSuite OneWorld, you can't merge records with different subsidiaries.

 **Note:** Merging records also merges their transaction histories. The original data, such as entity name, is retained to preserve a transaction's history. You should limit who can merge records to specific roles or to a user with the Administrator role. This is particularly important if audit requirements discourage merging transaction records.

You can also go to Lists > Mass Update > Entity Duplicate Resolution to search for all possible duplicate contact and customer records based on the criteria you've set.

Duplicate Detection Preferences

On the **Detection** subtab, you set the criteria for marking records as duplicates, such as which records and fields to check.

To set duplicate detection preferences:

1. Go to Setup > Company > Duplicate Detection.
2. Click the **Detection** subtab.
3. Check **Near Match Detection** to help identify duplicates based on similar but not exact match criteria. This preference may improve duplicate detection by catching duplicates created from misspellings, typos and other minor variations in data.

 **Note:** This preference is available to customers whose accounts use Latin or Cyrillic characters only.

When potential duplicates are detected, you see a notification banner highlighting records that could be merged into one entity record.

Clear the box at any time to revert to exact match detection.

4. Check the **Detect Duplicates Across Subsidiaries (Customers and Vendors Only)** box to search for duplicate customers and vendors, even if they are in different subsidiaries.
5. Check the box next for each type of record you want to use duplicate detection with.

For example, check the **Detect Customer Duplicates** box to get alerts for possible duplicate customer records.

There are four types of records you can detect duplicates for:

- Customer
- Vendor
- Partner
- Contact

6. In the **Fields to Match On** field, select the fields from the record type you want to use when searching for similar information.

Select the **Company Name** field for a customer record type to look for duplicate matches in the **Company Name** field.

Depending on your settings in Home > Set Preferences, you may see all fields listed in the form, or you may have to click the Select Multiple icon , and select your fields from there.

Notes on the Fields To Match On Preferences

- Records have to match in **all** the fields you select to be returned as possible duplicates.
For example, you check the **Detect Customer Duplicates** box and then select phone and email in the **Fields to Match On** field. Customers need to have both a matching phone number **and** email address to be considered duplicates.
- You can base duplicate detection criteria on custom fields. The list of fields for each entity type includes any custom fields you've created for those record types. Check the **Store Value** box when creating a custom entity field to make it available as criteria in duplicate detection.
- Duplicate detection doesn't support the following entity custom field types: Time Of Day, Rich Text, Password, and Date/Time. These fields don't appear in the **Fields to Match On** field.

Duplicate Detection Excluded Domains Preferences

Administrators can set excluded domains for duplicate detection on the **Excluded Domains** subtab of the Set Up Duplicate Detection page at Setup > Company > Duplicate Detection.

If you want to exclude certain email domains from Email (domain only) duplicate detection, click the **Excluded Domains** subtab and enter the domains you want to exclude. Press **Enter** after each entry. Enter these excluded domains without the top-level domain (.com, .net, etc.). For example, to exclude Gmail email addresses, enter **gmail**.

Click anywhere on the list, press **Enter**, and type the domain without the .com or .net ending.

Duplicate Detection Other Preferences

Administrators can set other duplicate detection preferences on the **Other Preferences** subtab of the Set Up Duplicate Detection page at Setup > Company > Duplicate Detection.

1. Check the **Show Duplicate Warning Popup on Records** box if you want to show a popup warning when a user clicks **Save** and the cursor is in a duplicate criteria field.
Normally, users get a warning of possible duplicates when they move from a duplicate criteria field to another field. However, if the cursor is still in a duplicate criteria field when they click **Save**, the usual warning isn't shown. Enable this preference to ensure users are still notified.

2. Choose how you want to resolve duplicate records with conflicting login access. If two duplicate records both have login access but different email addresses, they're considered to have conflicting login access. The following options are available:
 - **Manually:** Duplicate records with conflicting login access aren't merged. You must manually remove login access from one record before you can merge them.
 - **By deleting the duplicates' access:** When you merge records, the login access of duplicate record is deleted when it's merged into the primary record.

Duplicate Entity Management Permission

Access to the Manage Record Duplicates page is controlled by the Duplicate Entity Management permission. To allow users to see duplicates but not merge records, you can give users View level access for the permission.

To prevent a role from merging records:

1. Go to Setup > Users/Roles > Manage Roles.
2. Click **Customize** or **Edit** for the role.
3. On the **Permissions** subtab, click **Lists**.
4. Add the **Duplicate Entity Management** permission to the role.
5. To hide the **Merge** button from users with this role, in the Level column, select **View**.
6. Click **Save**.

Duplicate Record Notification

Users are notified of potential duplicates in three ways:

- When you open a record with potential duplicates, you'll see a notice at the top of the page with a link to the potential duplicates.
- When you're creating a new record and enter matching data in fields set up as duplicate criteria, you'll see a warning at the top of the page with a link to the potential duplicates. If you have permission, you can click the link to open those matching records.
- When you add a record from a list by using Quick Add, or you use Inline Editing to make changes that would create a duplicate, you'll also get a popup warning.

These notifications help reduce the number of duplicate records in your NetSuite account.

 **Note:** For OneWorld accounts, cross-subsidiary records aren't treated as duplicates. For example, two entities in different subsidiaries won't be listed as duplicates on the Manage Duplicates Page.

NetSuite skips certain words or phrases when searching for duplicates. For a list of these words, see the help topic [Words Excluded from Duplicate Detection Matching](#).

NetSuite Account Information

NetSuite Account Information options available at Setup > Company can assist you with maintaining your account.

Billing Questions – Opens the Contact Support Online page. You're encouraged to search SuiteAnswers and review the FAQs before filling out the fields required to contact support. For more information, see the help topic [NetSuite Support](#).

View Billing Terms: Opens the Billing Terms page, which describes the billing process and procedures for your NetSuite account.

View Billing Information: Opens a Billing Information page, which shows installed components, add-on modules, provisioning history, and component usage.

NetSuite Support Login: Opens the Allow NetSuite Support Login. Select the duration to allow NetSuite to access your data for investigating your cases.

Close Account: Opens the Contact Support Online page.

Outlook Sync Configurations: Change the Outlook sync configuration, if required. For more information, see the help topic [Outlook Integration](#).

Antivirus Scanning on File Cabinet Files



Important: This feature is required. Users with the Administrator role can't request to turn it off, and no setup is needed.

All files you store in the File Cabinet are screened for malicious content when you upload them through the UI, SuiteScript, or Web Services. If files are found to be malicious, they're rejected. In these cases, you'll see the following error message in the UI or the console: **"The file '{1:filename}' was not saved to the File Cabinet. An Unexpected error has occurred."**

If you think a rejected file is safe, please contact NetSuite Customer Support for help with the issue.

Email attachments sent to NetSuite are also scanned for viruses. This includes attachments in support cases or those received through the email capture plug-in. If a file attachment is found to be malicious, it's automatically blocked and no error message is sent.

Activating System Alert Reminders

A system alert lets users with the Administrator role know when NetSuite has a problem processing a transaction and offers advice on how to fix it. Only users with the Administrator role can access system alerts.

System alerts appear in the Reminders portlet on the Home tab after you've activated the reminder. For more information, see [Viewing the System Alert Page](#).

To activate system alert reminders:

1. Click **Personalize Dashboard** in the Settings portlet or **Personalize** in the top right corner of the Home page.
2. In the **Add Content** panel, click or move the **Reminders** item.
3. In the **Reminders** portlet, click **Set Up**.
4. Check the **NetSuite System Alerts to Acknowledge** box.
5. Click **Save**.

To view a system alert, click the reminder in the Reminders portlet on the Home page. See system alerts at Setup > Company > System Alerts.

To view a list of system alerts, see [Viewing the System Alert Page](#).

Automatic Memorized Transaction (AMT) alerts appear as a system alert in the Reminders portlet on the Home page. The AMT system alert tells you that an automatic memorized transaction didn't post because it's missing a location reference.

Viewing the System Alert Page

System alerts notify users with the Administrator role when NetSuite has a problem processing a transaction. For information about setting up system alerts, see [Activating System Alert Reminders](#).

See the following instructions to view a system alert and its details.

To view the System Alerts page:

1. Go to Setup > Company > Company Management > System Alerts.
The System Alerts page opens and shows the type, date, and name of each alert.
If you also want to see system alerts that have been acknowledged, click the **Show acknowledged alerts** box.
2. On the System Alerts page, click the name of the system alert in the **Name** column. The system alert record opens and shows these fields:
 - **Type**: the type of alert
 - **Date/Time**: the date and time of the alert
 - **Name**: the name of the alert
 - **Acknowledged**: if the alert has been acknowledged
 - **Description**: a description of the alert
 - **User email**: the user email address
 - **Document**: the document type and number
 - **Resolution**: the suggestion resolution for the error
3. Read the resolution to determine what steps to take to correct the transaction error.
4. Check the **Acknowledged** box to mark the alert acknowledged.
After you acknowledge an alert, the reminder no longer appears in the **Reminders** portlet.
5. Click **Save**.

Searching Bulk Processing Jobs

If you have the Administrator role, you can view the status and history of all the bulk processing jobs in your account.

Go to Setup > Company > Company Management > Bulk Processing Status List to view a list of bulk processing jobs. The columns that appear on this list include submission ID, submission status, percent complete, result, message, date created, and created by. Many of these columns also act as filters, so you can narrow the list to the processing jobs you want to see.

Available filters include the bulk processing type, submission status, result, and who created the bulk processing job. You can use selectors to filter the bulk processing jobs by creation date and choose how you want the list displayed.

Administrative Notification Setup

NetSuite uses administrative notifications, displayed when you log in, to give you important information about changes to your account, like infrastructure maintenance, service upgrades, or any major changes that could affect your business. You can specify which users receive administrative notifications and which notifications are pending or confirmed.

It's important to specify the appropriate recipients for these notifications so you can plan for maintenance events. Some examples include:

- NetSuite Administrators and IT personnel should be aware of changes to the service.
- Accounting or Billing department heads need to see billing or renewal notices.
- Legal department heads need to see legal notifications.
- Operations decision makers need to see scheduled maintenance notifications that may affect access to your account.

By default, all administrative notifications are presented to every user with the Administrator role, and each user must acknowledge the notification to access the NetSuite account.

You can enter settings for each of the following notification types to make sure they're going to the right recipients:

- **Administrative Notifications:** Announce upcoming changes to feature availability in your account.
- **Billing and Renewal Notices:** Alert you to payment requirements when you purchase new features and notify you when it's time to renew your contract with Oracle.
- **Legal Notifications:** Notify you of changes that require administrator acceptance, such as a modification to the Terms of Service (TOS).
- **Scheduled Maintenance:** Provide the date and time when scheduled maintenance tasks may affect access to your account.
- **Service Release Notifications:** Announce the upcoming release of a new version of NetSuite. These notifications provide information about access to the Release Preview account, and when your account will be upgraded.

To set up administrative notification recipients, go to Setup > Company > Company Management > Administrative Notifications. Add users you want to receive the notifications and see who confirmed them and when.

Note: The Administrative Notifications page is available to users with the Administrator role or the Setup Company permission.

Administrative Notifications

Edit
Back

Options	Confirmed	Pending Confirmation
Notification Type	Include Admins	Recipients
Administrative Notifications	Yes - Mandatory	Send email
Billing and Renewal Notices	Yes - Mandatory	Require Each Recipient to Accept
Compliance Notifications	Yes - Mandatory	Yes
Legal Notifications	Yes - Mandatory	
Scheduled Maintenance	Yes - Mandatory	Yes
Service Release Notifications	Yes - Mandatory	Yes

Edit
Back

On the **Options** subtab, you can:

- Designate multiple users, in addition to administrators, as notification recipients.



Important: You may be able to add users that don't have NetSuite login access as notification recipients, but they won't get notification email messages.

- You can choose to send notifications by email as well as show notifications in NetSuite.
- For more information, see [Setting Administrative Notification Options](#).

On the **Confirmed** subtab, you can see:

- When a recipient confirmed they read a notification.
 - Who confirmed they read the notification.
- For more information, see [Review Notification Confirmations](#).

On the **Pending Confirmation** subtab, you can see:

- Which notifications haven't been confirmed yet.
 - Who hasn't confirmed they read the notification.
- For more information, see [Review Pending Confirmations](#).

Setting Administrative Notification Options

Use the Administrative Notifications page to specify which users receive administrative notifications and who should receive these types of NetSuite email notifications.

To set administrative notification options:

1. Go to Setup > Company > Administrative Notifications.
2. Click the **Edit** button, then review and update the following columns on the **Options** subtab as needed for each administrative notification.
 3. Include Admins
 - Indicates that all users with the Administrator role are added to the list of recipients for the selected notification type.
 - This setting is required, so it is set to **Yes — Mandatory**.
 4. Recipients
 - Lists the specific set of users to receive in-account notifications of the selected type.
 - This field is empty by default.
 - To select multiple recipients for each notification type, click the Select Multiple icon beside then the field.
 - Individual users and groups are available in the list.



Note: Only employee users, and groups made up exclusively of employee users are available, because you can't select Customer Center, Partner Center, or Vendor Center users as recipients.

5. Send Email
 - Check the box to send email messages containing notifications to recipients, in addition to in-account messages.
 - This box is cleared by default.

- If the box is checked, email messages are sent to the complete list of recipients.

Note: In-account notification email messages are different from email campaigns. It's possible that you are signed up for one type, but not the other. To find out if you are signed up for email campaigns, see the help topic [Subscription Management](#).

6. Require Each Recipient to Accept
 - Indicates whether all recipients should be required to confirm in-account notifications of this type.
 - The box is cleared by default. Every user with the Administrator role must confirm the notification, but other recipients do not.
 - To ensure that all selected recipients see all in-account notifications of the selected type, check the box.
7. When you're finished, click **Save**.

Review Notification Confirmations

Administrators can review details about notifications that all required recipients have confirmed. Go to Setup > Company > Administrative Notifications. On the Administrative Notifications page, click the **Confirmed** subtab.

- **Notification Type:** Type of notification.
- **Confirmed By:** Names of users who have confirmed that they read the notification.
- **Date Confirmed:** Date and time when the users confirmed they read the notification.
- **Message Text:** Text of the notification message.
- **Date emailed:** Date when the notification was sent by email.

Review Pending Confirmations

Administrators can review details about notifications that haven't been confirmed by all required recipients. Go to Setup > Company > Administrative Notifications. On the Administrative Notifications page, click the **Pending Confirmation** subtab.

- **Notification Type:** Type of notification.
- **Require Each Recipient to Accept:** Whether you indicated on the Options subtab that each notification recipient was required to confirm that they read it.
- **Confirmed By:** Names of recipients who have confirmed they read the notification.
- **Not Confirmed By:** Names of recipients who haven't confirmed they read the notification.
- **Message Text:** Text of the notification message.
- **Start Date:** Date when the notification message was originally posted.
- **Expiration Date:** Last date the notification message will be posted.

Managing Plug-ins

A plug-in is customized functionality that is defined by an interface. After a plug-in is implemented, users with the Administrator role can override the plug-in's default logic to better fit their organization's needs.

- NetSuite provides core plug-ins, which are usually part of a major release. A core plug-in's interface defines functions that are run within the core NetSuite code. For more information about core plug-ins, see the help topic [Core Plug-in Overview](#).

Third-party providers develop custom plug-ins as alternate implementations of an interface, and bundle them in a SuiteApp. For more information about custom plug-ins, see the help topic [Custom Plug-in Overview](#).

When a plug-in's implementations are ready, a user with the Administrator role activates the implementations available for each NetSuite account.

To view the plug-in implementations available in an account:

1. Go to Customization > Plug-ins > Manage Plug-ins.
2. The Manage Plug-in Implementations page lists the core and custom plug-in implementations that are available in the current account. To activate an implementation, check the box. To inactivate an implementation, clear the box.
3. Make changes as required. Then, click **Save**.

For information about viewing system notes for a plug-in implementation, see [Viewing Plug-in Implementation System Notes](#).

Viewing Plug-in Implementation System Notes

You can view the activity of your plug-in implementation on the System Notes subtab of the Plug-in Implementations page.

To view plug-in implementation system notes:

1. Go to Customization > Plug-ins > Plug-in Implementations. Click **Edit** beside the implementation that you want to view.
2. Click the **System Notes** subtab.

 **Note:** Previously, plug-in implementation information was listed on the History subtab, but that subtab is no longer updated. New plug-in implementation activity is shown on the System Notes subtab.

Plug-In Implementation

Edit

Back

Actions

Type

Email Capture

Name

Campaign Plug-in

ID

customscript719

API Version

1.0

Status

Testing

Log Level

Debug

Execute as Role

Current Role

Description

Owner

Jones, Kay

☐ Inactive

Scripts

Unhandled Errors

Execution Log

System Notes

View

Field

Default

- All -

Customize View

Date	Set by	Context	Type	Field	Old Value	New Value
6/9/2017 12:17 pm	Jones, Kay	UI	Set	Script File		CampaignAssistant.js
6/9/2017 12:17 pm	Jones, Kay	UI	Set	Owner		Wolfe, C
6/9/2017 12:17 pm	Jones, Kay	UI	Set			Campaign Plug-in
6/9/2017 12:17 pm	Jones, Kay	UI	Set	ID		CUSTOMSCRIPT719
6/9/2017 12:17 pm	Jones, Kay	UI	Set	Inactive		F
6/9/2017 12:17 pm	Jones, Kay	UI	Set	Notify Owner		T
6/9/2017 12:17 pm	Jones, Kay	UI	Set	Notify All Admins		F

System notes for changes to a plug-in implementation record capture the following information:

- Date when the change was made
- Who made the change
- Context for the change (for example, UI)
- Type of change, for example, Edit
- Field changed
- Old value
- New value
- Role of the user who made the change (included as of 2017.2 — you have to customize the view to see the Role column)

For more information about system notes, see the help topic [System Notes Overview](#)



Important: NetSuite always uses the current version of the Custom GL Lines Plug-in. An older version of the plug-in may have been used to create a transaction, and may have generated a different result than the current version. If you try to update a transaction in a closed period, and the current version of the plug-in generates a different result, you can't save y updates.

You can either open the period, or branch your plug-in implementation based on the plug-in version date.

NetSuite Service Tiers

The NetSuite Service Tiers help you see how your account is being used, so you can make decisions about the resources your business needs. Each service tier provides more processing power to help reduce operational risk.

See the following topics for more information:

- [NetSuite Service Tier Structure](#)
- [Service Tier Dashboard](#)
- [Service Tier Upgrade Process Overview](#)
- [NetSuite Service Tiers Frequently Asked Questions](#)
- [Transaction Types Included in Monthly Transaction Lines Metric](#)
- [SuiteSuccess Transaction Types Analysis Workbook SuiteApp](#)

NetSuite Service Tier Structure

NetSuite Service Tiers are designed to meet your needs and give you the best experience at different levels of scale. Each service tier supports a maximum number of users, file storage, and monthly transaction lines created.

The table below summarizes the service characteristics of the NetSuite Service Tiers.

Service Tier	Users	File Storage (GB)	Monthly Transaction Lines ¹	SuiteCloud Plus Licenses
Standard	Up to 100 users	Up to 100 GB	Up to 200K	Up to 1

Service Tier	Users	File Storage (GB)	Monthly Transaction Lines ¹	SuiteCloud Plus Licenses
Premium	Up to 1,000 users	Up to 1,000 GB	Up to 2M	Up to 3
Enterprise	Up to 2,000 users	Up to 2,000 GB	Up to 10M	Up to 6
Ultimate	Up to 4,000 users	Up to 4,000 GB	Up to 50M	Up to 12

(1) Total transaction lines per month across all transaction types, averaged over the most recent six months.

NetSuite Service Tiers also set the base and maximum concurrency for platform web services transactions, and the number of processors available for scheduled scripts, through SuiteCloud Plus licenses.

For more information and numerical breakdown, see [SuiteCloud Plus Settings](#).

Service Tier Dashboard

The Service Tier Dashboard lets you see your NetSuite account usage and Service Tier metrics. The Service Tier metrics include:

- **File Cabinet Size (GB):** The storage capacity in your file cabinet. This number is accurate as of the previous day.
- **Full Licensed Users:** The number of full licensed users purchased for your account.
- **Monthly Transaction Lines** (previous month): The accumulated total number of transaction lines created in your account for the previous month.
- **Average Monthly Transaction Lines** (previous six-month average): The rolling monthly average based on the last six months of transaction lines.
- **SuiteCloud Plus Licenses:** The number of SuiteCloud Plus Licenses purchased for your account. SuiteCloud Plus Licenses increase parallel processing capabilities and let you process larger batches of transactions, data import/export jobs, and scheduled scripts. For more details, see [SuiteCloud Plus Settings](#).

To view your account usage details in the Service Tier Dashboard, go to **Setup > Company > Service Tier Dashboard**.

Interpreting Service Tier Dashboard Details

You can see the following details for your account:

- **Current:** The number of resources currently used in, or licenses purchased for, your account.
- **Service Tier Limit:** The maximum number of resources you can purchase under your current service tier.
- **% of Service Tier Limit:** The current value of resources used, as a percentage of your resources limit.

NetSuite Service Tier Statuses Explained

NetSuite Service Tiers fall into one of three statuses and are indicated by the status icons below: Under limit, Near limit, and Over limit.

The following descriptions can help direct your next steps to ensure that your account has the resources it needs to achieve optimal Service Tier implementation.

Status Icon	Indicator	Trigger	Description
	Under limit	Consuming between 0-80% of limits	You're within the limits of your current service tier, and its resources are serving your business well.
	Near limit	Consuming between 80-100% of limits	You're nearing the limits of your current service tier. Review your resource consumption and seriously consider upgrading to a higher service tier.
	Over limit	Consuming over 100% of limits.	You're over your service tier limits. For optimal account utilization, contact your account manager to upgrade to a higher service tier to better meet your needs.

Service Tier Upgrade Process Overview

The Service Tier upgrade begins immediately after the sales order is billed.

Note: Within three days after your Service Tier license is activated, all components are provisioned, and you can use your new service tier right away.

In most cases, the tier upgrade is complete after your new license is activated. After your new license is activated, you can use the increased capacity of your new tier. Sometimes, additional maintenance is needed. You will be alerted through an in-account notification at least 48 hours before the scheduled maintenance date, if required.

NetSuite Service Tiers Frequently Asked Questions

For more information, see the following frequently asked questions (FAQs) about NetSuite Service Tiers:

- [Performance and Scalability FAQs](#)
- [NetSuite Service Tier Dashboard FAQs](#)
- [Service Tier Upgrade FAQs](#)

Performance and Scalability FAQs

The following frequently asked questions are about performance and scalability in the NetSuite application.

How do I find information about my NetSuite Service Tier?

If you have the Administrator role, you can see your current service tier in NetSuite at Setup > Company > Service Tier Dashboard.

Also, you can see your concurrency usage and other limits at Setup > Integration > Integration Governance.

Does my service tier affect performance and scalability of my NetSuite account?

NetSuite service tiers do not affect your account performance. However, Oracle NetSuite has tools and teams, such as ACS Optimize and Support, to help solve performance-related problems, and optimize your service tier and number of SuiteCloud Plus licenses.

When you think about performance, your most common question is likely, how long will it take? Performance issues including page load times, integration request process times, and single transaction load/save/edit times. These issues can be resolved by using the Application Performance Management tools, doing root cause analysis with Support, and involving ACS for more technical health-check reports. Regardless of your service tier, you use these tools and teams to help you optimize the performance of your NetSuite account. The Application Performance Management SuiteApp can be found in the SuiteApp marketplace.

For more information, see the help topics [SuiteApp Installation](#) and [Application Performance Management \(APM\)](#).

When you think about scalability, your most common question is likely, how many do we need? Scalability issues include user counts, map-reduce, and integration concurrency, which can be monitored using APM Concurrency. If needed, you can buy additional SuiteCloud Plus licenses to address these issues. The service tier you choose affects the maximum number of SuiteCloud Plus licenses you can add to your NetSuite account.

For more information, see [SuiteCloud Plus Settings](#).

Will a tier upgrade fix my performance issues?

No, your service tier doesn't impact performance. Service tier upgrades give you capacity for more users, file cabinet storage, transaction volume, and concurrency as your business grows.

NetSuite Service Tier Dashboard FAQs

The following frequently asked questions are about the NetSuite Service Tier Dashboard.

Where can I check my Service Tier usage metrics?

Users with the Administrator role can view your account's usage details in the Service Tier Dashboard. To access the dashboard, go to Setup > Company > Service Tier Dashboard. For more information, see [Service Tier Dashboard](#).

Who can access the Service Tier Dashboard?

Users with the Administrator role can access the Service Tier Dashboard. For more information about service tiers, see [NetSuite Service Tiers](#).

What is the difference between the Service Tier Dashboard and the SuiteSuccess Transaction Types Analysis Workbook SuiteApp?

The Service Tier Dashboard shows your NetSuite account usage and metrics, including your monthly transaction lines for the previous month and a rolling monthly average for the past six months. It also shows your file cabinet storage capacity, the number of full licensed users in your account, and the number of SuiteCloud Plus licenses you've purchased. For more information, see [Service Tier Dashboard](#).

The SuiteSuccess Transaction Types Analysis Workbook, available on the SuiteApp marketplace, helps you see your company's transaction line usage for the current month. If you install the SuiteApp, you can see how many transaction lines you generate this month and then analyze them by transaction type. For more information, see [Transaction Types Included in Monthly Transaction Lines Metric](#). For details on installing SuiteApps, see the help topic [SuiteApp Installation](#).

What transaction types contribute to the Monthly Transaction Lines metric?

NetSuite account usage is measured using transaction lines. Monthly Transaction Lines are reported each month and a 6-month rolling average is used to determine the appropriate service tier. For a list of the transaction types used to determine the Monthly Transaction Line metric, see [Transaction Types Included in Monthly Transaction Lines Metric](#).

Why are my Monthly Transaction Lines higher than expected? We only have a few line items on each of our transactions, but the current Service Tier Dashboard numbers are considerably higher.

It is important to know that a single transaction is not necessarily one transaction line in the Monthly Transaction Lines metric. There can be underlying component items that count toward the Monthly Transaction Lines metric.

For example, if you have a Groups, Assemblies, and Kit/Packages sales order form that includes one assembly item with five components, the transaction lines would look like this:

Main Line (1) + Assembly Item (1) + Component Items (5) = 7 transaction lines.

The sales order form in NetSuite might show this:

Main Line (1) + Assembly Item (1) = 2.

This means the line items you see on the sales order form aren't necessarily the same as the transaction lines included in your Monthly Transaction Lines metric.

If you want to see your Monthly Transaction Line metric breakdown for the current month, the SuiteSuccess Transaction Types Analysis Workbook can give you an accurate view of your data. The SuiteSuccess Transaction Types Analysis Workbook counts and displays the component lines and provides visibility when Groups, Assemblies and Kit/Packages are used.

For more details about monthly transaction types and line items, see [Transaction Types Included in Monthly Transaction Lines Metric](#). For more details about counting line items, please see **Groups, Assemblies, and Kit/Packages**, SuiteAnswers ID 30578, and **Cost of Goods Sold (COGS) GL Impact**, SuiteAnswers ID 7819. If you would like to see your current month's transaction lines in detail, please see the SuiteSuccess Transaction Type Analysis Workbook SuiteApp. For details on installing SuiteApps, see the help topic [SuiteApp Installation](#).

What is a Full Licensed User?

A user is an individual who has access to a NetSuite account. Full Licensed Users are individuals who are assigned any role (Standard or Custom) that requires the user login to perform activity within NetSuite. To check how many Full Licensed Users you currently have in your account, go to Setup > Company > View Billing Information and look under Billable Components.

It's important to note that it's the user's email address that's counted as one user license. That email address can be associated with multiple roles within NetSuite, but it still counts as only one Full Licensed User.

For example:

- If the user has only an Administrator role, it counts as one user against the Full Licensed Users.
- If the user has both an Administrator role and a Custom role with the same email address, it counts as only one user against the Full Licensed Users.
- If the user has both an Administrator role and an Employee Center role, it counts as only one user against the Full Licensed Users.
- If the user has only an Employee Center role, it's not counted against the Full Licensed Users.

The following roles don't count against the Full Licensed Users count because they don't give users full NetSuite account access:

- Customer Center role
- Employee Center role
- Partner Center role
- Advanced Partner Center role
- Vendor Center role
- Specialized User: CRM role
- Specialized User: Project Manager role
- Specialized User: Site Operator role
- Specialized User: View and Approve role
- Specialized User: WMS role

For more information about the above mentioned roles, see:

- [Customizing the Customer Center Role](#)
- [About the Employee Center Role](#)
- [Assigning the Advanced Partner Center Role](#)
- [Customer Center, Vendor Center, and Partner Center Roles](#)

Why is the Service Tier Dashboard missing some data?

If some of the dashboard items are not displayed, it's probably because you haven't used or purchased capacity for that resource yet.

Can I see the Service Tier Dashboard in non-production accounts (sandbox, development, Release Preview)?

No, currently the dashboard isn't available in non-production accounts. It may become available in the future.

Service Tier Upgrade FAQs

The following frequently asked questions are about the NetSuite Service Tier upgrade.

Can I pick the date and time of my upgrade?

No. We strive to upgrade your service tier as soon as your new service tier's first invoice is fulfilled.

What actions are required of me in preparation of my Service Tier upgrade?

You don't need to do anything before the tier upgrade because your data doesn't change. After the upgrade, you may need to update integrations and customizations to use the additional base tier concurrency and any additional SuiteCloud Plus licenses you bought.

How long does it take to receive the new service tier after I place my order?

The service tier upgrade starts right after the sales order is billed. After the sales order is billed, an invoice is generated, and a new service tier license is created. You'll get your new service tier within 3 days of license creation.

After the new license is created, the system updates the base concurrency threads automatically.

Your new service tier components are provisioned as of the contract start date. The components include file cabinet storage size, full licensed users, and monthly transaction line limits.

Where in NetSuite can I check the status of my service tier?

You can confirm your new service tier by checking your Billing Information page when your new service tier begins. The Service Tier field on the Billing Information page is updated 72 hours after the new license start date. To access your Billing Information page, go to Setup > Company > View Billing Information.

You can also check your service tier on the Service Tier Dashboard page. To access the dashboard, go to Setup > Company > Service Tier Dashboard.

Will I be notified when the tier upgrade is complete?

Yes. You'll get a notification when your tier upgrade is finished.

If additional maintenance is required, users with the Administrator role get an in-account notification at least 48 hours in advance. This doesn't affect your ability to use the increased capacity of the new tier. After the additional maintenance is complete, you'll get a notification if the Maintenance Complete box is checked at Setup > Company > General Preferences.

If additional maintenance is required, do I need to do anything to prepare for the scheduled maintenance related to the service tier upgrade?

If additional maintenance with downtime is required, consider pausing any 24/7 integrations before the scheduled date. Try to run those processes to run ahead of the scheduled maintenance window (best practices). You can resume the processes after maintenance is complete.

Can I purchase an upgrade for a short-term period and later downgrade to a lower tier?

Service tiers support long-term growth and aren't meant for short-term spikes. Customers get a wider threshold in tracked attributes, so you rarely need to downgrade.

How is my sandbox account upgraded?

NetSuite offers one sandbox option, so no upgrades are possible or needed. We no longer offer premium sandboxes since all customer sandbox accounts have their own database instance.

Who can I speak with about tier upgrades?

Contact your Account Manager if you have questions or concerns about the tier upgrade process. For technical questions, contact NetSuite Customer Support.

Transaction Types Included in Monthly Transaction Lines Metric

Each service tier supports a maximum number of users, file storage, and monthly transaction lines created. The Monthly Transaction Lines metric counts the number of transaction lines created for the previous month. A transaction records a business event. For example, a transaction could record a financial agreement between your business and a customer or vendor. It could also be an inventory adjustment or an assembly build transaction. It's likely that one transaction has multiple transaction lines that count toward your Monthly Transaction Lines metric.

The following table lists all transaction types that contribute to the Monthly Transaction Lines metric.

Transaction Types
Assembly Build
Assembly Unbuild
Balancing Journal
Bill
Bill Credit
Bill Payment
Bin Putaway Worksheet
Bin Transfer
Blanket Purchase Order
Card Refund
Cash Refund
Cash Sale
Check
Commission
Credit Card
Credit Memo
Cross Charge Journal
Currency Revaluation
Custom
Customer Deposit
Customer Payment Authorization
Customer Refund
Deposit
Deposit Application
Deprecated Custom Transaction
Estimate
Expense Report
Finance Charge
Fulfillment Request
GL Impact Adjustment
Inbound Shipment

Inventory Adjustment
Inventory Cost Revaluation
Inventory Count
Inventory Distribution
Inventory Status Change
Inventory Transfer
Inventory Worksheet
Invoice
Invoice Group
Item Fulfillment
Item Receipt
Journal
Liability Adjustment
Netting Settlement
Opportunity
Ownership Transfer
Paycheck
Paycheck Journal
Payment
Payroll Adjustment
Payroll Liability Check
Period End Journal
Purchase Contract
Purchase Order
Purchase-Type Custom Transaction
Request For Quote
Requisition
Return Authorization
Revenue Arrangement
Revenue Commitment
Revenue Commitment Reversal
Revenue Contract
Sales Order

Sales Tax Payment
Sales-Type Custom Transaction
Statement Charge
Store Pickup Fulfillment
System Journal
Tax Liability Cheque
Tegata Payable
Tegata Receivable
Transfer
Transfer Order
Vendor Prepayment
Vendor Prepayment Application
Vendor Request For Quote
Vendor Return Authorization
Wave
Work Order
Work Order Close
Work Order Completion
Work Order Issue

Depending on the type of transaction you create, the number of transaction line items created for each transaction can differ. Transaction line item records track lots of information in your account, including services and physical inventory. The item type also affects the number of transaction line items. The line items you enter determine what changes appear in NetSuite when you process the transaction. For example, when you add line items to an invoice and save it, your inventory decreases and accounts receivable increases to reflect the account changes for that transaction.

For more information about transactions, see the help topic [Working with Transactions](#). For more information about transaction lines breakdown and analysis, see the SuiteSuccess Transaction Type Analysis Workbook SuiteApp. For details on installing SuiteApps, see the help topic [SuiteApp Installation](#). For more information about item types, see the help topic [Item Types](#).

Transaction Types Not Included in Monthly Transaction Lines Metric

Besides transaction types that count toward the Monthly Transaction Lines metric, NetSuite provides other transaction-related records. You can see an example of these transaction types in [SuiteCloud Supported Records](#) under **Transactions**.

Note: For information about specific transaction types and transaction-related records, go to Transactions > Transactions Overview and click on a transaction type in the Transactions Links portlet. Then,, click the **Help** button at the top of the page. An appropriate Help topic will open.

SuiteSuccess Transaction Types Analysis Workbook SuiteApp

The SuiteSuccess Transaction Types Analysis Workbook is available on the SuiteApp marketplace to help you see your company's transaction line usage for the current month in NetSuite. If you install the SuiteApp, you can see how many transaction lines you generate this month and analyze them by transaction type. For details on installing SuiteApps, see the help topic [SuiteApp Installation](#).

Note: The transaction line numbers you see in the SuiteSuccess Transaction Types Analysis Workbook are accurate. However, you might notice a small difference between the total shown in the workbook and the numbers on the Billing Information page. That's because a small number of transaction types, such as memorized transaction templates and statistical journals, don't appear in the Transaction Dataset in SuiteAnalytics. This discrepancy is less than 1%.

For more information about SuiteAnalytics Workbooks, see the following Help topics:

- [SuiteAnalytics Workbook Overview](#)
- [Getting Started with SuiteAnalytics Workbook](#)
- [Navigating SuiteAnalytics Workbook](#)
- [SuiteAnalytics Workbook Tutorial](#)
- [Working with Transactions](#)

You can also watch the following videos:

[Getting Started with SuiteAnalytics Workbook](#)

[Navigating Workbooks](#)

[Optimizing Your Use of SuiteAnalytics Workbooks](#)

SuiteCloud Plus Settings

If you're using SuiteCloud features, buying a SuiteCloud Plus license can boost NetSuite performance. A SuiteCloud Plus license increases your account throughput by allowing more concurrency for web services, scheduled processes, and file imports. By adding SuiteCloud Plus licenses, you can run more web services integrations, batch processes, and file imports in parallel.

The SuiteCloud Plus license can enhance scalability by:

- Increasing the governance limit for concurrent SOAP, REST, and RESTlet web service requests.
- Increasing the number of queues available for scheduled scripts, or the number of processors available for scheduled scripts and map/reduce scripts.
- Increasing the number of queues and threads available for CSV import jobs.
- Increasing the number of REST Async Processors available for asynchronous request processing of REST web services.



Important: SuiteCloud Plus licenses aren't included in any service tier. To benefit from the advantage of benefits SuiteCloud Plus licenses, you'll need to buy them for your account. Depending on your service tier, you can buy up to the maximum number of SuiteCloud Plus licenses indicated in the following tables.

The following tables summarize the parameters of the SuiteCloud Plus license for each NetSuite service tier: Standard, Premium, Enterprise, and Ultimate.

Standard Service Tier		
SuiteCloud Plus Licenses	0	1
CSV Import Queues/Threads Per Queue	1/1	5/2
SuiteCloud Processors	2	5
REST Asynchronous Processors	2	5
Total Integration Concurrency Limit	5	15

Premium Service Tier				
SuiteCloud Plus Licenses	0	1	2	3
CSV Import Queues/Threads Per Queue	1/1	5/2	5/5	5/10
SuiteCloud Processors	2	5	10	15
REST Asynchronous Processors	2	5	10	15
Total Integration Concurrency Limit	15	25	35	45

Enterprise Service Tier							
SuiteCloud Plus Licenses	0	1	2	3	4	5	6
CSV Import Queues/Threads Per Queue	1/1	5/2	5/5	5/10	5/10	5/10	5/10
SuiteCloud Processors	2	5	10	15	20	25	30
REST Asynchronous Processors	2	5	10	15	20	25	30
Total Integration Concurrency Limit	20	30	40	50	60	70	80

Ultimate Service Tier														
SuiteCloud Plus Licenses	0	1	2	3	4	5	6	7	8	9	10	11	12	
CSV Import Queues/Threads Per Queue	1/1	5/2	5/5	5/10	5/10	5/10	5/10	5/10	5/10	5/10	5/10	5/10	5/10	
SuiteCloud Processors	2	5	10	15	20	25	30	35	40	45	50	55	60	
REST Asynchronous Processors	2	5	10	15	20	25	30	35	40	45	50	55	60	

Total Integration Concurrency Limit	20	30	40	50	60	70	80	90	100	110	120	130	140
--	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----

Determining How Many SuiteCloud Plus Licenses You Need

The number of SuiteCloud Plus licenses your account needs depends on several factors. Consider your integration concurrency needs during peak transaction periods, how many applications need to integrate, and your overall integration model when managing governance limits. When you use scheduled processors or map/reduce jobs, the number of transactions and processing time will help you decide how many queues or processors you need. If you're using CSV import, the number of files you need to import in parallel and how long they take will help you decide how many queues or threads to use.

Increasing the integration concurrency limit lets you run more parallel integration operations at one time, which increases integration transaction throughput.

Map/reduce and scheduled script processors help you batch process lots of transactions or run scheduled business processes. More processors let you process in parallel, which increases throughput and reduces processing time.

CSV import queues help you load large volumes of transactions into NetSuite using the Import Assistant. These imports can be multi-threaded to reduce the import time, and increasing CSV queues and threads lets you import more files in a shorter period of time.



Note: Only Premium, Enterprise, and Ultimate tier accounts can buy more than one SuiteCloud Plus license. Contact your sales representative or account manager to discuss SuiteCloud Plus licenses.

Please note the following:

- SuiteCloud Plus licensing may be offered in conjunction with service tiers. For more information about service tier offerings, see [NetSuite Service Tiers](#). To see how many SuiteCloud Plus licenses you have, see [Service Tier Dashboard](#).
- The account governance limit for concurrent requests depends on your service tier and how many SuiteCloud Plus licenses you've purchased. Different service tiers have different base limits.
- The SuiteCloud Processors feature is used to process map/reduce scripts and scheduled scripts. A scheduler automatically determines the job order based on priority levels, submission times, and user-defined preferences. This increases throughput, reduced wait times, and eliminates most bottlenecks. For more information about this feature, see the help topic [SuiteCloud Processors](#).
- The REST Async Processors feature handles asynchronous requests in REST web services. For more information, see the help topic [REST Web Services Request Processing](#).

Setting Up Transactions for NetSuite CRM+



Important: The information in this section pertains only to users of the NetSuite CRM+ product. Users of other NetSuite products can refer to [Accounting Preferences](#).

In NetSuite CRM+, users with the Administrator role can use the Set Up Transactions page to set preferences for processing their transactions.

To set up transactions:

1. Go to Setup > Company > Set Up Transactions.
2. On the Set Up Transactions page, select the preferences you want to set up.
See the sections below for descriptions of these preferences.
(Preferences that appear vary depending on the features you have enabled.)
3. Click **Save**.

See the following for descriptions of each subtab on the Set Up Transactions page.

- [General Subtab](#)
- [Reporting Subtab](#)
- [Ordering/Shipping Subtab](#)
- [Time & Expenses Subtab](#)
- [Tax Subtab](#)

General Subtab

- **Consolidate Projects on Sales Transactions** – Check this box to consolidate projects on customer invoices. You can create invoices for one customer including multiple projects.
You cannot issue invoices to a specific project. Instead, you issue the invoices to the customer.
- **Maximum # of Quantity-based Price Levels** – Enter a limit for the most price levels allowed to be assigned to an item when using Quantity Pricing.
- **Allow Discounts per Price Level on Quantity Pricing Schedules** – Check this box to enter different quantity discounts for each price level on quantity pricing schedules.
- **Default Estimate Expiration (in days)** – Enter the default number of days before quotes expire.
- **Duplicate Number Warnings** – Choose to have everyone with access to your account receive duplicate number warnings when transactions are submitted with the same numbers. This setting overrides the individual preference set at Home > Set Preferences.
If you clear this box, individuals can receive duplicate number warnings by setting the preference at Home > Set Preferences.
- **Make Departments Mandatory** – Check this box to make the Department field required on records and transactions.
- **Make Classes Mandatory** – Check this box to make the Class field required on records and transactions.
- **Make Locations Mandatory** – Check this box to make the Location field required on records and transactions.
- **Allow Per-Line Departments** – Check this box to associate a department with individual line items on a transaction. When this box is checked, you can choose a different department for each line item on transactions.
Clear this box to select a department in the header of a transaction. When this box is cleared, the department chosen in the header applies to all line items on the transaction.
- **Allow Per-Line Classes** – Check this box to associate a class with individual line items on a transaction. When this box is checked, you can choose a different class for each line item on transactions.

Clear this box to select a class in the header of a transaction. When this box is cleared, the class chosen in the header applies to all line items on the transaction.

- **Allow Per-Line Locations** – Check this box to associate a location with individual line items on a transaction. When this box is checked, you can choose a different location for each line item on transactions.

Clear this box to select a location in the header of a transaction. When this box is cleared, the location chosen in the header applies to all line items on the transaction.

Reporting Subtab

Check the Include Shipping Costs in Sales and Forecast Reports to have shipping and handling costs includes in order totals for sales and forecasting reports.

Ordering/Shipping Subtab

- **Default Shipping Method:** Select the shipping method you want to appear automatically on bills and invoices.

You can choose other shipping methods when you enter transactions.

To add choices to this list, go to Lists > New Shipping Items.

- **Default Sales Order Status:** Choose your default status for sales orders:
 - Choose **Pending Approval** if your company uses the approval process for sales orders.
 - Choose **Pending Fulfillment** if your company does not use the approval process for sales orders.

You can change the sales order status when you enter a transaction.

- **Require Re-approval on Edit of Sales Order:** Choose to require re-approval when someone edits a sales order that was previously approved.
Partially fulfilled sales orders are not affected by this preference. After a sales order is partially fulfilled, the status cannot be changed back to pending approval.
- **Send E-mail Confirmation when Sales Order Cancelled:** Check this box if you want an email message sent to the customer when a sales order is canceled.

- **Default Return Auth. Status:** Select **Pending Approval** if your company uses the approval process for return authorizations.

Select **Pending Fulfillment** if your company does not use the approval process for return authorizations.

You can change the return authorization status when you enter a transaction.

- **Charge for Shipping:** Check this box to charge shipping by weight, by percent of total order, or by a flat rate.

After you check this box, go to Lists > Shipping Items > New to create shipping items.

After you create shipping items, you can select them on product invoices. Your customers can also select shipping items when making a purchase from your Web store.

- **Charge Handling Separate from Shipping:** Check this box to charge a separate handling charge in addition to shipping charges.
- **Default Item Weight in Lbs.:** Enter a default shipping weight for items without a weight set on their item records.

 **Note:** If you don't enter a weight here, NetSuite uses 1 pound as the default weight. Item weight is used to determine shipping costs if you charge shipping per item or use UPS real-time rates.

Time & Expenses Subtab

- **Override Rates on Time Records:** Check this box if you want the option to lock the billable rate you enter on time records so the billable rate isn't affected by any rate changes that may happen before this customer is invoiced.

If you check this box, you can use different price levels by going to Setup > Enable Features > Customers/Sales, and checking the Use Multiple Prices box.

Clear this box if you have the rate field in time tracking and you do not want employees to see the service item rates. Then, the rate is kept in the system, but will no longer show in time tracking.

- **Combine Detail Items on Expense Report Transactions:** This preference affects detail items on expense reports.

Check this box if you want to combine line items from the same category on a single expense report submitted by an employee.

For example, if an employee enters a single expense report that contains two entries for entertainment costs, the total shows as one line item for entertainment costs on the invoice.

Clear this box to detail each expense report line item individually.

This preference does not combine expense categories from multiple expense reports submitted by the same employee.

- **Require Approvals on Time Records:** Check this box to require supervisors to approve their employees' time transactions.

If you don't check this box, time transactions can be billed to customers or included in the payroll run without the approval of a supervisor.

- **Automatically Notify Supervisor:** Check this box to send supervisors email messages when they need to approve expense reports and purchase requests.

If you check this box, you must also check either Use Expense Reports, Enable Purchase Requests or both at Setup > Enable Features.

Tax Subtab

- **Tax Code Lists Include:** Choose what you want to appear in the Tax field on sales transactions:

- ☐ **Tax Groups Only**
- ☐ **Tax Groups and Tax Items**
- ☐ **Tax Items Only**

You can create Tax Groups at Lists > Accounting > Tax Groups > New. You can create tax items at Lists > Accounting > Tax Items > New.

The Tax Code Lists Include preference does not apply to journals.

The Setup Page for NetSuite CRM+ Users



Important: The information in this section pertains only to users of the NetSuite CRM+ product. Users of other NetSuite products can refer to [The Setup Page](#).

The Setup page is where users with the Administrator role manage the administrative details of their NetSuite CRM+ accounts. Set up your NetSuite CRM+ account by entering company information, enabling features and setting your preferences for processing, storing, and accessing information.

It is best to enter this information as soon as possible after your NetSuite CRM+ account is activated so that information and data you enter is processed correctly.

The links that show depend on the features you have enabled and the role you are using. Features can be enabled by users with the Administrator role at Setup > Company > Enable Features.

The Setup page includes the following categories:

- **Company:** This category contains links to records for establishing a company address and contacts, enabling features and setting preferences, and viewing your account billing terms and information.
- **Accounting:** This category contains links to set up expense categories, tax information, other accounting lists, and employee-related lists.
- **Sales Force Automation:** This category contains links to set up your sales force automation, including customer statuses, sales rules, territories, and commissions.
- **Marketing:** Set up marketing campaigns and online customer forms.
- **Support:** This category contains links to set up customer support management, including support case email, case types, case origins, case territories, online case forms, escalation rules and assignment.
- **Web Site:** This category contains links to customize item and category layouts for your website, or customize the colors in your site.
- **Import/Export:** This category contains links to transfer your data in and out of NetSuite CRM+ or set up an XML import for information exchange between applications.
- **Users/Roles:** This category contains links to edit user accounts and roles or view the audit trail.
- **Integration:** Set Up XML Import and SOAP web services.

You can also click **New** next to a setup link to create a new record of that type.

Using Telephony Integration

NetSuite provides two options for integrating NetSuite with a telephone system. Each requires different technology for implementation:

- **Telephony Application Programming Interface (TAPI):** for **placing outbound calls** with NetSuite. With TAPI you can click on the phone icon next to a phone number and your phone system will automatically dial the number. TAPI only works on Windows operating systems (not Mac or Linux). For more information, see [Setting Up TAPI Telephony Integration](#).
- Use **Computer Telephony Integration (CTI):** for receiving and routing inbound calls. As calls are received, the CTI application queries customer information in NetSuite and presents it to the sales or support representative in a browser window using Screen Population technology. The representative has the required information shown on the screen when speaking with the customer. For more information, see [Setting Up CTI Telephony Integration](#).

To integrate your NetSuite account with either TAPI or CTI technology, users with the Administrator role must first enable the Telephony Integration feature at Setup > Company > Enable Features, on the SuiteCloud subtab. Then, each user who plans to use Telephony Integration must go to Home > Set Preferences and follow the directions provided on the Telephony subtab.

For instructions on making calls automatically from NetSuite records, see the help topic [Making Calls From NetSuite](#).

Setting Up TAPI Telephony Integration

Telephony Application Programming Interface (TAPI) must be set up on each user's PC. You must have a TAPI compliant phone and software. TAPI integration requires the ActiveX component which is only available in the Internet Explorer browser.

To set up TAPI integration, the account administrator must first enable the Telephony Integration feature at Home > Set Preferences on the Telephony subtab. After downloading the driver, enter the name of the TAPI enabled phone.

Note: Two versions of TAPI are available, TAPI 2.x and TAPI 3.x. NetSuite supports both TAPI versions.

To set up telephony integration with a TAPI device:

1. Go to Home > Set Preferences.
2. On the **Telephony** subtab, in the **Telephony Option** field, select **TAPI Device**.
3. Follow the on-screen instructions to download the ExceleTelForNetSuiteApplications.zip file, which contains the executable file needed to install the required drivers for Telephony Integration.

Set Preferences

Save Cancel

General Appearance Transactions Analytics Activities Alerts **Telephony** Restrict View Custom Preferences

Telephony Option
TAPI Device

TAPI Device

CTI URL

Prefix to Dial Out

For TAPI only:

1. You must have a TAPI compliant phone and software. Follow the product's directions to set it up for TAPI use with your computer and phone.
2. To complete setup of outbound dialing from NetSuite, click [here](#) to download and install the required drivers.
3. Configure your TAPI Device Name in the field above, and set any dialing rules.

Save Cancel

4. In the **TAPI Device** field, enter the device that controls communication with your phone. If you do not know the name of your TAPI device, you can use a sample program at www.exceleтел.com to find this information.

5. In the **Prefix to Dial Out** field, enter any numbers that must be dialed before dialing a phone number in your phone system. For example, you may need to dial 9 or 1 before a number.
6. Click **Save**.

If you have trouble locating the name of your TAPI device or receive an error message that it could not be found, try the following troubleshooting tips:

- If the name of your TAPI device ends with extension.tsp, try leaving out this extension when entering the name in NetSuite.
- The TAPI Device field is case-sensitive and must match your device name exactly.
- Download a sample program [here](#) to test dialing from your phone. From the excelel Web page, click **etQuickDial** to download the etQuickDial program.

When the program has downloaded, open the program and view all TAPI-enabled devices on your computer in the Active field. Select the device you are using, and check the Active box. Then enter a phone number to dial and click Dial to make sure the call is initiated from your device correctly.

To learn how to initiate and end calls, see the help topic [Making Calls From NetSuite](#).

Setting Up CTI Telephony Integration

To use Computer Telephony Integration (CTI), you must set up an account with one of our partners:

- [Contivio](#)
- [Five9](#)

Software provided by these partners uses VoIP to work with your NetSuite account to provide click-to-call for out bound calls and Screen Population (Screen Pop) technology for incoming calls.

To set up your account for CTI, an account administrator must go to Setup > Company > Enable Features. On the SuiteCloud subtab, check the boxes next to Telephony Integration and SuiteTalk (Web Services).

To set up telephony integration with CTI:

1. Go to Home > Set Preferences, and click the Telephony subtab.
2. In the **Telephony Option** field, select **CTI**.
3. In the **CTI URL** field, enter the URL corresponding to the partner you have chosen.
4. Click **Save**.

 **Note:** See your chosen partner's website for more information about setting up their software to work with NetSuite.

To learn how to initiate and end calls, see the help topic [Making Calls From NetSuite](#).

Classifications in NetSuite

- [Classifications Overview](#)
- [Departments and Classes Overview](#)
- [Locations Overview](#)
- [Using Per-Line Classifications](#)

Classifications Overview

Departments, Classes, and Locations are classifications that users with the Administrator role can use to identify and categorize records in their NetSuite accounts. You can also define classifications for your organization's needs by creating custom segments. Classifications help you organize data and keep it accurate.

To use each classification, you must enable the feature and then set up records. After you've set up classification records, you can use them to identify other records in your NetSuite account. For example, you can enable the Departments feature and then create a record for each department. You can select a department on each employee record or select a location on each sales order. You can identify employees by department and then run financial reports by location.

To add more custom classification fields similar to class, department, and location, use the Custom Segments feature. You can create an unlimited number of custom segments and add them to specific record types. For more information, see the help topic [Custom Segments](#).

See the topics below to get started using classifications:

- [Departments and Classes Overview](#)
- [Custom Segments Overview](#)
- [Locations Overview](#)

If you use NetSuite OneWorld, subsidiaries are the primary classification used to organize your records. You can use departments, classes, locations, and custom segments along with subsidiaries. If you use these classifications, you must associate them with a subsidiary. This association lets you select the department, class, location, or custom segment on the record or transaction related to that subsidiary. For more information about using subsidiaries, see the help topics [Subsidiaries in OneWorld](#) and [Subsidiary Setup](#).

Also, if you plan to enable the Intercompany Time and Expense feature for NetSuite OneWorld, you'll need to determine a strategy for handling classifications on intercompany time and expenses. You can either make classifications optional for journal entries or set up global classifications that are available to all subsidiaries. If you don't have a defined strategy, errors may occur for automated intercompany adjustments. For information about using this feature, see the help topic [Enabling Intercompany Time and Expenses](#).

Departments and Classes Overview

Departments and classes are categories that users with the Administrator role can create to identify, categorize, and track records such as financials, transactions, and employees. There is no limit to how many departments or classes you can create.

Departments are shown first on transactions, and help you assign transactions and employees to internal teams. For example, you can create a department for each team working in specific business areas like

Sales, Marketing, or Accounting. Then you can track income and expenses by each department for any time period in your reports. Also, you can use the department classifications in Sales Forecasting with the [Forecast vs. Quota by Department Report](#) or the [Alt. Sales Forecast vs. Quota by Department Report](#).

Classes help you organize broader segments within your business. For example, if you've created a department for your sales team, you can create classes to track sales transactions like new customers and repeat customers. Sales orders would then show if the transaction was created for a new or repeat customer. This helps you track the source of income and expenses.

To set up departments, go to Setup > Company > Classifications > Departments > New.

To set up classes, go to Setup > Company > Classifications > Classes > New.

After you've set up departments and classes, you can select them on forms and records.

 **Note:** Custom Segments are custom classification fields similar to class and department. You can use the Custom Segment feature to create as many custom segments as you want and add them to specific record types. For more information, see the help topic [Custom Segments](#).

Creating Classes

Classes are categories you can create to track records such as financials, transactions, and employees. For example, you own a janitorial service and want to track income and expenses separately for household and commercial accounts. You set up a class for each account type and track the financial performance of each class over any time period.

To enable classes, go to Setup > Company > Enable Features. On the Company subtab, check the Classes box and then click Save.

To create a class record:

1. Go to Setup > Company > Classifications > Classes > New.
2. Enter a name for the class, up to 60 letters and numbers.
3. If this class is a subclass of another, in the **Subclass of** field, select the parent class.
4. If you use NetSuite OneWorld, in the **Subsidiary** field, select one or multiple subsidiaries.
To select multiple subsidiaries, hold down the Ctrl key and click each subsidiary.
You need to associate a subsidiary with a class to use it on any transaction or record related to that subsidiary.
5. If you use NetSuite OneWorld, check the **Include Children** box to associate the class with all the child subsidiaries of each subsidiary selected in the **Subsidiary** field.
6. Check the **Class is Inactive** box to make this class inactive.
Inactive classes don't appear in lists of classes on records and transactions.

 **Note:** To inactivate classes from the Classes list, go to Setup > Company > Classifications > Classes, check the **Show Inactives** box, check one or more boxes in the **Inactive** column, and then click **Submit**.

7. Click **Save**.

You can restrict access to transaction, employee, partner, and optionally item records based on their class values. Also, you can limit which classes users can assign to these records. You can set class restrictions by user role and then apply them to everyone with that role. For more information, see [Restricting Access to Records by Class](#).

You also can apply class restrictions to custom records if the custom record type has a Class field. You can add this field from the Class record by clicking New Field. For more information, see the help topic [Applying Role-Based Restrictions to Custom Records](#).

Modifying and Deleting Classes

You can edit an existing class at any time. Any change you make will overwrite historical transactions. For example, if you change the class name from NorthEast to North East, all historical transactions for that class appear as North East.

You can delete a class only **if** there aren't any dependent transactions. If there are any historical transactions, you can't delete the class.

To modify a class record:

1. Go to Setup > Company > Classifications > Classes.
2. Click **Edit** next to the class you want to change.
3. On the Class page, make any changes as needed.
4. Click **Save**.

To delete a class record:

1. Go to Setup > Company > Classifications > Classes.
2. Click **Edit** next to the class you want to remove.
3. On the Class page, in the **Actions** menu, click **Delete**.
4. Click **OK** to confirm you want to delete the class.

Restricting Access to Records by Class

If your account has the Classes feature enabled, you can limit access to transaction, employee, partner, and optionally item records based on their class values. You can also limit which classes users can assign to these records. You can set class restrictions by user role and apply them to everyone using that role.



Important: Any account in the Chart of Accounts list without an assigned class isn't subject to the **own, subordinate, and unassigned** or **own and subordinates only** restrictions.

The following settings for the Class Restrictions field on the Role page define class-related restrictions for transaction and customer records:

- **none - no default** – There is no restriction on what can be selected. This field doesn't affect record access and doesn't show a default selection.
- **none - default to own** – There is no restriction on what can be selected. Record access is not determined by this field. Fields of this type select the user by default.
- **own, subordinate, and unassigned** – Users can only access records with their class, child classes, or unassigned classes. For example, if your role has access to class A, you can see only records in class A, its children or unassigned records.
- **own and subordinates only** – Users can only access records with their class and its child classes. For example, if your role has access to class A, you can see only records in class A and its children.

Check the **Allow Viewing** box to let users logged in with this role see, but not edit, records for classes they don't have access to.

Check the **Apply to Items** box to add these class restrictions to item records, in addition to transaction and customer records.

To set up a role with these restrictions, go to Setup > Users/Roles > Manage Roles and click **Customize**, **Edit**, or **New**.



Important: In NetSuite OneWorld, subsidiary restrictions automatically apply to classes. For example, if Class A is assigned to only Subsidiary X and a role is restricted to Subsidiary X, users with that role can access only Class A, even if the role doesn't have class restrictions.



Important: If you're using the Advanced Employee Permissions feature, restrictions on the Role page apply only to Employees and Employee Administration permissions. Employee Public and Employee Confidential permissions ignore the restrictions on this page. For more information, see the help topic [Setting Employee Access for Advanced Employee Permissions](#).

You can also apply role-based class restrictions to custom records. For more information, see the help topic [Applying Role-Based Restrictions to Custom Records](#).

Creating Departments

Departments are categories you can create to separate and track records such as financials, transactions, and employees. For example, you can create a department for each team dedicated to a business area, and then track their income and expenses over any time period.

To enable Departments, go to Setup > Company > Enable Features. On the Company subtab, check the Departments box and then click Save.

To create a department record:

1. Go to Setup > Company > Classifications > Departments > New.
2. Enter a name for the department, up to 60 letters and numbers.
3. If the department is a subdepartment, in the **Subdepartment of** field, select the parent department.
4. If you use NetSuite OneWorld, in the **Subsidiary** field, select one or more subsidiaries.
To select multiple subsidiaries, hold down the Ctrl key and click each subsidiary.
You need to associate a subsidiary to a department to use it on a transaction or record related to that subsidiary.
5. If you use NetSuite OneWorld, check the **Include Children** box to associate the department with all the child subsidiaries of each subsidiary selected in the **Subsidiary** field.
6. Check the **Department is Inactive** box to make this department inactive.
Inactive departments don't appear in department lists on records and transactions.



Note: To inactivate departments from the Departments list, go to Setup > Company > Classifications > Departments, check the **Show Inactives** box, check the boxes in the **Inactive** column, and then click **Submit**.

7. Click **Save**.

You can restrict access to transaction, employee, partner, and optionally item records based on their department values. You can also limit which departments users can assign to these records. You can set department restrictions per user role and applied then to everyone using that role. For more information, see [Restricting Access to Records by Department](#).

You also can apply department restrictions to custom records if the custom record type has a Department field. You can add this field to a custom record from the Department record by clicking New Field. For more information, see the help topic [Applying Role-Based Restrictions to Custom Records](#).

Modifying and Deleting Departments

You can edit an existing department at any time. Any changes you make overwrite historical transactions. For example, if you change the department name from NorthEast to North East, all historical transactions for that department show as North East.

You can delete a department only **if** there aren't any dependent transactions. If there are any historical transactions, you can't delete the department.

To modify a department record:

1. Go to Setup > Company > Classifications > Departments.
2. Click **Edit** next to the department you want to change.
3. On the Department page, make any changes as needed.
4. Click **Save**.

To delete a department record:

1. Go to Setup > Company > Classifications > Departments.
2. Click **Edit** next to the department you want to delete.
3. On the Department page, in the **Actions** menu, click **Delete**.
4. Click **OK** to confirm you want to delete the department.

Restricting Access to Records by Department

If your account has the Departments feature enabled, you can limit access to transaction, employee, partner, and optionally item records based on department values. You can also limit which departments users can assign to these records. You can set department restrictions by user role and apply them to everyone using that role.



Important: Any account in the Chart of Accounts without an assigned department isn't affected by the **own, subordinate, and unassigned** or **own and subordinates only** restrictions.

The following settings for the Department Restrictions field on the Role page define department-related restrictions for transaction and customer records:

- **none - no default** – There is no restriction on what can be selected. This field doesn't affect record access and doesn't show a default selection.

- **none - default to own** – There is no restriction on what can be selected. This field doesn't affect record access. Fields of this type select the user's department by default.
- **own, subordinate, and unassigned** – Users can only access records with their department, children departments and unassigned departments. For example, if your role has access to department A, you can see only accounts in department A, its children, or unassigned accounts.
- **own and subordinates only** – Users can only access records with their department its children departments. For example, if your role has access to department A, you can see only accounts in department A and its children.

Check the **Allow Viewing** box to let users with this role see, but not edit, records for departments they don't have access to.

Check the **Apply to Items** box to add these department restrictions to item records, in addition to transaction and customer records.

To set up a role with these restrictions, go to Setup > Users/Roles > Manage Roles and click **Customize, Edit, New**.



Important: In NetSuite OneWorld, subsidiary restrictions automatically apply to departments. For example, if Department A is assigned to only Subsidiary X and a role is restricted to Subsidiary X, users with that role can access Department A, only even if the role doesn't have department restrictions.



Important: If you're using the Advanced Employee Permissions feature, restrictions on the Role page only apply to the Employees and Employee Administration permissions. The Employee Public and Employee Confidential permissions ignore the restrictions on this page. For more information, see the help topic [Setting Employee Access for Advanced Employee Permissions](#).

You can also apply role-based department restrictions to custom records. For more information, see the help topic [Applying Role-Based Restrictions to Custom Records](#).

Converting Classes to Departments

Classes and departments are categories you create to track and classify your transactions. When you generate a transaction, departments are always listed first. If you're using classes to represent departments, you can convert them to departments and then create new classes to further categorize your business.

For example, you currently have a class for your sales department but want separate classes for inside and outside sales. If you convert your sales department class to a department, you can create new classes that categorize the different areas of the sales department.



Warning: The conversion process overrides existing departments, deletes all class information, and is **irreversible**.

To convert classes to departments:

1. Go to Setup > Company > Convert Classes to Departments.
2. To convert your classes to departments, click **Save**.
3. To view your new departments, go to Setup > Company > Classifications > Departments.

Converting Classes to Locations

You can use the Locations feature to track inventory, employees, and transactions for different company locations. If you used classes for this before, you can convert all your class information to location information.

When you use this feature, all class are converted to locations, including historical transactions. On financial reports that show classes or locations, values that used to appear on class now appear on location.

You can't convert classes to locations if you already have locations in the system. You need to remove existing locations first. Each class can have only one subsidiary before being converted to locations.



Warning: The conversion process overrides existing locations, deletes all class information, and is **irreversible**.

To convert classes to locations:

1. Go to Setup > Company > Classifications > Convert Classes.
2. To convert your classes to locations, click **Save**.
3. To view your new locations, go to Setup > Company > Classifications > Locations.

Custom Segments Overview

The Custom Segments feature lets you create custom classification fields similar to class and department. You can create as many custom segments as you need, set possible values for each one, and add them to specific record types. People using in NetSuite can then use the segments to classify records as needed.

You can configure segments to display on the GL Impact page. Also, you can customize standard NetSuite reports to use custom segments as filters and columns. In financial reports, you can add custom segments as a horizontal dimension. Custom segments help you categorize data and meet your unique reporting needs.

To enable custom segments, go to Setup > Company > Enable Features. On the SuiteCloud subtab, check the Custom Segments box, and then click Save.

To create a custom segment record, see the help topic [Creating a Custom Segment](#).

Locations Overview

The Locations feature lets users with the Administrator role track information about employees and transactions for multiple offices or warehouses. For example, you can create locations for the corporate office, sales offices, or for warehouses in several states. You can associate transactions and employees with each location, and then filter report data by location.

To enable the Locations feature, go to Setup > Company > Enable Features. On the Company subtab, check the Locations box and then click Save.

To track data by location, you must enter a record for each location you want to track. Then, you can associate employees and transactions with a location. For more information, see [Creating Locations](#).

You can use the Locations feature to do the following:

■ Associate transactions with a location.

You can group sales and purchases by location, as well as bank transactions like checks, deposits, and credit card purchases.

You can search for transactions associated with a location and filter reports to show data for each location. For more information, see [Associating a Transaction with a Location](#) and [Searching for a Transaction by Location](#).

■ Associate employees with a location.

Choose a location on the employee's record to associate them with a location. By customizing employee roles at Setup > Users/Roles > Manage Roles, you can restrict employee access to data for their location only. For example, you can restrict access for warehouse staff who handle item receipts or fulfillments at one location. For more information, see the help topic [Employee Locations](#).

■ Assign fulfillment locations to sales order lines automatically.

If the Automatic Location Assignment feature is enabled, you can use location records for your fulfillment locations and have those locations automatically assigned to sales order lines. NetSuite assigns locations to sales orders based on the customer shipping address, your fulfillment locations, and rules such as the location type or distance to the shipping address. For more information, see the help topic [Automatic Location Assignment](#).

Automatic Location Assignment is part of the Advanced Order Management module – contact your account representative for more information.



Important: To associate items with a location, you must enable the Multi-Location Inventory feature. Before you enable this feature, you should read the help topic [Multi-Location Inventory](#) to determine if this is appropriate for your company. After you enable the Multi-Location Inventory feature and distribute items, you can't disable it without contacting Customer Support. The Multi-Location Inventory feature is required for NetSuite OneWorld using the Inventory feature.

Creating Locations

You can create a location record for each of your company's locations, then track employees and transactions by location.



Note: To create more than 100 locations, you should use the Advanced Item Location Configuration feature. The Advanced Item Location Configuration feature provides more flexibility and better performance. To create more than 1000 locations, you must use the Advanced Item Location Configuration feature and you can create an unlimited number of location records.

Read more about the [Advanced Item Location Configuration](#) feature.



Warning: You should not use locations to identify warehouse areas such as a bin, shelf, or dock. Using locations this way causes problems with fulfillments, LIFO and FIFO costing, and NetSuite reporting.

To create a location record:

1. Go to Setup > Company > Classifications > Locations > New.
2. Enter a name for the location, up to 60 letters and numbers.

This name appears on forms and reports where you to choose a location. For example, you might name one location Georgia Warehouse and another California Warehouse.

3. If this location is a sublocation, in the **Sublocation of** field, select the parent location.

4. If you use NetSuite OneWorld, in the **Subsidiary** field, select the respective subsidiary.

You must associate a subsidiary with a location to use it on a transaction or record.

If you use NetSuite OneWorld with the Inventory feature, each location must have one subsidiary. If you use NetSuite OneWorld without Inventory, each location can have no subsidiary or one subsidiary. For information about working with subsidiaries, see the help topics [Subsidiaries in OneWorld](#) and [Subsidiary Setup](#).

5. If you use NetSuite OneWorld, check the **Include Children** box to associate the location with all child subsidiaries of the selected subsidiary.



Important: The **Include Children** box isn't available in NetSuite OneWorld when the Inventory feature enabled.

6. Check the **Location is Inactive** box to make this location inactive.

Inactive locations don't appear in location lists on records and transactions.



Note: To inactivate locations from the Locations list, go to Setup > Company > Classifications > Locations, check the **Show Inactives** box, check one or more boxes in the **Inactive** column, and then click **Submit**.

7. Select the kind of location: Store, Warehouse, or Undefined.

The location type is used by Automatic Location Assignment to determine the ideal fulfillment location. Use Undefined for locations that are neither a store nor a warehouse.

8. Select the time zone for the location.

9. If you want to use location-specific document and transaction numbering, enter up to eight alphanumeric characters in the **Document Number Prefix** or **Transaction Number Prefix** fields to use as a prefix for autogenerated numbers.

This prefix indicates that the document and transaction numbers are associated with this location.



Note: You must set up location-specific transaction numbering on the Set Up Auto-Generated Numbers page at Setup > Company > Auto-Generated Numbers. On the Document Numbers subtab, check the **Use Location** box for each transaction type you want use location-specific numbering.

10. Select a location-specific logo to display on printed and emailed transaction forms.

To upload a logo, go to Documents > Files > Images > New. Check the **Available Without Login** box.



Note: Logos must be in JPG or GIF format. For printing on standard forms, the logo must be no more than 200 pixels wide and 60 pixels high.

11. Check the **Make Inventory Available** box if inventory at this location can be stocked, allocated, and committed for sales or fulfillments.

Clear this box if inventory at this location can be stocked, but can't be committed on sales or fulfillments.



Note: To track inventory items by location, you must enable the **Multi-Location Inventory** feature. For more information, see the help topic [Multi-Location Inventory](#). The Multi-Location Inventory feature is required for NetSuite OneWorld using the Inventory feature.

12. Check the **Make Inventory Available in Web Store** box if you want on-hand inventory at the location to be included in the available quantity that is displayed in your Web store.

Note: On existing location records, when you check or clear this box and click Save, the Locations in Queue page displays the locations that are currently processing.

13. If you use Multi-Location Inventory and Advanced Bin Management and want to track inventory at this location with bins, check the **Use Bins** box.

For more information, see the help topic [Bin Management by Location](#).

14. Check the **Include in Supply Planning** box to include this location in supply planning calculations. When the Plan Through Distribution Network preference is set, NetSuite completes supply planning calculations including only locations that have this setting enabled.

Note: This option is available only when the **Demand Planning** feature is enabled.

15. Check the **Include in Control Tower** box to include this location when generating snapshots. For more information, read the help topic [Supply Chain Control Tower](#).

Note: This option is available only when the **Supply Chain Control Tower** feature is enabled.

16. Enter address information for the location.

Note: In NetSuite OneWorld, the Country, Addressee, and State fields fill in automatically with information from the subsidiary. Change the address information as required.

17. Click **Save**.

You can restrict access to transaction, employee, partner, and optionally item records based on location values. You can also limit which locations users can assign to these records. You can set location restrictions by user role and then apply them to everyone using that role. For more information, see [Restricting Access to Records by Location](#).

You also can apply location restrictions to custom records, if the custom record type has a Location field. You can add this field from the Location record by clicking New Field. For more information, see the help topic [Applying Role-Based Restrictions to Custom Records](#).

Modifying and Deleting Locations

You can edit an existing location at any time. Any changes you make overwrite historical transactions. For example, if you change the location name from NorthEast to North East, all historical transactions for that location appear as North East.

You can delete a location only **if** there aren't any dependent transactions. If there are any historical transactions, you can't delete the location.

To modify a location record:

1. Go to Setup > Company > Classifications > Locations.
2. Click **Edit** next to the location you want to change.
3. On the Location page, make any changes as needed.
4. Click **Save**.

To delete a location record:

1. Go to Setup > Company > Classifications > Locations.
2. Click **Edit** next to the location you want to delete.
3. On the Location page, in the **Actions** menu, click **Delete**.
4. Click **OK** to confirm you want to delete the location.

Making a Location Inactive

If you're no longer tracking information for a location, you can make the location inactive so it doesn't appear in location lists on records and transactions.

To inactivate a location:

1. Go to Setup > Company > Classifications > Locations.
2. Click **Edit** next to the location you want to inactivate.
3. Check the **Location is Inactive** box.



Note: If you inactivate a main location record, its child location records are inactivated automatically.

4. Click **Save**.

To inactivate locations from the Locations list, go to Setup > Company > Classifications > Locations, check the **Show Inactives** box, check one or more boxes in the **Inactive** column and then click **Submit**.

Associating a Transaction with a Location

When you associate transactions with a location, you can create and fulfill sales orders by location, create and receive purchase orders by locations, and search transactions by locations. You can also filter reports to get a clear view of sales, purchases, and employee data for each location. To filter reports by location, choose a location in the report footer.

The Location field is required for inventory transactions when Locations is enabled. To enable the Locations feature, go to Setup > Company > Setup Tasks > Enable Features (Administrator). On the Company subtab, check the Locations box and then click Save.

To associate a transaction with a location:

1. Click the **Transaction** menu.
2. Click the name of the transaction you want to create.
3. In the Classifications section, in the **Locations** field, select the appropriate location. For more information about how to create a location, see [Creating Locations](#).
4. Complete the transaction as required.
5. Click **Save**.

For example, you can select a location in the header of a sales order to record where the sale is made. Or, you could select a location in the header of a purchase order to identify where the items will be received.

The screenshot shows the 'Classification' section of a NetSuite form. The 'Location' dropdown menu is open, displaying a list of location options: 'East Coast', 'East Coast : Georgia', 'East Coast : Georgia : Atlanta Sales', 'East Coast : Georgia : Atlanta Warehouse', and 'East Coast : New York'. The 'East Coast' option is currently selected. Other fields visible include 'Department', 'Class', 'Sales Channel', 'Profit center', 'Preferred Contact Method', 'Foreign Currency Adjustment Revenue Account', 'Customer Category', and a checkbox for 'Ready for Shipment'. At the bottom, there are tabs for 'Items', 'Shipping', 'Billing', 'Accounting', 'Relationships', 'Sales Team', 'Communication', and 'Custom', along with a checkbox for 'Enable Item Line Shipping' and a 'Discount Item' field.

After you've associated transactions with a location, you can search transactions by location. For more information, see [Searching for a Transaction by Location](#).

Searching for a Transaction by Location

The Locations feature lets you track information about employees and transactions for multiple offices or warehouses. For example, you can create locations for the corporate office, sales offices, or warehouses in different states. You can limit employee access to company information, and monitor sales or purchasing volumes for each location. You can filter reports to show data for one or all locations.

To enable the Locations feature, go to Setup > Company > Enable Features. On the Company subtab, check the Locations box and then click Save.

You can associate an employee with a location by choosing a location on their record. You can customize employee roles so they have access only to data that is relevant for their location. For example, you can restrict access for warehouse staff who handle item receipts or fulfillments at one location. To customize roles, go to Setup > Users/Roles > Manage Roles.

You can classify transactions by location to track data more precisely. For example, you can choose which location processes each sales and purchase transaction.

After you associate transactions with a location, you can search transactions by location.

To search for a transaction by location:

1. Go to Transactions > Management > Search Transactions.
2. On the Search Transactions page, in the **Locations** field, choose:
 - **any of** – finds transactions associated with chosen locations
 - **none of** – finds transactions not associated with chosen locations
3. In the text box beneath the **Locations** field, choose the locations to include (**any of**) or exclude (**none of**) in your search.
 To select multiple locations, press and hold the Ctrl key and click each one.
4. Enter additional criteria in other fields to further narrow your search.
5. Click **Submit**.

The Search Results page lists the transactions that match your search criteria. To view a transaction on the list, click its date. When it opens, you can edit it or create a new transaction.

Restricting Access to Records by Location

If your account has the Locations feature enabled, you can restrict access to transaction, employee, partner, and optionally item records based on location values. You can also limit which locations users can assign to these records. You can set location restrictions by user role and then apply them to everyone using that role.



Important: Any account in the Chart of Accounts without an assigned location isn't subject to the **own, subordinate, and unassigned** or **own and subordinates only** restrictions.

The following settings for the Location Restrictions field on the Role page define location-related restrictions for transaction and customer records:

- **none - no default** – There is no restriction on what can be selected. This field doesn't affect record access and doesn't show a default selection.
- **none - default to own** – There is no restriction on what can be selected. Record access is not determined by this field. Fields of this type select the user by default.
- **own, subordinate, and unassigned** – Users can access only records with their location, child locations, and unassigned location field. For example, if your role has access to location A, you can see only records with location A, its children or unassigned accounts.
- **own and subordinates only** – Users can access only records with their location and children locations. For example, if your role has access to location A, you can see only records with location A and its children.

Check the **Allow Viewing** box to let users logged in with this role see, but not edit, records for locations they don't have access to.

Check the **Apply to Items** box to add these location restrictions to item records, in addition to transaction and customer records.

To set up a role with these restrictions, go to Setup > Users/Roles > Manage Roles. Click **Customize** or **Edit**, or click the New button.



Important: In NetSuite OneWorld, subsidiary restrictions automatically apply to locations. For example, if Location A is assigned to only Subsidiary X and a role is restricted to Subsidiary X, users with that role can access Location A only, even if that role doesn't have location restrictions.



Important: If you're using the Advanced Employee Permissions feature, restrictions on the Role page apply only to the Employees and Employee Administration permissions. The Employee Public and Employee Confidential permissions ignore the restrictions on this page. For more information, see the help topic [Setting Employee Access for Advanced Employee Permissions](#).

You can also apply role-based location restrictions to custom records. For more information, see the help topic [Applying Role-Based Restrictions to Custom Records](#).

Using Per-Line Classifications

If you enable classifications such as departments, classes, locations, and custom segments, a field for each classification shows in the header of transaction forms. When you select a classification in a transaction header, all lines on that transaction use that classification. For example, if you choose the location East Coast in the Location field on a sales order, all lines on that sales order use East Coast.

You can also use per-line classifications to select a classification on each transaction line. You can use per-line classifications instead of header classifications or you can use both.

Per-Line Classifications Only

If you use per-line classifications instead of header classifications, you'll see a classification field on each transaction line, but not in the header. For example, if Locations is enabled, there's a Location field on each transaction line. You can choose the location East Coast on one line and West Coast on another.

The items on each line are associated with individual locations, but the entire transaction isn't associated with a location. For example, on an invoice, line one is associated with East Coast and line two is associated with West Coast, but the Accounts Receivable line isn't associated with any location.

Per-Line Classifications with Header Classifications

If you use per-line classes, departments, locations, or custom segments, you can customize transaction forms to show the classification at both the header and line level.

For example, if you enable both Locations and Allow Per-Line Locations, a Location field displays on each transaction line **and** the form header. You can choose the East Coast on one line and West Coast on another. Then, you can choose United States in the transaction header so the Accounts Receivable line is associated with the United States.

These classifications are useful if you use locations for legal entities or geographical segments and want to report separate balance sheets and income statements for each. From the previous example, a sales order posts line items to the correct locations (East and West Coast), while the header location lets you run a correct income statement for United States transaction totals. For example:

Location: United States

Sublocation: East Coast

Sublocation: West Coast

When you use a form customized to show classification fields at both the header and line level, both are required. If either the line or header field isn't filled, both are cleared unless required. If you've enabled a preference to make classes, departments, locations, or custom segments required, then you have to select them at both the header and line level.

 **Note:** Tax and shipping lines use the class selected in the transaction header, if there is one.

The following preferences can be set at Setup > Accounting > Accounting Preferences:

- **Make Departments Mandatory**
- **Make Classes Mandatory**
- **Make Locations Mandatory**
- **Allow Per-Line Departments**
- **Allow Per-Line Classes**
- **Always Allow Per-Line Classifications on Journals**
For only journal entries, this preference overrides any other **Allow Per-Line** preferences you have set.
- **Allow Non-Balancing Classifications on Journals**
- **Allow Empty Classifications on Journals**

For more information about these preferences, see the help topic [Accounting Preferences](#).

To specify that a custom segment is required, check the Mandatory box on the Validation & Defaulting subtab of the Custom Segment configuration page.

For more information about customizing a form to set a classification at both the header and line level, see [Customizing Forms for Per-Line and Header Classifications](#).

Customizing Forms for Per-Line and Header Classifications

If you've enabled preferences for per-line classes, departments, locations, or custom segments, you can customize transaction forms to identify the classification at both header and line level.

To customize a form to identify a classification at both the header and line level, open a new transaction and click Customize. Then follow the steps below to choose which fields appear on the form and whether they're required.

1. Enter a name for the custom form.
2. On the subtab **Screen Fields > Main**:
 - **Show** column – Check the box next to **Class**, **Department**, or **Location** to use the fields in the transaction header.
 - **Mandatory** column – Check the box next to **Class**, **Department**, or **Location** to require the header field to be completed on this form.
3. On the subtab **Sublist Fields**, check the box in the **Show** column next to **Class**, **Department**, or **Location** to use the fields on individual transaction lines.
4. Complete other fields as necessary.
5. Click **Save**.

The classification fields you selected are available when you use the customized form.

Approval Routing

NetSuite Approval Routing helps your organization define who can approve employee purchase transactions and limit approval amounts by authorizer level and department. This feature helps you control spending by letting managers better understand your organization's approval process. When everyone's more aware of costs, management and staff can work together to reduce unnecessary spending.

- The **Approval Routing Feature** is the most basic NetSuite approval routing option.
To learn more, see [Using the Approval Routing Feature](#).
- **Standard Suiteflow Workflows** provide a simple and flexible approvals process.
To learn more, see [Using Standard SuiteFlow Workflows \(SuiteApps\) for Approval Routing](#).
- **Customized SuiteFlow Workflows** offer the most flexibility for processing approvals.
To learn more, see [Using Custom SuiteFlow Workflows for Approval Routing](#).



Important: No matter which approval method you use, your approval settings apply to everyone in your company.

Posting Period for Transactions Subject to Approval

When a posting transaction needs approval, the posting period is set after the transaction is approved. (Non-posting transactions don't have a posting period.) The Posting Period shown for transactions that are pending approval can change when the transaction is approved.

The Posting Period value you see for **pending approval** transactions depends on your role, accounting preferences, and the status of the period as follows:

- If the period for the transaction date is open and not locked, you'll see that period in the Posting Period field.
- If the period for the transaction date is open but locked and you have the **Override Period Restrictions** permission, you'll see that period as the Posting Period.
- If the matching period is open but locked and you **don't** have the override permission, the system treats it as closed.
- If the matching period is closed, you'll see either the first open period or the current period for the Posting Period, depending on the . The accounting preference **Default Posting Period When Transaction Date in Closed Periods** determines which period is displayed.

When you approve a posting transaction, you can select a different Posting Period than the one shown initially. You can't select a closed period, but you may be able to select an open and locked period if you have the Override Period Restrictions permission.

When you save approved transactions, you may see warnings or errors, depending on the transaction and your accounting settings. The following accounting preferences also affect the posting period. For details, see the help topic [General Accounting Preferences](#).

- Allow Transaction Date Outside of Posting Period
- Create and Edit Inventory Transactions Dated in Closed Period
- Allow Inventory Transactions Dated Outside the Posting Period

Using the Approval Routing Feature

Approval Routing lets users with the Administrator or Employee Center role to require approval for specific purchase and expense transactions before they're processed. You set up an approval hierarchy to specify approvers for employees and set approval limits for expense reports, purchase requests, and purchase orders.

Note: If you enable Approval Routing for specific purchase and expense transactions, you can only approve 25 of those transactions at a time.

To use this method, enable [Setting up Approval Routing](#). You don't use SuiteFlow workflows with this feature.

You can incorporate the Approval Routing feature into your workflow to process the following transaction types:

- [Blanket Purchase Order Approval Workflow](#)
- [Approving an Expense Report](#)
- [Invoice Approval Workflow](#)
- [Journal Entry Approval Overview](#)
- [Purchase Contract Approval Workflow](#)
- [Purchase Order Approval Workflow SuiteApp](#)
- [Requisition Approval Workflow](#)
- [Revenue Arrangement Approval Routing](#)
- [Vendor Bill Approval Workflow](#)

After an employee enters an expense report, purchase request, or time transaction, the approval routing workflow may need extra steps depending on the following:

- the employee's expense limit or purchase limit
- the employee's designated supervisor or approver
- the approval limit of the supervisor or approver

For example, an employee enters a purchase request for a new computer that costs \$5000. According to our approval routing rules, the employee's supervisor must approve all purchase orders over \$500. After it's approved, the request goes to purchasing for processing.

Note: A supervisor needs access to the Employee Center to approve requests. A user with the Administrator role can add the Employee Center role to an employee record.

Setting up Approval Routing

To use the Approval Routing feature, a user with the Administrator role must enable the feature, assign roles, to employees, designate an approver, and set approval limits.

To use approval routing:

1. Enable the Approval Routing feature.
 1. Go to Setup > Company > Setup Tasks > Enable Features.

2. In the **Employees** subtab, check the **Approval Routing** checkbox.
3. Click **Save**.
2. Assign [Assigning Roles to an Employee](#).
3. Designate [Supervisors, Approvers, and Approval Limits](#) on employee records.
4. Set [Supervisors, Approvers, and Approval Limits](#).

Note: To maintain the approval routing hierarchy, enter all expense reports and purchase requests through the Employee Center, even if employees have other roles.

For example, your A/P clerk can enter purchase requests in the A/P Clerk role, but to maintain proper approval routing, they must change to the Employee Center to enter the request. The supervisor can then approve the purchase request by logging in to the Employee Center.

Using Standard SuiteFlow Workflows (SuiteApps) for Approval Routing

NetSuite has standard SuiteFlow workflows in SuiteApps that you can use for approval routing. These workflows are ready to install and don't require you to create a custom SuiteFlow workflow. However, you can customize standard SuiteFlow workflows to better meet your needs.

You don't need to enable Approval Routing to use this workflow. To learn more, see the help topic [Enabling SuiteFlow](#).

The following transactions are available for Standard SuiteFlow Workflows:

- [Setting up the Blanket Purchase Order Approval Workflow](#)
- [Using SuiteFlow for Journal Entry Approvals](#)
- [Setting up the Purchase Contract Approval Workflow](#)
- [Purchase Order Approval Workflow Setup](#)
- [Requisition Approval Workflow Setup](#)
- [Revenue Recognition Approval Workflow](#)
- [Installing the Vendor Bill Approval Workflow](#)

Using Custom SuiteFlow Workflows for Approval Routing

Use NetSuite SuiteFlow to create custom approvals workflows. You can create more flexible transaction approval processes, such as non-sequential approvals or conditional routing. For example, you can set up a workflow that requires action from specific employees, shows buttons on forms at certain stages, or automatically send email based on specific actions.

To use a custom SuiteFlow workflow, check the box for the transaction type on the Approval Routing subtab of Accounting Preferences and then set up the approval workflow.

You don't need to enable Approval Routing to use this workflow. To learn more, see the help topic [Enabling SuiteFlow](#).

The following transactions are available for Approval Routing:

- [Using Custom Workflow-Based Approvals for Expense Reports](#)
- [Custom Workflow Based Invoice Approval](#)

- [Customizing the Purchase Contract Approval Workflow](#)
- [Custom Workflow-based Approvals for Purchases](#)
- [Setting up Suiteflow Workflow-Based Approvals for Requisitions](#)
- [Resource Allocations Custom Approval Workflow](#)
- [Time Tracking](#)
- [Customizing for the Vendor Bill Approval Workflow](#)
- [Custom Workflow-Based Approvals for Vendor Payments](#)

Supervisors, Approvers, and Approval Limits

Use Approval Routing to set up a hierarchy of supervisors and approvers who approve purchase and expense transactions before they're processed.

For purchase approvals processes, clear the Purchase Order preference for Approval Routing. To learn more, see [Using Custom SuiteFlow Workflows for Approval Routing](#). For expense approvals, the process is the same and is not affected by the preference setting.

After a transaction is entered by or routed to an employee for approval, the employee's record settings define which transactions need additional approval. These settings include the following:

- **Supervisor** – The employee's direct supervisor
- **Expense Limit** – The amount the employee can expense without supervisor or approver approval
- **Expense Approver** – The person who approves the employee's expense reports. If no approver is selected, the supervisor approves expense reports. If an expense approver is selected, the supervisor is no longer part of the approval hierarchy
- **Expense Approval Limit** – The maximum amount an employee can approve on an expense report when specified as an approver for another employee
- **Purchase Limit** – The amount an employee can purchase without supervisor or approver approval
- **Purchase Approver** – The person who approves the employee's purchase requests. If no approver is selected, the supervisor approves purchase requests. If a purchase approver is selected, the supervisor is no longer part of the approval hierarchy
- **Purchase Approval Limit** – The maximum amount an employee can approve on a purchase request when specified as an approver for an employee

To learn how to enter employee records settings, see the help topic [Entering Human Resources Information for an Employee](#).

For each employee, set an expense or purchase limit to determine the highest transaction amount the they can enter without additional approval. If they enter an expense report or purchase request below their limit, the transaction is automatically approved.

If the employee enters a transaction over their limit, the transaction follows the approval routing process. The transaction goes to a supervisor or approver with an approval limit that's high enough for the amount.



Note: Employee and approval limits are enforced using the currency set on the employee record. If a transaction is in a foreign currency, the total is converted to the employee's currency before checking the limits.

Approval is requested from the supervisor or approver listed on the employee record until enough approval authority is found.

If no one has enough authority, you'll see an alert on the transaction.