



ORACLE
NetSuite

Advanced PDF/HTML Template Field Reference

2025.2

September 3, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Advanced Templates Reference	1
Standard Sales Order PDF/HTML Template	2
Standard Invoice PDF/HTML Template	14
Standard Purchase PDF/HTML Template	26
Standard Quote PDF/HTML Template	36
Standard Cash Refund PDF/HTML Template	46
Standard Cash Sale PDF/HTML Template	57
Standard Return Authorization PDF/HTML Template	71
Standard Picking Ticket PDF/HTML Template	81
Standard Payment Voucher PDF/HTML Template	94
Standard Credit Memo PDF/HTML Template	103
Standard Customer Deposit PDF/HTML Template	114
Standard Check PDF/HTML Template	123
Standard UK Check PDF/HTML Template	127
Standard US Voucher Check PDF/HTML Template	131
Standard UK Voucher Check PDF/HTML Template	135
Standard AU Voucher Check PDF/HTML Template	139
Standard US Vendor Payment PDF/HTML Template	143
Standard UK Vendor Payment PDF/HTML Template	152
Standard AU Vendor Payment PDF/HTML Template	161
Standard Paycheck PDF/HTML Template	170
Standard Bill of Materials PDF/HTML Template	174
Standard Shipping Label PDF/HTML Template	182
Standard Customer Payment PDF/HTML Template	185
Standard Mailing Label PDF/HTML Template	195
Standard Item Label PDF/HTML Template	198
Standard Statement PDF/HTML Template	201
Standard Price List PDF/HTML Template	215
Standard Multi-currency Statement Template	229
Standard Expense Report PDF/HTML Template	244
Standard Sales Order PDF/HTML Template (SuiteTax)	253
Standard Invoice PDF/HTML Template (SuiteTax)	265
Standard Purchase PDF/HTML Template (SuiteTax)	277
Standard Quote PDF/HTML Template (SuiteTax)	287
Standard Cash Refund PDF/HTML Template (SuiteTax)	297
Standard Cash Sale PDF/HTML Template (SuiteTax)	308
Standard Return Authorization PDF/HTML Template (SuiteTax)	322
Standard Credit Memo PDF/HTML Template (SuiteTax)	332
Standard Packing Slip PDF/HTML Template	343
Standard Journal Entry PDF/HTML Template	356
Standard Period End Journal PDF/HTML Template	365

Advanced Templates Reference

This reference chapter outlines the fields and sublists that are available in advanced PDF/HTML templates. For more information, see the help topic [Advanced PDF/HTML Templates](#).

- [Standard Sales Order PDF/HTML Template](#)
- [Standard Invoice PDF/HTML Template](#)
- [Standard Purchase PDF/HTML Template](#)
- [Standard Quote PDF/HTML Template](#)
- [Standard Cash Refund PDF/HTML Template](#)
- [Standard Cash Sale PDF/HTML Template](#)
- [Standard Return Authorization PDF/HTML Template](#)
- [Standard Picking Ticket PDF/HTML Template](#)
- [Standard Payment Voucher PDF/HTML Template](#)
- [Standard Credit Memo PDF/HTML Template](#)
- [Standard Customer Deposit PDF/HTML Template](#)
- [Standard Check PDF/HTML Template](#)
- [Standard UK Check PDF/HTML Template](#)
- [Standard US Voucher Check PDF/HTML Template](#)
- [Standard UK Voucher Check PDF/HTML Template](#)
- [Standard AU Voucher Check PDF/HTML Template](#)
- [Standard US Vendor Payment PDF/HTML Template](#)
- [Standard UK Vendor Payment PDF/HTML Template](#)
- [Standard AU Vendor Payment PDF/HTML Template](#)
- [Standard Paycheck PDF/HTML Template](#)
- [Standard Bill of Materials PDF/HTML Template](#)
- [Standard Shipping Label PDF/HTML Template](#)
- [Standard Customer Payment PDF/HTML Template](#)
- [Standard Mailing Label PDF/HTML Template](#)
- [Standard Item Label PDF/HTML Template](#)
- [Standard Statement PDF/HTML Template](#)
- [Standard Price List PDF/HTML Template](#)
- [Standard Multi-currency Statement Template](#)
- [Standard Expense Report PDF/HTML Template](#)
- [Standard Sales Order PDF/HTML Template \(SuiteTax\)](#)
- [Standard Invoice PDF/HTML Template \(SuiteTax\)](#)
- [Standard Purchase PDF/HTML Template \(SuiteTax\)](#)
- [Standard Quote PDF/HTML Template \(SuiteTax\)](#)
- [Standard Cash Refund PDF/HTML Template \(SuiteTax\)](#)
- [Standard Cash Sale PDF/HTML Template \(SuiteTax\)](#)
- [Standard Return Authorization PDF/HTML Template \(SuiteTax\)](#)
- [Standard Credit Memo PDF/HTML Template \(SuiteTax\)](#)
- [Standard Packing Slip PDF/HTML Template](#)
- [Standard Journal Entry PDF/HTML Template](#)

■ [Standard Period End Journal PDF/HTML Template](#)

Standard Sales Order PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Sales Order PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
AVS Street Match	select	ccavsstreetmatch
AVS Zip Match	select	ccavszipmatch
Acct. No.	text	accountnumber
Allow Cross-Subsidiary Fulfillment	checkbox	iscrosssubtransaction
Auth. Code	text	authcode
Authorization ID	text	paypalauthid
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip

Name	Type	ID
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Billing Schedule	select	billingschedule
Can have stackable promotions	checkbox	canhavestackable
Card Data Provided	checkbox	carddataprovided
Card Street	text	ccstreet
Card Zip Code	text	cczipcode
Class	select	class
Coupon Code	select	couponcode
Credit Card #	ccnumber	ccnumber
Credit Card Approved	checkbox	ccapproved
Credit Card Select	select	creditcard
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Code	text	customercode
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Default	text	isdefaultshippingrequest
Default	float	overrideshippingcost
Deferred Revenue Reclassification Account	select	draccount
Department	select	department
Detail	text	cchold
Detail	textarea	ccholddetails
Discount Item	select	discountitem
Discount Item	currency	discounttotal
Enable Item Line Shipping	checkbox	ismultishipto
End Date	date	enddate

Name	Type	ID
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
Expires (MM/YYYY)	ccexpdate	ccexpiredate
ExternalId	text	externalid
FOB	text	fob
Foreign Currency Adjustment Revenue Account	select	fxaccount
Generate TranId on Save	checkbox	generatetransidonsave
Get Authorization	checkbox	getauth
Gift Certificate	currency	giftcertapplied
IAVS Match	select	cciaivsmatch
Ignore AVS	checkbox	ignoreavs
Ignore CSC	checkbox	ignorecsc
Intercompany Status	select	intercostatus
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Name on Card	text	ccname
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Opportunity	select	opportunity
Order #	text	transid
Override Hold	checkbox	overridehold
Override Hold	checkbox	overrideholdchecked
P/N Ref.	text	pnrefnum
PO #	text	otherrefnum
Paired Intercompany Transaction	select	intercotransaction
Partner	select	partner

Name	Type	ID
PayPal Order ID	text	paypalorderid
PayPal Status	text	paypalstatus
PayPal Tran. ID	text	paypaltranid
Payment Amount	currency	paymentsessionamount
Payment Custom Data	longtext	paymentcustomdata
Payment Method	select	paymentmethod
Payment Operation	select	paymentoperation
Payment Processing Profile	select	creditcardprocessor
Process PayPal Payment	checkbox	paypalprocess
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Purchase Card BIN	checkbox	ccispurchasecardbin
Rate	rate	discontrate
Reason	select	paymenteventholdreason
Recurring Payment	checkbox	isrecurringpayment
Redirect From URL	url	returnurl
Redirect to URL	url	redirecturl
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Send Line-Level Data	checkbox	ccprocessaspurchasecard
Ship Complete	checkbox	shipcomplete
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1

Name	Type	ID
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate
Status	text	orderstatus
Status	select	paymenteventresult
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
Terms	select	terms
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber
Unbilled Orders	currency	unbilledorders

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Address	address	shippingaddress_text
Amount	currency	amount
Carrier	select	shipcarrier
Charge Type	text	chargetype
Commit	text	commitinventory
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
License Code	textarea	licensecode
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Project Charge Rule	text	chargerule
Quantity	float	quantity
Rate	rate	rate
Ship To	select	shipaddress
Ship To	address	shippingaddress
Ship Via	select	shipmethod
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate

Name	Type	ID
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl

Name	Type	ID
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text

Name	Type	ID
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebyssegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar

Name	Type	ID
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE

Name	Type	ID
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber

Name	Type	ID
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Invoice PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Invoice PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Account	select	account
Acct. No.	text	accountnumber
Add Charges	select	whichchargestoadd
Amount	currency	expcostdiscamount
Amount	currency	itemcostdiscamount
Amount	currency	timediscamount
As of Date	date	asofdate
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee

Name	Type	ID
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Class	select	class
Coupon Code	select	couponcode
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Disc. Amt.	currency	discountamount
Disc. Date	date	discountdate
Discount Item	select	discountitem
Discount Item	currency	discounttotal
Discount/Markup	select	expcostdiscount
Discount/Markup	select	itemcostdiscount
Discount/Markup	select	timediscount
Due Date	date	duedate
End Date	date	enddate
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
FOB	text	fob
Generate TranId on Save	checkbox	generatetrandidonsave

Name	Type	ID
Gift Certificate	currency	giftcertapplied
Internal ID	text	id
Invoice #	text	tranid
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Opportunity	select	opportunity
PO #	text	otherrefnum
Partner	select	partner
Payment Custom Data	longtext	paymentcustomdata
Posting Period	select	postingperiod
Print	checkbox	expcostdiscprint
Print	checkbox	itemcostdiscprint
Print	checkbox	timediscprint
Project	text	project
Promo Code	text	muccppromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Rate	rate	discontrate
Rate	rate	expcostdiscrate
Rate	rate	itemcostdiscrate
Rate	rate	timediscrate
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod

Name	Type	ID
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate
Stored tax reference for update	text	taxreferencetobeupdated
Submission Id	text	bulksubmissionid
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
Terms	select	terms
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes

Name	Type	ID
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber
Unbilled Orders	currency	unbilledorders

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **expcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply
Bill Amount	currency	amount
Category	text	categorydisp
Class	select	class
Date	date	billeddate
Department	select	department
Employee	text	employeeidisp
Gross Amount	currency	grossamt
Location	select	location
Memo	text	memo
Original Amount	currency	originalamount
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference

- The **item** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Charge	text	charge
Charge Type	text	chargetype
Charges	multiselect	charges

Name	Type	ID
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
License Code	textarea	licensecode
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **itemcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo
Gross Amount	currency	grossamt
Item	text	itemdisp
Location	select	location
Options	namevaluelist	options
Qty	text	itemcostcount
Rate	currency2	cost
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Total	currency	amount
Units	text	unitdisp

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

- The **time** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Apply	checkbox	apply
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo
Employee	text	employeedisp
Gross Amount	currency	grossamt
Hours	text	quantity
Item	text	itemdisp
Location	select	location
Rate	currency2	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Units	text	unitdisp

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid

Name	Type	ID
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text

Name	Type	ID
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP

Name	Type	ID
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING

Name	Type	ID
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals

Name	Type	ID
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead

Name	Type	ID
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Purchase PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Purchase PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Base Currency	checkbox	isbasecurrency
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2

Name	Type	ID
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Class	select	class
Currency	select	currency
Currency	text	currencysymbol
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Date	date	trandate
Department	select	department
Employee	select	employee
Exchange rate	currency2	exchangerate
ExternalId	text	externalid
FOB	text	fob
Generate TranId on Save	checkbox	generatetransave
Incoterm	select	incoterm
Intercompany Status	select	intercostatus
Internal ID	text	id
Location	select	location
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
PO #	text	transid
Paired Intercompany Transaction	select	intercotransaction
Purchase Contract	select	purchasecontract
Receive By	date	duedate
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To	select	shipto

Name	Type	ID
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Phone	text	shipphone
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Supervisor Approval	checkbox	supervisorapproval
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
Terms	select	terms
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber

Name	Type	ID
Vendor	address	billaddress
Vendor	select	entity
Vendor #	text	otherrefnum
Vendor Message	textarea	message
Vendor Select	select	billaddresslist
Vendor Tax Reg. Number	select	entitytaxregnum

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Description	textarea	description
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units
Vendor Name	text	vendorname

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix

Name	Type	ID
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname

Name	Type	ID
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct

Name	Type	ID
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount

Name	Type	ID
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Quote PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Quote PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Acct. No.	text	accountnumber
Available In Customer Center	checkbox	visibletocustomer
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Billing Schedule	select	billingschedule
Can have stackable promotions	checkbox	canhavestackable
Class	select	class

Name	Type	ID
Coupon Code	select	couponcode
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Discount Item	select	discountitem
Discount Item	currency	discounttotal
Enable Item Line Shipping	checkbox	ismultishipto
End Date	date	enddate
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Estimate #	text	tranid
Exchange Rate	currency2	exchangerate
Exp. Close	date	expectedclosedate
Expires	date	duedate
ExternalId	text	externalid
FOB	text	fob
Forecast Type	select	forecasttype
Generate TranId on Save	checkbox	generatetransave
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride

Name	Type	ID
Opportunity	select	opportunity
PO #	text	otherrefnum
Partner	select	partner
Probability	percent	probability
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Rate	rate	discontrate
Sales Rep	select	salesrep
Select Message	select	messagesel
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate

Name	Type	ID
Status	select	entitystatus
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
Terms	select	terms
Title	text	title
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber
Unbilled Orders	currency	unbilledorders

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Address	address	shippingaddress_text

Name	Type	ID
Amount	currency	amount
Carrier	select	shipcarrier
Charge Type	text	chargetype
Description	textarea	description
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Ship To	select	shipaddress
Ship Via	select	shipmethod
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl

Name	Type	ID
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebyssegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE

Name	Type	ID
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text

Name	Type	ID
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes

Name	Type	ID
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Cash Refund PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Cash Refund PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Account	select	account
Acct. No.	text	accountnumber
Add Charges	select	whichchargestoadd

Name	Type	ID
As of Date	date	asofdate
Authorization ID	text	paypalauthid
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Card Data Provided	checkbox	carddataprovided
Card Street	text	ccstreet
Card Zip Code	text	cczipcode
Check #	text	otherrefnum
Class	select	class
Coupon Code	select	couponcode
Create Check	checkbox	refundcheck
Credit Card #	ccnumber	ccnumber
Credit Card Approved	checkbox	ccapproved
Credit Card Select	select	creditcard
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity

Name	Type	ID
Customer Code	text	customercode
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Detail	text	cchold
Detail	textarea	ccholddetails
Discount	select	discountitem
Discount	currency	discounttotal
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
Expires (MM/YYYY)	ccexpdate	ccexpiredate
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetrandidonsave
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Name on Card	text	ccname
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Override Hold	checkbox	overridehold
Override Hold	checkbox	overrideholdchecked
Partner	select	partner
PayPal Order ID	text	paypalorderid
PayPal Status	text	paypalstatus
PayPal Tran. ID	text	paypaltranid

Name	Type	ID
Payment Custom Data	longtext	paymentcustomdata
Payment Method	select	paymentmethod
Payment Operation	select	paymentoperation
Payment Processing Profile	select	creditcardprocessor
Posting Period	select	postingperiod
Print Check	checkbox	toprint2
Process Credit Card	checkbox	chargeit
Process PayPal Payment	checkbox	paypalprocess
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Purchase Card BIN	checkbox	ccispurchasecardbin
Rate	rate	discontrate
Reason	select	paymenteventholdreason
Redirect From URL	url	returnurl
Redirect to URL	url	redirecturl
Refund #	text	tranid
Sales Effective Date	date	saleeffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Send Line-Level Data	checkbox	ccprocessaspurchasecard
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate

Name	Type	ID
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Status	select	paymenteventresult
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Transaction Number	text	transactionnumber

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate

Name	Type	ID
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Charge	text	charge
Charge Type	text	chargetype
Charges	multiselect	charges
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference

Name	Type	ID
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id

Name	Type	ID
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep

Name	Type	ID
Create Period End Journals By Segment	checkbox	createpejbysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE

Name	Type	ID
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Cash Sale PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Cash Sale PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
AVS Street Match	select	ccavsstreetmatch
AVS Zip Match	select	ccavszipmatch
Account	select	account
Acct. No.	text	accountnumber
Add Charges	select	whichchargestoadd
Amount	currency	expcostdiscamount
Amount	currency	itemcostdiscamount
Amount	currency	timediscamount
As of Date	date	asofdate
Auth. Code	text	authcode
Authorization ID	text	paypalauthid
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Card Data Provided	checkbox	carddatapprovided
Card Street	text	ccstreet
Card Zip Code	text	cczipcode
Charge Credit Card	checkbox	chargeit
Check #	text	otherrefnum
Class	select	class

Name	Type	ID
Coupon Code	select	couponcode
Credit Card #	ccnumber	ccnumber
Credit Card Approved	checkbox	ccapproved
Credit Card Select	select	creditcard
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Code	text	customercode
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Deposit To	radio	undepfunds
Detail	text	cchold
Detail	textarea	ccholddetails
Discount Item	select	discountitem
Discount Item	currency	discounttotal
Discount/Markup	select	expcostdiscount
Discount/Markup	select	itemcostdiscount
Discount/Markup	select	timediscount
Enable Item Line Shipping	checkbox	ismultishipto
End Date	date	enddate
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
Expires (MM/YYYY)	ccexpdate	ccexpiredate
ExternalId	text	externalid

Name	Type	ID
FOB	text	fob
Generate TranId on Save	checkbox	generatetranidonsave
Gift Certificate	currency	giftcertapplied
IAVS Match	select	cciaavsmatch
Ignore AVS	checkbox	ignoreavs
Ignore CSC	checkbox	ignorecsc
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Name on Card	text	ccname
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Opportunity	select	opportunity
Override Hold	checkbox	overridehold
Override Hold	checkbox	overrideholdchecked
P/N Ref.	text	pnrefnum
Partner	select	partner
PayPal Order ID	text	paypalorderid
PayPal Status	text	paypalstatus
PayPal Tran. ID	text	paypaltranid
Payment Custom Data	longtext	paymentcustomdata
Payment Method	select	paymentmethod
Payment Operation	select	paymentoperation
Payment Processing Profile	select	creditcardprocessor
Posting Period	select	postingperiod
Print	checkbox	expcostdiscprint
Print	checkbox	itemcostdiscprint
Print	checkbox	timediscprint
Process PayPal Payment	checkbox	paypalprocess
Project	text	project

Name	Type	ID
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Purchase Card BIN	checkbox	ccispurchasecardbin
Rate	rate	discountrate
Rate	rate	expcostdiscrate
Rate	rate	itemcostdiscrate
Rate	rate	timediscrate
Reason	select	paymenteventholdreason
Recurring Payment	checkbox	isrecurringpayment
Redirect From URL	url	returnurl
Redirect to URL	url	redirecturl
Sale #	text	tranid
Sales Effective Date	date	saleeffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Send Line-Level Data	checkbox	ccprocessaspurchasecard
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost

Name	Type	ID
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate
Status	select	paymenteventresult
Stored tax reference for update	text	taxreferencetobeupdated
Submission Id	text	bulksubmissionid
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate

Name	Type	ID
Secondary Book	select	accountingbook

- The **expcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply
Bill Amount	currency	amount
Category	text	categorydisp
Class	select	class
Date	date	billeddate
Department	select	department
Employee	text	employeeidisp
Gross Amount	currency	grossamt
Location	select	location
Memo	text	memo
Original Amount	currency	originalamount
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference

- The **item** sublist has the following fields:

Name	Type	ID
Address	address	shippingaddress_text
Amount	currency	amount
Carrier	select	shipcarrier
Charge	text	charge
Charge Type	text	chargetype
Charges	multiselect	charges
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
License Code	textarea	licensecode
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems

Name	Type	ID
Quantity	float	quantity
Rate	rate	rate
Ship To	select	shipaddress
Ship Via	select	shipmethod
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **itemcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo
Gross Amount	currency	grossamt
Item	text	itemdisp
Location	select	location
Options	namevaluelist	options
Qty	text	itemcostcount
Rate	currency2	cost
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Total	currency	amount
Units	text	unitdisp

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode

Name	Type	ID
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

- The **time** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Apply	checkbox	apply
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo
Employee	text	employeedisp
Gross Amount	currency	grossamt
Hours	text	quantity
Item	text	itemdisp
Location	select	location
Rate	currency2	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Units	text	unitdisp

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country

Name	Type	ID
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals

Name	Type	ID
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar

Name	Type	ID
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom

Name	Type	ID
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions

Name	Type	ID
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Return Authorization PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Return Authorization PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Acct. No.	text	accountnumber
Allow Cross-Subsidiary Customer Return	checkbox	iscrosssubtransaction
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee

Name	Type	ID
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Class	select	class
Coupon Code	select	couponcode
Created From	select	createdfrom
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Deferred Revenue Reclassification Account	select	draccount
Department	select	department
Discount	select	discountitem
Discount	currency	discounttotal
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
ExternalId	text	externalid
Foreign Currency Adjustment Revenue Account	select	fxaccount
Generate TranId on Save	checkbox	generatetranidonsave
Intercompany Status	select	intercostatus
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo

Name	Type	ID
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
PO #	text	otherrefnum
Paired Intercompany Transaction	select	intercotransaction
Partner	select	partner
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Rate	rate	discontrate
Rtn. Auth. #	text	tranid
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Phone	text	shipphone
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Status	text	orderstatus
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary

Name	Type	ID
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Transaction Number	text	transactionnumber

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty

Name	Type	ID
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Unit Price	rate	rate
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo

Name	Type	ID
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejbysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals

Name	Type	ID
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar

Name	Type	ID
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom

Name	Type	ID
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions

Name	Type	ID
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Picking Ticket PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Picking Ticket PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Account	select	account
Add Charges	select	whichchargestoadd
Additional Tracking #	text	trackingnumbers
Amount	currency	expcostdiscamount
Amount	currency	itemcostdiscamount
Amount	currency	timediscamount
As-Of Date	date	asofdate
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1

Name	Type	ID
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Class	select	class
Coupon Code	select	couponcode
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Disc. Amt.	currency	discountamount
Disc. Date	date	discountdate
Discount Item	select	discountitem
Discount Item	currency	discounttotal
Discount/Markup	select	expcostdiscount
Discount/Markup	select	itemcostdiscount
Discount/Markup	select	timediscout
Due Date	date	duedate
End Date	date	enddate
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate

Name	Type	ID
Exclude Commissions	checkbox	excludecommission
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
FOB	text	fob
Generate TranId on Save	checkbox	generatetrandidonsave
Gift Certificate	currency	giftcertapplied
Internal ID	text	id
Invoice #	text	tranid
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Opportunity	select	opportunity
PO #	text	otherrefnum
Partner	select	partner
Payment Custom Data	longtext	paymentcustomdata
Posting Period	select	postingperiod
Print	checkbox	expcostdiscprint
Print	checkbox	itemcostdiscprint
Print	checkbox	timediscprint
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Rate	rate	discontrate
Rate	rate	expcostdiscrate
Rate	rate	itemcostdiscrate
Rate	rate	timediscrate
Return Tracking #	text	returntrackingnumbers
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep

Name	Type	ID
Select Message	select	messagesel
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	altshippingcost
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Method	select	shipmethod
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate
Stored tax reference for update	text	taxreferencetobeupdated
Submission Id	text	bulksubmissionid
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Tax Total	currency	taxtotal
Taxes Dirty	checkbox	taxesdirty

Name	Type	ID
Terms	select	terms
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber
Unbilled Orders	currency	unbilledorders

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **expcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply
Bill Amount	currency	amount
Category	text	categorydisp
Class	select	class
Date	date	billeddate
Department	select	department
Employee	text	employeedisp
Gross Amount	currency	grossamt
Location	select	location
Memo	text	memo
Original Amount	currency	originalamount
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference

- The **item** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Charge	text	charge
Charge Type	select	chargetype
Charges	multiselect	charges
Cost Estimate Type	select	costestimatetype
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Est. Extended Cost	currency	costestimate
Exclude Item from Rate Request	checkbox	excludefromraterequest
From	text	giftcertfrom
Gift Message	textarea	giftcertmessage
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
License Code	textarea	licensecode
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Price Level	select	price
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Recipient Email	email	giftcertrecipientemail
Recipient Name	text	giftcertrecipientname
Rev. Rec. End Date	date	revrecenddate
Rev. Rec. Start Date	date	revrecstartdate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **itemcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply

Name	Type	ID
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo
Gross Amount	currency	grossamt
Item	text	itemdisp
Location	select	location
Options	namevaluelist	options
Qty	text	itemcostcount
Rate	currency2	cost
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Total	currency	amount
Units	text	unitdisp

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

- The **time** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Apply	checkbox	apply
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo

Name	Type	ID
Employee	text	employeedisp
Gross Amount	currency	grossamt
Hours	text	quantity
Item	text	itemdisp
Location	select	location
Rate	currency2	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Units	text	unitdisp

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl

Name	Type	ID
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER

Name	Type	ID
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale

Name	Type	ID
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount

Name	Type	ID
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Payment Voucher PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Payment Voucher PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
A/P Account	select	apacct
Account	select	account
Address	address	address
Amount	currency	total
Available Balance	currency	availablebalance
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Class	select	class
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Date	date	trandate
Department	select	department
Exchange Rate	currency2	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransave
In Transit	checkbox	isintransitpayment

Name	Type	ID
Internal ID	text	id
Location	select	location
Memo	text	memo
Payee	select	entity
Posting Period	select	postingperiod
Status	text	status
Subsidiary	select	subsidiary
To Be Printed	checkbox	tobeprinted
Transaction Number	text	transactionnumber
Unapplied	currency	unapplied
Voucher	checkbox	printvoucher

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **apply** sublist has the following fields:

Name	Type	ID
Amt. Due	currency	due
Apply	checkbox	apply
Currency	text	currency
Date	date	applydate
Disc. Avail.	currency	discamt
Disc. Date	date	discdate
Disc. Taken	currency	disc
Hidden	text	internalid
Hidden	text	trantype
Orig. Amt.	currency	total
Payment	currency	amount

Name	Type	ID
Ref No.	text	refnum
Type	text	type

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **itprlrlds** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Date	date	appldate
Number	text	applnumber
Relationship	text	linktype
Type	text	type

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority

Name	Type	ID
Start Date	date	startdate
Title	text	title

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail

Name	Type	ID
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER

Name	Type	ID
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejbysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id

Name	Type	ID
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount

Name	Type	ID
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Credit Memo PDF/HTML Template



Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Credit Memo PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Account	select	account
Acct. No.	text	accountnumber
Add Charges	select	whichchargestoadd
Applied	currency	applied
As of Date	date	asofdate
Auto Apply	checkbox	autoapply
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention

Name	Type	ID
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Class	select	class
Coupon Code	select	couponcode
Credit #	text	tranid
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Discount	select	discountitem
Discount	currency	discounttotal
Enable Item Line Shipping	checkbox	ismultishipto
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetrandidonsave
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride

Name	Type	ID
PO #	text	otherrefnum
Partner	select	partner
Payment Custom Data	longtext	paymentcustomdata
Posting Period	select	postingperiod
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Rate	rate	discountrate
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Stored tax reference for update	text	taxreferencetobeupdated

Name	Type	ID
Submission Id	text	bulksubmissionid
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Transaction Number	text	transactionnumber
Unapplied	currency	unapplied
Unbilled Orders	currency	unbilledorders

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **apply** sublist has the following fields:

Name	Type	ID
Amt. Due	currency	due
Apply	checkbox	apply
Currency	text	currency
Date	date	applydate
Hidden	text	internalid

Name	Type	ID
Hidden	text	trantype
Orig. Amt.	currency	total
Payment	currency	amount
Ref No.	text	refnum
Type	text	type

- The **item** sublist has the following fields:

Name	Type	ID
Address	address	shippingaddress_text
Amount	currency	amount
Carrier	select	shipcarrier
Charge	text	charge
Charge Type	text	chargetype
Charges	multiselect	charges
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Ship To	select	shipaddress
Ship Via	select	shipmethod
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount

Name	Type	ID
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail

Name	Type	ID
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER

Name	Type	ID
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejbysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id

Name	Type	ID
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount

Name	Type	ID
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Customer Deposit PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Customer Deposit PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
AVS Street Match	select	ccavsstreetmatch
AVS Zip Match	select	ccavszipmatch
Applied	currency	applied
Auth. Code	text	authcode
Base Currency	checkbox	isbasecurrency
Card Data Provided	checkbox	carddatapprovided
Card Street	text	ccstreet
Card Zip Code	text	cczipcode
Cards on File	select	creditcard
Class	select	class
Credit Card #	ccnumber	ccnumber
Credit Card Approved	checkbox	ccapproved
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	customer
Customer Code	text	customercode
Date	date	trandate
Department	select	department

Name	Type	ID
Deposit #	text	tranid
Deposit To	radio	undepfunds
Detail	text	cchold
Detail	textarea	ccholdetails
Exchange Rate	currency2	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
Expires (MM/YYYY)	ccexpdate	ccexpireddate
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetranidonsave
IAVS Match	select	cciavsmatch
Ignore AVS	checkbox	ignoreavs
Ignore CSC	checkbox	ignorecsc
Internal ID	text	id
Location	select	location
Memo	text	memo
Name on Card	text	ccname
Override Hold	checkbox	overridehold
Override Hold	checkbox	overrideholdchecked
P/N Ref.	text	pnrefnum
Payment Custom Data	longtext	paymentcustomdata
Payment Method	select	paymentmethod
Payment Operation	select	paymentoperation
Payment Processing Profile	select	creditcardprocessor
Posting Period	select	postingperiod
Process Credit Card	checkbox	chargeit
Purchase Card BIN	checkbox	ccispurchasecardbin
Reason	select	paymenteventholdreason
Recurring Payment	checkbox	isrecurringpayment
Redirect From URL	url	returnurl
Redirect to URL	url	redirecturl
Sales Order	select	salesorder
Send Line-Level Data	checkbox	ccprocessaspurchasecard

Name	Type	ID
Status	select	paymenteventresult
Subsidiary	select	subsidiary
Total	poscurrency	payment
Transaction Number	text	transactionnumber
Unapplied	currency	unapplied

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **contacts** sublist has the following fields:

Name	Type	ID
Contact	text	entityid
Email	email	email
Job Title	text	title
Main Phone	phone	phone
Role	select	contactrole
Subsidiary	select	subsidiary

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime

Name	Type	ID
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority
Start Date	date	startdate
Title	text	title

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules

Name	Type	ID
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl

Name	Type	ID
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT

Name	Type	ID
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state

Name	Type	ID
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language

Name	Type	ID
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform

Name	Type	ID
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Check PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Check PDF/HTML Template template are listed below.

Check – check

The following fields are available for the Check record.

Name	Type	ID
Account	text	account
Address	text	address
Amount	number	total
Amount	number	usertotal
Available Balance	number	availablebalance
Balance	number	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Check Number	text	checknumber
Class	text	class

Name	Type	ID
Currency	text	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	text	customform
Date	date	trandate
Department	text	department
Exchange Rate	number	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransidonsave
Internal ID	text	id
Landed Cost per Line	checkbox	landedcostperline
Location	text	location
Memo	text	memo
Payee	text	entity
Posting Period	text	postingperiod
Subsidiary	text	subsidiary
To Be Printed	checkbox	tobeprinted
Total	text	totalwords
Total	text	usertotalwords
Total	text	wordhundreds
Total	text	wordhundredthousands
Total	text	wordones
Total	text	wordtens
Total	text	wordtenthousands
Total	text	wordthousands
Transaction Number	text	transactionnumber

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid

Name	Type	ID
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text

Name	Type	ID
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers

Name	Type	ID
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprintransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprintransactions

Standard UK Check PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard UK Check PDF/HTML Template template are listed below.

Check – check

The following fields are available for the Check record.

Name	Type	ID
Account	text	account
Address	text	address
Amount	number	total
Amount	number	usertotal
Available Balance	number	availablebalance
Balance	number	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Check Number	text	checknumber
Class	text	class
Currency	text	currency
Currency	text	currencyname

Name	Type	ID
Currency Symbol	text	currencysymbol
Custom Form	text	customform
Date	date	trandate
Department	text	department
Exchange Rate	number	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransidonsave
Internal ID	text	id
Landed Cost per Line	checkbox	landedcostperline
Location	text	location
Memo	text	memo
Payee	text	entity
Posting Period	text	postingperiod
Subsidiary	text	subsidiary
To Be Printed	checkbox	tobeprinted
Total	text	totalwords
Total	text	usertotalwords
Total	text	wordhundreds
Total	text	wordhundredthousands
Total	text	wordones
Total	text	wordtens
Total	text	wordtenthousands
Total	text	wordthousands
Transaction Number	text	transactionnumber

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext

Name	Type	ID
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent

Name	Type	ID
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone

Name	Type	ID
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard US Voucher Check PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard US Voucher Check PDF/HTML Template template are listed below.

Check – check

The following fields are available for the Check record.

Name	Type	ID
Account	text	account
Address	text	address
Amount	number	total
Amount	number	usertotal
Available Balance	number	availablebalance
Balance	number	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Check Number	text	checknumber
Class	text	class
Currency	text	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	text	customform

Name	Type	ID
Date	date	trandate
Department	text	department
Exchange Rate	number	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetrandidonsave
Internal ID	text	id
Landed Cost per Line	checkbox	landedcostperline
Location	text	location
Memo	text	memo
Payee	text	entity
Posting Period	text	postingperiod
Subsidiary	text	subsidiary
To Be Printed	checkbox	tobeprinted
Total	text	totalwords
Total	text	usertotalwords
Total	text	wordhundreds
Total	text	wordhundredthousands
Total	text	wordones
Total	text	wordtens
Total	text	wordtenthousands
Total	text	wordthousands
Transaction Number	text	transactionnumber

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules

Name	Type	ID
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl

Name	Type	ID
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress

Name	Type	ID
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard UK Voucher Check PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard UK Voucher Check PDF/HTML Template template are listed below.

Check – check

The following fields are available for the Check record.

Name	Type	ID
Account	text	account
Address	text	address
Amount	number	total
Amount	number	usertotal
Available Balance	number	availablebalance
Balance	number	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Check Number	text	checknumber
Class	text	class
Currency	text	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	text	customform
Date	date	trandate
Department	text	department

Name	Type	ID
Exchange Rate	number	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetranidonsave
Internal ID	text	id
Landed Cost per Line	checkbox	landedcostperline
Location	text	location
Memo	text	memo
Payee	text	entity
Posting Period	text	postingperiod
Subsidiary	text	subsidiary
To Be Printed	checkbox	tobeprinted
Total	text	totalwords
Total	text	usertotalwords
Total	text	wordhundreds
Total	text	wordhundredthousands
Total	text	wordones
Total	text	wordtens
Total	text	wordtenthousands
Total	text	wordthousands
Transaction Number	text	transactionnumber

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo

Name	Type	ID
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone

Name	Type	ID
Web Site	text	url

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard AU Voucher Check PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard AU Voucher Check PDF/HTML Template template are listed below.

Check – check

The following fields are available for the Check record.

Name	Type	ID
Account	text	account
Address	text	address
Amount	number	total
Amount	number	usertotal
Available Balance	number	availablebalance
Balance	number	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Check Number	text	checknumber
Class	text	class
Currency	text	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	text	customform
Date	date	trandate
Department	text	department
Exchange Rate	number	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransave

Name	Type	ID
Internal ID	text	id
Landed Cost per Line	checkbox	landedcostperline
Location	text	location
Memo	text	memo
Payee	text	entity
Posting Period	text	postingperiod
Subsidiary	text	subsidiary
To Be Printed	checkbox	tobeprinted
Total	text	totalwords
Total	text	usertotalwords
Total	text	wordhundreds
Total	text	wordhundredthousands
Total	text	wordones
Total	text	wordtens
Total	text	wordtenthousands
Total	text	wordthousands
Transaction Number	text	transactionnumber

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate

Name	Type	ID
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard US Vendor Payment PDF/HTML Template



Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard US Vendor Payment PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
A/P Account	select	apacct
Account	select	account
Address	address	address
Amount	currency	total
Available Balance	currency	availablebalance
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Class	select	class
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Date	date	trandate
Department	select	department
Exchange Rate	currency2	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransave
In Transit	checkbox	isintransitpayment

Name	Type	ID
Internal ID	text	id
Location	select	location
Memo	text	memo
Payee	select	entity
Posting Period	select	postingperiod
Status	text	status
Subsidiary	select	subsidiary
To Be Printed	checkbox	tobeprinted
Transaction Number	text	transactionnumber
Unapplied	currency	unapplied
Voucher	checkbox	printvoucher

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **apply** sublist has the following fields:

Name	Type	ID
Amt. Due	currency	due
Apply	checkbox	apply
Currency	text	currency
Date	date	applydate
Disc. Avail.	currency	discamt
Disc. Date	date	discdate
Disc. Taken	currency	disc
Hidden	text	internalid
Hidden	text	trantype
Orig. Amt.	currency	total
Payment	currency	amount

Name	Type	ID
Ref No.	text	refnum
Type	text	type

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **contacts** sublist has the following fields:

Name	Type	ID
Contact	text	entityid
Email	email	email
Job Title	text	title
Main Phone	phone	phone
Role	select	contactrole
Subsidiary	select	subsidiary

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **itprlrlds** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Date	date	appldate
Number	text	applnumber
Relationship	text	linktype
Type	text	type

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem

Name	Type	ID
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority
Start Date	date	startdate
Title	text	title

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate

Name	Type	ID
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax

Name	Type	ID
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE

Name	Type	ID
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency

Name	Type	ID
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions

Name	Type	ID
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard UK Vendor Payment PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard UK Vendor Payment PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
A/P Account	select	apacct
Account	select	account
Address	address	address
Amount	currency	total
Available Balance	currency	availablebalance
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Class	select	class
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Date	date	trandate
Department	select	department
Exchange Rate	currency2	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering

Name	Type	ID
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransidonsave
In Transit	checkbox	isintransitpayment
Internal ID	text	id
Location	select	location
Memo	text	memo
Payee	select	entity
Posting Period	select	postingperiod
Status	text	status
Subsidiary	select	subsidiary
To Be Printed	checkbox	tobeprinted
Transaction Number	text	transactionnumber
Unapplied	currency	unapplied
Voucher	checkbox	printvoucher

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **apply** sublist has the following fields:

Name	Type	ID
Amt. Due	currency	due
Apply	checkbox	apply
Currency	text	currency
Date	date	applydate
Disc. Avail.	currency	discamt
Disc. Date	date	discdate
Disc. Taken	currency	disc
Hidden	text	internalid

Name	Type	ID
Hidden	text	trantype
Orig. Amt.	currency	total
Payment	currency	amount
Ref No.	text	refnum
Type	text	type

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **contacts** sublist has the following fields:

Name	Type	ID
Contact	text	entityid
Email	email	email
Job Title	text	title
Main Phone	phone	phone
Role	select	contactrole
Subsidiary	select	subsidiary

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **itprlrlds** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Date	date	appldate
Number	text	applnumber
Relationship	text	linktype
Type	text	type

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority
Start Date	date	startdate
Title	text	title

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country

Name	Type	ID
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejbysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals

Name	Type	ID
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar

Name	Type	ID
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom

Name	Type	ID
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions

Name	Type	ID
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard AU Vendor Payment PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard AU Vendor Payment PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
A/P Account	select	apacct
Account	select	account
Address	address	address
Amount	currency	total
Available Balance	currency	availablebalance
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Class	select	class
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Date	date	trandate
Department	select	department

Name	Type	ID
Exchange Rate	currency2	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetrandidonsave
In Transit	checkbox	isintransitpayment
Internal ID	text	id
Location	select	location
Memo	text	memo
Payee	select	entity
Posting Period	select	postingperiod
Status	text	status
Subsidiary	select	subsidiary
To Be Printed	checkbox	tobeprinted
Transaction Number	text	transactionnumber
Unapplied	currency	unapplied
Voucher	checkbox	printvoucher

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **apply** sublist has the following fields:

Name	Type	ID
Amt. Due	currency	due
Apply	checkbox	apply
Currency	text	currency
Date	date	applydate
Disc. Avail.	currency	discamt

Name	Type	ID
Disc. Date	date	discdate
Disc. Taken	currency	disc
Hidden	text	internalid
Hidden	text	trantype
Orig. Amt.	currency	total
Payment	currency	amount
Ref No.	text	refnum
Type	text	type

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **contacts** sublist has the following fields:

Name	Type	ID
Contact	text	entityid
Email	email	email
Job Title	text	title
Main Phone	phone	phone
Role	select	contactrole
Subsidiary	select	subsidiary

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **itprlrds** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Date	date	appldate
Number	text	applnumber

Name	Type	ID
Relationship	text	linktype
Type	text	type

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority
Start Date	date	startdate
Title	text	title

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname

Name	Type	ID
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar

Name	Type	ID
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREF
Document Number Prefix	text	tranprefix

Name	Type	ID
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo

Name	Type	ID
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers

Name	Type	ID
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprintransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprintransactions

Standard Paycheck PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Paycheck PDF/HTML Template template are listed below.

Check – check

The following fields are available for the Check record.

Name	Type	ID
Account	text	account
Address	text	address
Amount	number	total
Amount	number	usertotal
Available Balance	number	availablebalance
Balance	number	balance
Base Currency	checkbox	isbasecurrency
Check #	text	tranid
Check Number	text	checknumber
Class	text	class
Currency	text	currency
Currency	text	currencyname

Name	Type	ID
Currency Symbol	text	currencysymbol
Custom Form	text	customform
Date	date	trandate
Department	text	department
Exchange Rate	number	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransidonsave
Internal ID	text	id
Landed Cost per Line	checkbox	landedcostperline
Location	text	location
Memo	text	memo
Payee	text	entity
Posting Period	text	postingperiod
Subsidiary	text	subsidiary
To Be Printed	checkbox	tobeprinted
Total	text	totalwords
Total	text	usertotalwords
Total	text	wordhundreds
Total	text	wordhundredthousands
Total	text	wordones
Total	text	wordtens
Total	text	wordtenthousands
Total	text	wordthousands
Transaction Number	text	transactionnumber

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext

Name	Type	ID
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent

Name	Type	ID
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone

Name	Type	ID
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Bill of Materials PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Bill of Materials PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Acct. No.	text	accountnumber
Assembly	select	assemblyitem
Auto-calculate Lag	checkbox	autocalculatelag
Bill of Materials	select	billofmaterials
Bill of Materials Revision	select	billofmaterialsrevision
Class	select	class
Custom Form	select	customform
Customer	select	customer
Customer	select	entity
Date	date	trandate
Department	select	department
ExternalId	text	externalid
Firmed	checkbox	firmed
Generate TranId on Save	checkbox	generatetransidonsave

Name	Type	ID
Internal ID	text	id
Job	select	job
Location	select	location
Manufacturing Routing	select	manufacturingrouting
Mark Sub-assemblies Phantom	checkbox	expandassembly
Memo	text	memo
Order #	text	tranid
Order Status	select	orderstatus
Qty. Required	posfloat	quantity
Revision Memo	textarea	revisionmemo
Sales Rep	select	salesrep
Scheduling Method	select	schedulingmethod
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Status	text	status
Subsidiary	select	subsidiary
Transaction Number	text	transactionnumber
Units	select	units
Use Component Yield	checkbox	usecomponentyield

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Commit	text	commitinventory
Create WO	text	createwo

Name	Type	ID
Description	textarea	description
Item	select	item
Item Source options list	text	itemsourcelist
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Qty. Required	float	quantity
Rate	rate	rate
Units	select	units

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix

Name	Type	ID
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname

Name	Type	ID
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct

Name	Type	ID
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount

Name	Type	ID
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Shipping Label PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Shipping Label PDF/HTML Template template are listed below.

Label – label

The following fields are available for the Label record.

Name	Type	ID
Ref No.	number	refnumber
Return Address	text	returnaddress
Ship To	text	shipaddress

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate

Name	Type	ID
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Customer Payment PDF/HTML Template



Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Customer Payment PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
A/R Account	select	aracct
AVS Street Match	select	ccavsstreetmatch
AVS Zip Match	select	ccavszipmatch
Applied	currency	applied
Auth. Code	text	authcode
Auto Apply	checkbox	autoapply
Base Currency	checkbox	isbasecurrency
Card Data Provided	checkbox	carddatapprovided
Card Street	text	ccstreet
Card Zip Code	text	cczipcode
Cards on File	select	creditcard
Charge Credit Card	checkbox	chargeit
Class	select	class
Credit Card #	ccnumber	ccnumber
Credit Card Approved	checkbox	ccapproved
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Current Balance	currency	balance
Custom Form	select	customform

Name	Type	ID
Customer	select	customer
Customer Code	text	customercode
Date	date	trandate
Department	select	department
Deposit To	radio	undepfunds
Detail	text	cchold
Detail	textarea	ccholddetails
Exchange Rate	currency2	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
Expires (MM/YYYY)	ccexpdate	ccexpiredate
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetrandidonsave
IAVS Match	select	cciavsmatch
Ignore AVS	checkbox	ignoreavs
Ignore CSC	checkbox	ignorecsc
Internal ID	text	id
Location	select	location
Memo	text	memo
Name on Card	text	ccname
Override Hold	checkbox	overridehold
Override Hold	checkbox	overrideholdchecked
P/N Ref.	text	pnrefnum
Payment #	text	tranid
Payment Amount	poscurrency	payment
Payment Custom Data	longtext	paymentcustomdata
Payment Method	select	paymentmethod
Payment Operation	select	paymentoperation
Payment Processing Profile	select	creditcardprocessor
Pending	currency	pending
Posting Period	select	postingperiod
Purchase Card BIN	checkbox	ccispurchasecardbin
Reason	select	paymenteventholdreason

Name	Type	ID
Recurring Payment	checkbox	isrecurringpayment
Redirect From URL	url	returnurl
Redirect to URL	url	redirecturl
Send Line-Level Data	checkbox	ccprocessaspurchasecard
Status	select	paymenteventresult
Subsidiary	select	subsidiary
Total	currency	total
Transaction Number	text	transactionnumber
Unapplied	currency	unapplied

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **apply** sublist has the following fields:

Name	Type	ID
Amt. Due	currency	due
Apply	checkbox	apply
Currency	text	currency
Date	date	applydate
Disc. Avail.	currency	discamt
Disc. Date	date	discdate
Disc. Taken	currency	disc
Hidden	text	internalid
Hidden	text	trantype
Orig. Amt.	currency	total
Payment	currency	amount
Ref No.	text	refnum
Type	text	type

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **contacts** sublist has the following fields:

Name	Type	ID
Contact	text	entityid
Email	email	email
Job Title	text	title
Main Phone	phone	phone
Role	select	contactrole
Subsidiary	select	subsidiary

- The **credit** sublist has the following fields:

Name	Type	ID
Amount Remaining	currency	due
Apply	checkbox	apply
Credit	currency	amount
Currency	text	currency
Date	date	creditdate
Hidden	text	internalid
Hidden	text	trantype
Orig. Amt.	currency	total
Ref No.	text	refnum
Type	text	type

- The **deposit** sublist has the following fields:

Name	Type	ID
Amount Remaining	currency	remaining
Apply	checkbox	apply
Currency	text	currencysname
Date	date	depositdate
Orig. Amt.	currency	total
Payment	currency	amount
Ref No.	text	refnum

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority
Start Date	date	startdate
Title	text	title

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent

Name	Type	ID
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive

Name	Type	ID
Subsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT

Name	Type	ID
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREF
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text

Name	Type	ID
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum

Name	Type	ID
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprintransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprintransactions

Standard Mailing Label PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Mailing Label PDF/HTML Template template are listed below.

Label – label

The following fields are available for the Label record.

Name	Type	ID
Address	text	address
ID	number	id

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent

Name	Type	ID
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive

Name	Type	ID
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape

Name	Type	ID
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Item Label PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Item Label PDF/HTML Template template are listed below.

Label – label

The following fields are available for the Label record.

Name	Type	ID
Bar Code	text	skuupcbarcode
Expiration Date	date	expirationdate
ID	number	id
Name	text	name
Price	number	price
Serial Number	text	serialnumber
UPC Code	checkbox	upc

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent

Name	Type	ID
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive

Name	Type	ID
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape

Name	Type	ID
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Statement PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Statement PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
1-30 Days	number	aging2
31-60 Days	number	aging3
61-90 Days	number	aging4
Account Number	text	accountnumber
Amount Due	number	agingbal
Amount Due	number	amountdue
Billing Address	text	billaddress
Credit Limit	number	creditlimit
Currency	text	currency
Currency Symbol	text	currencysymbol
Current	number	aging1
Over 90 Days	number	aging5
Project	text	project

Name	Type	ID
Sales Rep	text	salesrep
Subsidiary	text	subsidiary
Terms	text	terms
Transaction Date	date	trandate

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **lines** sublist has the following fields:

Name	Type	ID
Balance	text	balance
Charge	text	charge
Date	text	datecol
Description	text	description
Due Date	text	duedate
End Date	text	enddate
GL #	text	glnumber
GL Audit Numbering Sequence	text	glsequence
Memo	text	memo
Open Amount	text	amountremaining
PO/Check #	text	otherrefnum
Payment	text	payment
Payment Method	text	paymentmethod
Start Date	text	startdate
Subcustomer/Job	text	subname
Terms	text	terms

Customer – customer

The following fields are available for the Customer record.

Name	Type	ID
Account	text	accountnumber
Address	address	defaultaddress
Alcohol Recipient Type	select	alcoholrecipienttype

Name	Type	ID
Alt. Email	email	altemail
Alt. Phone	phone	altphone
Assigned Web Site	select	assignedwebsite
Auto	checkbox	autoname
Billing Rate Card	select	billingratecard
Billing Schedule	select	billingschedule
Billing Transaction Form	select	billingtransactionform
Billing Transaction Type	select	billingtransactiontype
Budget Approved	checkbox	isbudgetapproved
Buying Reason	select	buyingreason
Buying Time Frame	select	buyingtimeframe
Campaign Category	select	campaigncategory
Campaign Event	select	campaignevent
Category	select	category
Choose Team	select	salesgroup
Comments	textarea	comments
Company Name	text	companyname
Confirm Password	password	password2
Country	select	shipping_country
Credit Limit	poscurrency	creditlimit
Currency Precision	text	currencyprecision
Custom Form	select	customform
Customer ID	text	entityid
Date Created	datetime	datecreated
Default Order Priority	float	defaultorderpriority
Default Receivables Account	select	receivablesaccount
Default Tax Reg.	select	defaulttaxreg
Deferred Revenue Account for Revenue Reclassification	select	draccount
Email	email	email
Email	checkbox	emailtransactions
Email Preference	select	emailpreference
End Date	date	enddate

Name	Type	ID
Estimated Budget	currency	estimatedbudget
ExternalId	text	externalid
Fax	phone	fax
Fax	checkbox	faxtransactions
For new access provisioning consider sending a New Access Notification Email with a password setup URL instead of manually assigning a user password.	help	newaccesshelp
Foreign Currency Adjustment Revenue Account	select	fxaccount
Furigana	text	phoneticname
Give Access	checkbox	giveaccess
Global Subscription Status	select	globalsubscriptionstatus
Hold	select	creditholdoverride
Home Phone	phone	homephone
Image	select	image
Inactive	checkbox	isinactive
Individual	radio	isperson
Internal ID	text	id
Job Title	text	title
Language	select	language
Last Modified Date	datetime	lastmodifieddate
Lead Source	select	leadsource
Manually assign or change password	checkbox	fillpassword
Mobile Phone	phone	mobilephone
Monthly Closing Date	select	monthlyclosing
Mr./Ms...	text	salutation
Name	text	firstname
Negative Number Format	select	negativenumberformat
Number Format	select	numberformat
Opening Balance	currency	openingbalance
Opening Balance Account	select	openingbalanceaccount
Opening Balance Date	date	openingbalancedate
Parent Company	select	parent
Partner	select	partner

Name	Type	ID
Password	password	password
Phone	phone	phone
Pref. CC Processor	select	prefccprocessor
Price Level	select	pricelevel
Primary Subsidiary	select	subsidiary
Print	checkbox	printtransactions
Print on Check As	text	printoncheckas
Reminder Days	posinteger	reminderdays
Represents Subsidiary	select	representingsubsidiary
Role	select	accessrole
Sales Readiness	select	salesreadiness
Sales Rep	integer	salesrep
Send New Access Notification Email	checkbox	sendemail
Send Transactions Via	label	sendtransactionsvia
Ship Complete	checkbox	shipcomplete
Shipping Carrier	select	shippingcarrier
Shipping Method	select	shippingitem
Source Web Site	select	sourcewebsite
Start Date	date	startdate
Status	select	entitystatus
Terms	select	terms
Territory	select	territory
Type	label	isindividual
Unsubscribe from Campaigns	select	unsubscribe
Update Transactions	checkbox	syncpartnerteams
Web Address	url	url

Sublists

The following sublists are available for the Customer record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **addressbook** sublist has the following fields:

Name	Type	ID
Address	address	addressbookaddress_text
Default Billing	checkbox	defaultbilling
Default Shipping	checkbox	defaultshipping
Label	text	label
Residential Address	checkbox	isresidential

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **contact** sublist has the following fields:

Name	Type	ID
Contact	text	entityid
Email	email	email
Job Title	text	title
Main Phone	phone	phone
Role	select	contactrole
Subsidiary	select	subsidiary

- The **creditcards** sublist has the following fields:

Name	Type	ID
Card State	select	cardstate
Cardholder Name	text	ccname
Credit Card Number	ccnumber	ccnumber
Credit Card Type	select	paymentmethod
Customer Code	text	customercode
Default Credit Card	checkbox	ccdefault
Expiration Date	mmyydate	ccexpiredate
Memo	text	ccmemo
State From	datetime	statefrom

- The **currency** sublist has the following fields:

Name	Type	ID
Currency	select	currency
Format Sample	text	formatsample

Name	Type	ID
Override Currency Format	checkbox	overridecurrencyformat
Symbol	text	displaysymbol
Symbol Placement	select	symbolplacement

- The **download** sublist has the following fields:

Name	Type	ID
Attach File	select	file
Expiration Date	date	expiration
License Code	textarea	licensecode
Remaining Downloads	integer	remainingdownloads

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **grouppricing** sublist has the following fields:

Name	Type	ID
Price Level	select	level
Pricing Group	select	group

- The **itempricing** sublist has the following fields:

Name	Type	ID
Currency	select	currency
Item	select	item
Price Level	select	level
Unit Price	currency2	price

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **opportunities** sublist has the following fields:

Name	Type	ID
Budget Approved	checkbox	isbudgetapproved
Buying Reason	select	buyingreason
Buying Time Frame	select	buyingtimeframe
Details	textarea	memo
Estimated Budget	currency	estimatedbudget
Expected Close	date	expectedclosedate
Projected Total	currency	projectedtotal
Sales Readiness	select	salesreadiness
Status	select	entitystatus
Title	text	title

- The **partners** sublist has the following fields:

Name	Type	ID
Contribution %	percent	contribution
Partner	select	partner
Partner Role	select	partnerrole
Primary	checkbox	isprimary

- The **salesteam** sublist has the following fields:

Name	Type	ID
Contribution %	percent	contribution
Employee	select	employee
Primary	checkbox	isprimary
Sales Role	select	salesrole

- The **submachine** sublist has the following fields:

Name	Type	ID
Balance	currency	balance
Currency	text	balancecurrency
Currency	text	depositbalancecurrency
Currency	text	unbilledcurrency
Deposit Balance	currency	depositbalance
Entity	text	entity
Inactive	text	issubinactive
Primary	text	isprimesub
Subsidiary	select	subsidiary
Unbilled Orders	currency	unbilledorders

- The **subscriptionmsgmach** sublist has the following fields:

Name	Type	ID
Author	text	author_name
Date	datetime	sentDate
Memo	text	memo
Message Type	text	type
Recipient	text	recipient_name
Recipient Email	text	email
Sender	text	sender_name

- The **subscriptions** sublist has the following fields:

Name	Type	ID
Subscribed	checkbox	subscribed
Subscription	select	subscription
Subscription	text	subscription_display

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority
Start Date	date	startdate
Title	text	title

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Address	select	address
Country	select	nexuscountry
Nexus	select	nexus
State	select	nexusstate
Tax Reg. Number	text	taxregistrationnumber

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl

Name	Type	ID
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebyssegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE

Name	Type	ID
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text

Name	Type	ID
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes

Name	Type	ID
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Price List PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Price List PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Account Number	text	accountnumber
Additional	checkbox	additionaldata
Billing Address	text	billaddress

Name	Type	ID
Project	text	project
Transaction Date	date	trandate

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **lines** sublist has the following fields:

Name	Type	ID
Currency	text	currency
Description	text	description
Drop Ship Item	text	dropship
GL #	text	glnumber
GL Audit Numbering Sequence	text	glsequence
Item	text	item
Manuf. Part #	text	mpn
Manufacturer	text	manufacturer
Price Level	text	price
Special Order Item	text	specialorder
Sub-item of	text	parentitem
UPC Code	text	upccode
Unit	text	units
Unit Price	text	rate
Vendor Name	text	vendorname
Weight	text	weight

Customer – customer

The following fields are available for the Customer record.

Name	Type	ID
Account	text	accountnumber
Address	address	defaultaddress
Alcohol Recipient Type	select	alcoholrecipienttype
Alt. Email	email	altemail
Alt. Phone	phone	altphone

Name	Type	ID
Assigned Web Site	select	assignedwebsite
Auto	checkbox	autoname
Billing Rate Card	select	billingratecard
Billing Schedule	select	billingschedule
Billing Transaction Form	select	billingtransactionform
Billing Transaction Type	select	billingtransactiontype
Budget Approved	checkbox	isbudgetapproved
Buying Reason	select	buyingreason
Buying Time Frame	select	buyingtimeframe
Campaign Category	select	campaigncategory
Campaign Event	select	campaignevent
Category	select	category
Choose Team	select	salesgroup
Comments	textarea	comments
Company Name	text	companyname
Confirm Password	password	password2
Country	select	shipping_country
Credit Limit	poscurrency	creditlimit
Currency Precision	text	currencyprecision
Custom Form	select	customform
Customer ID	text	entityid
Date Created	datetime	datecreated
Default Order Priority	float	defaultorderpriority
Default Receivables Account	select	receivablesaccount
Default Tax Reg.	select	defaulttaxreg
Deferred Revenue Account for Revenue Reclassification	select	draccount
Email	email	email
Email	checkbox	emailtransactions
Email Preference	select	emailpreference
End Date	date	enddate
Estimated Budget	currency	estimatedbudget
ExternalId	text	externalid

Name	Type	ID
Fax	phone	fax
Fax	checkbox	faxtransactions
For new access provisioning consider sending a New Access Notification Email with a password setup URL instead of manually assigning a user password.	help	newaccesshelp
Foreign Currency Adjustment Revenue Account	select	fxaccount
Furigana	text	phoneticname
Give Access	checkbox	giveaccess
Global Subscription Status	select	globalsubscriptionstatus
Hold	select	creditholdoverride
Home Phone	phone	homephone
Image	select	image
Inactive	checkbox	isinactive
Individual	radio	isperson
Internal ID	text	id
Job Title	text	title
Language	select	language
Last Modified Date	datetime	lastmodifieddate
Lead Source	select	leadsource
Manually assign or change password	checkbox	fillpassword
Mobile Phone	phone	mobilephone
Monthly Closing Date	select	monthlyclosing
Mr./Ms...	text	salutation
Name	text	firstname
Negative Number Format	select	negativenumberformat
Number Format	select	numberformat
Opening Balance	currency	openingbalance
Opening Balance Account	select	openingbalanceaccount
Opening Balance Date	date	openingbalancedate
Parent Company	select	parent
Partner	select	partner
Password	password	password
Phone	phone	phone

Name	Type	ID
Pref. CC Processor	select	prefccprocessor
Price Level	select	pricelevel
Primary Subsidiary	select	subsidiary
Print	checkbox	printtransactions
Print on Check As	text	printoncheckas
Reminder Days	posinteger	reminderdays
Represents Subsidiary	select	representingsubsidiary
Role	select	accessrole
Sales Readiness	select	salesreadiness
Sales Rep	integer	salesrep
Send New Access Notification Email	checkbox	sendemail
Send Transactions Via	label	sendtransactionsvia
Ship Complete	checkbox	shipcomplete
Shipping Carrier	select	shippingcarrier
Shipping Method	select	shippingitem
Source Web Site	select	sourcewebsite
Start Date	date	startdate
Status	select	entitystatus
Terms	select	terms
Territory	select	territory
Type	label	isindividual
Unsubscribe from Campaigns	select	unsubscribe
Update Transactions	checkbox	syncpartnerteams
Web Address	url	url

Sublists

The following sublists are available for the Customer record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **addressbook** sublist has the following fields:

Name	Type	ID
Address	address	addressbookaddress_text
Default Billing	checkbox	defaultbilling

Name	Type	ID
Default Shipping	checkbox	defaultshipping
Label	text	label
Residential Address	checkbox	isresidential

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **contact** sublist has the following fields:

Name	Type	ID
Contact	text	entityid
Email	email	email
Job Title	text	title
Main Phone	phone	phone
Role	select	contactrole
Subsidiary	select	subsidiary

- The **creditcards** sublist has the following fields:

Name	Type	ID
Card State	select	cardstate
Cardholder Name	text	ccname
Credit Card Number	ccnumber	ccnumber
Credit Card Type	select	paymentmethod
Customer Code	text	customercode
Default Credit Card	checkbox	ccdefault
Expiration Date	mmyydate	ccexpireddate
Memo	text	ccmemo
State From	datetime	statefrom

- The **currency** sublist has the following fields:

Name	Type	ID
Currency	select	currency
Format Sample	text	formatsample
Override Currency Format	checkbox	overridecurrencyformat
Symbol	text	displaysymbol
Symbol Placement	select	symbolplacement

- The **download** sublist has the following fields:

Name	Type	ID
Attach File	select	file
Expiration Date	date	expiration
License Code	textarea	licensecode
Remaining Downloads	integer	remainingdownloads

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **grouppricing** sublist has the following fields:

Name	Type	ID
Price Level	select	level
Pricing Group	select	group

- The **itempricing** sublist has the following fields:

Name	Type	ID
Currency	select	currency
Item	select	item
Price Level	select	level
Unit Price	currency2	price

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **opportunities** sublist has the following fields:

Name	Type	ID
Budget Approved	checkbox	isbudgetapproved
Buying Reason	select	buyingreason

Name	Type	ID
Buying Time Frame	select	buyingtimeframe
Details	textarea	memo
Estimated Budget	currency	estimatedbudget
Expected Close	date	expectedclosedate
Projected Total	currency	projectedtotal
Sales Readiness	select	salesreadiness
Status	select	entitystatus
Title	text	title

- The **partners** sublist has the following fields:

Name	Type	ID
Contribution %	percent	contribution
Partner	select	partner
Partner Role	select	partnerrole
Primary	checkbox	isprimary

- The **salesteam** sublist has the following fields:

Name	Type	ID
Contribution %	percent	contribution
Employee	select	employee
Primary	checkbox	isprimary
Sales Role	select	salesrole

- The **submachine** sublist has the following fields:

Name	Type	ID
Balance	currency	balance
Currency	text	balancecurrency
Currency	text	depositbalancecurrency
Currency	text	unbilledcurrency
Deposit Balance	currency	depositbalance
Entity	text	entity
Inactive	text	issubinactive
Primary	text	isprimesub
Subsidiary	select	subsidiary
Unbilled Orders	currency	unbilledorders

- The **subscriptionmsgmach** sublist has the following fields:

Name	Type	ID
Author	text	author_name

Name	Type	ID
Date	datetime	sentDate
Memo	text	memo
Message Type	text	type
Recipient	text	recipient_name
Recipient Email	text	email
Sender	text	sender_name

- The **subscriptions** sublist has the following fields:

Name	Type	ID
Subscribed	checkbox	subscribed
Subscription	select	subscription
Subscription	text	subscription_display

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority
Start Date	date	startdate
Title	text	title

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Address	select	address
Country	select	nexuscountry
Nexus	select	nexus
State	select	nexusstate
Tax Reg. Number	text	taxregistrationnumber

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl

Name	Type	ID
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebyssegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE

Name	Type	ID
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text

Name	Type	ID
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes

Name	Type	ID
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Multi-currency Statement Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Multi-currency Statement Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
1-30 Days	number	aging2
31-60 Days	number	aging3
61-90 Days	number	aging4

Name	Type	ID
Account Number	text	accountnumber
Amount Due	number	agingbal
Amount Due	number	amountdue
Billing Address	text	billaddress
Credit Limit	number	creditlimit
Currency	text	currency
Currency Symbol	text	currencysymbol
Current	number	aging1
Over 90 Days	number	aging5
Project	text	project
Sales Rep	text	salesrep
Subsidiary	text	subsidiary
Terms	text	terms
Transaction Date	date	trandate

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **lines** sublist has the following fields:

Name	Type	ID
Balance	text	balance
Charge	text	charge
Date	text	datecol
Description	text	description
Due Date	text	duedate
End Date	text	enddate
GL #	text	glnumber
GL Audit Numbering Sequence	text	glsequence
Memo	text	memo
Open Amount	text	amountremaining
PO/Check #	text	otherrefnum
Payment	text	payment
Payment Method	text	paymentmethod

Name	Type	ID
Start Date	text	startdate
Subcustomer/Job	text	subname
Terms	text	terms

Customer – customer

The following fields are available for the Customer record.

Name	Type	ID
Account	text	accountnumber
Address	address	defaultaddress
Alcohol Recipient Type	select	alcoholrecipienttype
Alt. Email	email	altemail
Alt. Phone	phone	altphone
Assigned Web Site	select	assignedwebsite
Auto	checkbox	autoname
Billing Rate Card	select	billingratecard
Billing Schedule	select	billingschedule
Billing Transaction Form	select	billingtransactionform
Billing Transaction Type	select	billingtransactiontype
Budget Approved	checkbox	isbudgetapproved
Buying Reason	select	buyingreason
Buying Time Frame	select	buyingtimeframe
Campaign Category	select	campaigncategory
Campaign Event	select	campaignevent
Category	select	category
Choose Team	select	salesgroup
Comments	textarea	comments
Company Name	text	companyname
Confirm Password	password	password2
Country	select	shipping_country
Credit Limit	poscurrency	creditlimit
Currency Precision	text	currencyprecision
Custom Form	select	customform

Name	Type	ID
Customer ID	text	entityid
Date Created	datetime	datecreated
Default Order Priority	float	defaultorderpriority
Default Receivables Account	select	receivablesaccount
Default Tax Reg.	select	defaulttaxreg
Deferred Revenue Account for Revenue Reclassification	select	draccount
Email	email	email
Email	checkbox	emailtransactions
Email Preference	select	emailpreference
End Date	date	enddate
Estimated Budget	currency	estimatedbudget
ExternalId	text	externalid
Fax	phone	fax
Fax	checkbox	faxtransactions
For new access provisioning consider sending a New Access Notification Email with a password setup URL instead of manually assigning a user password.	help	newaccesshelp
Foreign Currency Adjustment Revenue Account	select	fxaccount
Furigana	text	phoneticname
Give Access	checkbox	giveaccess
Global Subscription Status	select	globalsubscriptionstatus
Hold	select	creditholdoverride
Home Phone	phone	homephone
Image	select	image
Inactive	checkbox	isinactive
Individual	radio	isperson
Internal ID	text	id
Job Title	text	title
Language	select	language
Last Modified Date	datetime	lastmodifieddate
Lead Source	select	leadsource
Manually assign or change password	checkbox	fillpassword
Mobile Phone	phone	mobilephone

Name	Type	ID
Monthly Closing Date	select	monthlyclosing
Mr./Ms...	text	salutation
Name	text	firstname
Negative Number Format	select	negativenumberformat
Number Format	select	numberformat
Opening Balance	currency	openingbalance
Opening Balance Account	select	openingbalanceaccount
Opening Balance Date	date	openingbalancedate
Parent Company	select	parent
Partner	select	partner
Password	password	password
Phone	phone	phone
Pref. CC Processor	select	prefccprocessor
Price Level	select	pricelevel
Primary Subsidiary	select	subsidiary
Print	checkbox	printtransactions
Print on Check As	text	printoncheckas
Reminder Days	posinteger	reminderdays
Represents Subsidiary	select	representingsubsidiary
Role	select	accessrole
Sales Readiness	select	salesreadiness
Sales Rep	integer	salesrep
Send New Access Notification Email	checkbox	sendemail
Send Transactions Via	label	sendtransactionsvia
Ship Complete	checkbox	shipcomplete
Shipping Carrier	select	shippingcarrier
Shipping Method	select	shippingitem
Source Web Site	select	sourcewebsite
Start Date	date	startdate
Status	select	entitystatus
Terms	select	terms
Territory	select	territory

Name	Type	ID
Type	label	isindividual
Unsubscribe from Campaigns	select	unsubscribe
Update Transactions	checkbox	syncpartnerteams
Web Address	url	url

Sublists

The following sublists are available for the Customer record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **addressbook** sublist has the following fields:

Name	Type	ID
Address	address	addressbookaddress_text
Default Billing	checkbox	defaultbilling
Default Shipping	checkbox	defaultshipping
Label	text	label
Residential Address	checkbox	isresidential

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **contact** sublist has the following fields:

Name	Type	ID
Contact	text	entityid
Email	email	email
Job Title	text	title
Main Phone	phone	phone
Role	select	contactrole
Subsidiary	select	subsidiary

- The **creditcards** sublist has the following fields:

Name	Type	ID
Card State	select	cardstate

Name	Type	ID
Cardholder Name	text	ccname
Credit Card Number	ccnumber	ccnumber
Credit Card Type	select	paymentmethod
Customer Code	text	customercode
Default Credit Card	checkbox	ccdefault
Expiration Date	mmyydate	ccexpiredate
Memo	text	ccmemo
State From	datetime	statefrom

- The **currency** sublist has the following fields:

Name	Type	ID
Currency	select	currency
Format Sample	text	formatsample
Override Currency Format	checkbox	overridecurrencyformat
Symbol	text	displaysymbol
Symbol Placement	select	symbolplacement

- The **download** sublist has the following fields:

Name	Type	ID
Attach File	select	file
Expiration Date	date	expiration
License Code	textarea	licensecode
Remaining Downloads	integer	remainingdownloads

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **grouppricing** sublist has the following fields:

Name	Type	ID
Price Level	select	level
Pricing Group	select	group

- The **itempricing** sublist has the following fields:

Name	Type	ID
Currency	select	currency
Item	select	item
Price Level	select	level
Unit Price	currency2	price

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **opportunities** sublist has the following fields:

Name	Type	ID
Budget Approved	checkbox	isbudgetapproved
Buying Reason	select	buyingreason
Buying Time Frame	select	buyingtimeframe
Details	textarea	memo
Estimated Budget	currency	estimatedbudget
Expected Close	date	expectedclosedate
Projected Total	currency	projectedtotal
Sales Readiness	select	salesreadiness
Status	select	entitystatus
Title	text	title

- The **partners** sublist has the following fields:

Name	Type	ID
Contribution %	percent	contribution
Partner	select	partner
Partner Role	select	partnerrole
Primary	checkbox	isprimary

- The **salesteam** sublist has the following fields:

Name	Type	ID
Contribution %	percent	contribution
Employee	select	employee
Primary	checkbox	isprimary

Name	Type	ID
Sales Role	select	salesrole

- The **submachine** sublist has the following fields:

Name	Type	ID
Balance	currency	balance
Currency	text	balancecurrency
Currency	text	depositbalancecurrency
Currency	text	unbilledcurrency
Deposit Balance	currency	depositbalance
Entity	text	entity
Inactive	text	issubinactive
Primary	text	isprimesub
Subsidiary	select	subsidiary
Unbilled Orders	currency	unbilledorders

- The **subscriptionmsgmach** sublist has the following fields:

Name	Type	ID
Author	text	author_name
Date	datetime	sentDate
Memo	text	memo
Message Type	text	type
Recipient	text	recipient_name
Recipient Email	text	email
Sender	text	sender_name

- The **subscriptions** sublist has the following fields:

Name	Type	ID
Subscribed	checkbox	subscribed
Subscription	select	subscription
Subscription	text	subscription_display

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority
Start Date	date	startdate
Title	text	title

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Address	select	address
Country	select	nexuscountry
Nexus	select	nexus
State	select	nexusstate
Tax Reg. Number	text	taxregistrationnumber

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally

Name	Type	ID
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride

Name	Type	ID
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking

Name	Type	ID
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount

Name	Type	ID
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Expense Report PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Expense Report PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Account	select	account
Account for Corporate Card Expenses	select	acctcorpcardexp
Accounting Approval	checkbox	accountingapproval
Advance to Apply	currency	advance
Advance to Apply	currency	advance2
Advance to Apply Account	select	advanceaccount
Class	select	class
Complete	checkbox	complete
Corporate Card	currency	corporatecard
Corporate Card By Default	checkbox	corpcardbydefault
Custom Form	select	customform
Date	date	trandate
Date Due	date	duedate
Department	select	department
Employee	select	entity
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
Exp. Rept. #	text	tranid
Expenses Total	currency	total
ExternalId	text	externalid

Name	Type	ID
From	date	fromdate
Generate TranId on Save	checkbox	generatetransidonsave
Internal ID	text	id
Location	select	location
Nexus	select	nexus
Non-reimbursable Expenses (Tax Excl.)	currency	nonreimbursable
Posting Period	select	postingperiod
Purpose	text	memo
Reimbursable Expenses	currency	reimbursable
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Supervisor Approval	checkbox	supervisorapproval
Tax Details Override	checkbox	taxdetailsoverride
Tax Reg. Number	select	subsidiarytaxregnum
Tax Registration Override	checkbox	taxregoverride
Tax Strategy Used	text	taxstrategyused
Tax Total	currency	taxtotal
Taxes Dirty	checkbox	taxesdirty
To	date	todate
Total Reimbursable Amount	currency	amount
Transaction Number	text	transactionnumber
Use Multicurrency	checkbox	usemulticurrency

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **expense** sublist has the following fields:

Name	Type	ID
Expense Item	integer	expenseitem
Expense-Based Rules	integer	numrules
Gross Amount	currency	grossamt
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority
Start Date	date	startdate
Title	text	title

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname

Name	Type	ID
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals

Name	Type	ID
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar

Name	Type	ID
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom

Name	Type	ID
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions

Name	Type	ID
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Sales Order PDF/HTML Template (SuiteTax)

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Sales Order PDF/HTML Template (SuiteTax) template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
AVS Street Match	select	ccavsstreetmatch
AVS Zip Match	select	ccavszipmatch
Acct. No.	text	accountnumber
Allow Cross-Subsidiary Fulfillment	checkbox	iscrosssubtransaction
Auth. Code	text	authcode
Authorization ID	text	paypalauthid
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1

Name	Type	ID
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Billing Schedule	select	billingschedule
Can have stackable promotions	checkbox	canhavestackable
Card Data Provided	checkbox	carddatapprovided
Card Street	text	ccstreet
Card Zip Code	text	cczipcode
Class	select	class
Coupon Code	select	couponcode
Credit Card #	ccnumber	ccnumber
Credit Card Approved	checkbox	ccapproved
Credit Card Select	select	creditcard
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Code	text	customercode
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Default	text	isdefaultshippingrequest
Default	float	overrideshippingcost
Deferred Revenue Reclassification Account	select	draccount
Department	select	department
Detail	text	cchold
Detail	textarea	ccholdetails

Name	Type	ID
Discount Item	select	discountitem
Discount Item	currency	discounttotal
Enable Item Line Shipping	checkbox	ismultishipto
End Date	date	enddate
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
Expires (MM/YYYY)	ccexpdate	ccexpiredate
ExternalId	text	externalid
FOB	text	fob
Foreign Currency Adjustment Revenue Account	select	fxaccount
Generate TranId on Save	checkbox	generatetransave
Get Authorization	checkbox	getauth
Gift Certificate	currency	giftcertapplied
IAVS Match	select	cciaivsmatch
Ignore AVS	checkbox	ignoreavs
Ignore CSC	checkbox	ignorecsc
Intercompany Status	select	intercostatus
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Name on Card	text	ccname
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Opportunity	select	opportunity
Order #	text	transid
Override Hold	checkbox	overridehold
Override Hold	checkbox	overrideholdchecked

Name	Type	ID
P/N Ref.	text	pnrefnum
PO #	text	otherrefnum
Paired Intercompany Transaction	select	intercotransaction
Partner	select	partner
PayPal Order ID	text	paypalorderid
PayPal Status	text	paypalstatus
PayPal Tran. ID	text	paypaltranid
Payment Amount	currency	paymentsessionamount
Payment Custom Data	longtext	paymentcustomdata
Payment Method	select	paymentmethod
Payment Operation	select	paymentoperation
Payment Processing Profile	select	creditcardprocessor
Process PayPal Payment	checkbox	paypalprocess
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Purchase Card BIN	checkbox	ccispurchasecardbin
Rate	rate	disountrate
Reason	select	paymenteventholdreason
Recurring Payment	checkbox	isrecurringpayment
Redirect From URL	url	returnurl
Redirect to URL	url	redirecturl
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Send Line-Level Data	checkbox	ccprocessaspurchasecard
Ship Complete	checkbox	shipcomplete
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod

Name	Type	ID
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate
Status	text	orderstatus
Status	select	paymenteventresult
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
Terms	select	terms
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total

Name	Type	ID
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber
Unbilled Orders	currency	unbilledorders

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Address	address	shippingaddress_text
Amount	currency	amount
Carrier	select	shipcarrier
Charge Type	text	chargetype
Commit	text	commitinventory
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
License Code	textarea	licensecode
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Project Charge Rule	text	chargerule
Quantity	float	quantity

Name	Type	ID
Rate	rate	rate
Ship To	select	shipaddress
Ship Via	select	shipmethod
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname

Name	Type	ID
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals

Name	Type	ID
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar

Name	Type	ID
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom

Name	Type	ID
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions

Name	Type	ID
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Invoice PDF/HTML Template (SuiteTax)

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Invoice PDF/HTML Template (SuiteTax) template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Account	select	account
Acct. No.	text	accountnumber
Add Charges	select	whichchargestoadd
Amount	currency	expcostdiscamount
Amount	currency	itemcostdiscamount
Amount	currency	timediscamount
As of Date	date	asofdate
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1

Name	Type	ID
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Class	select	class
Coupon Code	select	couponcode
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Disc. Amt.	currency	discountamount
Disc. Date	date	discountdate
Discount Item	select	discountitem
Discount Item	currency	discounttotal
Discount/Markup	select	expcostdiscount
Discount/Markup	select	itemcostdiscount
Discount/Markup	select	timediscount
Due Date	date	duedate
End Date	date	enddate
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate

Name	Type	ID
Exclude Commissions	checkbox	excludecommission
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
FOB	text	fob
Generate TranId on Save	checkbox	generatetrandidonsave
Gift Certificate	currency	giftcertapplied
Internal ID	text	id
Invoice #	text	tranid
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Opportunity	select	opportunity
PO #	text	otherrefnum
Partner	select	partner
Payment Custom Data	longtext	paymentcustomdata
Posting Period	select	postingperiod
Print	checkbox	expcostdiscprint
Print	checkbox	itemcostdiscprint
Print	checkbox	timediscprint
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Rate	rate	discountrate
Rate	rate	expcostdiscrate
Rate	rate	itemcostdiscrate
Rate	rate	timediscrate
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep

Name	Type	ID
Select Message	select	messagesel
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate
Stored tax reference for update	text	taxreferencetobeupdated
Submission Id	text	bulksubmissionid
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
Terms	select	terms

Name	Type	ID
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber
Unbilled Orders	currency	unbilledorders

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **expcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply
Bill Amount	currency	amount
Category	text	categorydisp
Class	select	class
Date	date	billeddate
Department	select	department
Employee	text	employeeidisp
Gross Amount	currency	grossamt
Location	select	location
Memo	text	memo
Original Amount	currency	originalamount
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference

- The **item** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Charge	text	charge
Charge Type	text	chargetype
Charges	multiselect	charges
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
License Code	textarea	licensecode
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **itemcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo
Gross Amount	currency	grossamt
Item	text	itemdisp
Location	select	location
Options	namevaluelist	options
Qty	text	itemcostcount
Rate	currency2	cost

Name	Type	ID
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Total	currency	amount
Units	text	unitdisp

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

- The **time** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Apply	checkbox	apply
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo
Employee	text	employeedisp
Gross Amount	currency	grossamt
Hours	text	quantity
Item	text	itemdisp
Location	select	location
Rate	currency2	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Units	text	unitdisp

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl

Name	Type	ID
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebyssegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE

Name	Type	ID
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text

Name	Type	ID
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes

Name	Type	ID
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Purchase PDF/HTML Template (SuiteTax)

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Purchase PDF/HTML Template (SuiteTax) template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Base Currency	checkbox	isbasecurrency
Billing Address	address	billingaddress_text
Billing Address City	text	billcity

Name	Type	ID
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Class	select	class
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Date	date	trandate
Department	select	department
Employee	select	employee
Exchange rate	currency2	exchangerate
ExternalId	text	externalid
FOB	text	fob
Generate TranId on Save	checkbox	generatetransave
Incoterm	select	incoterm
Intercompany Status	select	intercostatus
Internal ID	text	id
Location	select	location
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
PO #	text	tranid
Paired Intercompany Transaction	select	intercotransaction
Purchase Contract	select	purchasecontract
Receive By	date	duedate

Name	Type	ID
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To	select	shipto
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Phone	text	shipphone
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Supervisor Approval	checkbox	supervisorapproval
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
Terms	select	terms
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total

Name	Type	ID
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber
Vendor	address	billaddress
Vendor	select	entity
Vendor #	text	otherrefnum
Vendor Message	textarea	message
Vendor Select	select	billaddresslist
Vendor Tax Reg. Number	select	entitytaxregnum

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Description	textarea	description
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Tax Amount	currency	taxamount

Name	Type	ID
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units
Vendor Name	text	vendorname

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate

Name	Type	ID
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREF
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax

Name	Type	ID
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE

Name	Type	ID
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency

Name	Type	ID
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions

Name	Type	ID
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Quote PDF/HTML Template (SuiteTax)

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Quote PDF/HTML Template (SuiteTax) template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Acct. No.	text	accountnumber
Available In Customer Center	checkbox	visibletocustomer
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone

Name	Type	ID
Billing Schedule	select	billingschedule
Can have stackable promotions	checkbox	canhavestackable
Class	select	class
Coupon Code	select	couponcode
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Discount Item	select	discountitem
Discount Item	currency	discounttotal
Enable Item Line Shipping	checkbox	ismultishipto
End Date	date	enddate
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Estimate #	text	tranid
Exchange Rate	currency2	exchangerate
Exp. Close	date	expectedclosedate
Expires	date	duedate
ExternalId	text	externalid
FOB	text	fob
Forecast Type	select	forecasttype
Generate TranId on Save	checkbox	generatetranidonsave
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location

Name	Type	ID
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Opportunity	select	opportunity
PO #	text	otherrefnum
Partner	select	partner
Probability	percent	probability
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Rate	rate	discontrate
Sales Rep	select	salesrep
Select Message	select	messagesel
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount

Name	Type	ID
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate
Status	select	entitystatus
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
Terms	select	terms
Title	text	title
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber
Unbilled Orders	currency	unbilledorders

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Address	address	shippingaddress_text
Amount	currency	amount
Carrier	select	shipcarrier
Charge Type	text	chargetype
Description	textarea	description
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Ship To	select	shipaddress
Ship Via	select	shipmethod
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate

Name	Type	ID
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname

Name	Type	ID
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment

Name	Type	ID
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT

Name	Type	ID
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Cash Refund PDF/HTML Template (SuiteTax)

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Cash Refund PDF/HTML Template (SuiteTax) template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Account	select	account

Name	Type	ID
Acct. No.	text	accountnumber
Add Charges	select	whichchargestoadd
As of Date	date	asofdate
Authorization ID	text	paypalauthid
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Card Data Provided	checkbox	carddatapprovided
Card Street	text	ccstreet
Card Zip Code	text	cczipcode
Check #	text	otherrefnum
Class	select	class
Coupon Code	select	couponcode
Create Check	checkbox	refundcheck
Credit Card #	ccnumber	ccnumber
Credit Card Approved	checkbox	ccapproved
Credit Card Select	select	creditcard
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol

Name	Type	ID
Custom Form	select	customform
Customer	select	entity
Customer Code	text	customercode
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Detail	text	cchold
Detail	textarea	ccholddetails
Discount	select	discountitem
Discount	currency	discounttotal
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
Expires (MM/YYYY)	ccexpdate	ccexpiredate
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransave
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Name on Card	text	ccname
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Override Hold	checkbox	overridehold
Override Hold	checkbox	overrideholdchecked
Partner	select	partner
PayPal Order ID	text	paypalorderid

Name	Type	ID
PayPal Status	text	paypalstatus
PayPal Tran. ID	text	paypaltranid
Payment Custom Data	longtext	paymentcustomdata
Payment Method	select	paymentmethod
Payment Operation	select	paymentoperation
Payment Processing Profile	select	creditcardprocessor
Posting Period	select	postingperiod
Print Check	checkbox	toprint2
Process Credit Card	checkbox	chargeit
Process PayPal Payment	checkbox	paypalprocess
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Purchase Card BIN	checkbox	ccispurchasecardbin
Rate	rate	discontrate
Reason	select	paymenteventholdreason
Redirect From URL	url	returnurl
Redirect to URL	url	redirecturl
Refund #	text	tranid
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Send Line-Level Data	checkbox	ccprocessaspurchasecard
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2

Name	Type	ID
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Status	select	paymenteventresult
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Transaction Number	text	transactionnumber

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Charge	text	charge
Charge Type	text	chargetype
Charges	multiselect	charges
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount

Name	Type	ID
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth

Name	Type	ID
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country

Name	Type	ID
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name

Name	Type	ID
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT

Name	Type	ID
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname

Name	Type	ID
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Cash Sale PDF/HTML Template (SuiteTax)



Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Cash Sale PDF/HTML Template (SuiteTax) template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
AVS Street Match	select	ccavsstreetmatch
AVS Zip Match	select	ccavszipmatch
Account	select	account
Acct. No.	text	accountnumber
Add Charges	select	whichchargestoadd
Amount	currency	expcostdiscamount
Amount	currency	itemcostdiscamount
Amount	currency	timediscamount
As of Date	date	asofdate
Auth. Code	text	authcode
Authorization ID	text	paypalauthid
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Card Data Provided	checkbox	carddatapprovided
Card Street	text	ccstreet
Card Zip Code	text	cczipcode

Name	Type	ID
Charge Credit Card	checkbox	chargeit
Check #	text	otherrefnum
Class	select	class
Coupon Code	select	couponcode
Credit Card #	ccnumber	ccnumber
Credit Card Approved	checkbox	ccapproved
Credit Card Select	select	creditcard
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Code	text	customercode
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Deposit To	radio	undepfunds
Detail	text	cchold
Detail	textarea	ccholddetails
Discount Item	select	discountitem
Discount Item	currency	discounttotal
Discount/Markup	select	expcostdiscount
Discount/Markup	select	itemcostdiscount
Discount/Markup	select	timediscout
Enable Item Line Shipping	checkbox	ismultishipto
End Date	date	enddate
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission

Name	Type	ID
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
Expires (MM/YYYY)	ccexpdate	ccexpiredate
ExternalId	text	externalid
FOB	text	fob
Generate TranId on Save	checkbox	generatetransave
Gift Certificate	currency	giftcertapplied
IAVS Match	select	cciavsmatch
Ignore AVS	checkbox	ignoreavs
Ignore CSC	checkbox	ignorecsc
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Name on Card	text	ccname
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
Opportunity	select	opportunity
Override Hold	checkbox	overridehold
Override Hold	checkbox	overrideholdchecked
P/N Ref.	text	pnrefnum
Partner	select	partner
PayPal Order ID	text	paypalorderid
PayPal Status	text	paypalstatus
PayPal Tran. ID	text	paypaltranid
Payment Custom Data	longtext	paymentcustomdata
Payment Method	select	paymentmethod
Payment Operation	select	paymentoperation
Payment Processing Profile	select	creditcardprocessor
Posting Period	select	postingperiod
Print	checkbox	expcostdiscprint
Print	checkbox	itemcostdiscprint

Name	Type	ID
Print	checkbox	timediscprint
Process PayPal Payment	checkbox	paypalprocess
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Purchase Card BIN	checkbox	ccispurchasecardbin
Rate	rate	discountrate
Rate	rate	expcostdiscrate
Rate	rate	itemcostdiscrate
Rate	rate	timediscrate
Reason	select	paymenteventholdreason
Recurring Payment	checkbox	isrecurringpayment
Redirect From URL	url	returnurl
Redirect to URL	url	redirecturl
Sale #	text	tranid
Sales Effective Date	date	saleeffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Send Line-Level Data	checkbox	ccprocessaspurchasecard
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip

Name	Type	ID
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate
Status	select	paymenteventresult
Stored tax reference for update	text	taxreferencetobeupdated
Submission Id	text	bulksubmissionid
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **expcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply
Bill Amount	currency	amount
Category	text	categorydisp
Class	select	class
Date	date	billeddate
Department	select	department
Employee	text	employeeedisp
Gross Amount	currency	grossamt
Location	select	location
Memo	text	memo
Original Amount	currency	originalamount
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference

- The **item** sublist has the following fields:

Name	Type	ID
Address	address	shippingaddress_text
Amount	currency	amount
Carrier	select	shipcarrier
Charge	text	charge
Charge Type	text	chargetype
Charges	multiselect	charges
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
License Code	textarea	licensecode
Line Number	integer	linenumber
Matrix Type	text	matrixtype

Name	Type	ID
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Ship To	select	shipaddress
Ship Via	select	shipmethod
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **itemcost** sublist has the following fields:

Name	Type	ID
Apply	checkbox	apply
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo
Gross Amount	currency	grossamt
Item	text	itemdisp
Location	select	location
Options	namevaluelist	options
Qty	text	itemcostcount
Rate	currency2	cost
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Total	currency	amount
Units	text	unitdisp

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount

Name	Type	ID
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

- The **time** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Apply	checkbox	apply
Class	select	class
Date	date	billeddate
Department	select	department
Description	text	memo
Employee	text	employeedisp
Gross Amount	currency	grossamt
Hours	text	quantity
Item	text	itemdisp
Location	select	location
Rate	currency2	rate
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Units	text	unitdisp

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo

Name	Type	ID
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone

Name	Type	ID
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebyssegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition

Name	Type	ID
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo

Name	Type	ID
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape

Name	Type	ID
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Return Authorization PDF/HTML Template (SuiteTax)

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Return Authorization PDF/HTML Template (SuiteTax) template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Acct. No.	text	accountnumber
Allow Cross-Subsidiary Customer Return	checkbox	iscrosssubtransaction
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate

Name	Type	ID
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Class	select	class
Coupon Code	select	couponcode
Created From	select	createdfrom
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Deferred Revenue Reclassification Account	select	draccount
Department	select	department
Discount	select	discountitem
Discount	currency	discounttotal
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
ExternalId	text	externalid
Foreign Currency Adjustment Revenue Account	select	fxaccount
Generate TranId on Save	checkbox	generatetransave
Intercompany Status	select	intercostatus
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource

Name	Type	ID
Location	select	location
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
PO #	text	otherrefnum
Paired Intercompany Transaction	select	intercotransaction
Partner	select	partner
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Rate	rate	discountrate
Rtn. Auth. #	text	tranid
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Phone	text	shipphone
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Status	text	orderstatus

Name	Type	ID
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Transaction Number	text	transactionnumber

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Amount	currency	amount
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber

Name	Type	ID
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Unit Price	rate	rate
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname

Name	Type	ID
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar

Name	Type	ID
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREF
Document Number Prefix	text	tranprefix

Name	Type	ID
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo

Name	Type	ID
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers

Name	Type	ID
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Credit Memo PDF/HTML Template (SuiteTax)



Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Credit Memo PDF/HTML Template (SuiteTax) template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Account	select	account
Acct. No.	text	accountnumber
Add Charges	select	whichchargestoadd
Applied	currency	applied
As of Date	date	asofdate
Auto Apply	checkbox	autoapply
Balance	currency	balance
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Bill To Select	select	billaddresslist
Billing Address	address	billingaddress_text

Name	Type	ID
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Can have stackable promotions	checkbox	canhavestackable
Class	select	class
Coupon Code	select	couponcode
Credit #	text	tranid
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Message	textarea	message
Customer Tax Reg. Number	select	entitytaxregnum
Date	date	trandate
Department	select	department
Discount	select	discountitem
Discount	currency	discounttotal
Enable Item Line Shipping	checkbox	ismultishipto
Est. Extended Cost	currency	totalcostestimate
Est. Gross Profit	currency	estgrossprofit
Est. Gross Profit Percent	percent	estgrossprofitpercent
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering

Name	Type	ID
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransave
Internal ID	text	id
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Nexus	select	nexus
Nexus Override	checkbox	taxregoverride
PO #	text	otherrefnum
Partner	select	partner
Payment Custom Data	longtext	paymentcustomdata
Posting Period	select	postingperiod
Project	text	project
Promo Code	text	muccpromocodeinstance
Promo Code	text	promocodepluginimpl
Promotion	select	promocode
Rate	rate	disconrate
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip

Name	Type	ID
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Stored tax reference for update	text	taxreferencetobeupdated
Submission Id	text	bulksubmissionid
Subsidiary	select	subsidiary
Subsidiary Tax Reg. Number	select	subsidiarytaxregnum
Subtotal	currency	subtotal
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
To Be E-mailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Total	currency	total
Total After Taxes	currency	totalaftertaxes
Transaction Number	text	transactionnumber
Unapplied	currency	unapplied
Unbilled Orders	currency	unbilledorders

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency

Name	Type	ID
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **apply** sublist has the following fields:

Name	Type	ID
Amt. Due	currency	due
Apply	checkbox	apply
Currency	text	currency
Date	date	applydate
Hidden	text	internalid
Hidden	text	trantype
Orig. Amt.	currency	total
Payment	currency	amount
Ref No.	text	refnum
Type	text	type

- The **item** sublist has the following fields:

Name	Type	ID
Address	address	shippingaddress_text
Amount	currency	amount
Carrier	select	shipcarrier
Charge	text	charge
Charge Type	text	chargetype
Charges	multiselect	charges
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Gross Amt	currency	grossamt
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Quantity	float	quantity
Rate	rate	rate
Ship To	select	shipaddress

Name	Type	ID
Ship Via	select	shipmethod
Tax Amount	currency	taxamount
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate

Name	Type	ID
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax

Name	Type	ID
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE

Name	Type	ID
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency

Name	Type	ID
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions

Name	Type	ID
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Packing Slip PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Packing Slip PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Address	address	shipaddress
Address 1	text	shipaddr1
Address 2	text	shipaddr2
Address 3	text	shipaddr3
Addressee	text	shipcompany
Attention	text	shipattention
Base Currency	checkbox	isbasecurrency
City	text	shipcity
Country	text	shipcountry
Custom Form	select	customform
Customer:Job	select	entity
Date	date	trandate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Fulfillment of	select	createdfrom
Generate TranId on Save	checkbox	generatetransave
Internal ID	text	id

Name	Type	ID
Memo	text	memo
Phone	phone	shipphone
Posting Period	select	postingperiod
Ref No.	text	tranid
Residential Address	checkbox	shipisresidential
Select Address	select	shipaddresslist
Ship Via	select	shipmethod
Shipping Address	address	shippingaddress_text
Shipping Cost	currency	shippingcost
State/Province	text	shipstate
Transaction Number	text	transactionnumber
Zip	text	shipzip

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **item** sublist has the following fields:

Name	Type	ID
Back Ordered	float	quantityremainingdisplay
Class	text	class
Department	text	department
Description	text	description
Description	text	itemdescription
Drop Ship PO	text	createpo
Exclude Item from Rate Request	checkbox	excludefromraterequest
Fulfill	checkbox	itemreceive
Item	text	itemkey
Item	text	itemname
Item	text	sitemname
Job	text	jobname
Location	text	location
On Hand	float	onhand
Options	namevaluelist	options

Name	Type	ID
Quantity Remaining	float	quantityremaining
Shipped	posfloat	quantity
Units	text	unitsdisplay

- The **package** sublist has the following fields:

Name	Type	ID
Package Contents Description	textarea	packagedescr
Package Tracking Number	text	packagetrackingnumber
Weight	posfloat	packageweight

Sales Order – salesorder

The following fields are available for the Sales Order record.

Name	Type	ID
AVS Street Match	select	ccavsstreetmatch
AVS Zip Match	select	ccavszipmatch
Acct. No.	text	accountnumber
Allow Cross-Subsidiary Fulfillment	checkbox	iscrosssubtransaction
Auth. Code	text	authcode
Authorization ID	text	paypalauthid
Base Currency	checkbox	isbasecurrency
Bill To	address	billaddress
Billing Address	address	billingaddress_text
Billing Address City	text	billcity
Billing Address Country	text	billcountry
Billing Address Line 1	text	billaddr1
Billing Address Line 2	text	billaddr2
Billing Address Line 3	text	billaddr3
Billing Address State	text	billstate
Billing Address Zip Code	text	billzip
Billing Addressee	text	billaddressee
Billing Attention	text	billattention
Billing Phone	text	billphone
Can Stack Promotions	checkbox	canhavestackable

Name	Type	ID
Card Data Provided	checkbox	carddatapprovided
Card Street	text	ccstreet
Card Zip Code	text	cczipcode
Cards on File	select	creditcard
Class	select	class
Credit Card #	ccnumber	ccnumber
Credit Card Approved	checkbox	ccapproved
Currency	select	currency
Currency	text	currencyname
Currency Symbol	text	currencysymbol
Custom Form	select	customform
Customer	select	entity
Customer Code	text	customercode
Customer Message	textarea	message
Default	text	isdefaultshippingrequest
Default	float	overrideshippingcost
Department	select	department
Detail	text	cchold
Detail	textarea	ccholddetails
End Date	date	enddate
Exchange Rate	currency2	exchangerate
Exclude Commissions	checkbox	excludecommission
Expires (MM/YYYY)	ccexpdate	ccexpiredate
ExternalId	text	externalid
FOB	text	fob
Generate TranId on Save	checkbox	generatetrandidonsave
Get Authorization	checkbox	getauth
IAVS Match	select	cciaavsmatch
Ignore AVS	checkbox	ignoreavs
Ignore CSC	checkbox	ignorecsc
Intercompany Status	select	intercostatus
Internal ID	text	id

Name	Type	ID
Job	select	job
Lead Source	select	leadsource
Location	select	location
Memo	text	memo
Name on Card	text	ccname
Nexus	select	nexus
Opportunity	select	opportunity
Order #	text	tranid
Order Date	date	trandate
Order Status	text	orderstatus
Override Hold	checkbox	overridehold
Override Hold	checkbox	overrideholdchecked
P/N Ref.	text	pnrefnum
PO #	text	otherrefnum
Paired Intercompany Transaction	select	intercotransaction
Partner	select	partner
PayPal Order ID	text	paypalorderid
Payment Amount	currency	paymentsessionamount
Payment Custom Data	longtext	paymentcustomdata
Payment Method	select	paymentmethod
Payment Operation	select	paymentoperation
Payment Processing Profile	select	creditcardprocessor
Process PayPal Payment	checkbox	paypalprocess
Project	text	project
Purchase Card BIN	checkbox	ccispurchasecardbin
Reason	select	paymenteventholdreason
Recurring Payment	checkbox	isrecurringpayment
Redirect From URL	url	returnurl
Redirect to URL	url	redirecturl
Sales Effective Date	date	saleseffectivedate
Sales Rep	select	salesrep
Select Message	select	messagesel

Name	Type	ID
Send Line-Level Data	checkbox	ccprocessaspurchasecard
Ship Complete	checkbox	shipcomplete
Ship Date	date	shipdate
Ship To	address	shipaddress
Ship To Select	select	shipaddresslist
Ship Via	select	shipmethod
Shipment #	text	shipid
Shipping Address	address	shippingaddress_text
Shipping Address City	text	shipcity
Shipping Address Country	text	shipcountry
Shipping Address Line 1	text	shipaddr1
Shipping Address Line 2	text	shipaddr2
Shipping Address Line 3	text	shipaddr3
Shipping Address State	text	shipstate
Shipping Address Zip Code	text	shipzip
Shipping Addressee	text	shipaddressee
Shipping Attention	text	shipattention
Shipping Cost	currency	shippingcost
Shipping Cost Overridden	text	shippingcostoverridden
Shipping Phone	text	shipphone
Shipping Tax Amount	currency	shippingtaxamount
Shipping address is residential	text	billisresidential
Shipping address is residential	text	shipisresidential
Start Date	date	startdate
Status	select	paymenteventresult
Stored tax reference for update	text	taxreferencetobeupdated
Subsidiary	select	subsidiary
Tax	currency	taxtotal
Tax Details Override	checkbox	taxdetailsoverride
Tax Reg. Number	select	entitytaxregnum
Tax Reg. Number	select	subsidiarytaxregnum
Tax Registration Override	checkbox	taxregoverride

Name	Type	ID
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
Terms	select	terms
To Be Emailed	checkbox	tobeemailed
To Be Faxed	checkbox	tobefaxed
To Be Printed	checkbox	tobeprinted
Tracking #	text	linkedtrackingnumbers
Transaction Number	text	transactionnumber

Sublists

The following sublists are available for the Sales Order record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **item** sublist has the following fields:

Name	Type	ID
Charge Type	text	chargetype
Commit	text	commitinventory
Description	textarea	description
Direct Revenue Posting	text	directrevenueposting
Item	select	item
Item Type	text	itemtype
Item subtype	text	itemsubtype
Line Number	integer	linenumber
Matrix Type	text	matrixtype
Minimum Quantity	float	minqty
Options	namevaluelist	options
Print Items	text	printitems
Project Charge Rule	text	chargerule
Rate	rate	rate
Shipped	float	quantity

Name	Type	ID
Tax Details Reference	text	taxdetailsreference
Units	select	units

- The **taxdetails** sublist has the following fields:

Name	Type	ID
Details	textarea	calcdetail
Gross Amount	currency	grossamount
Line Number	posinteger	linenumber
Line type	text	linetype
Name	text	linename
Net Amount	currency	netamount
Tax Amount	currency	taxamount
Tax Basis	currency	taxbasis
Tax Code	select	taxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	taxrate
Tax Type	select	taxtype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency

Name	Type	ID
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent

Name	Type	ID
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejebyssegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREF
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK

Name	Type	ID
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE

Name	Type	ID
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine

Name	Type	ID
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Journal Entry PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Journal Entry PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Approved	checkbox	approved
Base Currency	checkbox	isbasecurrency
Count	text	expenseallocjournalcount
Created from Allocation	select	parentexpensealloc
Credit	currency	credittotal
Currency	select	currency
Custom Approval	checkbox	iscustomapproval
Custom Form	select	customform
Date	date	trandate
Debit	currency	debittotal
Defer Entry	checkbox	reversaldefer
Entry No.	text	tranid
Exchange Rate	currency2	exchangerate
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetrandidonsave
Internal ID	text	id
Memo	text	memo
Nexus	select	nexus

Name	Type	ID
Out of Balance By	label	outofbalanceby
Posting Period	select	postingperiod
Reversal Date	date	reversaldate
Subsidiary	select	subsidiary
Tax Details Override	checkbox	taxdetailsoverride
Tax Reg. Number	select	subsidiarytaxregnum
Tax Registration Override	checkbox	taxregoverride
Tax Strategy Used	text	taxstrategyused
Taxes Dirty	checkbox	taxesdirty
To Subsidiary	select	tosubsidiary
Transaction Number	text	transactionnumber

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Exchange Rate	currency2	exchangerate
Secondary Book	select	accountingbook

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location

Name	Type	ID
Start Time	timeofday	starttime
Title	text	title

- The **line** sublist has the following fields:

Name	Type	ID
Account	select	account
Class	select	class
Credit	currency	credit
Credit Tax	currency	credittax
Debit	currency	debit
Debit Tax	currency	debittax
Department	select	department
Eliminate	checkbox	eliminate
End Date	date	enddate
Location	select	location
Memo	text	memo
Name	select	entity
Residual	rate	residual
Schedule	select	schedule
Start Date	date	startdate
Tax Account	select	taxaccount
Tax Code	select	linetaxcode
Tax Details Reference	text	taxdetailsreference
Tax Rate	percent	linetaxrate
Total Amount	currency	totalamount

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority

Name	Type	ID
Start Date	date	startdate
Title	text	title

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail

Name	Type	ID
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER

Name	Type	ID
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejbysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id

Name	Type	ID
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount

Name	Type	ID
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions

Standard Period End Journal PDF/HTML Template

Note: The list in this reference topic isn't exhaustive. The fields and sublists available in advanced PDF/HTML templates depend on the features you enable in your account and any custom fields you create. Therefore, the list may include fields that aren't available in your account, and at the same time it may not include all fields that you can access.

You can view the fields and sublists available for a specific template in the Field selector in the advanced templates editor. For more information, see the help topic [Adding and Removing Fields in Advanced Templates](#).

The fields and sublists available in the Standard Period End Journal PDF/HTML Template template are listed below.

Record – record

The following fields are available for the Record record.

Name	Type	ID
Accounting Book	select	accountingbook
Class	select	class
Credit	currency	credittotal
Currency	select	currency
Custom Form	select	customform
Date	date	trandate
Debit	currency	debittotal
Department	select	department
Entry No.	text	tranid
Exclude from GL Audit Numbering	checkbox	excludefromglnumbering
ExternalId	text	externalid
Generate TranId on Save	checkbox	generatetransave
Internal ID	text	id
Location	select	location
Main Account	select	mainaccount
Memo	text	memo
Posting Period	select	postingperiod
Source Subsidiary	select	sourcesubsidiary
Subsidiary	select	subsidiary
Transaction Number	text	transactionnumber

Sublists

The following sublists are available for the Record record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **calls** sublist has the following fields:

Name	Type	ID
Date	date	startdate
Organizer	select	assigned
Phone Number	phone	phone
Subject	text	title

- The **events** sublist has the following fields:

Name	Type	ID
All Day	checkbox	alldayevent
Date	date	startdate
End Time	timeofday	endtime
Location	text	location
Start Time	timeofday	starttime
Title	text	title

- The **line** sublist has the following fields:

Name	Type	ID
Account	select	account
Credit	currency	credit
Debit	currency	debit
Memo	text	memo

- The **mediaitem** sublist has the following fields:

Name	Type	ID
Attach File	select	mediaitem
File Type	text	filetype
Folder	text	folder
Last Modified	datetime	lastmodifieddate
Size (kB)	float	filesize

- The **tasks** sublist has the following fields:

Name	Type	ID
Due Date	date	duedate
Priority	select	priority

Name	Type	ID
Start Date	date	startdate
Title	text	title

- The **usernotes** sublist has the following fields:

Name	Type	ID
Date	date	notedate
Direction	select	direction
Memo	textarea	note
Time	timeofday	time
Title	text	title
Type	select	notetype

Company Information – companyinformation

The following fields are available for the Company Information record.

Name	Type	ID
Account ID	text	companyid
Account ID	text	prevparent
Address	text	addresstext
Address	text	mainaddress_text
Allowed IP Addresses	text	ipaddressrules
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Company Logo (Forms)	text	formlogo
Company Logo (Pages)	text	pagelogo
Company Name	text	companyname
Country	text	country
County/State/Province	text	dropdownstate
County/State/Province	text	state
Currency	text	basecurrency
Customer Center Login	text	customersurl
Display Logo Internally	checkbox	displaylogointernally
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Email Address	text	adminemail

Name	Type	ID
External Forms	text	formsurl
ExternalId	text	externalid
Fax	text	fax
First Fiscal Month	text	fiscalmonth
Fiscal Calendar	text	fiscalcalendar
Intercompany Account	text	intercoaccount
Internal ID	text	id
Legal Name	text	legalname
Name	text	name
NetSuite UI	text	appurl
Rest (RESTlets)	text	restleturl
Return Address	text	returnaddress_text
Return Email Address	text	email
Shipping Address	text	shippingaddress_text
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	text	parent
SuiteAnalytics Connect (ODBC)	text	odbcurl
SuiteTalk (web services)	text	suitetalkurl
Tax Fiscal Calendar	text	taxfiscalcalendar
Time Zone	text	timezone
Web Site	text	url

Subsidiary – subsidiary

The following fields are available for the Subsidiary record.

Name	Type	ID
Account ID	select	prevparent
Address	address	mainaddress_text
Allow Customer Override	checkbox	issuecustomernotificationoverride
Always Display Subsidiary Name	checkbox	showsubsidiaryname
Balance Sheet Closing Account	select	bsclosingacct
Balance Sheet Opening Account	select	bsopeningacct
CSV column delimiter	select	CSV_COLUMN_DELIMITER

Name	Type	ID
CSV decimal delimiter	select	CSV_DECIMAL_DELIMITER
Calendar System	select	CALENDARSYSTEM
Check Default Chart Type	select	checklayout
Country	select	country
Create Balance Sheet Closing and Opening Journals	checkbox	enablebscloseandopen
Create Income Summary Journals	checkbox	enableincomesummarystep
Create Period End Journals By Segment	checkbox	createpejbysegment
Currency	text	currency
Customer Center Email Template	select	CUSTCENTEREMAILTEMPLATE
Customer Template	select	issuecustomertemplate
Date Format	select	DATEFORMAT
Default Account for Corporate Card Expenses	select	DEFAULTACCTCORPCARDEXP
Default Advance to Apply Account for Expense Reports	select	DEFAULT_ADVANCE_ACCT_FOR_EXPREPT
Default Case Profile	select	defaultcaseprofile
Default Check Type	select	CHECKTYPE
Default Payable Account for Expense Reports	select	DEFAULTAPACCOUNTFOREXPREPT
Document Number Prefix	text	tranprefix
Edition	text	edition
Elimination	checkbox	iselimination
Employee Template	select	issueemployeetemplate
Enable Period End Journal Entries	checkbox	enableperiodendjournals
ExternalId	text	externalid
Fax	text	fax
First Day of Week	select	FIRSTDAYOFWEEK
Fiscal Calendar	select	fiscalcalendar
GL Impact Locking	checkbox	glimpactlocking
Income Summary Loss Account	select	islossacct
Income Summary Profit Account	select	isprofitacct
Intercompany Account	select	intercoaccount
Internal ID	text	id

Name	Type	ID
Language	select	languagelocale
Legal Name	text	legalname
Long Date Format	select	LONGDATEFORMAT
Name	text	name
Negative Number Format	select	NEGATIVE_NUMBER_FORMAT
Number Format	select	NUMBERFORMAT
Partner Center Email Template	select	PARTCENTEREMAILTEMPLATE
Phone Number Format	select	PHONEFORMAT
Require Memo on Period End Journals	checkbox	requirepejememo
Return Address	address	returnaddress_text
Return Email Address	email	email
Round Time Entry Duration	select	roundtime
Search Sorting	select	SEARCHSORTING
Send Customer Notifications When	select	issuecustomernotification
Shipping Address	address	shippingaddress_text
Spelling Locale	select	SPELL_LOCALE
State/Province	select	dropdownstate
State/Province	text	state
Subsidiary Logo (Forms)	select	logo
Subsidiary Logo (Pages)	select	pagelogo
Subsidiary is Inactive	checkbox	isinactive
Subsubsidiary of	select	parent
Tax Fiscal Calendar	select	taxfiscalcalendar
Time Format	select	TIMEFORMAT
Time Zone	select	TIMEZONE
Use In-Transit Vendor Payments By Default	checkbox	DEFAULTVENDORPAYMENTTYPE
User Access Email Template	select	EMAILACCESSTEMPLATE
Vendor Bill - Item Receipt Amount Tolerance	posfloat	receiptamount
Vendor Bill - Item Receipt Quantity Difference	posfloat	receiptquantitydiff
Vendor Bill - Item Receipt Quantity Tolerance	posfloat	receiptquantity
Vendor Bill - Purchase Order Amount Tolerance	posfloat	purchaseorderamount

Name	Type	ID
Vendor Bill - Purchase Order Quantity Difference	posfloat	purchaseorderquantitydiff
Vendor Bill - Purchase Order Quantity Tolerance	posfloat	purchaseorderquantity
Vendor In-Transit Payment Account	select	VENDORITPACCOUNT
Web Site	text	url

Sublists

The following sublists are available for the Subsidiary record.

To add a sublist to your template, use the record and the sublist, for example, customer.addressbook. For information about adding sublists to a template, see the help topic [Sublists and Other Lists](#).

- The **accountingbookdetail** sublist has the following fields:

Name	Type	ID
Base Currency	select	currency
Enable Period End Journal Entries	checkbox	enableperiodendjournals
Secondary Book	select	accountingbook
Status	select	bookstatusname

- The **classtranslation** sublist has the following fields:

Name	Type	ID
Language	text	language
Name	text	name

- The **taxregistration** sublist has the following fields:

Name	Type	ID
Country	select	nexuscountry
Effective From	date	effectivefrom
Nexus	select	nexus
Tax Agency	select	taxagency
Tax Engine	select	taxengine
Tax Reg. Number	text	taxregistrationnumber
Valid Until	date	validuntil

User – user

The following fields are available for the User record.

Name	Type	ID
Alt. Email	text	altemail
Email	text	email
First Name	text	firstname
Last Name	text	lastname
Middle Name	text	middlename
Phone	text	phone

Preference – preferences

The following fields are available for the Preference record.

Name	Type	ID
Bar Code	checkbox	print_barcodes
Name for Case	text	naming_case
Name for Customer	text	naming_customer
Name for Lead	text	naming_lead
Print Accounts on Vouchers	checkbox	voucheraccount
Print Business Number on Forms	checkbox	printfednum
Print Discount and Shipping Lines in Columns	checkbox	inlinediscountshipping
Print Remittance Form with {#Invoices#} & Statements	checkbox	remittanceform
Print Return Form with Packing Slip	checkbox	returnform
Print Separate Voucher for {#Bill#} {#Payments#}	checkbox	paymentvouchers
Print Transaction Forms Landscape	checkbox	formlandscape
Time Zone	text	timezone
Use Multiple Versions and Builds	checkbox	issue_multiple_versions
Use {#Location#} Address on Forms	checkbox	printlocaddress
{#Customers#} Default to Print Transactions	checkbox	customerprinttransactions
{#Vendors#} Default to Print Transactions	checkbox	vendorprinttransactions