



ORACLE
NetSuite

Application Performance Management Guide

2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Application Performance Management (APM)	1
Installing the Application Performance Management SuiteApp	3
Setting Up Access to the Application Performance Management SuiteApp	4
Using the Application Performance Management Tools	5
Monitoring Account Performance	6
Monitoring Record Pages	11
Monitoring Performance with the Page Time Summary	17
Using Page Time Details	19
Analyzing Scripts	21
Monitoring SuiteCloud Processors Performance	24
Analyzing Web Services Performance	33
Analyzing Search Performance	44
Monitoring Web Services and RESTlet Concurrency	48
Profiling Operations Performance	56
Exporting Data from Application Performance Management	60
Frequently Asked Questions: Application Performance Management	62

Application Performance Management (APM)

Note: This topic applies to Application Performance Management (APM) version 2.0.0 and later versions available in the SuiteApp Marketplace.

As of March 7, 2023, you can't use APM SuiteApp versions installed from the Search & Install Bundles page anymore. If you're still using one of those, install the latest version from the SuiteApp Marketplace, then uninstall the old version from the Search & Install Bundles page (Bundle ID: 67350).

For more details, see [Installing the Application Performance Management SuiteApp](#).

The Application Performance Management (APM) SuiteApp lets you see and manage the performance of your NetSuite customizations and key business operations.

This SuiteApp is designed to help you:

- Access a main dashboard to spot potential issues and dig into them using different tools.
- Identify performance opportunities or slowdowns, and prioritize issues based on usage and traffic.
- See performance metrics for your key record pages, and check on system health and trends.
- Drill down for more detail on specific record types, operations, and instances.
- View response times by client, server, and network.
- Monitor performance of user event scripts, workflows, RESTlets, scheduled scripts, and Suitelets.
- Check the overall health of jobs handled by SuiteCloud Processors, scheduling queues, or both.
- Export performance data captured on different pages.

Check out the following topics for more info about the features supported in the APM SuiteApp:

- [Performance Management Tools in APM](#)
- [Script and Plug-in Types Supported in APM](#)
- [Language Support in APM](#)
- [Exporting Data from Application Performance Management](#)

For information about installing the APM SuiteApp, see [Installing the Application Performance Management SuiteApp](#).

To find answers to common questions about this SuiteApp, see [Frequently Asked Questions: Application Performance Management](#).

Note: Your performance logs aren't included when your NetSuite account moves to the new data center on Oracle Cloud Infrastructure (OCI). For the first 29 days after the move, the displayed values will be based on data collected since the move, not the last 30 days.

Performance Management Tools in APM

The Performance Health Dashboard consolidates near-real-time metrics and highlights anomalies across record pages, scripts, saved searches, integrations, and processors. When a metric exceeds its threshold, the corresponding dashboard tile exposes a direct link to the relevant analysis tool.

Tools that can be accessed directly from the dashboard (when an alert is present) include:

- Page Time Summary
- SuiteScript Analysis
- SuiteCloud Processors Monitor
- SOAP Web Services Analysis
- REST Web Services Analysis
- Search Performance Details
- Concurrency Monitor

The following tools are available only from Customization > Performance:

- Record Pages Monitor
- Page Time Details
- Search Performance Analysis

Use the dashboard as your initial investigative point, then drill into the linked tool for root-cause analysis. For additional guidance, see [Monitoring Account Performance](#) and [Using the Application Performance Management Tools](#).

Script and Plug-in Types Supported in APM

The APM SuiteApp lets you keep an eye on how your scripts and plug-ins are performing with the Page Time Details and SuiteScript Analysis tools.

In SuiteScript Analysis, you'll only see logs for client scripts that ran long enough to help diagnose issues. It's not meant to trace every script and plug-in your account processed.

For more details, see:

- [Using Page Time Details](#)
- [Analyzing Scripts](#)

The APM SuiteApp gives you data for these script and plug-in types:

Script Types	Plug-in Types
Bundle Installation	Custom GL Lines
Client	Payment Gateway
Map/Reduce	Revenue Management
Mass Update	Tax Calculation
Portlet	
RESTlet	
Scheduled	
SDF Installation	
Suitelet	
User Event	
Workflow Action	

Language Support in APM

If you have the Multi-Language feature enabled, you can see these APM SuiteApp pages in your preferred language:

- Performance Health Dashboard
- Page Time Summary
- Page Time Details
- SuiteScript Analysis
- REST Web Services Analysis
- SOAP Web Services Analysis
- Concurrency Monitor
- Search Performance Analysis
- Search Performance Details

For more information about setting your language preferences with the Multi-Language feature, see the help topic [Choosing a Language for Your NetSuite User Interface](#).

Installing the Application Performance Management SuiteApp

Note: This topic applies to Application Performance Management (APM) version 2.0.0 and later versions available in the SuiteApp Marketplace.

As of March 7, 2023, you can't use APM SuiteApp versions installed from the Search & Install Bundles page anymore. If you're still using one of those, install the latest version from the SuiteApp Marketplace, then uninstall the old version from the Search & Install Bundles page (Bundle ID: 67350).

To set up the Application Performance Management (APM) SuiteApp, follow the steps in the table below.

Step	Related Help Topic
1. Log in to NetSuite using an Administrator role.	Roles and Accounts
2. Complete the prerequisites.	Prerequisites for the APM SuiteApp
3. Install the APM SuiteApp.	Installing the APM SuiteApp from the SuiteApp Marketplace
4. Set up access for roles and employees to use the APM SuiteApp.	Setting Up Access to the Application Performance Management SuiteApp

Prerequisites for the APM SuiteApp

Before you install the APM SuiteApp, make sure you complete these prerequisites:

- If you're using a non-Administrator or custom role, check that your role has View or higher access to the **Documents and Files**, and **Perform Search** permissions. Administrators can give these

permissions on the Role page, under the **Permissions** subtab, then the **Lists** subtab. See the help topic [Setting Permissions](#)

- Make sure you have permission to access APM. Administrators can access APM and give access to other roles and employees. See [Setting Up Access to the Application Performance Management SuiteApp](#).
- If you want to use the SuiteScript Analysis tool, make sure Server SuiteScript is enabled.
Go to Setup > Company > Enable Features, click the **SuiteCloud** tab, and check that the **Server SuiteScript** box is selected.

Installing the APM SuiteApp from the SuiteApp Marketplace

With the standard Administrator role, follow these steps to install the APM SuiteApp from the SuiteApp Marketplace.

To install the APM SuiteApp from the SuiteApp Marketplace:

1. Go to SuiteApps.
2. In the **Search** field, enter **Application Performance Management**.
3. Click the Application Performance Management (APM) SuiteApp tile.
4. On the SuiteApp details page, click **Install**, then click **OK**.

The installation will start.

For more information about installing SuiteApps from the SuiteApp Marketplace, see the help topic [Installing from the SuiteApp Marketplace](#).

After installation, access the APM tools by going to Customization > Performance. Administrators can access APM by default and set up APM access for other roles and employees. For more information, see [Setting Up Access to the Application Performance Management SuiteApp](#).



Important: If you previously installed the APM SuiteApp from the Search & Install Bundles page, uninstall that version after you install the APM SuiteApp from the SuiteApp Marketplace. The roles and employees you set up on the APM Setup page will be automatically migrated to the Marketplace version. For more information, see the help topic [Uninstalling a Bundle](#).

Setting Up Access to the Application Performance Management SuiteApp

After you install the Application Performance Management (APM) SuiteApp, you can access the APM tools by going to Customization > Performance.

By default, anyone with the Administrator role can access APM. If you're an Administrator, you can also set up APM access for other roles and employees.

To set up APM access for other roles and employees:

1. Go to Customization > Performance > APM Setup.

- To provide access to specific roles (like CEO), select the **Roles** tab.
 - To provide access to an individual, select the **Employees** tab.
2. Select the role or employee name from the dropdown list.
 1. To let them see the Top 10 Most Utilized portlet on the Record Pages Monitor, check the box in the **Top 10 Most Utilized** column.
 2. Click **Add**.
 3. Repeat Step 2 for each role and employee you want to give APM access to.
 4. Click **Save**.

For more information about NetSuite roles, see the help topic [NetSuite Users & Roles](#).

For information about how to access and use the APM tools, see [Using the Application Performance Management Tools](#).

Using the Application Performance Management Tools

The Application Performance Management (APM) SuiteApp is organized to provide different levels of detail, depending on what you need. You can use data aggregates, summaries, and visualizations to help you find the individual logs and instances that contribute to poor response times.

The APM SuiteApp displays data for scripts and plug-ins that ran long enough to help you diagnose issues in your account. The APM tools are not meant to trace every script and plug-in processed in your account.

To view a related help topic, click any information icon in the APM tool. ⓘ available on the page.

Note: Your performance logs aren't included when your NetSuite account moves to the new data center on Oracle Cloud Infrastructure (OCI). For the first 29 days after the move, the displayed values will be based on data collected since the move, not the last 30 days.


APM Tool	Related Help Topic	Description	How to Access
Performance Health Dashboard	Monitoring Account Performance	Monitor issues that affect the performance of your record pages, scripts, saved searches, integrations, and processors.	Go to Customization > Performance > Performance Health Dashboard.
Record Pages Monitor	Monitoring Record Pages	Identify and troubleshoot performance issues on your record pages.	Go to Customization > Performance > Record Pages Monitor.
Page Time Summary	Monitoring Performance with the Page Time Summary	Measure performance of user event scripts, client scripts, and workflows to find customizations that take too long to run.	Go to Customization > Performance > Page Time Summary. From Record Pages Monitor, click a data point on one of the graphs.
Page Time Details	Using Page Time Details	View overview information about a specific operation at a specific date and time.	Go to Customization > Performance > Page Time Details.

APM Tool	Related Help Topic	Description	How to Access
			From Page Time Summary, click the View icon in the Page Time Details column.
SuiteScript Analysis	Analyzing Scripts	View the history and performance of your scripts.	Go to Customization > Performance > SuiteScript Analysis. In Page Time Details, under SuiteScript and Workflow Details, click the script name in the Name column.
SuiteCloud Processors Monitor	Monitoring SuiteCloud Processors Performance	View and analyze performance of map/reduce and scheduled script jobs handled by SuiteCloud Processors. SuiteCloud Processors Monitor replaces Script Queue Monitor for viewing performance of deployments that still use queues.	Go to Customization > Performance > SuiteCloud Processors Monitor.
SuiteCloud Processors Job Details	Using the SuiteCloud Processors Job Details Dashboard	View and analyze performance of matching map/reduce and scheduled script jobs given a set of criteria.	Go to Customization > Performance > SuiteCloud Processor Job Details.
SOAP Web Services Analysis	SOAP Web Services Analysis Overview	Monitor performance of top SOAP web services operations and record processing.	Go to Customization > Performance > SOAP Web Services Analysis.
REST Web Services Analysis	REST Web Services Analysis Overview	Monitor performance of REST web services operations.	Go to Customization > Performance > REST Web Services Analysis.
Search Performance Analysis	Using the Search Performance Analysis Dashboard	Monitor performance of multiple saved searches and identify potential issues.	Go to Customization > Performance > Search Performance Analysis
Search Performance Details	Using the Search Performance Details Dashboard	View detailed statistics about the performance of each saved search.	Go to Customization > Performance > Search Performance Details. In Search Performance Analysis, click a saved search tile.
Concurrency Monitor	Monitoring Web Services and RESTlet Concurrency	Monitor peak levels, errors, and other concurrency data related to the web services and RESTlet integrations in your account.	Go to Customization > Performance > Concurrency Monitor.

Monitoring Account Performance

Use the Performance Health Dashboard in the APM SuiteApp to monitor issues that may affect record pages, scripts, saved searches, integrations, and processors.

The Performance Health Dashboard is a visual tool that shows high-level account issues using tiles, figures, and tables. From the dashboard, you can open other APM SuiteApp tools to investigate issues. Use the dashboard as your starting point for troubleshooting.



Note: Your performance logs aren't included when your NetSuite account moves to the new data center on Oracle Cloud Infrastructure (OCI). For the first 29 days after the move, the displayed values will be based on data collected since the move, not the last 30 days.

For more information about the dashboard, see the following help topics:

- [Performance Health Dashboard Overview](#)
- [Monitoring Issues with Performance Health Dashboard Tiles](#)
- [Investigating Issues with Performance Health Dashboard Tables](#)
- [Snoozing Issues in the Performance Health Dashboard](#)

Performance Health Dashboard Overview

The Performance Health Dashboard lets you track performance issues in your account, especially urgent ones found in the last seven days.

The dashboard shows issues related to these processes in NetSuite:

- Record Pages
- Scripts
- Saved Searches
- Integrations
- Processors

Accessing the Performance Health Dashboard

To use the dashboard, go to Customization > Performance > Performance Health Dashboard.


To learn about the information about dashboard tiles, see [Monitoring Issues with Performance Health Dashboard Tiles](#).

To learn about the information about dashboard tables, see [Investigating Issues with Performance Health Dashboard Tables](#).

To learn how to snooze issues for 30 days or show snoozed issues, see [Snoozing Issues in the Performance Health Dashboard](#).

Monitoring Issues with Performance Health Dashboard Tiles

The Performance Health Dashboard displays a separate tile for each process it monitors.



Each tile may show one or more of these issue types:

- **Error** - Shows how many issues are related to high error rates.
- **Performance Issue** - Shows how many issues are related to slow or unusual processing times.
- **Standards Update** - Shows how many issues are related to NetSuite standards you need to address to keep your account running smoothly.

Each tile shows this information:

- Types of issues found
- Number of issues for each type
- Number of snoozed issues

Click a tile to see tables for each issue type found in your account. For more about the tables, see [Investigating Issues with Performance Health Dashboard Tables](#).

Investigating Issues with Performance Health Dashboard Tables

When you click a tile on the Performance Health Dashboard, you'll see detailed tables for each issue type found in your account. Each issue type appears on its own subtab. The dashboard shows an **All Issues** subtab if there's more than one issue type in your account.

All Issues				
Errors		Performance Issues		Standards Updates
ISSUE	INTEGRATION		OPERATION	VALUE
High Error Rate	Default Web Services Integration		update	13.33 %
High Median Time per Record	Default Web Services Integration		deleteList	54.24 s
RECORD TYPE	REQUESTS	USERS		
Sales Order	234	34		
Unsupported WSDL Version	Default Web Services Integration		-	v2011_2
REQUESTS	USERS			
234	34			
Requests Near Concurrency Limit	-		-	7.35 %
AFFECTED INTEGRATIONS	USERS			
5	34			

For more information about the list of issues on the tables, see [Performance Health Dashboard Issues and Issue Types](#).

For more information about the columns on the tables, see [Performance Health Dashboard Table Columns](#).

- [Performance Health Dashboard Table Columns](#)
- [Performance Health Dashboard Issues and Issue Types](#)

Performance Health Dashboard Table Columns

The columns on the table vary depending on the process you're investigating. The following table shows columns for all processes and those that appear only for specific processes.

NetSuite Process	Column	Description
All Processes	Issue	Shows the issue name.
	Value	Shows the value for the issue, which may be in time, percentages, or other formats.
	Investigate Link	This column may show an Investigate link to other tools in the APM SuiteApp.
	Snooze Button	Shows a Snooze button that hides an issue from the table when clicked. For more information, see Snoozing Issues in the Performance Health Dashboard .
Record Pages	Record Type	Shows the record type name.
	Operation	Shows the operation name.
Scripts	Script Name	Shows the script name.
	Deployment ID	Shows the script deployment ID.
	Stage	For map/reduce scripts, this column shows the stage the script was processing when it encountered the issue.
Saved Searches	Saved Search	Shows the saved search name.
	Record Type	Shows the saved search record type.
Integrations	Integration	Shows the integration name.
	Operation	Shows the integration operation name when it encountered the issue.
Processors	—	—

Performance Health Dashboard Issues and Issue Types

The dashboard shows different issues depending on the process and issue type you're investigating. The following table shows the issues that are included for each issue type:

NetSuite Process	Issue Type	Issue	Description
Record Pages	Performance Issue	High Median Response Time	Alerts you to high median response time for record instances during the selected period.
Scripts	Error	High Error Rate	Alerts you to high error rates for script deployments during the selected period.

NetSuite Process	Issue Type	Issue	Description
	Standards Update	Deployments over 100	Alerts you to scripts that exceed 100 deployments during the selected period.
Saved Searches	Performance Issue	High Median Request Time	Alerts you to high median execution time for saved searches during the selected period.
		High Timeout Rate	Alerts you to a high timeout rate for saved searches during the selected period.
Integrations	Error	High Error Rate	Alerts you to high error rates for integrations during the selected period.
		High Error Rate for Account Concurrency	Alerts you to high error rates from requests that exceeded the account concurrency limit during the selected period.
		High Error Rate for User Concurrency	Alerts you to high error rates from requests that exceeded the user concurrency limit during the selected period.
	Performance Issue	High Median Time per Record	Alerts you to high median execution time for each record during the selected period.
	Standards Update	Unsupported WSDL Version	Shows integrations during the selected period that still use unsupported WSDL versions.
		Requests Near Concurrency Limit	Measures how much of your integrations register requests near the concurrency limit during the selected period.
Processors	Performance Issue	High Average Wait Time	Alerts you to high average wait times to complete jobs during the selected period.
		High Rate of Failed Jobs	Alerts you to a high rate of failed jobs during the selected period.
		Low Usage of Reserved Processors	Shows the ratio of times high-priority job processors were below 50% during the selected period.

Snoozing Issues in the Performance Health Dashboard

The Performance Health Dashboard lets you snooze issues for 30 days. Snoozed issues are hidden, then reappear on the table after 30 days.

To show or hide snoozed items, click **Show Snoozed** in the upper right corner of the page.



To snooze an issue:

1. Go to Customization > Performance > Performance Health Dashboard.
2. Click the tile for the NetSuite process you want to review.
3. Click the subtab for the issue type you want to investigate.
The detailed table for the issue type appears.
4. On the table, select the issue you want to snooze.

5. In the last column of the table, click **Snooze**.

To show a snoozed issue, click **Show Snoozed**, find the issue, and click **End Snooze**.

All Issues	Errors	Performance Issues	Standards Updates
ISSUE	INTEGRATION	OPERATION	VALUE
High Error Rate	Default Web Services Integration	update	13.33 %
High Error Rate	Default Web Services Integration	update	27.33 %

Monitoring Record Pages

Record Pages Monitor lets you monitor the performance of your record pages. Visual indicators alert you to performance issues and anomalies, which you can investigate by using the portlets and quick links.

Note: Your performance logs aren't included when your NetSuite account moves to the new data center on Oracle Cloud Infrastructure (OCI). For the first 29 days after the move, the displayed values will be based on data collected since the move, not the last 30 days.

Accessing Record Pages Monitor

Go to Customization > Performance > Record Pages Monitor.


For more information, see the following help topics.

- Record Pages Monitor Tiles
- Record Pages Monitor Charts
- Configuring Record Pages Monitor
- Navigating Record Pages Monitor

Record Pages Monitor Tiles

By default, the dashboard shows the 10 most used record operations. You can set it to display up to 20 record tiles. For more information, see [Changing Watch Lists on Record Pages Monitor](#).

Record operation tiles use a concise format, so you can see key metrics and a small trend graph at a glance. Each tile includes the following information:



Tile Element	Description
1	Record type
2	Record operation
3	Average response time
4	Number of users
5	Number of instances
6	Response time trendline

Record Pages Monitor Charts

You can interact with performance data visualizations by showing or hiding data, and using quick links to drill down for more details.


To see the charts that appear when you click a record tile, see:

- [Response Time Chart](#)
- [Throughput Chart](#)
- [User Event and Workflow Chart](#)
- [Execution Time Distribution Chart](#)

Response Time Chart


The Response Time chart shows median response time of record pages over time. Use it to see changes in request speed and its impact on users.

Each color shows time used by client, network, or server. The graph helps you see which component used most of the response time.




Throughput Chart

The Throughput chart shows the number of record instances and users over time. Use it to spot heavy usage and consider offloading traffic during peaks.




User Event and Workflow Chart

The User Event and Workflow chart shows how long user event scripts and workflows took to run. Use it to spot customization impact and bottlenecks.



Execution Time Distribution Chart

The Execution Time Distribution chart is a histogram that groups record instances by response time. Use it to see if high response times were anomalies.



Configuring Record Pages Monitor

You can modify, filter, and sort record pages and performance data on Record Pages Monitor.

For more information, see the following table:

Configuration	Description	Related Link
Chart preferences	Change the data and interval for the Execution Time Distribution chart.	Changing Chart Preferences on Record Pages Monitor
Watch lists	Add or remove record page operations you want to monitor.	Changing Watch Lists on Record Pages Monitor
Custom date and time range	Add a custom date and time range.	Adding a Custom Date and Time Range on Record Pages Monitor

Changing Chart Preferences on Record Pages Monitor

By default, the Execution Time Distribution chart shows the data for all the record tiles on the portlet, with a time interval of one. You can change chart preferences for the histogram from the portlet setup menu.

To change chart preferences:

1. Go to Customization > Performance > Record Pages Monitor.
2. On the Record Pages portlet, point to the upper right corner.
Icons appear.
3. Select **Set up**.
4. In the Set up Record Pages window, click **Chart Preferences**.
 - To change the response time interval for the bar graphs, enter a new value in the **Interval** field.
 - To change the data shown, select **Show All Record Tiles** or **Show Watch List Only** from the **Record Tiles** list.
5. Click **Save**.

Changing Watch Lists on Record Pages Monitor

Record page operations with performance data are called watch lists. You can add up to 10 more operations to the default set.

To add or remove an operation on the watch list:

1. Go to Customization > Performance > Record Pages Monitor.
2. On the Record Pages portlet, point to the upper right corner.
Icons appear.
3. Select **Set up**.
4. In the Set up Record Pages window, click the **Watch List** subtab.
5. Choose to add or remove an operation.
 - To add an operation, click **Add Watch List Item**, select a record type and operation, then click **Add**.
 - To remove an operation you added, click the X icon next to it.
 - To remove all operations you added, click **Remove All**.



Note: You can remove only the operations you added. You can't change the default record page operations.

6. Click **Save**.

Adding a Custom Date and Time Range on Record Pages Monitor

By default, Record Pages Monitor shows data for the last 24 hours. You can change the date range by choosing a preset filter or creating a custom date range. To find out when an issue started, set the date range to a longer period.

The resolution value sets the plot point intervals on the x-axis of the data visualizations.

If you want to review performance for different time periods, create custom filters.

To add or remove a custom date and time range filter:

1. Go to Customization > Performance > Record Pages Monitor.
2. On the Record Pages portlet, point to the upper right corner.
Icons appear.
3. Click the More icon.
4. Select **Set up**.
5. On the Set up Record Pages window, click **Custom Date and Time**.
 - To add a custom filter, click **Add Date and Time**, pick the start and end dates and times, then click **Add**.
6. Click **Save**. The changes show up in the date filter dropdown, and new custom filters appear at the bottom of the list.



Note: A custom date and time range filter cannot span more than 30 days.

- To remove a custom filter you added, click the X icon next to the filter.
- To remove all custom filters you added, click **Remove All**.

Navigating Record Pages Monitor

After you set your chart preferences, watch lists, and custom durations, explore the features on Record Pages Monitor. To open the page, check out [Accessing Record Pages Monitor](#).

When you first open Record Pages Monitor, you'll see the Record Pages portlet with these elements:

- Fields to filter the tiles that appear on the portlet
- Date and time when the data was last refreshed
- Sorting field to arrange the filtered tiles alphabetically
- Initial set of five tiles that contain metrics for record operations
- Refresh icon that appears when you hover over the upper right corner of the portlet
- More options menu next to the Refresh icon, used to configure Record Pages Monitor and export files

Explore features of Record Pages Monitor with these procedures:

- [Filtering and Sorting Tiles on Record Pages Monitor](#)
- [Viewing Tiles on Record Pages Monitor](#)
- [Viewing Charts on Record Pages Monitor](#)
- [Exporting Data from Record Pages Monitor](#)

Filtering and Sorting Tiles on Record Pages Monitor

Use the filters and sorting field to change which record operation tiles appear, and how they're arranged in Record Pages Monitor.

To filter and sort tiles on Record Pages Monitor

1. Go to Performance > Record Pages Monitor.
2. On the Record Pages portlet, go to the first field on the left.
3. From the following options, choose which tiles you want to show on the portlet:
 - **Most Utilized** – Shows record tiles with the highest number of instances first.
 - **Most Users** – Shows record tiles with the highest number of users first.
 - **Highest Response Time** – Shows record tiles with the highest response time first.

By default, the tiles are filtered by the most utilized record operations.
4. From the date and time range field, choose a preset option or a custom range you created. To add a custom range, see [Adding a Custom Date and Time Range on Record Pages Monitor](#).
By default, the tiles show record operations from the last 24 hours.
5. (Optional) From the **Sorting** field, you can arrange the filtered tiles alphabetically by:
 - **Record Type** – Sorts record tiles alphabetically by record type.
 - **Operation** – Sorts record tiles alphabetically by operation.
6. Hover over the upper right corner of the portlet and click the Refresh icon.
The five tiles update based on the options you selected.

Viewing Tiles on Record Pages Monitor

The Record Pages portlet shows five record operation tiles you can filter and sort as you like. Each tile shows metrics like response time, number of users, and record instances for a record operation.

By default, this portlet shows the 10 most utilized record operations in your account, plus up to 10 more from your watch list. For more information about viewing more than 10 operations, see [Changing Watch Lists on Record Pages Monitor](#). You can see up to 20 tiles in the Record Pages portlet.

Use the navigation buttons (< >) on the side of the portlet to browse other tiles. Click any tile to see more details about that record operation. Charts related to that record type and operation appear below the tiles.

For more information, see [Record Pages Monitor Tiles](#).

Viewing Charts on Record Pages Monitor

When you click a tile, charts for that record type and operation appear on the portlet. Here's what you can do on each chart:

- To see details about a specific data point, hover your cursor over it on the chart to see a tooltip.
- To see performance logs for a record type at a specific data point, click that area on the chart. The Page Time Summary page opens. For more information, see [Monitoring Performance with the Page Time Summary](#).
- To zoom in, drag your cursor over a vertical section of the chart.
- To zoom out to the original view, click **Reset Zoom** in the upper right corner of the chart.
- To hide or show data segments on a chart, click any label in the chart legend.

For more information, see [Record Pages Monitor Charts](#).

Exporting Data from Record Pages Monitor

You can export the data from the record tiles to a CSV file. Response times in exported files are averages.

To export data from Record Pages Monitor:

1. Go to Customization > Performance > Record Pages Monitor.
2. On the Record Pages portlet, hover over the upper right corner to display the icons.
3. Click the More icon.
4. Select **Export**.

Monitoring Performance with the Page Time Summary

The Page Time Summary is a troubleshooting tool that shows performance logs by record type. This page shows summary performance log info and a list of instances. It shows a script and workflow time breakdown chart for the selected instance.

Use the Page Time Summary page to measure script and workflow performance. Identify customizations that take too long to run.

For each record instance, you can see the total time all scripts and workflows took to run.

To change Summary aggregations, click the menu at the top right and select **Set Up**. Clear the box to hide that column in the Summary section.

Accessing the Page Time Summary

To open the Page Time Summary page, do one of the following:

- Go to Customization > Performance > Page Time Summary.
- In Record Pages Monitor, click a data point on any graph. For more details, see [Record Pages Monitor Charts](#).

Guidelines for Using the Page Time Summary

Refer to the following guidelines to optimize use of the Page Time Summary:

- Your performance logs don't move with your NetSuite account to the new OCI data center. For the first 29 days after the move, values use only data collected since the move, and not the full 30 days.
- Page Time Summary shows up to 30 days of data. Filter logs by picking any start and end date within that range.
- Performance is measured for each record and each script. You can't check performance for individual API calls.
- Only UI changes are logged on the Page Time Summary page.

About Performance Logs

A performance log includes instances of the selected record type and operation. The summary and table highlight instances that took a long time to run. They help you diagnose related issues. The portlet doesn't track every script or plug-in your account processes.

Each entry lists the following information. Note that all time entries are shown in seconds.

Column	Description
Date and Time	Date and time of the instance.
Email	The email address of the user who is logged in when the operation was performed.
Client	The time it took for the client to format and send the data to the NetSuite server, plus the time it took to display the data when the server responded.
Network	The time it took for the data to move back and forth between the client and the NetSuite server.
SuiteScript	The total time it took for all triggered scripts to run.
Workflow	The total time it took for all triggered workflows to run.
Server	The total page load time spent on retrieving information from the NetSuite server.
Total	The total request speed between all triggered scripts, triggered workflows, the client, and the network.
Page Time Details	Click the icon in this column to open Page Time Details for the instance. For more information, see Using Page Time Details .
Profiler Details	Click the icon in this column to open the Profiler Details page. For more, see Profiling Operations Performance .

Note: Performance Logs show Total, SuiteScript, and Workflow time. These calculate NetSuite System time on the Script and Workflow Time Breakdown chart. For more information, read [Script and Workflow Time Breakdown Chart](#).

Filtering Performance Log Details

To add filters to the performance log details, click the plus icon in the Filters section on the Page Time Summary page. Set your filters, then click **Refresh** to update the values on the Page Time Summary page.

The following filters are available:

Filter	Description
Record Type	The record type where the scripts were deployed. This field shows all scriptable record types.
Operation	The UI operation that triggered the script. ■ View – The script ran when the user clicked View on an existing record (beforeLoad). ■ Edit – The script ran when the user clicked Edit on an existing record (beforeLoad). ■ New – The script ran when the user clicked New to create a record (beforeLoad). ■ Save – The script ran when the user clicked Save or Submit (beforeSubmit), or the script ran after the user clicked Save or Submit (afterSubmit).
Email	The email address of the user logged in when the script ran. If left blank, the search looks at all email messages.
Start Date / End Date	The date and time ranges of the search.
Start Time / End Time	
Response Time	The amount of time to run a record instance.

Filter	Description
	Set the response time filter to greater than, less than, or between two values. Choose upper and lower limits if needed.

Script and Workflow Time Breakdown Chart

This pie chart shows scripts from the Performance Log instance that took a long time. They help diagnose issues. The chart doesn't track every script and plug-in your account processes. The chart also shows what percentage of time the system used. All time values are in seconds.

The Script and Workflow Time Breakdown chart includes an entry for NetSuite System time. NetSuite System time is calculated using the following formula:

NetSuite System Time = Server Time - SuiteScript Time - Workflow Time

Find Total, SuiteScript, and Workflow time in the Details section of Performance Logs. For more, see [About Performance Logs](#). For more information, read [About Performance Logs](#).

You can perform any of the following tasks on the Script and Workflow Time Breakdown chart:

- To view the execution time, place your cursor over a section of the pie chart.
- To show or hide items on the chart, click their labels in the legend.
- To hide or display specific items from the chart, click their corresponding labels on the chart legend.
- To see details for scripts, workflows, or NetSuite system times, go to the Details table. It shows response times and related SuiteApps for server, user event, and client scripts, as well as workflows.
- To export a CSV file of the Details table, click the CSV export icon.

Using Page Time Details

Page Time Details gives you an overview of a specific operation for a chosen date and time. It includes a timeline of scripts, workflows, and plug-ins that ran during the period. It also shows a detailed table with info for each instance. The timeline tracks client header, render, and init timings too. For more information, see [Viewing the Page Time Details Timeline](#).

To learn more about supported script and plug-in types, see [Script and Plug-in Types Supported in APM](#).

Note: Your performance logs don't move with your NetSuite account to the new OCI data center. For the first 29 days, values use only data collected since the move—not the last 30 days.

For more information, see:

- [Accessing Page Time Details](#)
- [Viewing the Page Time Details Timeline](#)
- [About SuiteScript and Workflow Details](#)

Accessing Page Time Details

To access Page Time Details, choose from the following:

- If you have the operation ID from another APM tool, like Profiler Details, go to Customization > Performance > Page Time Details. Enter the ID, then click Search.
Like other tools, Page Time Details has a link to **Profiler Details**. Make sure the **Operation ID** field has a value before clicking Profiler Details, or you'll get an error.

- Go to Customization > Performance > Page Time Summary.

In the Performance Logs section, hover over the **Page Time Details** column and click the view icon. This opens Page Time Details in a new page. For more information, see [Monitoring Performance with the Page Time Summary](#).

Viewing the Page Time Details Timeline

You can view the execution time of scripts and plug-ins on Page Time Details. For more information about the script and plug-in types that can appear on the timeline, see [Script and Plug-in Types Supported in APM](#).

Page Time Details shows scripts and plug-ins that took a long time to run. They're helpful for troubleshooting issues. The page doesn't track every script or plug-in your account processes.

On the Page Time Details page, you can view a header that shows the following information about the page:


- Operation ID
- Page
- Date and Time
- Email Address
- SuiteScript
- Workflow

The header has a **Profiler Details** link that takes you there. For details, see [Profiling Operations Performance](#).

Page Time Details includes a timeline showing how long each record page takes to run. The time segments appear in order.

To view the execution time, place your cursor over a section of data on the timeline. In this example, the Client : Init function for the Calculate Discount script took the most time.

Note: On the page details timeline, gaps between server components count toward NetSuite server time. For example, the screenshot shows a gap between Workflow Sales Order Approval and Line Item Reorder. This shows NetSuite server time, which might also include time for your customizations.



You can track the timing of the following client components on the timeline:

- Client : Header** – This is the time to render the page's head element. Most static assets like CSS and JavaScript load here.

Network delays can make client header times longer. To spot slow-loading assets, check your firewall and network. You can also speed things up by adjusting browser cache settings.

- **Client : Render** – This is how long the browser takes to render after the head element, between Client : Header and Client : Page Init..

An old browser or low RAM/CPU can slow down rendering time.

- **Client : Init** – This is the time client scripts take to run pageInit functions, including your custom scripts and standard operations. If pageInit calls other client scripts, their timing is included here.

PageInit functions run by client scripts are part of Client : Init. They're listed and indented under that line in Page Time Details.

To improve Client : Init time, review your client scripts for the page. Issues like third-party calls and script validations, plus outdated browsers or JavaScript engines, can slow things down.

About SuiteScript and Workflow Details

On the Page Time Details page, the SuiteScript and Workflow Details section follows the timeline.

This section shows scripts and plug-ins that took a long time to run. They help diagnose issues. The table doesn't track every script or plug-in in your account processes.

You can click a column header to sort the list by that column's values.

Each entry includes the following details about each script or workflow that was run during the selected period:

- **Date and Time** – Shows the date and time when the script or workflow was run.
- **Type** – Shows the type of script or workflow that was run.
- **Name** – Shows the script or workflow name. You can click the value in this column to view the SuiteScript analysis. For more information, see [Analyzing Scripts](#).
- **Execution Context** – Shows the type of action that triggered a user event script.
- **Deployment** – Shows the deployment link. You can click the value in this column to see the script deployment record.
- **Total Time** – Shows the total time, measured in seconds, required for all triggered scripts and workflows to run.
- **Usage Units** – Shows the number of governance units that were consumed. For client scripts, this value is not available and is denoted with an en dash (–).
- **Record Operations** – Shows the number of record operations that were executed. For client scripts, this value is not available and is denoted with an en dash (–).
- **URL Requests** – Shows the number of URL requests. For client scripts, this value is not available and is denoted with an en dash (–).
- **Searches** – Shows the number of searches that ran. For client scripts, this value is not available and is denoted with an en dash (–).

To export data as a CSV file, click the CSV export icon at the top left of the SuiteScript and Workflow Details section.

Analyzing Scripts

You can use SuiteScript Analysis to learn about when a script was installed and how it performed in the past.

You can also view the timing of execution for locked scripts that came with a bundle.

To learn more about supported script and plug-in types, see [Script and Plug-in Types Supported in APM](#).



Note: Your performance logs don't move with your NetSuite account to the new OCI data center. For the first 29 days, values use only data collected since the move—not the last 30 days.

To learn more, see:

- [Accessing SuiteScript Analysis](#)
- [Finding a Script](#)
- [Using SuiteScript Details](#)
- [Using the Performance Chart](#)

Accessing SuiteScript Analysis

To open the SuiteScript Analysis page, do one of the following:

- Go to Customization > Performance > SuiteScript Analysis.
- In Page Time Details, go to SuiteScript and Workflow Details and click the script name in the **Name** column.

Finding a Script

To search for a specific script to analyze on the SuiteScript Analysis page:

1. On the SuiteScript Analysis page, click the plus icon in Filters to expand them.
2. Enter values for the filters. You can use the following filter options:

Filter	Description
Start Date and Time	In the date field, choose when the script started. In the next field, choose the time.
End Date and Time	In the date field, choose when the script ended. In the next field, choose the time.
Type	Choose the script or plug-in type from the list. Once set, the Name field fills in with matching records.
Name	Choose the record name from the list.
Client Event Type	This field appears when you select Client from the Type field. Choose the client event type from the list.
Map/Reduce Stage	This field appears when you select Map/Reduce from the Type field. Choose the map/reduce stage you want to investigate from the list.
Context	This field appears when you select any User Event types from the Type field. Choose the context that triggered the script from the list.

3. Click **Refresh**.

Using SuiteScript Details

The SuiteScript Details portlet shows the performance chart details. This portlet includes metrics collected during script execution, such as the number of logs, URL Requests, and record operations during the selected time range.

If you're looking at a client script, you'll only see logs for scripts that ran long enough to help you troubleshoot issues. SuiteScript Analysis doesn't track every script and plug-in your account runs.

Some metrics aren't available for client scripts. If you select a client script, usage count, URL requests, search calls, and record operations show as an en dash (–).

To see the individual instances of the processed script and related summary data on SuiteScript Details, click **View Logs**.

SuiteScript Details	
SCRIPT NAME Test Event	
SCRIPT TYPE User Event (Before Load)	
CONTEXT User Interface	
FROM May 7, 5:00 PM	TO May 8, 1:00 AM
NAME	VALUE
Number of Logs	9
Users	3
Total Time	0.116
Usage Count	20.000
URL Requests	0.000
Search Calls	2.000
Record Operations	0.000
Error Count	0
View Logs	

SuiteScript Details Logs

When you click **View Logs** in SuiteScript Details, the log window opens. The window lists logs for the script or plug-in from the time range you picked. Each log shows the following info:

- **Date and Time** - Shows the date and time when the script or plug-in instance ran.
- **Name** - Shows the name of the user who ran the script or plug-in during the instance.
- **Email Address** - Shows the email address of the user who ran the script or plug-in during the instance.
- **Role ID** - Shows the role the user used to run the script or plug-in.
- **Record ID** - Shows the record tied to the script or plug-in that ran.
- **Context** - Shows where the script or plug-in ran.
- **Total Time** - Shows how many seconds the script or plug-in ran.
- **Usage Count** - Shows how many governance units were used.
- **URL Requests** - Shows how many URL requests ran.
- **Search Calls** - Shows how many searches ran.
- **Record Operations** - Shows how many record operations ran.
- **Includes Errors** - Lets you know if any errors happened when it ran.

- **Profiler Details** – Lets you click an icon to open the Profiler Details page.

Using the Performance Chart

The Performance Chart shows SuiteScript execution data over time. To see more details about the average execution time, just hover over a bar on the chart.



To see execution times for each instance in an hour, click any bar that has more than one instance.

The chart updates and shows execution times for that hour. In this example, response times were higher only from 1:10 to 1:15 p.m.

Click the back button to go back to the main Performance Chart view.

Monitoring SuiteCloud Processors Performance

[How to Monitor the Performance of NetSuite SuiteCloud Processors](#)

You can use the SuiteCloud Processors Monitor to view and analyze how your map/reduce and scheduled script jobs are running. With this tool, you'll spot changes in processor usage and quickly find out what's causing slowdowns. By keeping an eye on your performance, you can find ways to get the most out of your processors and see if you'll need more SuiteCloud Plus licenses.

SuiteCloud Processors Monitor replaces Script Queue Monitor, so you can still check how queue-based deployments are doing.

Note: Your performance logs don't move with your NetSuite account to the new OCI data center. For the first 29 days, values use only data collected since the move—not the last 30 days.

This tool consists of the following dashboards:

- **SuiteCloud Processors Monitor** – Shows important processor settings and stats in different portlets, so you can compare data and boost your performance.
- **SuiteCloud Processors Job Details** – Gives you detailed info about specific deployments based on the filters you pick.

See the following help topics:

- [Using the SuiteCloud Processors Monitor Dashboard](#)
- [Using the SuiteCloud Processors Job Details Dashboard](#)

For more information about SuiteScript, see the following topics:

- [SuiteCloud Processors](#)
- [SuiteScript 2.x Map/Reduce Script Type](#)
- [SuiteScript 2.x Scheduled Script Type](#)
- [SuiteScript 2.x Script Types](#)

Using the SuiteCloud Processors Monitor Dashboard

The SuiteCloud Processors Monitor dashboard is an easy-to-use tool that lets you check how your script jobs are running. You can use it to track both scheduled and map/reduce script jobs..

To choose a date range, see [Setting the Date Range in SuiteCloud Processors Monitor](#).

The dashboard has several portlets. To learn more, check out these help topics:

- [Using the Overview Portlet in SuiteCloud Processors Monitor](#)
- [Using the Processor Settings Portlet in SuiteCloud Processors Monitor](#)
- [Using the Wait Time by Priority Portlet in SuiteCloud Processors Monitor](#)
- [Using the Elevated Priority Portlet in SuiteCloud Processors Monitor](#)
- [Using the Processor Utilization Portlet in SuiteCloud Processors Monitor](#)
- [Using the Job Status Portlet in SuiteCloud Processors Monitor](#)
- [Using the Processor Concurrency Portlet in SuiteCloud Processors Monitor](#)
- [Using the Queue and Processor Details Portlet in SuiteCloud Processors Monitor](#)

Accessing the SuiteCloud Processors Monitor Dashboard

To start using the SuiteCloud Processors Monitor dashboard, go to Customization > Performance > SuiteCloud Processors Monitor.



Important: If you're an Administrator and already use the Application Performance Management (APM) SuiteApp, you'll need to save access again for other roles and employees so they can use the SuiteCloud Processors Monitor Dashboard. For more info, see [Setting Up Access to the Application Performance Management SuiteApp](#).

Setting the Date Range in SuiteCloud Processors Monitor

To pick the date range for all portlets, just click the **Viewing** link at the top right of the SuiteCloud Processors Monitor dashboard.

You can choose a preset or custom time frame from the dropdown list. The date range you pick sets the resolution, which controls the intervals along the x-axis for each chart.

To see the resolution for your chosen date range and portlet, check the following table.

Date Range	Resolution	
	Processor Concurrency Portlet	Other Portlets
Last 1 hour	1 minute	3 minutes

Date Range	Resolution	
	Processor Concurrency Portlet	Other Portlets
Last 3 hours	10 minutes	10 minutes
Last 6 hours	15 minutes	15 minutes
Last 12 hours	30 minutes	30 minutes
Last 24 hours (default)	1 hour	1 hour
Last 3 days	1 hour	3 hours
Last 7 days	1 hour	8 hours
Last 14 days	1 hour	12 hours
Last 30 days	1 hour	1 day
Custom (Limited to dates within the last 30 days)	(refer to preceding resolutions)	(refer to preceding resolutions)

Guidelines for Setting the Date Range for the SuiteCloud Processors Monitor Dashboard

- The SuiteCloud Processors Dashboard only shows data from the past 30 days. If you set a custom date range, pick dates within those 30 days.
- The Processor Concurrency portlet works a little differently—it switches from a line graph to a heat map based on the date range you choose.

Using the Overview Portlet in SuiteCloud Processors Monitor

You can use the Overview portlet in SuiteCloud Processors Monitor to quickly check stats and details about your deployments. The portlet gives you a summary of key processor stats and a detailed table for your scheduled and map/reduce scripts.

The Overview portlet only logs jobs that ran long enough to help you troubleshoot issues. SuiteCloud Processors Monitor doesn't track every job your account runs.

The summary includes the following statistics:

- **Jobs Completed** – Shows the total number of jobs finished in the time range.
- **Jobs Failed** – Shows the total number of jobs that failed during that time.
- **Average Wait Time** – Shows the average wait time for all jobs finished during that time.
- **Processor Utilization** – Shows how much of the total processing time was used to finish jobs during that time.

You'll find these details in the table right after the summary:

- **Deployment name** – Shows the name you gave the deployment record.
- **Script name** – Shows the name you gave the script record.
- **Type** – Shows if the deployment is map/reduce or scheduled.
- **Completed** – Shows how many scripts were completed.
- **Failed** – Shows how many scripts failed.
- **Average execution time** – Shows the average time (in seconds) to run the job.

- **Average wait time** – Shows the average wait before scripts started running.
- **Priority** – Shows the priority level, so you know which jobs run first.
- **Queue** – Shows the assigned queue for scheduled deployments still using queues. For SuiteCloud processor deployments, it shows **-None-**.
- **View details** – Lets you click the icon to open SuiteCloud Processors Job Details in a new page.

Note: You can't sort script jobs by the **Completed**, **Failed**, **Average Execution Time**, or **Average Waiting Time** columns since these are summary formula columns.

Overview ⓘ

Jobs Completed

325

Jobs Failed

23

Average Wait Time

12.5 s

Processor Utilization

48.32%

NTestSuiteLaun - PSQM Random Sch ▾ ⏪ ⏩ Total: 15

DEPLOYMENT NAME ^	SCRIPT NAME	TYPE	COMPLETED	FAILED	AVE EXECUTI...	AVE WAIT TIM...	PRIORITY	QUEUE	VIEW DETAILS
NTestSuiteLauncher	NTestSuiteLauncher	Scheduled	25	1	0.75 s	0.75 s	Low	- None -	
PSQM Random Sched Sc...	PSQM Random Sched Sc...	Map/Reduce	12	1	54.43 s	15.23 s	High	1	
PSQM Random Sched Sc...	PSQM Random Sched Sc...	Scheduled	35	5	69.76 s	13.45 s	Standard	- None -	
PSQM Random Sched Sc...	PSQM Random Sched Sc...	Map/Reduce	15	2	63.34 s	54.30 s	High	3	
PSQM Random Sched Sc...	PSQM Random Sched Sc...	Map/Reduce	45	0	1.00 s	8.00 s	Standard	2	
PSQM Random Sched Sc...	PSQM Random Sched Sc...	Scheduled	53	1	50.45 s	90.23 s	Low	- None -	
PSQM Random Sched Sc...	PSQM Random Sched Sc...	Scheduled	12	1	64.54 s	8.23 s	Low	3	
PSQM Random Sched Sc...	PSQM Random Sched Sc...	Map/Reduce	5	0	40.34 s	16.16 s	High	- None -	

Using the Processor Settings Portlet in SuiteCloud Processors Monitor

You can use the Processor Settings portlet to see your priority elevation and processor reservation settings without having to go to the SuiteCloud Processors Preferences page. This portlet lets you easily see which processor settings help or hurt your script job performance.

Processor Settings ⓘ	
Total No. of Processors	15
Priority Elevation	Custom
Elevation Interval	28800
Processor Reservation	Enabled
No. of Reserved Processors	5
Reserved Processors in Use	2
Reuse Idle Processors	Disabled

You'll find these details in the Processor Settings portlet:

Setting	Description
Total No. of Processors	The total number of processors available to your account.

Setting	Description
Priority Elevation	The priority elevation option set for your account.
Elevation Interval	The time interval based on your priority elevation choice.
Processor Reservation	Shown if the Enable Reservation box is checked on the preferences page. This lets you reserve processors for high-priority jobs.
No. of Reserved Processors	The number of processors reserved for high-priority jobs (shows only if reservation is enabled).
Reserved Processors in Use	The number of reserved processors currently used by your jobs.
Reuse Idle Processors	Shown if the Reuse Idle Processors box is checked. If reserved processors go unused for 24 hours, they can take lower-priority jobs.

Using the Wait Time by Priority Portlet in SuiteCloud Processors Monitor

You can use the Wait Time by Priority portlet to see separate charts for wait times and job counts at each priority level.

The Wait Time by Priority portlet includes the following charts:

- **Total Wait Time** – This line chart shows how long it took to finish jobs in the selected time and priority level.
- **Jobs** – This stacked bar chart shows the total number of jobs in the selected time and how they're split by priority.


When you hover over any part of either chart, you'll see the counts for that interval on both charts. This helps you spot how job counts and priority levels affect total wait time.



Using the Elevated Priority Portlet in SuiteCloud Processors Monitor

You can use the Elevated Priority portlet to compare jobs with elevated priority levels to those that kept their original priorities. It shows a simple pie chart with the total job counts.

Note: Keep an eye on this portlet and the Wait Time by Priority portlet whenever you adjust your processor settings. That way, you can see how changing priority elevation affects wait times and find ways to reduce them.



Using the Processor Utilization Portlet in SuiteCloud Processors Monitor

You can use the Processor Utilization portlet to see how much your SuiteCloud Processors are being used.

You can also look at historical data for the date range you pick and see which settings help you get the best utilization.

You can view the following charts on the Processor Utilization portlet:

- **Utilization** – This bar chart shows how much time your processors were used compared to the total available time in each interval.


The following table shows how to calculate available time and processor utilization:

Field	Formula
Available Time	Resolution (in seconds) × Number of SuiteCloud Processors
Processor Utilization	(Utilized Time / Available Time) × 100%

For more information about date ranges and resolutions, read [Setting the Date Range in SuiteCloud Processors Monitor](#).

- **Jobs** – This stacked bar chart shows the total number of jobs by priority level.


When you hover over any part of either chart, the counts for that interval show up on both charts. This helps you see how the number of jobs affects processor utilization.



Using the Job Status Portlet in SuiteCloud Processors Monitor

You can use the Job Status portlet to compare the number of jobs by status. It shows a simple pie chart of job statuses.


Note: Keep an eye on this portlet and the Processor Utilization portlet when you tweak your processor settings. That way, you'll see which settings make your processors run efficiently and help jobs finish successfully.



Using the Processor Concurrency Portlet in SuiteCloud Processors Monitor

You can use the Processor Concurrency portlet to spot peaks and gaps in your processing bandwidth. This portlet shows your concurrency count over time.

The portlet's graph changes based on the time range you pick. It shows a line graph if you choose less than seven days, or a heat map if you pick seven days or more.




Click any point on the heat map to see a detailed line graph for that time.

Using the Queue and Processor Details Portlet in SuiteCloud Processors Monitor

You can use the Queue and Processor Details portlet to see how jobs handled by scheduling queues differ from those handled by SuiteCloud Processors.

You'll find these charts in the Queue and Processor Details portlet:

- **Jobs** – This pie chart shows how requests are split between scheduling queues and processors.
- **Average Wait Time** – This bar chart compares the average wait time for jobs handled by scheduling queues versus processors. For map/reduce scripts, it only uses data from the getInputData stage.



Using the SuiteCloud Processors Job Details Dashboard

The SuiteCloud Processors Job Details Dashboard lets you dig into the details for a specific deployment or processor job you want to check out. The dashboard has one portlet that shows a detailed table and a matching timeline. To learn more, see [Using the Job Details Portlet in SuiteCloud Processors Job Details](#).

Accessing the SuiteCloud Processors Job Details Dashboard

You can get to the SuiteCloud Processors Job Details dashboard in one of these ways:

- Go to Customization > Performance > SuiteCloud Processors Job Details.
- Go to Customization > Performance > SuiteCloud Processors Monitor. In the Overview portlet, hover over the row you want to check and click the view icon under View Details.

Filtering Data on the SuiteCloud Processors Job Details Dashboard

You can filter data on the SuiteCloud Processors Job Details dashboard by:

- **Start Date/Time and End Date/Time** – Pick the start and end dates using the calendar icons, and adjust the times with the dropdown lists.
- **Task Type** – Choose to see data for all task types or just one using the dropdown.
- **Deployment** – Choose to see data for all deployments or a specific one using the dropdown menu.

The screenshot shows a 'FILTERS' section with four filter groups. Each group has a text input field, a calendar icon, and a dropdown arrow. The values are: Start Date/Time: 05/01/2018, 4:45 PM; End Date/Time: 05/21/2018, 1:00 AM; Task Type: Map/Reduce; Deployment: - All Deployments -.

Using the Job Details Portlet in SuiteCloud Processors Job Details

You can use the Job Details portlet on the SuiteCloud Processors Job Details dashboard to see details for specific deployments. It has a table of performance stats and a timeline.


The Job Details portlet only logs jobs that ran long enough to help you troubleshoot issues. SuiteCloud Processors Job Details doesn't track every job your account runs.



Note: Be aware of the following:

- Deployments handled by SuiteCloud Processors are marked as **- None -** in the Queue column.
- You can't sort script jobs by the **Execution Time** column since it's a summary formula column.

The timeline shows how long your scheduled and map/reduce script jobs waited and ran. Hover over any value on the timeline chart to see the stats.



Analyzing Web Services Performance

Application Performance Management (APM) lets you see summary data about your SOAP and REST web services using overviews, stats, and charts. These tools give you a quick look at your web services integrations, so you can handle errors, make changes, and keep things running smoothly.

You can track web services performance with these tools in Application Performance Management (APM):

- **SOAP Web Services Analysis** – This tool lets you track how your top SOAP web services operations are running and how records are processed. It shows the status breakdown, details about API versions used in requests, and more info on each operation.
- **REST Web Services Analysis** – This tool lets you track your REST web services operations. You'll see info about top operations, users, requests, error stats, and execution times.

Guidelines for Analyzing Web Services Performance

- SOAP Web Services Analysis and REST Web Services Analysis only show synchronous operations and requests. To learn more about the difference between synchronous and asynchronous processing, see the help topic [Synchronous Versus Asynchronous Request Processing](#).
- Your performance logs won't move with your NetSuite account to the new OCI data center. For the first 29 days, you'll only see data collected since the move—not the last 30 days.

To check your SOAP web services performance, see these help topics:

- [SOAP Web Services Analysis Overview](#)
- [Using SOAP Web Services Analysis](#)

To check your REST web services performance, see these topics:

- [REST Web Services Analysis Overview](#)
- [Using REST Web Services Analysis](#)

SOAP Web Services Analysis Overview

SOAP Web Services Analysis lets you track how your top SOAP web services operations and record processing are performing. It shows the status breakdown for SOAP web services, info about the API versions used in requests, and more details for each operation.

Watch this video for a quick introduction to SOAP Web Services Analysis:

 [Monitoring SOAP Web Services in the APM SuiteApp](#)

Accessing SOAP Web Services Analysis

To get started with the Web Services Analysis dashboard, go to Customization > Performance > SOAP Web Services Analysis.


Using SOAP Web Services Analysis

To start using SOAP Web Services Analysis, see the following help topics:

- [Filtering Data in SOAP Web Services Analysis](#)
- [Monitoring Top SOAP Web Services Operations](#)
- [Viewing SOAP Web Services Operation Details](#)
- [Monitoring Top SOAP Web Services Record Processing](#)
- [Monitoring the Status of SOAP Web Services](#)
- [Monitoring the API Version Usage of SOAP Web Services](#)

Filtering Data in SOAP Web Services Analysis

To filter data for all portlets, just click **Date Range** at the top right of the page.



Set the data according to the following filters:

- **Date Range** – Lets you pick a preset or custom range. Each range has its own resolution, which sets the plot point intervals on the x-axis.

Date Range	Resolution
1 hour	3 minutes
3 hours	10 minutes
6 hours	15 minutes
12 hours	30 minutes
24 hours (default)	1 hour
3 days	3 hours
7 days	8 hours
14 days	12 hours
30 days	1 day

- **Integration** – Lets you filter data for a specific web service integration.

Click **Apply** to set your filters for all portlets.

Click **Refresh** at the top left to update the data with your selected filters.

Monitoring Top SOAP Web Services Operations

The Top SOAP Web Services Operations portlet helps you track how your top SOAP-based web services performed.

Use this portlet to spot trends, find inconsistencies, and make smart changes to your operations.



The Top SOAP Web Services Operations portlet includes overview statistics that show the following:

- **Users** – The total number of users for the top operations.
- **Total Requests** – The total number of requests for the top operations.

- **Total Errors** – The total number of errors that happened when the top operations ran.
- **Error Rate** – The percentage of errors for the top operations (errors compared to total requests).
- **Total Records** – The total number of records for the top operations.

To see more details for any operation, click a data point to open the Web Services Operation Details page. For more information, see [Viewing SOAP Web Services Operation Details](#).


The portlet shows visual data in charts for up to 10 operations. The portlet includes these charts:

- **Execution Time** – The median time (in seconds) it takes for each operation to run.
- **Requests** – The total number of requests for each operation, stacked to show which finished and which failed.
- **Error Rate** – The percentage of errors for each operation.
- **Records** – This chart compares total records per operation with records per minute.

Viewing SOAP Web Services Operation Details

SOAP Web Services Operation Details shows these portlets:


- **SOAP Web Services Operation Details** – A summary of data for the web service operation, including total records, request counts, error rate, and execution time.



- **Performance Details** – These four charts show execution time, error rate, requests, and records for the operation at different times. Click any data point to open the Web Services Operation Logs window. For more, see [Web Services Operation Logs](#).



- **Top Records Performance** – This line graph compares execution times for each record type at different times, showing up to five record types at once. Click a data point to open the Web Services Record Processing Logs window. For more, see [Web Services Record Processing Logs](#).



Viewing SOAP Web Services Logs

SOAP Web Services Operations Details shows two sets of log tables: one for operation logs and one for record processing logs.

This page only shows instances that ran long enough to help you troubleshoot issues. This tool doesn't track all operations and records your account has processed.

Web Services Operation Logs

The Web Services Operation Logs window pops up when you click a data point in the Performance Details chart.

Web Services Operation Logs					
Apr 15 2018 11:30:00 PM - Apr 15 2018 11:33:00 PM Total: 19					
DATE AND TIME ▲	EMAIL ADDRESS	EXECUTION TIME	TOTAL RECORDS	STATUS	PROFILER DETAILS
Apr 15 2018 11:30:00 PM	nwolfe@netsuite.com	23.340 s	52	Finished	
Apr 15 2018 11:31:00 PM	nwolfe@netsuite.com	3.250 s	51	Rejected Account Concurrency	
Apr 15 2018 11:32:00 PM	nwolfe@netsuite.com	5.870 s	22	Failed	
Apr 15 2018 11:33:00 PM	nwolfe@netsuite.com	10.540 s	64	Rejected User Concurrency	
Apr 15 2018 11:34:00 PM	nwolfe@netsuite.com	3.660 s	17	Rejected Integration Concurrency	
Apr 15 2018 11:35:00 PM	nwolfe@netsuite.com	16.540 s	19	Finished	
Apr 15 2018 11:36:00 PM	nwolfe@netsuite.com	10.550 s	30	Failed	
Apr 15 2018 11:37:00 PM	nwolfe@netsuite.com	3.410 s	87	Finished	
Apr 15 2018 11:38:00 PM	nwolfe@netsuite.com	21.340 s	3	Finished	
Apr 15 2018 11:39:00 PM	nwolfe@netsuite.com	2.340 s	76	Rejected User Concurrency	


This window includes the following information:

- **Date and Time** – The date and time for each instance.
- **Email Address** – The user's email who ran the instance.
- **Execution Time** – How long it took to run the instance.
- **Total Records** – The total records accessed when the instance ran.

- **Status** – The instance's status after it ran.
- **Profiler Details** – Lets you click a view icon to open the Profiler Details page for the instance. Profiler Details gives you info about the timing and context of an operation, action, or request.

Web Services Record Processing Logs

The Web Services Record Processing Logs window pops up when you click a data point in the Performance Details chart.



Web Services Record Processing Logs					
Apr 15 2018 11:30:00 PM - Apr 15 2018 11:33:00 PM Total: 19					
DATE AND TIME ^	EMAIL ADDRESS	EXECUTION TIME	RECORD TYPE	OPERATION	PROFILER DETAILS
Apr 15 2018 11:30:...	rwolfe@netsuite.com	23.340 s	Customer	Add	
Apr 15 2018 11:31:...	rwolfe@netsuite.com	3.250 s	Customer	Delete	
Apr 15 2018 11:32:...	rwolfe@netsuite.com	5.870 s	Lead	Delete	
Apr 15 2018 11:33:...	rwolfe@netsuite.com	10.540 s	Item	Update	
Apr 15 2018 11:34:...	rwolfe@netsuite.com	3.660 s	Item	Add	
Apr 15 2018 11:35:...	rwolfe@netsuite.com	16.540 s	Customer	Add	
Apr 15 2018 11:36:...	rwolfe@netsuite.com	10.550 s	Employee	Update	
Apr 15 2018 11:37:...	rwolfe@netsuite.com	3.410 s	Customer	Update	
Apr 15 2018 11:38:...	rwolfe@netsuite.com	21.340 s	Sales Order	Add	
Apr 15 2018 11:39:...	rwolfe@netsuite.com	2.340 s	Customer	Update	


This window includes the following information:

- **Date and Time** – The date and time for each instance.
- **Email Address** – The user's email who ran the instance.
- **Execution Time** – How long it took to run the instance.
- **Record Type** – The type of record processed.
- **Operation** – The operation that was processed.
- **Profiler Details** – Lets you click a view icon to open the Profiler Details page for the instance. Profiler Details gives you info about the timing and context of an operation, action, or request.

Monitoring Top SOAP Web Services Record Processing


The Top SOAP Web Services Record Processing portlet groups data points by record type. You can use this portlet to spot and fix issues in record processing.

To change which data you see, click the dropdown arrow at the top left and pick either **Execution Time** or **Instance Count**. Each chart can display up to 10 record types.




Execution Time View

When you pick this view, it shows how long it took for operations in each record type to run their requests.




Click any operation in the legend to hide it from the chart.



Instance Count View


If you choose this view, you'll see how many requests ran for each record type.



Web Services Record Processing


To learn more about a record type, click its name or bars in the chart. You'll see a pop-up chart with data about a web service operation for that record type at different times.

To see data for a specific operation, pick it from the dropdown arrow at the top left of the window.




Monitoring the Status of SOAP Web Services

The SOAP Web Services Status Breakdown portlet shows the status of web services operations and record processing with pie charts. You can use this portlet to keep an eye on your web services health and quickly respond to failures or errors. Point to any section of the pie chart to see the percentage and number of requests or records.



You can also click any status in the legend to hide it from the chart.




Monitoring the API Version Usage of SOAP Web Services

The SOAP Web Services API Version Usage portlet shows the total SOAP web service requests for each API version. Each version is color-coded based on its level of support. This portlet helps you keep track of API changes and predict their impact on your web services.

API versions are color-coded by these support levels:

- **Retired** – This API version isn't in the system anymore and isn't supported.
- **Not Supported** – This API version is still in the system, but it's not supported.
- **Supported** – This API version exists, can be used, and is supported.
- **Not Released** – This API version exists but hasn't been released yet.



Note: To filter data for all portlets by date range, see [Filtering Data in SOAP Web Services Analysis](#). You can pick a preset date range or choose Custom to set one within the last 30 days.

REST Web Services Analysis Overview

REST Web Services Analysis lets you track how your REST web services operations are performing. It shows info about top REST operations, users, requests, error stats, and execution times..

Watch this video for a quick intro to REST Web Services Analysis:

[Monitoring REST Web Services in the APM SuiteApp](#)

Accessing REST Web Services Analysis

To get started, go to Customization > Performance > REST Web Services Analysis.


Using REST Web Services Analysis

To get started with REST Web Services Analysis, check out these help topics:

- [Filtering Data in REST Web Services Analysis](#)
- [Monitoring REST Web Services Performance](#)
- [Viewing REST Web Services Logs](#)

Filtering Data in REST Web Services Analysis

To filter data for all portlets, just click **Date Range** at the top right of the page.



The screenshot shows a 'FILTERS' section with two dropdown menus. The 'DATE RANGE' dropdown is set to 'Last 24 Hours' and the 'INTEGRATION' dropdown is set to '- All Integrations -'.

Use these filters to set what data you see:

- **Date Range** – Lets you pick a preset or custom range. Each range has its own resolution, which sets the plot point intervals along the x-axis.

Date Range	Resolution
1 hour	3 minutes
3 hours	10 minutes
6 hours	15 minutes
12 hours	30 minutes
24 hours	1 hour
3 days	3 hours
7 days	8 hours
14 days	12 hours
30 days	1 day

- **Integration** – Lets you filter data by a specific web service integration.

Click **Apply** to set your filters for all portlets.

Click **Refresh** at the top left to update the data with your selected filters.


Monitoring REST Web Services Performance

REST Web Services Analysis uses the following portlets to help you monitor the performance of REST web services:

- [Overview Portlet](#)
- [Top REST Web Services Operations Portlet](#)

Overview Portlet

The Overview portlet shows summary stats and charts for REST-based web services that ran in your account.



The portlet shows:

- **Users** – The total number of users for these operations.
- **Total Requests** – The total number of requests for these operations.
- **Error Rate** – The percentage of requests that ended with errors.
- **Errors Pie Chart** – Shows how errors are spread across the operations.

Top REST Web Services Operations Portlet

The Top REST Web Services Operations portlet shows info about the top five operations in separate tiles.



Each tile shows:

- **Execution Time** – How long it took to process the operation.
- **Error Rate** – The percentage of requests that had errors.
- **Total Requests Icon** – The total number of requests for the operation.
- **Execution Time Chart** – A small chart showing execution times for this operation over time.

To see more details and charts for an operation, click its tile.

You'll see these charts:

- **Execution Time** – How long each request took for this operation over time.
- **Requests** – The number of requests this operation ran over time.
- **Error Rate** – The percentage of errors this operation had over time.

Click any data point in a chart to open the related Web Services Operation Logs table. For more, see [Viewing REST Web Services Logs](#).

Viewing REST Web Services Logs

An operation logs table pops up when you click a data point in a chart from the Top REST Web Services Operations portlet.

The operation logs table only shows instances that ran long enough to help you troubleshoot issues. This tool doesn't track every operation or record your account processed.

get Dec 1, 2015, 3:45 AM – 4:00 AM ⓘ

Apr 16 2018 12:30:00 AM - Apr 16 2018 12:33:00 AM ◀ ▶ Total: 19						
DATE AND TIME *	EXECUTION TIME	STATUS	EMAIL ADDRESS	HTTP METHOD	HTTP STATUS CODE	URL
Apr 16 2018 12:30:00 AM	23.340 s	Finished	rwolfe@netsuite.com	POST	204	/services/rest/record/v1/custo...
Apr 16 2018 12:31:00 AM	3.250 s	Failed	rwolfe@netsuite.com	POST	204	/services/rest/record/v1/salesO...
Apr 16 2018 12:32:00 AM	5.870 s	Failed	rwolfe@netsuite.com	DELETE	404	/services/rest/record/v1/custo...
Apr 16 2018 12:33:00 AM	5.870 s	Failed	rwolfe@netsuite.com	DELETE	404	/services/rest/record/v1/custo...
Apr 16 2018 12:34:00 AM	10.540 s	Failed	rwolfe@netsuite.com	POST	400	/services/rest/record/v1/custo...
Apr 16 2018 12:35:00 AM	16.540 s	Finished	rwolfe@netsuite.com	GET	204	/services/rest/record/v1/custo...
Apr 16 2018 12:36:00 AM	10.550 s	Failed	rwolfe@netsuite.com	GET	404	/services/rest/record/v1/custo...
Apr 16 2018 12:37:00 AM	3.410 s	Finished	rwolfe@netsuite.com	GET	204	/services/rest/record/v1/salesO...
Apr 16 2018 12:38:00 AM	21.340 s	Finished	rwolfe@netsuite.com	POST	204	/services/rest/record/v1/salesO...
Apr 16 2018 12:39:00 AM	2.340 s	Failed	rwolfe@netsuite.com	GET	204	/services/rest/record/v1/custo...

This table includes the following information:

- **Date and Time** – The date and time for each instance.
- **Execution Time** – How long it took to run the instance.
- **Status** – The instance's status after it ran.
- **Email Address** – The user's email who ran the instance.
- **HTTP Method** – The method used in the HTTP call.
- **HTTP Status Code** – The numbered code for the HTTP status.
- **URL** – The internal URL used to access and test the integration.

Analyzing Search Performance

[How to Use the NetSuite Search Performance Analysis Tools](#)

Saved searches give you the latest and most accurate business insights for smarter decisions. You can spot performance issues with saved searches by monitoring them in real time. In the Application Performance Management (APM) SuiteApp, NetSuite gives you tools to track and analyze your saved searches' performance.

Guidelines for Analyzing Search Performance

Use these guidelines to get the most out of search performance tools:

- If you're an Administrator already using the APM SuiteApp, you'll need to save access again for other roles and employees so they can use the search performance tools. For more information, see [Setting Up Access to the Application Performance Management SuiteApp](#).

For more information, see [Setting Up Access to the Application Performance Management SuiteApp](#).

- Your performance logs won't move with your NetSuite account to the new OCI data center. For the first 29 days, you'll only see data collected since the move—not the last 30 days.

To learn more about each tool, read the topics:

- [Using the Search Performance Analysis Dashboard](#)
- [Using the Search Performance Details Dashboard](#)

Using the Search Performance Analysis Dashboard

The Search Performance Analysis dashboard lets you keep an eye on multiple saved searches all on one page. It shows saved searches as tiles with helpful metrics that update in real time. You can use this tool to quickly spot saved search performance issues and anomalies. The dashboard also lets you quickly compare stats between saved searches.

To get started, read [Using the Saved Searches Portlet](#).


Accessing the Search Performance Analysis Dashboard

To start using the dashboard, just go to Customization > Performance > Search Performance Analysis.


Using the Saved Searches Portlet

Saved searches show up as tiles. The portlet shows the top ten saved searches based on your filters. Each tile shows:

- **Execution Time** – The median number of seconds it took for the saved search to run during the selected time. This time counts just the search itself, not filters, fields, or the UI.
- **Timeout Rate** – The percentage of saved search executions that timed out during the period.
- **Number of Users** – The total number of users who accessed the saved search during the period.
- **Number of Requests** – The total number of requests for the saved search during the period.
- **Execution Time Line Graph** – A line graph that shows median execution time for the selected period.



You can change the time range for the data using the dropdown at the top left of the page. You can pick from the following options:



If you want info for a custom time frame, click the saved search tile. You'll go to the Search Performance Details Dashboard, where you can filter data by start and end date/time. To learn more, read [Filtering Data on the Search Performance Details Dashboard](#).

You can also sort the data by most requested, most timeouts, most users, or highest execution time. To sort, pick an option from the dropdown at the top right of the page.

Using the Search Performance Details Dashboard

The Search Performance Details Dashboard gives you deeper stats about each saved search's performance. The dashboard has two portlets and shows summary lists, charts, and logs for a specific saved search. You can use it to gather data for performance reviews or troubleshooting.

To learn more about the dashboard portlets, see:

- [Accessing the Search Performance Details Dashboard](#)
- [Filtering Data on the Search Performance Details Dashboard](#)

You can get to the Search Performance Analysis dashboard in these ways:

- [Viewing Saved Search Details](#)
- [Viewing Saved Searches by Context](#)

Accessing the Search Performance Details Dashboard

You can get to the Search Performance Analysis dashboard in these ways:

- Go to Customization > Performance > Search Performance Details.
- Go to Customization > Performance > Search Performance Analysis and click a saved search tile.

Filtering Data on the Search Performance Details Dashboard

You can filter data on the Search Performance Details dashboard by:

- **Start Date/Time and End Date/Time** – Pick the start and end dates using the calendar icons, and adjust the times with the dropdowns.
- **Saved Search** – Show data for all saved searches or just one using the dropdown.


Click **Refresh** at the top left to update the data with your new filters.

Viewing Saved Search Details

The Saved Search Details portlet shows summary lists and four charts with detailed performance stats. You'll find these charts on the portlet:

- **Execution Time** – A line graph of median execution time for saved searches over a set period. This time only counts the search retrieval—not filters, fields, or the UI.
- **Requests** – A combined bar and line chart that overlays timeout counts with success or failure statuses over time.
- **Context** – A pie chart that shows how often different contexts used the saved search during the period.
- **Histogram** – A chart comparing the number of saved searches in different execution time ranges.

Hover over any chart value to see a quick summary of related data.



Viewing Saved Search Logs


Click any chart value to view logs for that saved search.

The saved search logs only include runs that took long enough to help you troubleshoot issues. Saved Search Details doesn't track every operation or record your account processed.

The logs show the date, user, context, execution time, success, and timeout. Click the icon in the **Profiler Details** column to see more details.

Viewing Saved Searches by Context

The Saved Searches by Context portlet lets you track how execution time changes across different contexts over time. It helps you spot trends in saved search performance based on the context and timing.



You can also click any item in the legend to hide or show that data segment.

Monitoring Web Services and RESTlet Concurrency

Use the Concurrency Monitor tool to check how your web services and RESTlet integrations are performing. The tool includes dashboards that show important data about your concurrent requests and limits. You can use this info to optimize your integration schedules and make the most of your SuiteCloud Plus licenses. Concurrency Monitor shows estimated integration concurrency and error rates to help you decide if you need to change account settings, adjust integrations, or add SuiteCloud Plus licenses.

Note: Your NetSuite account's integration concurrency limit depends on how many SuiteCloud Plus licenses you have. To learn more about your account's integration concurrency limit based on your SuiteCloud Plus licenses, see the help topic [SuiteCloud Plus Settings](#).

Guidelines for Monitoring Web Services and RESTlet Concurrency

Use these guidelines to get the most out of the Concurrency Monitor tool:

- Data from internal applications isn't shown since those requests don't count toward your integration concurrency limit. For more information, read the help topic [Concurrency Governance for Internal Applications](#).
- Your performance logs won't move with your NetSuite account to the new OCI data center. For the first 29 days, you'll only see data collected since the move—not the last 30 days.

See the following help topics:

- [Concurrency Monitor Overview](#)
- [Using the Concurrency Monitor Dashboard](#)
- [Using the Concurrency Details Dashboard](#)

Concurrency Monitor Overview

Concurrency Monitor lets you track how your web services and RESTlet integrations are performing. It has two dashboards that give you different levels of detail to help you investigate. You'll see different displays depending on what governance type your account uses.

For more information, see the following:

- [Governance Types on Concurrency Monitor](#)

- [Concurrency Monitor Dashboards](#)
- [Accessing Concurrency Monitor Dashboards](#)

Governance Types on Concurrency Monitor

The data you see in Concurrency Monitor changes based on your account's governance type. The tool gives you concurrency data for these account types:

- **Accounts without integration-specific limits** — These accounts don't have governed concurrency requests or limits set for integrations.
- **Accounts with integration-specific limits** — These accounts have governed concurrency requests, with part of the limit set aside for specific integrations.

For these accounts, Concurrency Monitor shows separate data for:

- **Allocated Limit** — Shows concurrency data for an integration with a set concurrency limit.
- **Unallocated Limit** — Shows concurrency data for requests or integrations with no set concurrency limit.

Allocated and unallocated limits add up to your account's total concurrency limit. You can see these in the Overview sections of the **Unallocated Limit** and **Allocated Limit** subtabs in Concurrency Monitor.

Concurrency Monitor Dashboards

Concurrency Monitor has these dashboards:

- **Concurrency Monitor** — Gives you an overview of your account's concurrency and available integrations. The dashboard has an estimated concurrency rates chart showing errors and peak levels for each hour. Click any point to open the Concurrency Details dashboard.
- **Concurrency Details** — Shows concurrency data for the hour you picked in the main dashboard, with minute-by-minute counts. You can also view logs for specific times.

Accessing Concurrency Monitor Dashboards

The table below shows how you can access each Concurrency Monitor dashboard:

Dashboard	Navigation
Concurrency Monitor	Go to Customization > Performance > Concurrency Monitor.
Concurrency Details	To open the page: 1. Go to Concurrency Monitor. 2. On the Estimated Concurrency Rates chart, click a data point.



Important: If you're an Administrator already using the APM SuiteApp, you'll need to save access again for other roles and employees so they can use the Concurrency Monitor. For more info, see [Setting Up Access to the Application Performance Management SuiteApp](#).

Using the Concurrency Monitor Dashboard


The Concurrency Monitor dashboard gives you an overview of your account's concurrency data and available integrations. Use this dashboard to see concurrency data for different date ranges.

To set the date range, see [Filtering Data on the Concurrency Monitor Dashboard](#).

Concurrency Monitor automatically shows data based on your account's governance type. For more, see [Governance Types on Concurrency Monitor](#).


Accounts without Integration-Specific Limits

The following view appears for accounts without integration-specific limits:




Accounts with Integration-Specific Limits

For accounts with integration-specific limits, Concurrency Monitor splits the data into allocated and unallocated limits. Click the **Allocated Limit** subtab to see data for integrations with a set concurrency limit.



To see data for requests or integrations without a set concurrency limit, click the **Unallocated Limit** subtab:



To learn more about the dashboard portlets, see these help topics:

- [Viewing the Overview Portlet in the Concurrency Monitor Dashboard](#)
- [Viewing the Estimated Concurrency Rates Chart in the Concurrency Monitor Dashboard](#)

Filtering Data on the Concurrency Monitor Dashboard

You can choose from these date ranges to filter data on the Concurrency Monitor Dashboard:

- Last 3 Days
- Last 7 Days
- Last 14 Days
- Last 30 Days

To filter data on the Concurrency Monitor Dashboard:

1. Go to Customization > Performance > Concurrency Monitor.
2. On the upper corner of the Concurrency Monitor page, click the **Date Range** link.
3. Select a date range.
4. Click **Apply**.
5. To update all portlets with your changes, click **Refresh** at the top left of the dashboard.

Viewing the Overview Portlet in the Concurrency Monitor Dashboard

Here's what you'll see in the Overview portlet on the Concurrency Monitor dashboard:

- **Concurrency Limit** – The maximum number of concurrent web services and RESTlet requests you can run, based on your service level and SuiteCloud Plus licenses for your production, sandbox, and release preview accounts. Web services and RESTlet integrations are rejected if you go over your limit.
- **Peak Concurrency** – The estimated highest number of concurrent requests during your selected date range. It also shows the date and time of that peak.

 **Note:** The peak concurrency here is an estimate and might differ from the exact value on the Concurrency Details dashboard.

- **Close to the Limit Rate** – How often your requests got close to the concurrency limit. It also shows the range used to define this rate.
- **Over the Limit Rate** – How often your requests went over the concurrency limit.
- **Error Rate** – How often your concurrency requests ran into errors.

Viewing the Estimated Concurrency Rates Chart in the Concurrency Monitor Dashboard

Use the Estimated Concurrency Rates chart in the Concurrency Monitor dashboard to see peak concurrency counts and error rates for each hour. Each cell in the chart stands for one hour in your selected date range.

The total number of concurrency counts in this table might be different from what you see on the Concurrency Details dashboard. To give you a fuller picture, Concurrency Monitor might fill in generic values when the real limit isn't available. For accurate estimates at a specific time, just click a cell to see the full details on the Concurrency Details page.

Click any data in the chart to go to the Concurrency Details dashboard—it shows concurrency data by the minute. To learn more, see [Using the Concurrency Details Dashboard](#).

Using the Concurrency Details Dashboard

The Concurrency Details dashboard lets you see the exact concurrency counts for each minute in the hour you clicked on in Concurrency Monitor.

Concurrency Details includes an overview for the selected time. To learn more, see [Viewing the Overview Portlet in the Concurrency Details Dashboard](#).


The Concurrency Count chart shows which minutes are within the limit, over the limit, or have errors. The dotted red line marks the concurrency limit for the hour you're checking. Sometimes, you might see errors even when the concurrency count for a minute is below the limit. For more, see [Viewing the Concurrency Count Chart in the Concurrency Details Dashboard](#).

Concurrency Details also lets you view logs about concurrency requests at specific times. To learn more, see [Viewing Request Logs in the Concurrency Details Dashboard](#).

The dashboard shows data based on your account's governance type.


Accounts without Integration-Specific Limits

The following view appears for accounts without integration-specific limits:




Accounts with Integration-Specific Limits

If you're viewing an account with integration-specific limits, Concurrency Details shows data filtered by the subtab and cell you clicked on in Concurrency Monitor. Before digging in, make sure you've picked the right subtab—Allocated Limit or Unallocated Limit—from Concurrency Monitor.



If you're in the **Unallocated Limit** subtab on the Concurrency Monitor dashboard, you'll see this view:



Viewing the Overview Portlet in the Concurrency Details Dashboard

What you see in the Overview portlet in the Concurrency Details dashboard depends on your account's governance type. The table below shows the stats available for each type:

Governance Type	Statistic	Description
All Types	Concurrency Limit	The maximum number of concurrent web services and RESTlet requests you can run, based on your service level and SuiteCloud Plus licenses. If you go over this limit, web services and RESTlet integrations get rejected.
	Peak Concurrency	The highest concurrency count found in your selected date range, along with the date and time it happened. Note: The Concurrency Details dashboard shows the exact peak concurrency value, which may be different from the estimate on the Concurrency Monitor dashboard.
	Error Rate	How often your concurrency requests ran into errors.
Accounts without Integration-Specific Limits	Top Integrations with Unallocated Limits	Lists the integrations that were not allocated with a concurrency limit and which ran the highest amount of concurrent requests.
Accounts with Integration-Specific Limits - Unallocated Limit View	Top Integrations with Unallocated Limits	Lists the integrations without a set concurrency limit that ran the most concurrent requests.


Viewing the Concurrency Count Chart in the Concurrency Details Dashboard

Use the Concurrency Count Chart in the Concurrency Details dashboard to see the exact concurrency counts for each minute of the hour you picked.


The Concurrency Count chart shows which minutes are within or over the limit, and which have errors. The dotted red line marks your concurrency limit for that hour. Red bars mean concurrency requests hit errors.

If there are a lot of errors, the error bars go above the dotted red line. Sometimes errors show up in more than just the first minute—they can appear in following minutes too, even if the concurrency count is below the limit.

For example, in the next chart, there's a high error count above the line at 8:49 p.m. Errors still appear at 8:50 p.m., even though the concurrency count drops below the line.



Errors shouldn't show up below the dotted red line unless they happen right after a minute with a lot of errors. If your chart shows errors below the line for no clear reason, reach out to NetSuite Customer Support.



To see how many requests ran within or over the limit—or hit errors—just point to a bar on the chart. To see more minutes, click and drag to zoom in on the chart.

When you hover over a bar, you'll see a **View Requests** link in the tooltip. Click it to open the Concurrency Request Logs window. For more information, see [Viewing Request Logs in the Concurrency Details Dashboard](#).

Viewing Request Logs in the Concurrency Details Dashboard

When you hover over a bar on the Concurrency Count chart, you'll see a **View Requests** link—click it to open the Concurrency Request Logs window.

The Concurrency Request Logs window shows details about concurrency requests for a specific time. To move through the list, use the paging toolbar in the top right of the popup. Click the arrows or pick a page from the dropdown list.

Concurrency Request Logs						
4/16/2018 3:30 pm - 4/16/2018 3:40 pm < > Total: 19						
START DATE ^	END DATE	TYPE	INTEGRATION	OPERATION	SCRIPT NAME	STATUS
4/16/2018 3:30 pm	4/16/2018 3:45 pm	WEB SERVICE	Custom Integrati...	addList	-	Finished
4/16/2018 3:31 pm	4/16/2018 3:45 pm	WEB SERVICE	XYZ Integration 1	update	-	Failed
4/16/2018 3:32 pm	4/16/2018 3:37 pm	RESTLET	-	-	SJG Script	REJECTACCOUNTCONCURRENCY
4/16/2018 3:33 pm	4/16/2018 3:41 pm	WEB SERVICE	Custom Integrati...	get	-	Finished
4/16/2018 3:34 pm	4/16/2018 3:39 pm	WEB SERVICE	XYZ Integration 1	addList	-	Failed
4/16/2018 3:35 pm	4/16/2018 3:48 pm	RESTLET	-	-	LSA script	REJECTACCOUNTCONCURRENCY
4/16/2018 3:36 pm	4/16/2018 3:46 pm	WEB SERVICE	ABC Integration 1	deleteList	-	REJECTUSERCONCURRENCY
4/16/2018 3:37 pm	4/16/2018 3:49 pm	WEB SERVICE	Custom Integrati...	getList	-	Failed
4/16/2018 3:38 pm	4/16/2018 3:44 pm	RESTLET	-	-	CUSTOMER restle...	Finished
4/16/2018 3:39 pm	4/16/2018 3:48 pm	WEB SERVICE	XYZ Integration 1	get	-	Finished

Profiling Operations Performance

You can use Profiler Details to see the timing breakdown and context of an operation then locate and correct performance bottlenecks.

Profiler Details helps you dig deeper into performance issues you see in Page Time Summary, Page Time Details, SuiteScript Analysis, SOAP Web Services Analysis, and Search Performance Details. You'll find this page only through links in tables or logs on those pages. To look into a performance issue, pick the operation you're interested in, then head to its Profiler Details page. For more information, see [Accessing Profiler Details](#).

Note: Your performance logs don't move with your NetSuite account to the new OCI data center. For the first 29 days, you'll only see data collected after the move—not the previous 30 days.

For more information about Profiler Details, see the following help topics:

- [Profiler Details Overview](#)
- [Using Profiler Details](#)

Profiler Details Overview

Profiler Details lets you collect performance data on the timing and context of an operation, action, or request, so you can spot what's causing slowdowns.

Profiler Details only logs scripts that run long enough to help you troubleshoot issues. It doesn't track every script and plug-in your account runs.

Profiler Details show contextual data from the following Application Performance Management (APM) tools:

- Page Time Summary
- Page Time Details
- SuiteScript Analysis
- SOAP Web Services Analysis
- Search Performance Details

Profiler Details Limitations

The Profiler Details page has a few limits:

- Profiler Details logs only the operations that have customizations.
- Profiler Details cannot display information about client scripts.

Using Profiler Details

To open Profiler Details, just click a link or icon on certain Application Performance Management (APM) pages. Profiler Details uses data from the APM page to give you context about the operation you want to check out.

The Profiler Details page consists of the following areas:

- **Header** – Here you'll see simple details about the operation, like its ID, start time, and date. To learn more, see [Viewing the Details of an Operation](#).
- **Timeline** – This section shows when each child record ran and for how long. For details, read [Viewing Data on the Timeline Section of Profiler Details](#).
- **Timing Details** – This section gives you more details about each child record's context and type. For more, see [Viewing Data on the Timing Details Section of Profiler Details](#).

Accessing Profiler Details

Here's how you can get to Profiler Details from different Application Performance Management (APM) tools.

Accessing Profiler Details from Page Time Summary

To go to Profiler Details from Page Time Summary:

1. On the Page Time Summary page, go to the Performance Logs section.
2. In the Profiler Details column, click the view icon that corresponds to the operation you want to investigate.

Accessing Profiler Details from Page Time Details

 **Note:** To get to Page Time Details, check out [Using Page Time Details](#).

To go to Profiler Details from the Timeline of Page Time Details:

1. On the Page Time Details page, go to the timeline section.
2. Point to the data segment you want to check, then click **View Profiler Details** in the tooltip.

 **Note:** You won't see the **View Profiler Details** link when you point to client scripts or network data segments.

To go to Profiler Details from SuiteScript and Workflow Details in Page Time Details:

1. On the Page Time Details page, go to the SuiteScript and Workflow Details section.
2. In the **Profiler Details** column, click the view icon that corresponds to the operation that you want to investigate.

Accessing Profiler Details from SuiteScript Analysis

To go to Profiler Details from SuiteScript Analysis:

1. On the SuiteScript Analysis page, go to the SuiteScript Details section.
2. Click **View Logs** to open the SuiteScript Details log page.
3. On the SuiteScript Details logs page, find the **Profiler Details** column.
4. Click the view icon that corresponds to the operation that you want to investigate.

Accessing Profiler Details from SOAP Web Services Analysis

To go to Profiler Details from SOAP Web Services Analysis

1. On the SOAP Web Services Analysis page, find the Top SOAP Web Services Operations portlet.
2. On the chart, click any data segment you want to review.
3. On the SOAP Web Services Operation Details page, pick which portlet you want to use to see more data.
 - Using the Performance Details portlet
 - Click a data point on the chart.
 - On the Web Services Operation Logs page, find the **Profiler Details** column.
 - Click the view icon that corresponds to the operation that you want to investigate.
 - Using the Top Records Performance portlet
 - Click a data point on the chart.
 - On the Web Services Record Processing Logs page, find the **Profiler Details** column.
 - Click the view icon that corresponds to the operation that you want to investigate.

Accessing Profiler Details from Search Performance Details

To go to Profiler Details from Search Performance Details

1. On the Saved Search Logs page, find the **Profiler Details** column.
2. Click the view icon next to the operation you want to check out.

Viewing the Details of an Operation

When you open the Profiler Details page, you'll first see the navigation path at the top. This path shows the different hierarchy levels, so you can move between child and parent records.

Next, you'll see the header section right under the navigation path. Here's what you'll find in the header:

- **Profiler Operation ID** – This figure identifies the operation that is profiled on the page. This ID remains constant across parent and child records of the same operation.
- **Start Time and Date** – This data shows the time and date when the operation began processing
- **Scripts** – This figure is the count of scripts that ran during the operation.
- **Searches** – This figure is the count of searches that ran during the operation.
- **Workflows** – This figure is the count of workflows that ran during the operation.
- **Records from Scripts/Workflows** – This figure is the count of records triggered by scripts and workflows that ran during the operation.
- **Request URLs** – This figure is the count of URL requests that ran during the operation.



Note: The counts in the header might not always match what you see in the Timeline or Timing Details sections.

Viewing the Timing Breakdown of an Operation

You can see the timing breakdown for an operation in the Timeline and Timing Details sections of Profiler Details.

Viewing Data on the Timeline Section of Profiler Details

The Timeline section shows how long each type of information ran during the operation.

- **Record** - Refers to the timing of a record operation.
- **Script** - Refers to the timing of a script.
- **Script Initialization** - Refers to when scripts are initialized or started.
- **Workflow** - Refers to the timing of a workflow.
- **Workflow Execution** - Refers to when workflows are executed or ran.
- **Request URL** - Refers to the timing of a request URLs.
- **Script Execution** - Refers to when scripts are executed or ran.
- **Saved Search** - Refers to the timing of a search.
- **Web Service** - Refers to the timing of a web service.
- **Initialization Request** - Refers to the timing of requests to initialize scripts.
- **After Submit** - Refers to events after users perform actions that save or submit a record and after changes are committed to the database.
- **Before Submit** - Refers to events when users perform actions that save or submit a record but before changes are committed to the database.
- **Prepare Before Load** - Refers to events when users perform actions that prepare to load or read a record.
- **Prepare Submit** — Refers to events when users perform actions that prepare to save or submit a record.
- **Approvals Execution** - Refers to when actions to change the approval status of a record are executed or ran.
- **Workflow Details** - A section of the Workflow Execution content that refers to in-depth details related to a workflow that was executed or ran.



Note: Profiler Details in APM cannot display information about client scripts.

In the Timeline section, point to a segment to see details like execution time and information type. This context helps you decide if a time value matches what you expect.

When you look at the x-axis labels in the timeline, you might see these icons:

- **Hierarchy icon** – Click this icon to see the child record. After you do, Profiler Details refreshes to show timing details and context for the child.
- **Note icon** – Click this icon to check out the API calls for a script you want to explore.

 **Note:** On the Profiler Details timeline, gaps may exist between lines. This signifies NetSuite server time that is not associated with your NetSuite customizations.

Viewing Data on the Timing Details Section of Profiler Details

The Timing Details section shows context and timing info in a table. For each entry, you'll see:

- **Date & Time** – Shows when the operation started to process.
- **Type** – Shows which type of information is being processed.
- **Name** – Shows the name assigned to the operation.
- **Execution Time** – Shows the total duration that the operation took to process.
- **Operation** – For records, this specifies the operation that was applied on the record.
- **Searches** – Shows the number of scripts that ran during the operation.
- **Workflows** – Shows the number of workflows that ran during the operation.
- **Records from Scripts/Workflows** – Shows the number of records triggered by scripts and workflows that ran during the operation.
- **Request URLs** – Shows the number of URL requests that ran during the operation.
- **Record Type** – Shows the record type assigned to the operation.
- **Context** – Shows the context for the type of information, such as script, that ran.
- **Script Type** – Shows the type of script associated with a script that ran. This column remains blank if the type is not a script.
- **Deployment** – Shows the name of the script deployment and links to the deployment record. This column is blank if the type is not a script.
- **Entry Point** – Shows the user-defined name of the function that was invoked for the operation to run.
- **Trigger Type** – Shows the type of operation that was used to trigger an event. This column is blank if the type is not a script.
- **Bundle** – Shows the bundle ID associated with the operation that ran.
- **Method** – For Request URLs, this specifies the http method used.
- **Web Service Operation** – Shows the web service operation that is associated with the type of information that ran.
- **API Version** – Shows the version of the API when the operation ran.

To export data from Timing Details, click the CSV export icon.

Exporting Data from Application Performance Management

The Application Performance Management (APM) SuiteApp lets you export performance data from different tools. You can export CSV files from the APM SuiteApp.

 **Note:** Your performance logs don't move with your NetSuite account to the new OCI data center. For the first 29 days, values use only data collected since the move—not the last 30 days.

Dates and times in exported files use the time zone you've set in your preferences.

Use the table below to see how you can export data from each tool.

APM Tool	Page or Window Name	To Export Data
Record Pages Monitor	Record Pages Monitor	1. Go to Customization > Performance > Record Pages Monitor. 2. On the Record Pages portlet, point to the upper right corner to show the menu icon . 3. Click the menu icon , and then select Export.
Page Time Summary	Performance Logs portlet	1. Go to Customization > Performance > Page Time Summary. 2. On the Performance Logs section, click the CSV export icon .
	Script and Workflow Time Breakdown portlet	1. Go to Customization > Performance > Page Time Summary. 2. On the Details section, click the CSV export icon .
Page Time Details	SuiteScript and Workflow Details section	1. Go to the page. See Accessing Page Time Details. 2. On the SuiteScript and Workflow Details section, click the CSV export icon.
SuiteScript Analysis	SuiteScript Details popup window	1. Go to Customization > Performance > SuiteScript Analysis. 2. On the SuiteScript Details portlet, click View Logs. 3. On the SuiteScript Details page, click the CSV export icon .
SuiteCloud Processors Monitor	SuiteCloud Processors Monitor page	1. Go to Customization > Performance > SuiteCloud Processors Monitor. 2. On the Overview portlet, click the CSV export icon .
SuiteCloud Processors Job Details	SuiteCloud Processors Job Details page	1. Go to Customization > Performance > SuiteCloud Processors Job Details. 2. On the Job Details portlet, click the CSV export icon .
Search Performance Details	Saved Search Logs popup window	1. Go to Customization > Performance > Search Performance Details. 2. On the Saved Search Details portlet, click any data point. 3. On the Saved Search Logs popup window, click the CSV export icon .
Concurrency Details	Instance Details popup window	1. Go to Customization > Performance > Concurrency Monitor. 2. Filter the data by date range. To learn more, see Filtering Data on the Concurrency Monitor Dashboard. 3. On the General Concurrency portlet, choose the cell of the hour you want to explore. 4. Click the cell to access the Concurrency Details dashboard.

APM Tool	Page or Window Name	To Export Data
		- On the Detailed Concurrency portlet, click the View Requests link on the tooltip to go to open the Instance Details popup window. - Click the CSV export icon .
REST Web Services Analysis	REST Web Services Logs	- Go to Customization > Performance > REST Web Services Analysis. - On the Top REST Web Services Operations portlet, choose and click an operation tile. - On the chart, click a data point you want to export. The corresponding REST Web Services Logs table appears.
SOAP Web Services Analysis	Web Services Operation Logs popup window	- Go to Customization > Performance > SOAP Web Services Analysis. - Click a data point to open the SOAP Web Services Operation Details page. - On the Performance Details portlet, click any data point. - On the Web Services Operation Logs popup window, click the CSV export icon .
	Web Services Record Processing Logs popup window	- Go to Customization > Performance > SOAP Web Services Analysis. - Click a data point to open SOAP Web Services Operation Details page. - On the Top Records Performance portlet, click any data point. - On the Web Services Record Processing Logs popup window, click the CSV export icon .
Profiler Details	Timing Details section	- Go to the page. See Accessing Profiler Details. - On the Timing Details section, click the CSV export icon.

Frequently Asked Questions: Application Performance Management

See the following questions and answers for more information about the Application Performance Management SuiteApp (APM).

Is there a cost associated with the APM?

No. You can install this SuiteApp for free. For instructions, see [Installing the Application Performance Management SuiteApp](#).

What is the minimum required version for APM SuiteApps?

APM SuiteApps are managed SuiteApps that are automatically updated whenever there are upgrades. Make sure you're using the latest version of APM SuiteApps for the best results.

In Sandbox and Release Preview accounts, where managed SuiteApps must be updated manually, the minimum required versions are as follows:

- APM version 2.1.6 or later
- APM for SuiteCommerce version 1.0.7 or later
- SuiteCommerce InStore APM version 1.01.5 or later

Will installation of the APM cause slower performance in my NetSuite account?

No. The SuiteApp reads data from the server, so it won't slow down your customizations, except for the scripts that display the dashboard.

When I install APM from the SuiteApp Marketplace, what happens to the roles and employees that I have set up on the APM Setup page of APM installed from the Search & Install Bundles page?

If you installed the APM SuiteApp from the Search & Install Bundles page, then later installed it from the SuiteApp Marketplace, your roles and employees are automatically moved over to the Marketplace version.

Can the layout of the APM be customized?

This feature is not available now.

Can the displayed content in each pane of the APM be restricted?

This feature is not available now.

How many record tiles can Record Pages Monitor show?

Record Pages Monitor can show up to 20 record tiles. By default, the dashboard displays the 10 most used record operations and can be configured to show an additional 10. For more details, see [Record Pages Monitor Tiles](#).

Can the APM get data from a date prior to the date this SuiteApp was installed?

Yes.

What is the time range of past data that the APM can retrieve?

The APM tools show data from the last 30 days, and that's also the max preset in the dropdown. You can customize your date range to go further back, but you'll only see data if it's still available.

What time zone is used in the APM?

Time values in APM use the time zone you set for your account.

Why are the dates not following the date format in user preferences?

Right now, other date formats aren't supported.

Is the raw data used by the APM available for access?

No, you can't access raw data. APM only shows data through its aggregations and visualizations.

Can the data shown in the APM be exported as a Microsoft Excel, CSV, or PDF file?

You can export data from APM pages as a CSV file, with up to 10,000 rows. For details, [Exporting Data from Application Performance Management](#).

Does the APM show the number of records affected and the median length of time required to process one record?

Yes, you'll see this info in the record tiles on the Record Pages Monitor.

In the time interval dropdown on the Record Pages Monitor, what does (resolution x min/hour) mean?

Resolution is the time interval for each data point. So, a 5-minute resolution means each point shows 5 minutes of data. The resolution sets the spacing on the x-axis of the chart. For more information about the time interval dropdown list, see [Adding a Custom Date and Time Range on Record Pages Monitor](#).

What value is captured by the response time shown in the record tiles?

This value is the median response time for the chosen record, operation, and time.

Is there any legend in the APM or associated email alert indicating when performance is not normal?

This feature is not available now.

On the Page Time Details page, what are Client: Header, Client: Render, and Client: Init?

Client: Header is how long it takes to render the head element. Client: Render is the time to render the rest of the page after the head is done. Client: Init is the time Page Init takes. For more information, see [Using Page Time Details](#).

Does the APM make it possible to determine which script or workflow is causing a high SuiteScript or workflow time?

This information can be determined through analysis of the Page Time Summary and Page Time Details.

Can the APM tell if a script is slow due to a slow search?

This feature is not available now.

Does the APM include performance data from scripts associated with other SuiteApps?

Yes.

Does the APM provide a way to determine if a script is currently running?

APM only logs script data after scripts finish running. If you see data for a script, it's already done running.

Does the APM provide a way to determine which part of a script execution is causing slower performance?

This feature is not available now.

Does the SuiteScript Analysis tool also reflect the run time of workflows?

No.

Is there an analysis tool for workflows similar to the SuiteScript Analysis tool?

Workflow times are included in the Page Time Summary. A dedicated analysis tool for workflows is not available now.

What is the relationship between the execution time and instance count numbers shown when you place your cursor over the SuiteScript Analysis Performance Chart?

The time it took for each instance to execute is based on the execution time. The execution time is represented as an aggregation.

How long does it take for the APM to reflect script optimizations made after reviewing APM data?

Changes usually show up in APM data right away—you'll see the impact almost in real time.

Why does a script run much more slowly in my NetSuite account than the same script runs in my friend's NetSuite account?

Every NetSuite instance is different, and lots of things beyond configuration can affect performance.

What should I do if I think that the number of seconds averaged per operation is not fast enough?

If you need help investigating APM data, open a case with NetSuite Customer Support.

Does the APM provide information about web services performance?

Yes, you'll find this info in the SOAP Web Services Analysis and REST Web Services Analysis tools. For details, see [Analyzing Web Services Performance](#).

Does the APM provide information about web store performance?

You can check web store and Commerce performance in the SuiteCommerce APM and SuiteCommerce InStore APM SuiteApps. For more, see the help topic [Application Performance Management \(APM\) for Commerce](#).

Does the APM provide information about performance of scheduled scripts using multiple queues?

Yes, you'll see this in the SuiteCloud Processors Monitor, which replaced Script Queue Monitor. For details, see [Monitoring SuiteCloud Processors Performance](#).

Why do some of my account's logs seem incomplete after the move to the Oracle Cloud Infrastructure (OCI)?

Your performance logs don't transfer when your NetSuite account moves to the OCI data center. For the first 29 days, you'll only see data collected since the move—not the prior 30 days.