



ORACLE
NetSuite

Auditing and Data Management Guide

2025.2

December 17, 2025



Copyright © 2005, 2025, Oracle and/or its affiliates.

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software, software documentation, data (as defined in the Federal Acquisition Regulation), or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software," "commercial computer software documentation," or "limited rights data" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed, or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle®, Java, and MySQL are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

If this document is in public or private pre-General Availability status:

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

If this document is in private pre-General Availability status:

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, timing, and pricing of any features or functionality described in this document may change and remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Documentation Accessibility

For information about Oracle's commitment to accessibility, visit the Oracle Accessibility Program website at <https://www.oracle.com/corporate/accessibility>.

Access to Oracle Support

Oracle customers that have purchased support have access to electronic support through My Oracle Support. For information, visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=info> or visit <http://www.oracle.com/pls/topic/lookup?ctx=acc&id=trs> if you are hearing impaired.

Sample Code

Oracle may provide sample code in SuiteAnswers, the Help Center, User Guides, or elsewhere through help links. All such sample code is provided "as is" and "as available", for use only with an authorized NetSuite Service account, and is made available as a SuiteCloud Technology subject to the SuiteCloud Terms of Service at www.netsuite.com/tos.

Oracle may modify or remove sample code at any time without notice.

No Excessive Use of the Service

As the Service is a multi-tenant service offering on shared databases, Customer may not use the Service in excess of limits or thresholds that Oracle considers commercially reasonable for the Service. If Oracle reasonably concludes that a Customer's use is excessive and/or will cause immediate or ongoing performance issues for one or more of Oracle's other customers, Oracle may slow down or throttle Customer's excess use until such time that Customer's use stays within reasonable limits. If Customer's particular usage pattern requires a higher limit or threshold, then the Customer should procure a subscription to the Service that accommodates a higher limit and/or threshold that more effectively aligns with the Customer's actual usage pattern.

Beta Features

This software and related documentation are provided under a license agreement containing restrictions on use and disclosure and are protected by intellectual property laws. Except as expressly permitted in your license agreement or allowed by law, you may not use, copy, reproduce, translate, broadcast, modify, license, transmit, distribute, exhibit, perform, publish, or display any part, in any form, or by any means. Reverse engineering, disassembly, or decompilation of this software, unless required by law for interoperability, is prohibited.

The information contained herein is subject to change without notice and is not warranted to be error-free. If you find any errors, please report them to us in writing.

If this is software or related documentation that is delivered to the U.S. Government or anyone licensing it on behalf of the U.S. Government, then the following notice is applicable:

U.S. GOVERNMENT END USERS: Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs) and Oracle computer documentation or other Oracle data delivered to or accessed by U.S. Government end users are "commercial computer software" or "commercial computer software documentation" pursuant to the applicable Federal Acquisition Regulation and agency-specific supplemental regulations. As such, the use, reproduction, duplication, release, display, disclosure, modification, preparation of derivative works, and/or adaptation of i) Oracle programs (including any operating system, integrated software, any programs embedded, installed or activated on delivered hardware, and modifications of such programs), ii) Oracle computer documentation and/or iii) other Oracle data, is subject to the rights and limitations specified in the license contained in the applicable contract. The terms governing the U.S. Government's use of Oracle cloud services are defined by the applicable contract for such services. No other rights are granted to the U.S. Government.

This software or hardware is developed for general use in a variety of information management applications. It is not developed or intended for use in any inherently dangerous applications, including applications that may create a risk of personal injury. If you use this software or hardware in dangerous applications, then you shall be responsible to take all appropriate fail-safe, backup, redundancy, and other measures to ensure its safe use. Oracle Corporation and its affiliates disclaim any liability for any damages caused by use of this software or hardware in dangerous applications.

Oracle and Java are registered trademarks of Oracle and/or its affiliates. Other names may be trademarks of their respective owners.

Intel and Intel Inside are trademarks or registered trademarks of Intel Corporation. All SPARC trademarks are used under license and are trademarks or registered trademarks of SPARC International, Inc. AMD, Epyc, and the AMD logo are trademarks or registered trademarks of Advanced Micro Devices. UNIX is a registered trademark of The Open Group.

This software or hardware and documentation may provide access to or information about content, products, and services from third parties. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to third-party content, products, and services unless otherwise set forth in an applicable agreement between you and Oracle. Oracle Corporation and its affiliates will not be responsible for any loss, costs, or damages incurred due to your access to or use of third-party content, products, or services, except as set forth in an applicable agreement between you and Oracle.

This documentation is in pre-General Availability status and is intended for demonstration and preliminary use only. It may not be specific to the hardware on which you are using the software. Oracle Corporation and its affiliates are not responsible for and expressly disclaim all warranties of any kind with respect to this documentation and will not be responsible for any loss, costs, or damages incurred due to the use of this documentation.

The information contained in this document is for informational sharing purposes only and should be considered in your capacity as a customer advisory board member or pursuant to your pre-General Availability trial agreement only. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described in this document remains at the sole discretion of Oracle.

This document in any form, software or printed matter, contains proprietary information that is the exclusive property of Oracle. Your access to and use of this confidential material is subject to the terms and conditions of your Oracle Master Agreement, Oracle License and Services Agreement, Oracle PartnerNetwork Agreement, Oracle distribution agreement, or other license agreement which has been executed by you and Oracle and with which you agree to comply. This document and information contained herein may not be disclosed, copied, reproduced, or distributed to anyone outside Oracle without prior written consent of Oracle. This document is not part of your license agreement nor can it be incorporated into any contractual agreement with Oracle or its subsidiaries or affiliates.

Table of Contents

Tracking Changes in NetSuite	1
Auditing Primary Data and Configuration Changes in NetSuite	1
Auditing Changes to Enabled Features	2
Auditing Changes to Configuration Settings	2
Tracking Roles and Permissions	2
Tracking User Logins	3
Tracking Emails	3
Tracking GL Audit Numbering	4
System-Generated Journal for NetSuite OneWorld	4
Auditing Changes to Customization Objects	4
Tracking Key Financial Record Audit Trails	7
Auditing Account Preferences	8
Documenting Changes	9
Audit Enablement	10
Internal Controls in NetSuite	12
Standard Internal Controls	12
Internal Controls that Require Basic Configuration	14
Managing Transactions	17
Recording a Reason for Deleting a Transaction	17
Reviewing Transaction History	18
Transaction System Information and Communication Subtabs	19
Granting User Access to Transaction History	19
Viewing Transaction System Notes	20
Using the Transaction Audit Trail	21
Tracking Financial Account Changes	22
Line-Level Audit Trail for Transactions	23
Transaction Line-Level History Window	24
Personal Information (PI) Removal	26
Permissions Required for Personal Information Removal	26
Supported Field Types for Personal Information Removal	27
Enabling the Remove Personal Information Feature	27
Reviewing PI Removal Requests	27
Using PI Removal Request Icons	28
Creating and Approving a New PI Removal Request	28
Removing Personal Information on a Sublist Field	31
Removing Customer Name Information	31
Checking PI Removal Results in the System Notes	32
Auditing Data Changes using Searches	33
Searching System Notes	33
Viewing an Audit Trail for a Record Type	35
Searching for Deleted Records	36
Searching Deleted Records That Use the Old Data Source	40
Searching for Deleted Records That Use the New Analytics Data Source	41
Understanding the Context for Changes	42
Available Context Values	43
Avoiding Duplicates	45
Avoiding Duplicate Transaction Numbers	45
Duplicate Number Warnings	45
Using Auto-Generated Numbering for Transactions	46
Avoiding Duplicate Processing of Memorized Transactions	47
Activity Log Overview	49

Tracking Changes in NetSuite

The following topics provide information about tracking changes in NetSuite:

- [Auditing Primary Data and Configuration Changes in NetSuite](#)
- [Auditing Account Preferences](#)
- [Documenting Changes](#)
- [Audit Enablement](#)

Auditing Primary Data and Configuration Changes in NetSuite

Note: The information in this topic applies only to System Notes unless it's identified as a System Notes v2 feature. For more information about System Notes v2, see the help topic [System Notes v2 Overview](#).

NetSuite provides system notes that track many data and configuration changes. You can tell whether a record, or a group of configuration settings, supports system notes based on whether a System Notes subtab is available on its NetSuite page. For more information about system notes, see the help topic [System Notes Overview](#).

You can use search capabilities in NetSuite to access system notes for auditing purposes.

- A general system note search shows system notes for all record types. You can filter searches by record type to see only the system notes for that type. See [Searching System Notes](#).
- You can include system notes details in search results for supported record types. For example, a customer search can show system notes fields related to changes made to the customer record. This is possible because of a join between system notes records and their related parent records. See the help topic [Defining an Advanced Search](#).
- System notes include a **Context** field. This field describes how the change was made. For example, users and external systems can make updates through the user interface, web services, SuiteScript, and other methods. Each of these methods is a different context. See [Understanding the Context for Changes](#).

NetSuite offers audit trails for many frequently used records. Audit trails are predefined searches of system notes, with set filters and results.

- An audit trail link, available at the top of most list pages, shows system notes for a particular record type. See [Viewing an Audit Trail for a Record Type](#).
- The audit trail for transaction records is available at Transactions > Management > View Audit Trail. See [Using the Transaction Audit Trail](#).

Also see [Auditing Data Changes using Searches](#).

Many record types also include a History subtab where you can track updates to each record, including line-level changes.

You can use the deleted record search to find details about deleted records. See [Searching for Deleted Records](#).

The following sections cover NetSuite features for tracking changes, including links to related topics.

- [Auditing Changes to Enabled Features](#)
- [Auditing Changes to Configuration Settings](#)
- [Tracking Roles and Permissions](#)
- [Tracking User Logins](#)
- [Tracking Emails](#)
- [Tracking GL Audit Numbering](#)
- [System-Generated Journal for NetSuite OneWorld](#)
- [Auditing Changes to Customization Objects](#)
- [Tracking Key Financial Record Audit Trails](#)

Auditing Changes to Enabled Features

The Enable Features page (Setup > Company > Enable Features) indicates which features are currently enabled for use in a NetSuite account. Even though there's no System Notes subtab, the page still supports system notes.

To track system notes for the Enable Features page, create a saved search and choose the **Enable Feature** filter for the **Record Type** field of the search. Run this search regularly to track changes to enabled features.

The Enable Features page includes a link to an Audit Trail page. You'll find it in the **More** list in the upper right of the page. See [Auditing Account Preferences](#).

Auditing Changes to Configuration Settings

Changes to general configuration settings that have a financial impact are logged in system notes. System notes cover such areas as company information, general preferences, accounting lists, and tax setup.

For a list of the specific pages covered, see [System Notes for Changes to Configuration and Setup Pages](#).

The Company Information page (Setup > Company > Company Information) has a System Notes subtab. Most other configuration pages don't have this subtab.

To get system notes for these pages, create a system note saved search and set a filter for the **Record Type** field of the search. For example, for system notes for the Company Information page, choose the **Company Information** filter. For the General Preferences and Accounting Preferences pages, choose the **Company Preferences** filter. For an accounting list, set a filter that matches the name of that list.

The General Preferences and Accounting Preferences configuration pages include a link to an Audit Trail page. You'll find the link in the **More** list in the upper right of the page. See [Auditing Account Preferences](#).

Tracking Roles and Permissions

You can use both system notes and system notes v2 to run searches to find details about role and permission assignments in your NetSuite account.

System Notes

- NetSuite offers a simple role search to find specific roles or view role details. For information about running simple searches, see the help topic [Defining a Simple Search](#).

- You can use the SuiteScript Search APIs to create and automate role searches. For more information see the help topic [N/search Module](#).
- You can create advanced employee and role record saved searches to find information about roles and permissions. For example, you can verify permissions for a role, or for an employee and their role. For information about auditing permissions, see the help topics [Use Searches to Audit Roles](#) and [Use Searches to Audit Permissions By Employee](#).
- A History subtab on the Access subtab of the Employee record shows changes to roles and global permissions assignments for the employee. The History subtab shows the date and time, user, and description for each change.
- NetSuite offers a feature to compare the differences in permissions between roles. See the help topic [Showing Role Permission Differences](#).
- System notes for roles and permissions only track changes related to primary fields and doesn't capture change information made on available tabs.

System Notes v2

- You can access System Notes v2 for roles and permissions by clicking System Notes in the upper right of the Role page.
- For information about System Notes v2, see the help topic [System Notes v2 Overview](#).
- For more information about System Notes v2 for roles and permissions, see the help topic [Viewing System Notes v2](#).

Tracking User Logins

You can use the Login Audit Trail to keep track of user logins and locations. See the help topic [Login Audit Trail Overview](#). This specialized search also tracks tokens associated to users, for accounts that use token-based authentication. See the help topic [Troubleshoot Token-based Authentication \(TBA\)](#).

System Notes track password change information for employee, customer, vendor, partner, and prospect records. The system notes include details about who made the change, when, and the type of change. Examples of change types include USER_CHANGE, USER_RESET, EXPIRED, ADMIN_SET, GENERATED, and others.

If a user has access to roles in different NetSuite accounts, the password changes are also tracked in those accounts. For more information, see the help topic [Password Changes Are Logged in System Notes on Entity Records](#).

Tracking Emails

The Sent Email List shows all email sent from your account. You can view both email that was delivered successfully and undelivered email.

The Sent Email feature tracks the following details for all outbound email:

- Send date and sender (From)
- Recipients (To/Cc/Bcc), message ID, subject
- Email delivery status per recipient

For more information about how you can view the Sent Email List, incorporate new saved searches, and schedule saved searches, see the help topic [Using the Sent Email List](#).

Tracking GL Audit Numbering

The GL Audit Numbering Sequences page shows general ledger audit numbering information specific to the accounting period in which the sequence was run, even if the period is closed. Each numbering sequence is saved as a separate record with a maintained history. You can also create a GL numbering sequence from the GL Audit Numbering Sequences page. For details, see the help topic [Viewing GL Audit Numbering Sequences](#).

You can customize financial reports including the Trial Balance, Balance Sheet, and Income Statement to include or exclude general ledger audit numbered transactions. You can also filter transactions on reports through the GL Audit Number field. For details, see the help topic [Reports and Saved Searches](#).

System-Generated Journal for NetSuite OneWorld

NetSuite provides a system-generated, read-only journal. This journal represents the general ledger impact of payments that are at different states of completeness in your system.

To view system journals, on the bill payment record, click the **Related Records** subtab. Choose the number associated with the system journal you want to view. You must have at least View level of the Make Journal Entry permission to view system journals.

For additional information about system-generated journals, see the help topic [System-Generated Journals for Payments](#).

Auditing Changes to Customization Objects

See the following for tips for tracking changes to customizations in your account:

- [Custom Lists, Custom Records, and Custom Transactions](#)
- [Custom Fields](#)
- [Custom Forms](#)
- [SuiteScripts](#)
- [Plug-in Implementations](#)
- [Workflows](#)
- [Customized Reports and Saved Searches](#)

Custom Lists, Custom Records, and Custom Transactions

Each custom list definition page has a History subtab and a System Notes subtab. The main difference between the tabs is that the System Notes subtab includes the context for changes.

Each custom record type definition page also has a History subtab and a System Notes subtab. The System Notes subtab has additional fields, and the History subtab includes Notes.

- To include system notes fields in a custom record type search, you can select them on the Results subtab of the saved search definition page.
- To create a system note saved search that returns system notes for a custom record type, choose the record type name as a filter for the **Record Type** field of the search.

Custom transaction type definition pages don't have a History subtab or System Notes subtab.

- To include system notes fields in a custom transaction type search, select them on the Results subtab of the saved search definition page.
- To search for a custom transaction type, create a Transaction search and set the **Type** field to the specific custom transaction type.
- To create a system note saved search that returns system notes for all transactions, including custom transaction types, choose the **Transaction** filter for the **Record Type** field of the search.

Custom Fields

Custom field definition pages for most types of custom fields have a History subtab and a System Notes subtab, both of which are displayed under History. These two subtabs have a few differences in their fields.

For security reasons, system notes for fields with encrypted stored values mask old and new field values, displaying asterisks only.

History and system notes are supported for different types of custom fields, including entity, item, transaction body, transaction column, transaction item option, and others.



Note: Currently, history and system notes aren't supported for custom item number fields or custom segments.

Custom Forms

Each custom form definition page has a History subtab. For each change, this subtab lists the date and time, user, type of change, and notes.

History is supported on custom entry forms, custom transaction forms, and custom address forms.

SuiteScripts

Script and script deployment record activity is logged on the System Notes subtab.

Each system note for script or script deployment changes includes the following information:

- Date when the change was made
- Who made the change
- Context for the change (for example, UI)
- Type of change, for example, Edit
- Field changed
- Old value
- New value



Note: Script and script deployment records created before 2016.2 have a History subtab and a System Notes subtab. The History subtab lists logged activity that occurred before 2016.2, and the information about this subtab is no longer updated.

During script processing, a detailed log is generated when either a script encounters an error, or when the [N/log Module](#) is used. See the help topics [Using the Script Execution Log Subtab](#) and [Setting Script Execution Log Levels](#).

You can view the current and past runtime statuses of all SuiteScript scheduled scripts in your account. See the help topic [Scheduled Script Status Page](#). A similar page monitors the status of map/reduce scripts. See the help topic [Map/Reduce Script Status Page](#).

You can view a list of all record types with associated user event or global client scripts in your account. See the help topic [The Scripted Records Page](#).

You can manage script file changes outside of NetSuite using the source control management system used by script developers.

Plug-in Implementations

Plug-in implementation record activity is tracked on the System Notes subtab.

System notes also track changes to Custom GL Lines Plug-in configuration changes.

Each system note for a change to a plug-in implementation includes the following information:

- Date when the change was made
- Who made the change
- Context for the change (for example, UI)
- Type of change, for example, Edit
- Field changed
- Old value
- New value

 **Note:** Plug-in implementation records created before 2016.2 have a History subtab and a System Notes subtab. The History subtab lists logged activity that occurred before 2016.2, and the information about this subtab is no longer updated.

Workflows

The Workflow Manager in NetSuite includes information about changes to the workflow definition. For more information, see the help topic [Workflow Definition Page History Subtab](#). You can view workflow history statistics and delete workflow instances and history records on the Workflow History Record Statistics dialog. When you delete workflow instances and history records, the event is logged on the Workflow Definition Page History subtab. The user who initiated the deletion receives an email confirming that the deletion is complete. See the help topic [Deleting Workflow Instances and History Records](#). Additionally, you can choose to save workflow instances and history records for workflows.

You can specify whether workflow instances and history records are saved for workflows. You can enable the **Only When Testing** option to generate workflow history records only when the **Release Status** is set to **Testing**. See the help topic [Disabling History for a Workflow](#).

You can run a search to get a list of completed or in-progress workflow instances for one or more workflow definitions. See the help topic [Workflow Instance Search](#). You can search system notes to check for workflow changes. For more information about workflow changes in system notes search results, see the help topic [Workflow Definition Page History Subtab](#).

To track actions and transitions that workflow performs on a record for each state, you can enable logging. For more information, see the help topic [Workflow Execution Log](#). You can choose to delete history records from the database after the workflow finishes or is canceled. For more information, see the help topic [Workflow History Subtab](#).

You can use workflow revisions to track the nature and number of changes made to a workflow. You can track workflow revisions on the Workflow Definition Page History subtab, and through system note searches with the **Revision** column. For details about the revision changes tracked on the Workflow Definition Page History subtab, see the help topic [Workflow Definition Page History Subtab](#). For information about workflow definition revisions, see the help topic [Workflow Revisions](#).

Customized Reports and Saved Searches

You can use the Analytics Audit Trail search to view changes to the definitions of saved searches, custom reports, report schedules, and financial report layouts. See the help topic [Audit Trail Search](#).

Information about running saved searches is available in the saved search Execution Log and the Saved Searches list. See the help topic [Auditing Saved Search Execution](#).

Tracking Key Financial Record Audit Trails

See the following for tips for tracking changes to key financial records:

- [General Transaction Audit Trail](#)
- [Tracking Transaction Deletion](#)
- [Tracking Revenue Recognition Changes](#)
- [Tracking Changes to Items](#)
- [Tracking Changes to Journal Entries](#)
- [Tracking Changes to Projects](#)

General Transaction Audit Trail

NetSuite tracks every transaction change, including when a user creates, changes, or deletes a transaction. This data includes details about users involved, their actions, roles, the date and time of changes, affected accounts, and the amount after the change. This historical data may be referred to as system notes, audit trail, or history. NetSuite offers several ways to view historical details about changes made to transaction records. For more information, see the following help topics:

- [Transaction System Information and Communication Subtabs](#)
- [Granting User Access to Transaction History](#)
- [Using the Transaction Audit Trail](#)
- [Viewing Transaction System Notes](#)
- [General Ledger Tracking in Transaction System Notes](#)
- [Tracking Financial Account Changes](#)
- [Line-Level Audit Trail for Transactions](#)
- [Transaction Line-Level History Window](#)

Tracking Transaction Deletion

The deleted record search type lets you find details about records that have been deleted. To search for deleted transactions, choose the **Transaction** filter for the **Record Type** field of the search. For more information, see [Searching for Deleted Records](#).

In some countries, you're legally required to provide a reason whenever you delete a transaction. The Use Deletion Reason feature helps you meet this requirement and record the reason for deleting a transaction. The field that tracks deletion reasons is also available to SuiteScript and web services. For details, see [Recording a Reason for Deleting a Transaction](#).

Tracking Revenue Recognition Changes

System notes are available for advanced revenue management records, including revenue arrangements, revenue elements, revenue recognition rules, revenue recognition plans, and advanced revenue setup records. For details, see the help topic [Change Information for Revenue Recognition Records](#).

Tracking Changes to Items

An audit trail link is available on the Items list page. This link takes you to a simple search page where you can search for items by old or new values, as well as by other field values.

Each item record has a System Information subtab that includes system notes, a list of active workflows, and workflow history.

Tracking Changes to Journal Entries

Each journal entry record has a System Information subtab with system notes, a list of active workflows, and workflow history.

Tracking Changes to Projects

An audit trail link is available on the Projects list page. This link takes you to a simple search page where you can search for items by old or new values, as well as by other field values.

Each project record has a System Information subtab that includes system notes, a list of active workflows, and workflow history.

Auditing Account Preferences

The Enable Features, General Preferences, and Accounting Preferences configuration pages include a link to an Audit Trail page.

Account administrators can use the Audit Trail to review a list of changes, including the names of changed preferences and features, who changed them, when they were changed, what the values of the preference were before and after the changes, and whether the changed features were enabled or disabled.

To access the Audit Trail link:

1. Go to the relevant Setup page:
 - For **Enable Features**:
access this page at Setup > Company > Enable Features.
 - For **General Preferences**:
access this page at Setup > Company > General Preferences.
 - For **Accounting Preferences**:

access this page at Setup > Accounting > Accounting Preferences.

2. Click **More** and select **Audit Trail** from the dropdown list.
3. (Optional) Filter the result list by selecting from the **Feature**, **User**, **Preference**, or **Modified by** lists.

 **Note:** The General Preferences and Accounting Preferences pages support SuiteScript. If a preference has been reset through scripting, users with the Administrator role can view the details.

 **Important:** SuiteScript developers can programmatically get values from the Enable Features page, but can't change them.

Documenting Changes

It is important that you model appropriate controls in your system development life cycle (SDLC) related to customizations of the NetSuite application, such as custom roles, scripts, custom records, workflows, and other customizations. Your change management process should ensure that changes are authorized, tested, approved, and documented.

You should document changes on a standard change request form. This form can be physical, but an electronic form is preferred. For example, depending on the nature of the change, the NetSuite product team maintains change documentation through issue records, production maintenance records (a custom record type created for this purpose), or feature records.

Depending on business needs, NetSuite custom records can be tailored to serve as change request forms. Ideally, whatever documentation is used, the form should contain information that can easily be completed by the requestor. The request should be tracked internally using a document repository tool, and should include an approval mechanism to move the request from stage to stage in the change management process. A benefit to using issue records or custom records within NetSuite is that you can run saved searches on these records to generate a list of all changes for specific periods. Saved searches also support filtering to deliver information needed for audits or reviews. Using custom records also makes it easier to ensure that required fields are completed before tickets are closed, and that approvals are obtained before a change request moves to the next level. Fields such as attachments of test plans, or summary of test results can be required within the request.

A change request form should include information such as:

- Requestor name
- Date of change request
- Description of change request
- Reason for change
- Assignee to implement change
- Authorization to begin work to implement change

Custom forms can be combined with a workflow to ensure that approvals are routed automatically when specific steps are completed. For example, after a requestor submits the form, it can go to an authorized individual or group to approve the change. The request can then be routed to other approvers as it moves through the following steps of the process:

- Development
- Testing / Quality Assurance (QA)

■ Implementation in Production

Each step along the way should be documented on the request form. This documentation provides point-in-time information about each change, identifying the account in which the code change resides, responsibility for the change, and the impact of the change.

As with any process, exceptions may occur, and when they do, the change management process needs to document how to handle these exceptions and capture appropriate evidence. It's possible, for example, that if production code breaks, a developer may be required to go directly into the production code to quickly correct the problem. That change would then be applied to other accounts, like test and development. In this example, that emergency change would be documented on the request form. The form would note who performed the change in the production account, when, and why it didn't follow usual SDLC procedures. It's important to capture these details as evidence for auditors. A well-controlled program code change management process includes strong segregation-of-duties controls to ensure the right people are making the code changes and moving code to the correct accounts, only after getting the proper approvals.

Audit Enablement

The NetSuite application has many features to help users build and manage internal controls for financial reporting. The use of NetSuite as a financial system lets you manage financial process controls in a single system for the organization and then extend that functionality with applications from Fastpath or Strongpoint.

You can customize NetSuite to reduce errors in financial transactions. Some examples include:

■ Workflows for dual authorization

Workflows provide additional segregation of duties controls beyond logical security. For example, workflows can provide approval limits and prevent users from approving their own transactions. You can build custom workflows in NetSuite to fit your company's needs.

■ Scripting

You can use scripts to add custom controls that are not built into NetSuite by default. For example: currently within NetSuite, invoices are required to be reviewed and approved by the person who created the PO and who is the business owner for the expense. This requirement enables the Accounts Payable team to determine whether the invoices from the vendors are appropriate, and to ensure that they are matched against the proper invoice. Currently, this is done using scripting. When the Accounts Payable team creates an invoice against a vendor and PO, an email is sent to the business owner requesting approval of the invoice for payment.

■ Audit trail saved searches

Most financial transactions in NetSuite have an audit trail that can be tracked and searched. You can track changes to roles, customizations, transactions, and more, with some exceptions. Saved search alerts help you identify items outside of ordinary processing. For example, you can set up an alert for transactions started by personnel who don't normally initiate them. You may also want to track POs created by Accounts Payable because they're part of the procure-to-pay process. Tracking POs created by Accounts Payable helps management detect any suspicious transactions. You can also monitor changes to credit levels, terms, and addresses.

■ Manual controls

Some areas in NetSuite still require manual controls. It's important to review the following items and set up external controls to monitor these types of transactions.

□ Audit trails for journal entries post-approval

Currently, there is no audit trail for journal entry edits after it has been approved, or when the approver edits the entry prior to approval. Therefore, it's important to review journal entries,

expense or disbursement accounts, and reconcile accounts. As the reviews are the key controls, you should use proper segregation of duties for selecting the reviewer.

- Audit trails for account setup

Account setup changes aren't tracked, except for the header information (user who performed an edit, date and time). It's important establish post-setup reviews by a different person, and controls for certain significant transactions that can be impacted by changes to the setup. For example, credit limit for customers can be turned on or off, which lets customers exceed their credit limits. A periodic review of customer balances against their credit limits could be used to detect whether any have exceeded their limits. Because there may be instances where the excess to the credit limit is approved, it's important to establish how approval is obtained and documented.

- Three-way matching for PO, invoice, and receipt of goods

It is important to establish a process to monitor purchases. Monitoring, scripting, and evidence of approval may be used to support purchase and invoice authorization. Within NetSuite, the Accounts Payable team monitors and ensures that a PO exists before vendor transactions, all PO violations are reported and monitored. Invoices are approved and validated to ensure that they don't go over the PO amount. Invoices over the PO amount require another approved PO or are flagged. The team also ensures that services or goods are being received.

NetSuite is a tool that helps its customers meet their business needs, but customers must ensure that they understand their requirements and how they can use NetSuite to meet them. Auditing controls can be customized to fit your business needs. Customers should understand their compliance obligations, their risks, how to address them, and how to implement and monitor controls.

Internal Controls in NetSuite

This section lists internal controls that are readily available in NetSuite. This listing helps you build strong internal controls in your NetSuite implementation.

- Some controls don't require setup after your NetSuite account is operational. See [Standard Internal Controls](#).
- Other controls require some basic setup in the NetSuite UI before they're available. See [Internal Controls that Require Basic Configuration](#).

You don't need any customizations to use these general controls in your NetSuite implementation. Audited companies should consider taking credit for the partial or full mitigation of risks provided these internal controls.

Your company's internal control processes may need basic customizations such as custom fields, records, workflows, or scripts. These custom solutions may be available as NetSuite SuiteApps, or Partner Applications. These solutions can also be built by NetSuite developers.

Customizations made for internal controls are tracked in system notes. For more information, see the help topic [System Notes Overview](#).



Warning: This content doesn't cover everything you need to be SOX-compliant. NetSuite offers many other internal controls, and companies should take a risk-based approach to ensure accurate financial statements. This content provides examples of internal controls used in our system.

Standard Internal Controls

The following internal controls don't require any setup after your NetSuite account is operational.

- Accounts Receivable
 - Outstanding invoices are aged and added to an A/R aging report in real time.
- Financial Close
 - General ledger accounts automatically roll up into financial statement line items.
 - NetSuite performs financial statement consolidation in real-time.
 - The general ledger is automatically configured to include all accounts with balances.
 - All transactions automatically roll up into the general ledger in real-time.
 - Transactions can't be posted to closed periods in NetSuite.
 - Out of balance transactions are automatically rejected.
 - Transactions that reference a closed period are automatically rejected.
 - Transactions that contain an invalid or inactive GL segment, for example, account or cost center, are automatically rejected.
 - CTA (cumulative translation adjustments) are automatically calculated in NetSuite.
 - FX (currency translation) related adjustments are automatically calculated in NetSuite.
 - Only selected users have access to open and close the GL accounting period in NetSuite. After a GL period is closed, NetSuite subsequently doesn't allow posting of any GL-impacting entries to a closed period.
 - Allocation weight is dynamically calculated when an allocation journal is generated, based on the current statistical account balance.
 - Elimination journal entries are automatically generated based on intercompany transactions.

- Password strength for access to NetSuite accounts is required to comply with password policy.
- Calculation is automatic for a reversing journal entry that voids checks and transactions on days or periods different from the original transaction date.
- Journal entries require approval in line with Journal Entry Approval Policy prior to posting to the general ledger.
- Transactions posted outside of a posting period can be prevented or can initiate a warning.
- Limitations can be set on the individuals who can impact the account listed on an item record.
- A gapless numbering sequence is applied to all GL-posting transactions.
- Financial Reporting
 - Financial statements are automatically generated for each separate entity in NetSuite.
 - Financial reports for each entity are automatically prepared in their local currency and are converted in real-time into headquarters currency for consolidation purposes.
- Fixed Assets
 - NetSuite automatically calculates depreciation expense.
 - The Fixed Asset Module automatically calculates and posts the depreciation expense to the asset record and to the related journal entries to the General Ledger.
- Inventory
 - NetSuite values inventory at standard cost.
 - Inventory transactions created and edited in closed periods can be disallowed.
- IT General Controls
 - You must have a minimum password length to comply with the password policy.
 - You must update your passwords regularly.
 - NetSuite automatically captures system notes when records are created, and they can't be edited by any user.
 - When records are edited, NetSuite captures system notes, which can't be edited by any user.
 - NetSuite automatically captures system notes when custom fields are imported or exported.
- Order to Cash
 - Items purchased in a sales order for a customer are automatically reflected in the invoice and are automatically sent to the customer by email when you click the **Save & Email** button on the Next Bill subtab. The order status of the sales order is automatically changed to Partially Fulfilled (several invoices or installment) or Billed (single invoice).
 - For orders on an installment basis, the billing schedule in the body of a sales order for a customer is automatically populated in NetSuite, which you can view on the History subtab of the customer record. This subtab indicates scheduled billing dates and amounts for each date.
 - NetSuite creates an entry automatically when you invoice a customer.
 - You can't create a customer in NetSuite without a credit limit.
 - NetSuite creates invoices only after an order has been shipped.
 - NetSuite restricts changes made to item quantity, pricing, and shipping income per sales order during the invoicing process.
 - NetSuite books an entry to debit Accounts Receivable and to credit Revenue upon invoice creation.
 - If a customer exceeds their credit limit, NetSuite puts the order on hold or displays a warning message. An increase in the credit limit is generated and approved by the CFO.
 - Orders that are entered into NetSuite, but not yet billed, can be included in customer credit limit calculations.

- You can set up standard grace periods for overdue invoices prior to placing a customer on hold according to their customer credit policy.
 - You can't edit a sales order after it's been approved.
 - After the A/R period is closed, you can't change the revenue recognition schedule for a transaction in NetSuite.
- Procure to Pay
 - You can limit records and transactions by department of the person entering or editing them.
 - You can also limit records and transactions by class of the person entering or editing them.
 - You can limit records and transactions by location of the person entering or editing them.
- Revenue

NetSuite doesn't allow revenue recognition greater than 100% of the total amount of the project.
- Time Entry
 - Time entry requires supervisor approval.
 - Employees can't enter more than a certain number of hours per week, as per the HCM policy.
 - Employees can't enter fewer or more than a certain number of hours per day, as per the HCM policy.

Internal Controls that Require Basic Configuration

The following controls require some basic setup in the NetSuite UI.

- Accounts Receivable

Open receivables identified by user-defined conditions, such as large invoices or exceeding the credit limit, are automatically identified and routed for review.
- Financial Close
 - The amount of expense to be amortized per month is automatically spread based on the amortization schedule prepared by A/P.
 - NetSuite uses the specified allocation percentages to allocate expenses to different departments automatically.
 - Without an approved role, you can't open or close sub-ledgers (A/P, A/R, and Payroll) or the general ledger.
 - NetSuite automatically creates elimination journal entries for intercompany drop-ship workflow transactions.
 - NetSuite automatically reconciles intercompany accounts.
- Commissions
 - NetSuite automatically calculates eligible commission amounts monthly based on the plan type linked to the participant (employee or partner).
 - After a commission is approved, NetSuite posts it to A/P and the general ledger, and auto-populates it for the payroll run.
 - NetSuite calculates and processes commissions according to standard compensation agreements.
- Fixed Assets
 - You can't edit the Fixed Asset Module without an approved role.
 - NetSuite Fixed Asset Module calculates monthly depreciation based on the asset's cost, method, and useful life.
- Human Resources and Payroll

- You can't edit the Payroll folder, which contains the Payroll Worksheet, without an approved role.
 - NetSuite auto-populates employee hours and expenses after appropriate approvals are obtained in the system.
 - After a payroll is committed, NetSuite automatically calculates and posts related taxes, benefits, bonuses, and commissions to the general ledger.
- IT General Controls
 - NetSuite checks for duplicate contact and customer records and sends notifications if such records are found.
 - You can limit employee access by IP address.
- Order to Cash
 - NetSuite automatically creates a general ledger journal entry for approved credit memos.
 - NetSuite automatically generates a journal entry for approved batch payment postings.
 - After all payments from a bank batch are applied, NetSuite performs a deposit activity and generates the related journal entry.
 - When payment from the bank for a single activity is applied, NetSuite performs a deposit activity and generates a related journal entry to accounts receivable.
 - NetSuite automatically adds approved unbilled T&M hours for invoicing.
 - NetSuite only allows fulfillment and shipment of inventory if the following conditions are met:
 - Sales order is in Pending Fulfillment or Partially Fulfilled status and isn't on hold for any reason.
 - Part numbers of items being fulfilled match part numbers on the Sales order and the quantity being fulfilled doesn't exceed the quantity on the sales order.
 - For serialized inventory items such as switches, each fulfilled serial number matches a serial number that exists in finished goods inventory.
 - NetSuite automatically calculates and applies shipping amounts to transactions based on rules.
 - You can't approve a vendor without a 1099 or W2.
- Procure to Pay
 - NetSuite automatically routes a PO for approval based on the approval policy set. Only properly approved POs can be processed for invoicing.
 - Spending thresholds on POs are built into a workflow as required by governance.
 - Spending thresholds on non-PO spending are built into a workflow as required by governance.
 - Only pre-approved vendors can be used in purchase orders.
 - Vendor information updates are automatically sent to designated approvers for review.
 - Non-inventory purchase requests are automatically sent to the relevant reviewer/approver for approval.
 - Inventory purchase requests are automatically sent to the relevant reviewer/approver for approval.
 - NetSuite automatically performs a three-way match for POs that have lines mapped to item receivable general ledger accounts. The control is configured at the item-level. If any item quantity or price doesn't match, an error message is displayed, the invoice isn't posted and placed in Pending Approval status in NetSuite.
 - Expense reports are automatically sent to the employee's manager and, after approval by the manager, to A/P for review and approval. After approval by the employee manager and A/P, the expense report is marked for payment.
 - Purchase requests and expense reports are sent for approval based on set limits.
- Revenue

- The relative fair value allocation at the time of an invoice is applied. The allocations are based on the relative fair values for all line items in the invoice based on the BESP data contained in NetSuite.
 - On invoicing, NetSuite creates a service amortization schedule for all of the service line items on invoice.
 - NetSuite defers revenue and the related COGS per terms and conditions set out in the customer primary file. These terms include rights of return, acceptance, shipping terms, and others.
 - NetSuite automatically recognizes and defers revenue based on the Revenue Recognition Policy. (Note: The Revenue Recognition Policy must be set up in NetSuite for each item.)
 - NetSuite recognizes revenue on a monthly straight-line basis, prorated daily basis for the first and last month, for subscription and support revenue based on the provisioned date, contract start and end dates, and revenue recognition schedule.
- Sales Force Automation
- You must have a specific role to access the Compliance 360 SuiteApp.
 - Compliance 360 provides you with a complete, 360-degree view of the customer, including their transaction history.

Managing Transactions

NetSuite offers several features that enable you to record reasons for deleting transactions and view transaction history. See the following topics.

- [Recording a Reason for Deleting a Transaction](#)
- [Reviewing Transaction History](#)
- [Transaction System Information and Communication Subtabs](#)
- [Granting User Access to Transaction History](#)
- [Viewing Transaction System Notes](#)
- [Using the Transaction Audit Trail](#)
- [Tracking Financial Account Changes](#)
- [Line-Level Audit Trail for Transactions](#)
- [Transaction Line-Level History Window](#)
- [The Customer 360 View](#) to view customer transaction history

Processed lines for specific transaction types contribute to the Monthly Transaction Lines metric that counts toward maximum limits for your NetSuite service tier. For more information, see [Transaction Types Included in Monthly Transaction Lines Metric](#).



Note: For information about permissions needed for managing transactions, see the help topics [NetSuite Permissions Overview](#) and [Permissions Documentation](#).

Recording a Reason for Deleting a Transaction

In some countries, it's a legal requirement to provide the reason for deleting a transaction. The Use Deletion Reason feature meets this requirement because users must record the reason why they deleted a transaction.

How to Enable the Feature

To enable the feature, go to Setup > Company > Enable Features. On the Company subtab in the ERP General section, check the Use Deletion Reason box, and then click Save.

Transaction Types Impacted by the Feature

The Use Deletion Reason feature impacts all of the transactions listed at Setup > Company > Auto-Generated Numbers on the Transaction Numbers subtab. When you use this feature, users must provide a reason for deleting a transaction record. The Transaction Numbering Audit Log lists deleted transactions, including their number, deletion date, and who deleted them. It also provides the reason the user deleted the transaction record and any related memo. For a list of transactions on the Transactions subtab, see the help topic [Records and Transactions Available for Auto-Numbering](#). For information about the Transaction Numbering Audit Log, see the help topic [Transaction Numbering Audit Log](#).

Deletion Reasons: Standard and Unique

The Use Deletion Reason feature includes two standard deletion reasons: Original Document Damaged and Other. If users choose the standard deletion reason Original Document Damaged, they don't have to include a memo. If users choose the standard deletion reason Other, they must include a memo. When you remove the reversal date on an original journal entry to delete a reversal journal entry, the deletion reason code is Other. The memo is Reversal date removed.

Users with the Administrator role or access to Accounting Lists can create and modify deletion reasons. These users can create, modify, inactivate, and choose display languages for a unique deletion reasons. Go to Setup > Accounting > Accounting Lists > New and click Transaction Deletion Reason. Complete the fields as required, and then save the record. For more information about accounting lists, see the help topic [Setting Up Accounting Lists](#).

Note: Transaction deletion reasons must be unique to avoid duplication, and can't exceed 50 characters. The name is case sensitive. Therefore, the transaction deletion reason **MY CODE** is unique from the transaction deletion reason **my code**.

Account Changes Caused by Disabling the Feature

You can disable the feature at any time. Transactions to be deleted will no longer require a deletion reason, and deletion reasons will not be accessible from Accounting Lists. However, the Transaction Numbering Audit Log will maintain the deleted transactions and their associated data.

Note: For more information about deleting transactions, see the help topic [Voiding, Deleting, or Closing Transactions](#).

Reviewing Transaction History

Note: The information in this topic applies to System Notes and System Notes v2.

You may have questions about a transaction such as:

- When was it created, and by whom?
- Have there been any changes to it?
- Did someone void or delete it, and when?

NetSuite stores data on each entry that a user makes to create, change, or delete a transaction. This data includes all users involved in the history of this transaction, each user's action, the date and time of action, affected accounts, and the amount after the change.

This historical data may be referred to as system notes, an audit trail, or as history. NetSuite offers many methods for you to view the history of changes made to transactions. See the following topics for detailed information:

- [Transaction System Information and Communication Subtabs](#)
- [Granting User Access to Transaction History](#)
- [Viewing Transaction System Notes](#)
- [General Ledger Tracking in Transaction System Notes](#)
- [Using the Transaction Audit Trail](#)
- [Tracking Financial Account Changes](#)
- [Line-Level Audit Trail for Transactions](#)
- [Transaction Line-Level History Window](#)
- [System Notes Overview](#)

NetSuite also provides a more general system note search function that retrieves details about other types of records in addition to transactions. For information about this function, see [Searching System Notes](#).

For supported records, you can also use System Notes v2, a newer version of system notes. For information about system notes v2, see the following help topics:

- [Viewing System Notes v2](#)
- [Searching and Filtering System Notes v2](#)
- [System Notes v2 Overview](#)

Transaction System Information and Communication Subtabs

Use the following subtabs to track tasks and information or send messages associated with transactions you enter in NetSuite:

- **System Information subtab**

 **Note:** The following information applies to System Notes only. For information about System Notes v2, see the help topic [System Notes v2 Overview](#).

On the System Information subtab, you can find system notes which track the date and time of each update to the transaction, and the user who made the change. For more information, see [Viewing Transaction System Notes](#).

If you use the SuiteFlow feature, you can also see the Active Workflows and Workflow History subtabs. For more information, see the help topic [Viewing Workflow Activity](#).

You can access the System Information subtab only for a transaction type you have access to.

- **Communication subtab**

Use the Communication subtab to create and send messages to your customer. You can add the message as an HTML or PDF attachment or embed the transaction within the body of the message.

The Communication subtab tracks all related email and faxes sent and received.

When creating some transactions, you can create and add tasks, events and phone calls associated with the transaction from the Communication subtab. After you save the transaction, this information is combined on an Activities subtab. This enables you to track meetings and conference calls you schedule in the process of finalizing a sale.

To use transaction subtabs, go to the Transactions tab and click the type of transaction you want to use. On the transaction form, click the System Information or Communication subtab. Not all transaction records have a System Information or Communication subtab.

Note the following:

- The System Information subtab is available on most transaction records. However, some records available from the Transactions menu are not classified by the system as transactions and don't provide the System Information subtab, including Amortization Schedules, Budgets, Commissions, Partner Commissions, Paychecks, and Quotas.
- The Communication subtab isn't included on all transaction records.

Granting User Access to Transaction History

Users need the Financial History permission to view transaction history. Some roles have this permission by default, such as accounting clerks and sales administrators. To review permissions for standard roles, see the help topic [Standard Roles Permissions Table](#).

An administrator can give other users access to transaction histories by adding the Financial History permission to their roles. For example, support reps can be allowed to see the sales transactions that customers inquire about.

To create a custom role with transaction history access:

1. Go to Setup > Users/Roles > User Management > Manage Roles.
2. Click **Customize** next to the name of the role you want to customize.
3. In the **Name** field, enter the name for this new role.
This role name will be available in employee records on the **Access** subtab.
4. On the **Permissions** subtab, click the **Lists** subtab.
5. In the **Permission** column, select **Financial History**.
6. In the **Level** column, select **View**.
7. Click **Add**.
8. Click **Save**.

With the new customized role, employees can view the Transaction History subtab on customer records and click the links to view those transactions.

To assign employees this custom role, go to Lists > Employees > Employees, and click Edit beside the employee you want to assign the role. Click the Access subtab. Select the new role in the Role field, and click Add/Edit. Click Save.



Important: If the Global Permissions feature is enabled, the Financial History permission also can be added on a per-employee basis. For information, see the help topic [Using the Global Permissions Feature](#).

Viewing Transaction System Notes



Note: This topic applies to System Notes only. For information about viewing transaction System Notes v2, see the help topic [Viewing System Notes v2](#).

To review changes made to an individual transaction, click the System Information and then click the System Notes. System notes store details about each change.

By default, you can see system notes for all transaction fields. Select a field from the Field dropdown list to view changes for one field.

On the System Notes subtab, you can view history related to the transaction, including system logs. System notes list each change made to the transaction, with the following information:

- **Date/Time** – when each change was made to the transaction. The date and time are shown in the company timezone.
- **Set by** – the user that made each change.
Some changes are made by the system, for example, fields where values are automatically populated.
- **Field** – the field where each change was made.

If you are using the Accounting feature, system notes include general ledger impact of changes with an entry of Impact in this column. For information, see the help topic [General Ledger Tracking in Transaction System Notes](#).

- **Type** – the type of each change.
- **Old Value/New Value** – the data in the field before it was edited and the new information entered for each change.
- **Role** – the role of the user that made the change (included as of 2017.1 — you must customize the view to see the Role column)

Note the following:

- The setting for Log System Notes on Updates Only at Setup > Company > General Preferences determines whether system notes are generated when a transaction is created. By default, it's enabled for new accounts as of 2012.2 release or later and disabled for accounts that existed before that release. For more information, see the help topic [Setting General Account Preferences](#).
- Click the Customize View button to define criteria for filtering system notes or to change the displayed results columns, or both. Clicking this button opens a Saved System Note Search definition page. After you have defined this type of search, you can select it from the View dropdown list for an alternate system notes display. For information about creating this type of search, see the help topic [Creating Saved Searches for System Notes](#).
- System notes on the System Information subtab relate to each transaction as a whole. Line-level system notes also are available from History links for individual items, expenses, and journal line items on transactions. For more information, see [Line-Level Audit Trail for Transactions](#).
- To view system notes for multiple transactions, filtered by field values, go to Transactions > Management > View Audit Trail. For more information, see [Using the Transaction Audit Trail](#).

Using the Transaction Audit Trail

Note: This topic applies to System Notes only. For information about viewing System Notes v2, see the help topic [Viewing System Notes v2](#).

The Transaction Audit Trail enables you to produce a report that provides a detailed history of all transactions entered into NetSuite. The audit trail provides information about the transaction, who entered the transaction, and when the transaction was created or modified.

To view the Transaction Audit Trail, go to Transactions > Management > View Audit Trail. In the NetSuite U.K. edition, go to Transactions > Other.

View Audit Trail Page

On the View Audit Trail page, filter the report to narrow down the results or focus on specific transactions. You can filter by:

- Users who entered transaction edits
- Action taken for the transactions: create, change, or delete
- Transactions date range, either relative (such as last month) or absolute
- Amount of transactions, defined as an exact number or a range
- Types of transactions
- Accounts affected by transactions
- Entity or entities involved in transaction, defined by name
Can be customers, employees, partners, vendors, or other entities

Audit Results Page

Choose your filters and click Submit to see the Audit Results page. The results include the following columns:

- Date and time that the transaction change was executed
- Name of the user who made the change
- The action taken: create, change, or delete
- Type of transaction
- Internal ID
- Transaction number
- Posting date of transaction change.
- Account affected
- Amount

By default, the Audit Results page sorts transactions by their system-generated internal ID. Click the text at the top of any column to sort the list using that attribute.

The page displays a one-line summary for each transaction. Click a transaction link in the Date/Time column to view details and GL Impact for that transaction.

For more information about audit results data, see [Tracking Financial Account Changes](#).

Other Ways to View System Notes

- You can view system notes for an individual transaction on the transaction record. Go to the System Information subtab, then click System Notes. For more information, see [Viewing Transaction System Notes](#).
- Find line-level system notes by clicking the History link next to items, expenses, or journal line items. For more information, see [Line-Level Audit Trail for Transactions](#).
- You can search system notes at Reports > New Search. The system note search includes system notes for records other than transactions. This search has different filters and more features than the transaction audit trail and enables you to export data, use advanced filters and results options, and create saved searches. For more information, see [Searching System Notes](#).

Tracking Financial Account Changes

You can use the audit trail function to search for changes made to your financial accounts.

To use the Audit Trail:

1. Go to Transactions > Management > View Audit Trail (Administrator).
2. Select criteria to quickly find the information you need.
For example, you can filter by user who performed the action, date range, or affected account. You can select more than one user, action, transaction type, account, or name by pressing the Ctrl key and selecting with your mouse.
3. Click **Submit**.

The Audit Results page shows 8 columns with the following information:

- **Date/Time** – This is the date and time your data was saved.

All times are in Pacific Standard Time (PST). When Daylight Savings Time is in effect, all times are expressed in Pacific Daylight Time (PDT).

If you import data or load sample data, all the dates and times of existing transactions appear as the date and time your data was loaded.

- **Username** – This is the name of the person who created, changed, or deleted the transaction.
If your company memorizes transactions, the name of the user who created these transactions appears.
- **Action** – This is what was done to the transaction. This can be CREATE, CHANGE, or DELETE.
If you void a transaction, CHANGE appears.
- **Type** – This is the type of transaction that was created, changed, or deleted.
- **Number** – This is the number specific to each transaction. For example, invoice number 18 or check number 1400.
- **Post Date** – This is the date your transaction was posted to the account.
- **Account** – This is the financial account that is affected by the transaction. For example, if you create an invoice, Accounts Receivable appears in the Account column.
If no account was affected, the corresponding field in this column is blank.
- **Amount** – This is the total amount of the transaction.
Deleted and voided transactions have zero in this column. Zero also appears in this column next to changed transactions if you made a change that didn't affect the original amount.

Click any date in the **Date/Time** column to view the details of a transaction. When the Audit Results page appears with the particular transaction you selected, click **View** to see the details or **Edit** to make changes, and then click **Save**.

Line-Level Audit Trail for Transactions

Note: This topic applies to System Notes only. For information about System Notes v2, see the help topic [System Notes v2 Overview](#).

The audit trail for transactions allows you to track updates to individual line items. You can view the audit trail for individual line items directly from each transaction record's listings for items, expenses, and journal line items.

On a transaction record, each line item includes a **History** link that you can click to open a new window displaying all updates to that particular line item. Users with the Notes Tab permission can see this link.

Note: The line-level audit trail only tracks updates to existing line items, not their creation or deletion.

Export Line-Level System Notes Data

In the History window, you can use buttons to export line-level history data as a CSV or XLS file. For more information about the History window's contents, see [Transaction Line-Level History Window](#).

Include Line-Level System Notes in Saved Searches

To review the history of multiple line items at one time, create a transaction saved search that includes one or more Line System Notes fields in its results. You can also use Line System Notes fields as transaction saved search filters to return only selected line-item history data.

Note: The Log System Notes on Update Only preference prevents NetSuite from logging system notes when records are created. When this preference is set, system notes are logged only when records are updated. See the help topic [Setting General Account Preferences](#). Before you set this preference in an account that existed before that release, you should first review any saved searches containing system notes fields, as these searches may use data from record creation system notes. If your account includes searches that rely on record creation system notes, you can either revise the searches before setting the Log System Notes on Update Only preference, or you can leave this preference not set.

For example, a case search may use record creation system notes fields to find dates when cases were first escalated. To make this search work with the Log System Notes on Update Only preference set, you would need to edit this search to use expressions and to return values for cases' Date Created field if the escalation date wasn't available through record update system notes fields.

For custom transaction body fields, if the Log System Notes on Update Only preference isn't set, and you have the View access level to a field, the default value of your custom transaction body field is displayed in system notes fields when you create a transaction search. For more information, see [Searching System Notes](#).

Other Ways to View System Notes

- You can view system notes for an individual transaction on the transaction record. Go to the System Information subtab, then click System Notes. For more information, see [Viewing Transaction System Notes](#).
- To view system notes for multiple transactions, filtered by field values, go to Transactions > Management > View Audit Trail. For more information, see [Using the Transaction Audit Trail](#).
- You can search system notes at Reports > New Search. The system note search includes system notes for records other than transactions. This search has different filters and more features than the transaction audit trail and enables you to export data, use advanced filters and results options, and create saved searches. For more information, see [Searching System Notes](#).

Transaction Line-Level History Window

When you click **History** for a transaction line item, you see the following columns:

- action that occurred to update the transaction line item
- date and time of the action
- specific field altered (if applicable)
- transaction line number
- new value of the line item after the action
- old value of the line item before the action
- posting date of the transaction
- transaction type
- username of the user performing the action

The following fields are tracked in the History window:

- All stored-value custom fields
- Alt.Sales
- Amortization Residual
- Amount
- Billable
- Billing Schedule
- Class
- Closed
- Commit
- Create PO
- Customer
- Delay Rev. Rec.
- Department
- Item
- Cost Category
- License Code
- Location
- Memo
- PO Rate
- PO Vendor
- Price Level
- Quantity
- Rate
- Restock
- Revenue Recognition End Date
- Revenue Recognition Schedule
- Revenue Recognition Start Date
- Revenue Recognition Term in Months
- Tax
- Units



Note: The line-level audit trail only tracks updates to existing line items, not their creation or deletion.

Personal Information (PI) Removal

 **Note:** This topic applies to removing personal information to assist you in addressing your obligations related to privacy laws such as GDPR, CCPA and other similar regulations.

Personal Information Removal

The Personal Information (PI) Removal feature enables NetSuite users with the appropriate permissions to remove personal information from NetSuite fields, records, and audit logs. The main purpose of PI removal is to help customers address privacy regulations related to data subject requests.

The right to be forgotten is one of the key requirements in recent privacy laws, including in General Data Protection Regulation (GDPR). Administrators can use the Personal Information Removal feature to replace the data stored in the system log notes and the workflow history with a custom value. The Personal Information Removal can be used for first names, last names, email addresses, social security numbers, credit card numbers, gender, and so on. The functionality is available on entity records, transactions, and custom records.

The Personal Information Removal feature:

- Improves compliance with privacy regulation.
- Supports removing Personal Information data from record field values, notes logs, and workflow history.
- Permits a user with appropriate permissions to remove Personal Information data without contacting NetSuite Customer Support.
- Replaces the Audit Trail History field value with a user-defined message.
- Doesn't remove the Audit Trail History logs.

You can submit individual information removal requests directly in NetSuite. You can see all submitted requests, including who created them, when, and their current status. For more complex requests, you can build the request from SuiteScript. For more information, see the help topic [N/piremoval Module](#).

For more information about removing personal information, see the following topics:

- [Permissions Required for Personal Information Removal](#)
- [Supported Field Types for Personal Information Removal](#)
- [Enabling the Remove Personal Information Feature](#)
- [Reviewing PI Removal Requests](#)
- [Creating and Approving a New PI Removal Request](#)
- [Checking PI Removal Results in the System Notes](#)

Permissions Required for Personal Information Removal

There are two permission types for the Personal Information Removal feature:

- Remove Personal Information Create – User can create, edit, and delete requests.
- Remove Personal Information Run – User can approve, run and delete requests.

For more information, see the help topics [NetSuite Permissions Overview](#) and [Permissions Documentation](#).

Supported Field Types for Personal Information Removal

The Personal Information Removal feature works with the following field types:

- Hyperlink
- Long Text
- Phone Number
- Rich Text Object
- Text Area
- Date
- Email Address
- Free-Form Text
- Security Number
- Address

 **Note:** The Personal Information Removal feature doesn't support removing details on sublist fields. For information about how to remove sublist field details, see [Removing Personal Information on a Sublist Field](#).

Enabling the Remove Personal Information Feature

Before you can remove personal information, you must enable the feature.

To enable the Remove Personal Information feature:

1. Go to Setup > Company > Setup Tasks > Enable Features.
2. On the **SuiteCloud** subtab, check the **Remove Personal Information** box, and review the SuiteCloud Terms of Service, if necessary.
3. Click **Save**.

After you enable the feature, you can review and submit PI removal requests. For information, see [Reviewing PI Removal Requests](#) and [Creating and Approving a New PI Removal Request](#).

If the NetSuite Analytics Warehouse feature is enabled in your account, when you remove personal information from your NetSuite fields and records, you must reload the data in the corresponding functional areas and custom fields in the Analytics Warehouse. This action ensures that the personal information is removed from both systems. For information about how to achieve this, see the help topic [Reloading Your Data to NetSuite Analytics Warehouse](#).

Reviewing PI Removal Requests

On the Personal Information Removal Request page, you can review the current status of PI removal requests, make a copy of a request, and approve, edit, or delete a request.

To review PI removal requests

1. Go to Lists > Mass Update > Remove Personal Information.

Personal Information Removal Requests						
Search		New		1 of 1 < >		
Record Type	Records	Fields	Workflows	Created By	Created	Status
Sales Order	1	2		E U Moreau	11.10.2024 10:43 am	Complete
Contact	1	2		E U Moreau	13.1.2021 2:17 pm	Created

2. For each request, you can see which records, fields, and workflows were removed. To view details of what information was processed in each request, click the field.
3. To view details of the request's status, click the **Status** field.
4. To display only requests of a specific record type, enter the record type name into the search box.
5. Use the icons on the far right to make a copy, edit, delete, view, or approve a request. See the [Using PI Removal Request Icons](#) help topic for details of how to use these icons.

Using PI Removal Request Icons

Use the icons on the Personal Information Removal Request page to view details of a request, make a copy of a request, or approve, edit or delete a request. Available options depend on the request status.

For requests with the Created status, the following icons are available:

- For the Create role: Make Copy, Edit, Delete



- For the Run role: View, Delete, Approve



For requests with the Pending or Complete status, Make Copy and View icons are available:



Make Copy - Make changes if needed and click **Create**. A copy of the request is created. For example, you may want to duplicate a previous selection if you forgot to include one of the items for removal.

Edit - Make changes as needed and click **Save**. Your changes are saved.

Delete - A confirmation message appears. To remove a request, click **Delete**.

Approve - A message warns you that all data will be lost **permanently**. To continue with the approval, click **Yes, Proceed**. The request status changes to Pending until the removal has been processed. Then the status changes to Complete.

View - The new PI Removal Request Page appears in view-only mode. View the information as needed.

Creating and Approving a New PI Removal Request

Use the Personal Information Removal feature to create and approve requests to remove personal information from NetSuite fields, records, and audit logs.

Note: The Personal Information Removal feature doesn't support removing details on sublist fields. For information about how to remove sublist field details, see [Removing Personal Information on a Sublist Field](#).

Note: To avoid possible performance issues, consider splitting large numbers of requests into batches of up to 1,000.

Warning: When you remove personal information, it is removed from all transaction records. In the following example, a company name was removed from a sales order.

The screenshot shows a NetSuite Sales Order form. The top bar indicates '17 PI_removed' and 'Pending Approval'. The 'Primary Information' section shows the 'Customer' field with the value '7 PI_removed', which is highlighted with a red box. Other fields include 'Order # 1', 'End Date', 'PO #', 'Date 10/14/2024', and 'Start Date'. A 'Summary' box on the right shows 'Subtotal 1.00', 'Discount Item', 'Tax 0.00', and 'Total 1.00'.

To create a new PI removal request:

1. Go to Lists > Mass Update > Remove Personal Information.
2. On the Personal Information Removal Request page, click **New**.
3. In the **Record Type** field, choose the record type for the records you want to process.

The screenshot shows the 'New PI Removal Request' dialog box. The 'Record Type' is set to 'Contact'. The 'History Replacement' is 'PI Removed Upon Request'. The 'Records' list shows 100 records, with the first 10 displayed: 1, Test (421); 105 Test Co : Susanne Funale (1856); 106 Test Co : Susanne Funale (1858); 107 Test Co : Susanne Funale (1861); 109 Direct Mail : Ruth Ehaca (1866); 110 Cyber Host : Nena Canax (1868); 123456 : Jane Janeson. The 'Fields' list shows 19 fields, with the first 10 displayed: Address (defaultaddress), Email (email), Contact (entityid), External ID (externalid), Fax (fax), Name (firstname), and Home Phone. The 'Workflows' list is empty. The dialog box has 'Save', 'Reset', and 'Close' buttons at the bottom.

4. In the **Records** list, choose the records you want to process.
You can use the search field to find specific records using a search word or ID number. Do one of the following:
 - Enter a search word, such as a contact name, and then click the Search icon or press Enter.

- Enter **ID: XX** (where XX is the ID number). To search for multiple IDs, separate the ID numbers with commas, for example, **ID: XX, YY, ZZ**. Then click the Search icon or **press Enter**

The Records column displays limited information about the records. If there are more than 100 records, the range of records that have been loaded appears. Records load in groups of 100 and the first 100 load automatically. To load the next 100 records, click the double arrows beside the number range. The plus sign (+) indicates that more records are available. The record range updates as more records are loaded.

When you enter a term into the Records filter field, results appear as they are found. The record range adjusts to show the number of filtered results. If all records were loaded before you applied the filter, the range of numbers doesn't change.

5. (Optional) To view only the selected records, check the **View selected** box. Note that View selected option isn't available for ID-based filters.
6. In the **Fields** list, select the fields you want to replace with a new value. Use the Fields filter to filter the list.

 **Note:** You can't remove personal information from address fields that are needed for tax and shipping calculations, such as Country, Subdivision, Postal Code, and City.

7. (Optional) To view only the selected fields, check the **View selected** box.
8. In the **Workflows** list, choose the workflows for which you want to remove personal information from the workflow history. Use the Workflows filter field to filter the list.
9. (Optional) To view only the selected workflows, check the **View selected** box.
10. Choose whether you want to process **History Only** (system notes and workflow logs) or **History and Fields** (history plus record fields).
11. (Optional) In the **History Replacement** field, enter the text to use in history (system notes and workflow logs) to replace the original values. If you don't enter custom text, NetSuite uses PI Removed Upon Request by default. The replacement values appear in gray.
12. When personal information is removed from fields, the field value is replaced with a default replacement value. To see the list of replacement values, click **See the list** in the **Field Value Replacement** field. These values are:
 - **PI_removed** for text fields

 **Note:** Record names must be unique. Therefore, for records, the default value includes a sequence number.

- **000000000** for phone numbers
- **PI_removed@example.com** for email addresses
- **http://example.com** for web addresses
- **1/1/1900** for date fields.

 **Note:** Due to constraints and validations, record updates for the field types in the preceding list may fail, and only system notes will be updated. If the record update fails, you must manually update the value on the record. For example, to remove an address from a customer record, go to Lists > Relationships > Customers, edit the customer record, and remove the address information, as needed.

13. To create the removal request, click **Save**. The removal request is generated and appears with the Created status.
14. To approve the removal, click the Approve icon.



A confirmation message warns you that the data will be permanently deleted. To proceed, click **Yes, Proceed**. Otherwise, click **Cancel**.

The request will have a Pending status until it's processed.

Personal Information Removal Requests						
Search		New		1 of 1 < >		
Record Type	Records	Fields	Workflows	Created By	Created	Status
Sales Order	1	2		E U Moreau	13.4.2025 10:43 am	Created
Contact	1	2		E U Moreau	13.4.2025 11:12 am	Pending
Customer	1	1		E U Moreau	28.3.2025 12:44 pm	Complete

For more information about PI Removal Request icons, see [Using PI Removal Request Icons](#).

Note: If you have the NetSuite Analytics Warehouse feature enabled, to make sure personal information is removed from the Analytics Warehouse, click **Transfer Data** or wait until the next scheduled data refresh. For more information, see the help topic [Reloading Your Data to NetSuite Analytics Warehouse](#).

Removing Personal Information on a Sublist Field

You can't use the Personal Information Removal feature to remove details on a sublist field. You must remove the sublist field details manually.

To remove sublist field details manually:

1. Clear the details from the sublist field on the record manually.
2. Use the Personal Information Removal feature to remove the system note details for the sublist field.

Removing Customer Name Information

The Personal Information Removal feature behaves differently when you remove customer name information, depending on whether the Auto-Generated Numbers feature is enabled or disabled in your account.

Auto-Generated Numbers Feature Enabled

When the Auto-Generated Numbers Feature is enabled:

- The customer name is stored in the Alternate Name field.
- To remove the customer name information from the System Notes, in addition to the name fields you want to remove, select the Alternate Name field.

Auto-Generated Numbers Feature Disabled

When the Auto-Generated Numbers feature is disabled:

- The customer name is stored in the Customer ID field.
- To remove the customer name information, in addition to the name fields you want to remove, select the Customer ID field.

Checking PI Removal Results in the System Notes

Note: This topic applies to System Notes only. For information about System Notes v2, see the help topic [System Notes v2 Overview](#).

If your company uses the Personal Information Removal feature, where available, you can see PI removal results in the record's system notes. The location and path to access the system notes information varies depending on the type of record. In the following example, a change was made to the Acme Medical Supplies contact record. To view the system notes, you would go to Lists > Relationships > Contacts and click View beside Acme Medical Supply. Then you would click the System Information subtab and then the System Notes subtab.

The system notes show that a field value was replaced with a replacement text of PI_Removed.

System Notes

Active Workflows

Workflow History

View

Field

Default

<Type then tab>

Customize View

Date	Set by	Context	Type	Field	Old Value	New Value
13.4.2025 10:45 am	E U Moreau	UI	Change	Email	PI_removed	PI_removed

Removing PI from the System Notes

This is the second video in a 4-part series of videos about System Notes. To watch the other parts of the series, see:

- [System Notes Overview](#)
- [System Notes v2 Overview](#)
- [Using the System Notes v2 Workbook](#)

Auditing Data Changes using Searches

To monitor changes made to NetSuite data, you can search system notes records.

Note: This topic applies to System Notes only. For information about searching System Notes v2, see the help topic [Searching and Filtering System Notes v2](#).

You can use the following tools to access system notes records:

- A general system notes search can return system notes for all record types. You can also filter search results by record type. For more information, see [Searching System Notes](#).
- Searches of record types that support system notes can include system notes details in results. For example, a customer search can include values for system notes fields related to customer record changes in results. This support is based on a join between system notes records and their related parent records. See the help topic [Defining an Advanced Search](#).
- An audit trail link, available at the top of most list pages, returns system notes for a particular record type. See [Viewing an Audit Trail for a Record Type](#).
- The audit trail for transaction records is available at Transactions > Management > View Audit Trail. See [Using the Transaction Audit Trail](#).
- Running saved searches doesn't create system notes since it doesn't change any data. However, each saved search has a log that lists the users who ran or exported the search. This log shows who used the search in the past 60 days, including the date and time of when the user ran the search. You can also see an audit trail about changes made to each saved search. For more information, see the help topic [Audit Trail for Saved Searches, Reports and Schedules](#).

Known Limitations: If you search for System Notes Fields and you use Type = Change as a filter, NetSuite will return all results having type Change, Set or Unset as these are all considered a change. As a workaround, you can also use the following formula: Formula (text): is change: {systemnotes.type}.

Additionally, the Deleted Record search type lets you retrieve details about records that have been deleted. For information about searching for deleted records, see [Searching for Deleted Records](#).

Note: To search System Notes, you must have View permissions and only an administrator or another user with Notes Tab permission can use it. For more information about permissions for system notes, see the help topics [Accessing System Notes](#) and [NetSuite Permissions Overview](#).

Searching System Notes

Note: Unless identified as System Notes v2, this topic applies to System Notes only. For information about searching System Notes v2, see the help topic [Searching and Filtering System Notes v2](#).

System note records show changes made to NetSuite records. NetSuite offers a system note search that you can use to retrieve system notes data. To use this search, go to Reports > New Search and click System Note.

- Use a simple search to retrieve system notes data filtered by: the user(s) who entered the changes, role of the user who entered the changes, the date and time of the changes, the type of change, the field(s) changed, the value before the changes, the context for the change, and the value after the changes. For information, see the help topic [Defining a Simple Search](#).
- Use an advanced search for more filtering and display options. For information about the capabilities available, see the help topic [Defining an Advanced Search](#).

- Use a saved search to take advantage of additional functionality such as emailing search results and the ability to quickly rerun the search. For information, see the help topic [Defining a Saved Search](#).

System notes fields also are available to be used as filters and displayed as results for other record types' advanced and saved searches, including the following: contact, customer, employee, issue, item, project, opportunity, partner, transaction, and vendor.

Searching System Notes v2

For information about searching in System Notes v2, see the help topics [Viewing System Notes v2](#) and [Searching and Filtering System Notes v2](#).

System Notes and Deleted Records

- System Notes for existing records are never automatically deleted. System Notes are only deleted when the record they belong to is deleted.
- System Notes v2 are never deleted, even in cases where a record is deleted.
- In some cases, NetSuite creates a log of the deleted record. The log provides some basic information about the deleted record. For more information, see [Searching for Deleted Records](#).

System Notes for Changes to Configuration and Setup Pages

System notes log changes made to enabled features, company information, and account-level preferences, such as:

- Company Information (Setup > Company > Company Information)
- Enable Features (Setup > Company > General Preferences)
- General Preferences (Setup > Company > Enable Features)
- Expense Categories (Setup > Accounting > Expense Categories)
- Accounting Lists: Payment Method (Setup > Accounting > Accounting Lists)
- Accounting Lists: Term (Setup > Accounting > Accounting Lists)
- Accounting Lists: Cost Category (Setup > Accounting > Accounting Lists)
- Accounting Lists: Budget Category (Setup > Accounting > Accounting Lists)
- Accounting Lists: Subscription Term (Setup > Accounting > Accounting Lists)
- Accounting Preferences (Setup > Accounting > Accounting Preferences)
- Location Costing Groups (Setup > Accounting > Setup Tasks > Location Costing Groups)
- Nexuses (Setup > Accounting > Nexuses)
- Tax Types (Setup > Accounting > Tax Types)
- Tax Codes (Setup > Accounting > Tax Codes)
- Tax Groups (Setup > Accounting > Tax Groups)

You can create a saved search that shows system notes on features that were enabled by selecting Enable Features in the Record Type dropdown when you define your search.

Other Methods for Viewing System Notes

NetSuite offers different methods that you can use to view system notes for particular record types.

- The audit trail function enables you to retrieve filtered sets of system notes for a selected record type. For information about using the audit trail, see [Viewing an Audit Trail for a Record Type](#) and [Using the Transaction Audit Trail](#).
- Each transaction record includes a System Notes subtab on the History subtab where you can view system notes for that transaction. See [Viewing Transaction System Notes](#). History for individual line items also may be available from transaction records. See [Line-Level Audit Trail for Transactions](#).
- Each record of a type other than transaction, such as Employee or Customer, includes a System Notes subtab on the General subtab. You can view system notes for the record on the System Notes subtab.

Viewing an Audit Trail for a Record Type

Note: This topic applies to System Notes only. For information about viewing System Notes v2, see the help topic [Viewing System Notes v2](#).

You can view an audit trail to see a list of changes made to a selected record type, such as employee or customer. An audit trail is a search for system note records related to a selected record type.

An Audit Trail link is available from most record type list pages. Usually, you'll find these list pages under the Lists tab. When you click **Audit Trail** on a list page, an Audit Trail page opens. On this page, you can define field values as filters, to narrow down results to relevant data.

To search a record's audit trail:

1. Go to the list for the record type you want to search.
For example, to search for changes on customer records, go to Lists > Customers.
2. In the header of the list, click **Audit Trail**.

The screenshot shows the 'Customers' list page. At the top right, the 'Audit Trail' link is highlighted with a red box. Below the header, there is a table with the following data:

Internal ID	ID	Name	Primary Contact	Category	Primary Subsidiary
14	2	Chatham Company			Parent Company

3. On the Audit Trail page, set the criteria for your search.
You can search system notes by:
 - The user ID of the person who made change.
 - The date and time the change was made.
 - The type of change (for example, whether the field was set for the first time or updated from a previous value).
 - The field changed.
 - The value before the change.
 - The value after the change.
 - The context for the change. For more information about context, see [Understanding the Context for Changes](#).
4. Click **Submit**.

Note the following:

- The audit trail for transaction records is available at Transactions > Management > View Audit Trail. For more information, see [Using the Transaction Audit Trail](#).
- A system note search that's more general than the audit trail function is available at Reports > New Search. This search covers multiple record types and offers additional features like data export, advanced filters and results options, and saved searches. For more information, see [Searching System Notes](#).

Searching for Deleted Records

For some records, when the record is deleted, NetSuite retains some general data about it.

You can find deletion details using several methods depending on the data source your record uses. For information about data sources, see the help topic [The Analytics Data Source and SuiteAnalytics Workbook](#).

- **Records that use the old data source** – These records use the old data source that was designed for saved searches and reports. To search for deleted records of this type, you can use the Deleted Record search type. For more information, see [Searching Deleted Records That Use the Old Data Source](#).

Note: In addition, for record types that support System Notes v2, system notes retain all information for deleted records. For more information about viewing and searching system notes v2, see the help topic [System Notes v2 Overview](#).

- **Records that use the new analytics data source** – These records use the new analytics data source that was designed for SuiteAnalytics Workbook. To search for deleted records of this type, you can use a SuiteQL query in either SuiteScript or SuiteAnalytics Connect.

Note that you must have the NetSuite Analytics Warehouse feature enabled to search for deleted records that use the new analytics data source. For more information, see [Searching for Deleted Records That Use the New Analytics Data Source](#).

The following tables list the records of each type that support deletion tracking. NetSuite creates a deletion log for deletion instances of these records. The log provides basic information about the deleted record. The information is searchable.

Old Data Source Records	
account	invoice group
accounting book	item account mapping
accounting period	item collection
advanced intercompany journal entry	item-item collection relationship
allocation schedule	item demand plan
amortization schedule	item location configuration
analytical impact	item process family
budget deletion tracking	item process group
billing account	item revision
billing class	item supply plan
bin number record	location

Old Data Source Records	
bill of materials	manufacturing cost template
bill of materials revision	manufacturing operation task
bill of materials component	manufacturing routing
bonus	media item
bonus type	merchandising hierarchy level
bundle	merchandising hierarchy node
buying reason	merchandising hierarchy version
buying time frame	monthly quota
cardholder authentication	nexus
case issue	note type
care origin	order allocation strategy
case priority	order type
case status	other name
case type	other name category
category	overtime policy
billing revenue event type	overtime policy basic rule
billing schedule	partner
bill of distribution	payment method
boost type	payment processing profile
budget	payroll item
charge	units for pick decomposition
charge rule	pick strategy
charge type	pick task
classification	planned order
CMS content	planned standard cost
CMS content type	planning item category
CMS page	planning item group
CMS page type	planning rule group
CMS site map	planning workbench view
commerce catalog	price book
commerce category	price type
classification	pricing group

Old Data Source Records	
competitor	project expense type
contact	promotion code instance (coupon code)
contact type	quantity pricing schedule
cost category	rate plan
crm message	resource group
coupon code	revenue element
currency	revenue plan
currency exchange rate	revenue recognition field mapping
custjob	rule (gain loss account mapping, recognition treatment rule, transaction accounting rule)
custom list definition	sales readiness
customer category	subscription change order
customer message	subscription line
customer- subsidiary relationship	subscription line revision
custom record	script deployment
custom segment	script
custom record entry	standard cost version
customer referral code (promotion code)	statistical journal
department	subscription
distribution network	subscription change order
document folder	subscription online
employee	subsidiary
employee status	supply chain snapshot
employee type	supply change order
entity account mapping	supply planning
entity group	terms
entity status (job status and customer status)	time code
event	time code subsidiary mapping
expense category	time line track (time tracking, time entry, manufacturing planned time)
fulfillment exception reasons	time-off change
generic resource	time-off request
global account mapping	timesheet

Old Data Source Records	
global inventory relationship	transaction
impact subcategory	treatment
inbound shipment	units type
incoterm	usage
intercompany allocation schedule	user notes
intercompany journal entry	vendor
inventory cost template	vendor category
inventory item	vendor-subsidiary relationship
inventory number	win/loss reason
inventory status	workflow
—	workflow definition
—	zone

New Analytics Data Source Records
billing account billing schedule
billing class
bin
charge run
campaign event
campaign email template/online form template
customer subsidiary relationship
custom field
custom record type
default campaign event
direct mail campaign event
drip campaign event
email campaign event
generic resource
incoterm
memorized transaction template
other campaign event
price book

New Analytics Data Source Records
pricing group
quantity pricing schedule
schedule work item
shipping package
subscription line revision
transaction address mapping
transaction line address mapping
usage
vendor category

Querying a Dataset or Workbook for Deleted Records

Administrators can use the Deleted Records type in Analytics to track deleted records. Datasets can include the Deleted Records as the root record and you can create a dataset or workbook to track deleted records. For more information, see the help topics [Defining a Dataset](#) and [Creating a Workbook](#).

Note: When you search for deleted records that use the new data source, the date and time the record was deleted is displayed in Pacific Time in the Date Deleted field. To view the date and time in your time zone, add the Date Deleted in User TZ field to your Data Grid.

Searching Deleted Records That Use the Old Data Source

You can retrieve information about the deleted records that use the old data source by using the Deleted Record search type.

To use this search type, go to Reports > New Search and click **Deleted Record**.

You can retrieve the following data:

- The date and time the record was deleted in the time zone of the user.
- The name of the user who deleted the record.
- The context for the record's deletion. For more information about context, see [Understanding the Context for Changes](#).
- The record type.
- The record name. Note that the values the system returns for this column vary depending on the record type. For some record types, such as entities and items, this column reflects the value of the record's Name field. Other record types might show a more general label in the Note column.
- Optionally, the record's external ID.

You can also use most of these fields as search criteria. The only exception is external ID.

The following screenshot shows results typical of a Deleted Record search.

Deleted Record Search: Results

Return To Criteria

Save This Search

Filters

11/5/2024 — 10/28/2024

<>

Total: 1949

Date Deleted	Deleted By	Context	Record Type	Name
11/5/2024 6:50 am	E U Moreau	UI	Folder	Project documents
11/5/2024 6:42 am	E U Moreau		Message	Your purchase
10/28/2024 10:47 pm	G Vasam	Script (SDF Installation)	File	package.xml

As with other search types, you can use a simple search, an advanced search, or a saved search:

- **Simple search** – The most basic approach. For more information, see the help topic [Defining a Simple Search](#).
- **Advanced search** – Lets you select the fields that should be shown and specify how results should be sorted. For more information, see the help topic [Defining an Advanced Search](#).
- **Saved search** – Lets you save your search criteria and rerun the search later. For more information, see the help topic [Defining a Saved Search](#).

You can also query the Deleted Record using SuiteAnalytics Workbook. For more information, see the help topic [SuiteAnalytics Workbook Overview](#).

Note: By default, only users with the administrator role can use the Deleted Record search type. However, you can give other roles access using the Deleted Record Search permission. Users who have this permission see results about any type of record that was deleted, even if they don't have permission to create or modify that record type.

You can run deleted records searches in SuiteScript. Check the SuiteScript Records Browser to see if a record supports deleted records searches. For details, see the help topic [Deleted Record Search](#).

You can include the Deleted Records record in an Analytics dataset to monitor deleted records in NetSuite. For more information, see the help topic [Custom Workbooks and Datasets](#).

Retrieving deleted records in SOAP web services works a bit differently. You can use the [getDeleted](#) operation instead of running a search. For a complete list of supported record types for this operation, see the DeletedRecordType enumeration in the [coreTypes](#) xsd.

You can also use SuiteAnalytics Connect to retrieve the deleted records. You need to access the NetSuite.com data source and use the deleted_records table in your query. For more information, see the help topic [SuiteAnalytics Connect](#).

Searching for Deleted Records That Use the New Analytics Data Source

You can retrieve information about deleted records that use the new analytics data source by using a SuiteQL query. SuiteQL is a query language that provides advanced query capabilities you can use to access your NetSuite records and data. You can run SuiteQL queries using the N/query module in SuiteScript. You can also run SuiteQL queries against NetSuite database tables directly using SuiteAnalytics Connect. For more information, see the help topic [SuiteQL](#).

Note: When you search for deleted records that use the new data source, the date and time the record was deleted is displayed in Pacific Time Zone.

The following code sample shows how to run a SuiteQL query for deleted records using the N/query module in SuiteScript. You can reference the deletedRecordInConnect table, which contains information for deleted records.

```

1 require(['N/query'], function(query) {
2   var results = query.runSuiteQL({
3     query: "SELECT * FROM deletedRecordInConnect WHERE UPPER(recordType) = UPPER('customfield')"
4   }).asMappedResults();
5
6   log.debug(results);
7 });

```

Note: To see the deletedRecordInConnect table, you must enable the NetSuite Analytics Warehouse feature at Setup > Company > Setup Tasks > Enable Features. For more information, see the help topic [NetSuite Analytics Warehouse Overview](#).

The preceding code sample searches for deleted records that represent custom fields (where the recordType value is customfield). For a list of record type strings you can use in this query, see the help topic [query.Type](#). You can use strings for only those record types that support deletion tracking, as described in [Searching for Deleted Records](#). If you use a string for a record type that isn't supported for deletion tracking, the query doesn't return any results.

The preceding code sample also uses the UPPER() function to convert record type strings to uppercase before comparing them. Record type strings may have inconsistent casing. For example, the customfield record type string may appear as customField or CustomField when it's retrieved from the database. The UPPER() function ensures that the casing is consistent before comparison occurs. For more information about functions you can use in SuiteQL queries, see the help topic [SuiteQL Supported and Unsupported Functions](#).

For more information about running SuiteQL queries using SuiteScript, see the help topic [Using SuiteQL with the N/query Module in SuiteScript](#).

You can run the same SuiteQL query, and get the same results, using SuiteAnalytics Connect. For more information, see the help topic [Using SuiteQL with the Connect Service](#).

Understanding the Context for Changes

When viewing data about records, you can view the context for each change. The context describes how the change was made. For instance, changes can be made through the UI, web services, SuiteScript, and other methods. Each method is a type of context. For a full list of contexts, see [Available Context Values](#).

You can view context data in any of the following ways:

- Each change to a record is typically recorded in a system notes record. This record includes context and other details about the change. To learn how to find system notes records and use the System Notes search type, see [Searching System Notes](#). To learn how to find system notes data using the Audit Trail feature, see [Viewing an Audit Trail for a Record Type](#).
- When a record is deleted, you can typically view the context for the record's deletion. You do this using the Deleted Record search type. For more information about this search type, see [Searching for Deleted Records](#).

Note: Context was introduced in Version 2014.2. Before this release, context data wasn't collected. For that reason, you can't see the context for changes made before your account was upgraded to Version 2014.2.

When working with context values, keep the following in mind:

Some Contexts Occur Within Other Contexts

Some context values are more specific and fall under broader categories. For example, UI is a context, but there are also more specific contexts within it. In these cases, the system uses the more specific label. For example:

- All CSV imports are initiated through the user interface, but a change made by the Import Assistant is labeled as CSV, not UI.
- If a user does a Mass Update from a mobile device, the context is labeled as Mass Update, not Mobile.

Related Changes May Share a Single Context

Note that if one change triggers another change, the system usually lists the same context for both changes, even if they occurred in different ways. The listed context is the context for the change that started the series of events.

The reason for this behavior is as follows: The system doesn't save a context value for each discrete field change. Rather, the system logs a context value for each operation, such as a save operation, which may include many field changes. However, a System Notes record is created for each field change, and each one needs a context.

The following examples illustrate this concept:

- A scheduled workflow runs and changes Field A on a record. If this workflow triggers a SuiteScript that changes Field B, both changes are listed as Scheduled Workflow.
- A user edits a record, triggering a workflow that makes more changes. All changes have the same context, which is UI.
- The CSV Import Assistant imports a record, which triggers a workflow that makes changes to the new record. The context for all changes is CSV Import.

Available Context Values

The following table summarizes possible context values for data changes.

Context	Change Initiated Through	Corresponding Help Topic
Bulk Processing	Any of the pages in the user interface that let you mark multiple records for simultaneous processing. Such pages include the Authorize Commissions page (at Transactions > Commissions > Authorize Employee Commissions) and the Mark Work Orders Built page (at Transactions > Manufacturing > Mark Work Orders Built).	—
Campaign Response	A campaign response	Tracking Campaign Responses
CSV	The CSV Import Assistant	CSV Imports Overview
Mass Update	The utility at Lists > Mass Update > Mass Updates	Mass Updates
Mobile	The mobile interface. However, not all changes initiated through the mobile interface have this context label. For details, see Some Contexts Occur Within Other Contexts .	—
Scheduled Workflow	A workflow configured to run at a specific time or interval.	Initiating a Workflow on a Schedule

Context	Change Initiated Through	Corresponding Help Topic
	See also Workflow.	
Script (Client)	A script that runs in the browser	SuiteScript 2.x Client Script Type
Script (Mass Update)	A script that initiates a Mass Update	SuiteScript 2.x Mass Update Script Type
Script (Portlet)	A script rendered in the NetSuite dashboard	SuiteScript 2.x Portlet Script Type
Script (RESTlet)	A script invoked by an HTTP request to a system-generated URL	SuiteScript 2.x RESTlet Script Type
Script (Scheduled)	A script configured to run at a specific time or interval	SuiteScript 2.x Scheduled Script Type
Script (SSP Application)	A script implemented using the SuiteScript Server Pages feature	SSP Application Overview
Script (Suitelet)	A script that operates in a request-response model using extensions of the SuiteScript API	SuiteScript 2.x Suitelet Script Type
Script (User Event)	A script triggered by an action performed on a record	SuiteScript 2.x User Event Script Type
Script (Workflow Action)	A script invoked as a custom action from a workflow state	SuiteScript 2.x Workflow Action Script Type
UI	The user interface. However, not all changes initiated through the user interface have this context label. For details, see Some Contexts Occur Within Other Contexts .	—
SOAP Web Services	A SOAP web services request	SuiteTalk SOAP Web Services Platform Overview
Web Store	A SuiteCommerce website	Commerce Overview
Workflow	A SuiteFlow workflow that occurs asynchronously. Examples include workflows initiated by SuiteScript and workflows invoked because they're subscribed to other records. If a workflow is triggered synchronously, by an event, the resulting changes generally share the same context as the triggering event. For examples, see Related Changes May Share a Single Context. Changes made by scheduled workflows have a context of Scheduled Workflow.	Subscribe To Record Action

Avoiding Duplicates

The topics listed below can help you avoid unintended duplicate entries in NetSuite.

- [Avoiding Duplicate Transaction Numbers](#)
- [Duplicate Number Warnings](#)
- [Using Auto-Generated Numbering for Transactions](#)
- [Avoiding Duplicate Processing of Memorized Transactions](#)



Important: When working with transactions, don't click the Submit button multiple times. If you click Submit more than one time, multiple transactions may be created.

Avoiding Duplicate Transaction Numbers

NetSuite provides several methods you can use to avoid the entry of duplicate transaction numbers.

- Set a user-level preference to receive a warning when a duplicate transaction number is entered. Go to Home > Set Preferences. On the Transactions subtab, check the Duplicate Number Warnings box. To access preferences, you need the View level of the Set Preferences permission.
- Set an account-level preference to receive a warning when a duplicate transaction number is entered. For information, see [Duplicate Number Warnings](#).
- Use auto-generated numbering for transactions. For information, see [Using Auto-Generated Numbering for Transactions](#).



Important: In a OneWorld account with auto-generated numbering, you can define subsidiary-specific prefixes for transaction numbers in subsidiary records. This ensures each subsidiary's transaction has its own numbering sequence. See the help topic [Using Subsidiary-Specific Transaction Auto-Numbering](#).

Duplicate Number Warnings

Any user with the Accounting Preferences permission can set up an account so that all users are alerted or blocked from proceeding when they attempt to save transaction records with duplicate document numbers.

If you import transactions and use the Advanced Numbering feature, NetSuite checks for duplicates based on these settings. When you import a transaction, NetSuite determines which advanced numbering rule applies to it using your rules' criteria. It then checks if a transaction with the same document numbers already exists for the same rule. If a duplicate is detected, NetSuite uses your Duplicate Number Warnings preference as described below.

To enable these warnings, go to Setup > Accounting > Preferences > Accounting Preferences. On the Items/Transactions subtab in the Other Transaction Preferences section, select one of the following Duplicate Number Warnings from the list:

- **No Warnings** – Users aren't warned when the transaction they are saving will create a duplicate document number.

If you import transactions and use Advanced Numbering, NetSuite doesn't warn you when the imported transactions use duplicate document numbers and imports all transactions.

- **Warn (UI only)** – Users receive a message when they attempt to save a transaction record with the same document number as another record of the same type. When the warning is displayed, a user can enter a different number before attempting to save again.

If you import transactions and use Advanced Numbering, NetSuite doesn't warn you when the imported transactions use duplicate document numbers and imports all transactions.

- **Warn and Block** - Users receive a message when attempting to save a transaction record with the same number as another record of the same type. When the warning is displayed, the user must click Cancel and change the document number in the record. This option affects the following transaction types:

- Vendor bills
- Vendor credits
- Card charges
- Card refunds
- Custom purchase transactions

If you import transactions and use Advanced Numbering, NetSuite warns you when imported transactions create duplicate document numbers, and doesn't import these transactions.



Important: When working with transactions, don't click the Submit button multiple times. If you click Submit more than one time, multiple transactions may be created.

Using Auto-Generated Numbering for Transactions

When enabled, the auto-generated numbering feature prevents assigning duplicate numbers to transactions in NetSuite. This ensures that the number can't be edited and can't be duplicated. Auto-generated numbering for transactions is enabled by default and can't be disabled. For information about this feature, see the help topic [Set Auto-Generated Numbers](#).

To have transaction numbers generated when forms are saved:

1. An administrator can go to Setup > Company > Auto-Generated Numbers.
2. Click the **Transactions** subtab.
3. To ensure that no duplicate transaction numbers are used, clear the box in the **Allow Override** column for each transaction.
4. Click **Save**.

When you create a transaction, the number field reads **To be generated**. When you return to the transaction, the generated number shows in this field. For example, if you create an invoice, the Invoice # field reads **To be generated**. When you save the invoice, a number is assigned. If you return to the invoice at Transactions > Sales > Create Invoices > List, you can view the number for the invoice.

Warning: You can't auto-generate numbers for journals if you enable the Always Allow Per-line Classifications on Journals preference.

Warning: You should never override auto-generated numbers to delete any part of a default prefix or suffix on transaction numbers. Doing this may damage data used in transaction searches.

Important: In a OneWorld account with auto-generated numbering, you can define subsidiary-specific prefixes for transaction numbers in subsidiary records. This ensures each subsidiary's transaction has its own numbering sequence. See the help topic [Using Subsidiary-Specific Transaction Auto-Numbering](#).

Avoiding Duplicate Processing of Memorized Transactions

To avoid duplicate processing of memorized transactions in a bulk update, customize a Memorized Transaction Search form:

1. Go to Transactions > Management > Enter Memorized Transactions > List (Administrator).
2. In the header, click **Search**.
3. On the Memorized Transaction Search page, click **Personalize Search**.
4. On the custom search form, enter a search title.
5. Click the **Results** subtab.
6. Select **Being Processed** for the result column.

The screenshot shows the 'Results' subtab of the Memorized Transaction Search form. It includes a 'Sort By' dropdown set to 'Next Date' and a 'Descending' checkbox. Below this is a list of fields to be included in the search results. The 'Field' dropdown menu is open, showing a list of fields: 'Next Date', 'Name', 'Enter', 'Transaction Type', 'Amount', 'Time Period', 'Number Remaining', and 'Action'. The 'Being Processed' option is highlighted with a red box. Below the list are buttons for 'OK', 'Cancel', 'Insert', 'Remove', and 'Move Up'. At the bottom are 'Save', 'Cancel', 'Pivot Report', and 'More Options' buttons.

7. Click **Add**.
8. Click **Save**.

In the results of this search, the Being Processed column displays Yes or No to indicate if a memorized transaction is being processed as part of a bulk update. If you select a transaction with Yes in the Being Processed column, it can lead to duplicate processing. Best practice is to avoid processing transactions that display Yes in the Being Processed column.

If you submit a memorized transaction that's currently in a processing state, NetSuite displays an error message on the Processed Orders page and doesn't process the memorized transaction.



Note: To access memorized transactions, you need View access level for the Memorized Transaction permission.

Activity Log Overview



Important: To use the Activity Log feature, you must install the Compliance 360 SuiteApp. The Compliance 360 SuiteApp gives customers access to user activity logs produced by the NetSuite Compliance 360 Cloud Service for security and compliance monitoring. For more information, see the help topic [Compliance 360 SuiteApp](#).

The Activity Log lets you to see who accesses the personal information of your customers and what actions they perform.

The Activity Log feature:

- Improves compliance with regulatory standards.
- Helps monitor all actions on customer data.
- Allows users to register and react to suspicious activity.

Within NetSuite, you can see the data that was accessed, the user who accessed it, when the data was accessed, the IP address that was used, and the action that was taken. The Activity Log provides information about data accessed in the last 12 months.

The Activity Log feature monitors only record types that may contain customer-related sensitive information.



Important: You can't delete customer records when the Activity Log feature is enabled. If you try to delete a customer record, NetSuite displays a dependency error.

For information about installation, required permissions, and limitations, see the help topic [Compliance 360 SuiteApp](#).

The Personal Information Access Logs dataset is related to the Activity Log feature. This dataset allows you to make use of all SuiteAnalytics capabilities in NetSuite, in addition to the visualizations provided by the Compliance 360 SuiteApp. For more information, see the help topic [Personal Information Access Logs Dataset and Workbook](#).